


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5919706/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Molecular identification of GnlH/GnlHR signal and its reproductive function in protogynous hermaphroditic orange-spotted grouper (Epinephelus coioides). General and Comparative Endocrinology, 2015, 216, 9-23.	1.8	64
2	ldentification of mapk gene family in Lateolabrax maculatus and their expression profiles in response to hypoxia and salinity challenges. Gene, 2019, 684, 20-29.	2.2	49
3	Genome-wide identification and characterization of toll-like receptor genes in spotted sea bass (Lateolabrax maculatus) and their involvement in the host immune response to Vibrio harveyi infection. Fish and Shellfish Immunology, 2019, 92, 782-791.	3.6	34
4	Identification of epipolythiodioxopiperazines HDN-1 and chaetocin as novel inhibitor of heat shock protein 90. Oncotarget, 2015, 6, 5263-5274.	1.8	32
5	Na+-K+-ATPase and nka genes in spotted sea bass (Lateolabrax maculatus) and their involvement in salinity adaptation. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2019, 235, 69-81.	1.8	32
6	Environmental hypoxia causes growth retardation, osteoclast differentiation and calcium dyshomeostasis in juvenile rainbow trout (Oncorhynchus mykiss). Science of the Total Environment, 2020, 705, 135272.	8.0	32
7	Heterologous xylose isomerase pathway and evolutionary engineering improve xylose utilization in Saccharomyces cerevisiae. Frontiers in Microbiology, 2015, 6, 1165.	3.5	31
8	Marine bromophenol bis(2,3-dibromo-4,5-dihydroxybenzyl) ether, represses angiogenesis in HUVEC cells and in zebrafish embryos via inhibiting the VEGF signal systems. Biomedicine and Pharmacotherapy, 2015, 75, 58-66.	5.6	30
9	Penicisulfuranol A, a novel C-terminal inhibitor disrupting molecular chaperone function of Hsp90 independent of ATP binding domain. Biochemical Pharmacology, 2019, 163, 404-415.	4.4	30
10	Structure-based discovery of cytotoxic dimeric tetrahydroxanthones as potential topoisomerase I inhibitors from a marine-derived fungus. European Journal of Medicinal Chemistry, 2018, 148, 268-278.	5.5	29
11	Characterization of Full-Length Transcriptome Sequences and Splice Variants of Lateolabrax maculatus by Single-Molecule Long-Read Sequencing and Their Involvement in Salinity Regulation. Frontiers in Genetics, 2019, 10, 1126.	2.3	29
12	Melanocortin-4 Receptor in Spotted Sea Bass, Lateolabrax maculatus: Cloning, Tissue Distribution, Physiology, and Pharmacology. Frontiers in Endocrinology, 2019, 10, 705.	3.5	28
13	Molecular Targets of Active Anticancer Compounds Derived from Marine Sources. Marine Drugs, 2018, 16, 175.	4.6	26
14	Marine Streptomyces sp. derived antimycin analogues suppress HeLa cells via depletion HPV E6/E7 mediated by ROS-dependent ubiquitin–proteasome system. Scientific Reports, 2017, 7, 42180.	3.3	25
15	The eEF2 kinase-induced STAT3 inactivation inhibits lung cancer cell proliferation by phosphorylation of PKM2. Cell Communication and Signaling, 2020, 18, 25.	6.5	23
16	Analysis of apolipoprotein multigene family in spotted sea bass (Lateolabrax maculatus) and their expression profiles in response to Vibrio harveyi infection. Fish and Shellfish Immunology, 2019, 92, 111-118.	3.6	22
17	MRTF-A-NF-κB/p65 axis-mediated PDL1 transcription and expression contributes to immune evasion of non-small-cell lung cancer via TGF-β. Experimental and Molecular Medicine, 2021, 53, 1366-1378.	7.7	22
18	Metformin promotes anticancer activity of NK cells in a p38 MAPK dependent manner. Oncolmmunology, 2021, 10, 1995999.	4.6	22

Xin Qi

#	Article	IF	CITATIONS
19	Identification of Gliotoxin isolated from marine fungus as a new pyruvate kinase M2 inhibitor. Biochemical and Biophysical Research Communications, 2020, 528, 594-600.	2.1	21
20	Anticancer efficacy and absorption, distribution, metabolism, and toxicity studies of Aspergiolide A in early drug development. Drug Design, Development and Therapy, 2014, 8, 1965.	4.3	19
21	Molecular identification of StAR and 3βHSD1 and characterization in response to GnIH stimulation in protogynous hermaphroditic grouper (Epinephelus coioides). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2017, 206, 26-34.	1.6	19
22	TAC3 Gene Products Regulate Brain and Digestive System Gene Expression in the Spotted Sea Bass (Lateolabrax maculatus). Frontiers in Endocrinology, 2019, 10, 556.	3.5	19
23	Estrogen directly stimulates LHb expression at the pituitary level during puberty in female zebrafish. Molecular and Cellular Endocrinology, 2018, 461, 1-11.	3.2	18
24	First High-Density Linkage Map and QTL Fine Mapping for Growth-Related Traits of Spotted Sea bass (Lateolabrax maculatus). Marine Biotechnology, 2020, 22, 526-538.	2.4	18
25	Alternative splicing (AS) mechanism plays important roles in response to different salinity environments in spotted sea bass. International Journal of Biological Macromolecules, 2020, 155, 50-60.	7.5	18
26	Dietary Recombinant Phycoerythrin Modulates the Gut Microbiota of H22 Tumor-Bearing Mice. Marine Drugs, 2019, 17, 665.	4.6	16
27	Gonadotropin-Inhibitory Hormone, the Piscine Ortholog of LPXRFa, Participates in 17β-Estradiol Feedback in Female Goldfish Reproduction. Endocrinology, 2017, 158, 860-873.	2.8	15
28	Melanocortin-4 receptor regulation of reproductive function in black rockfish (Sebastes schlegelii). Gene, 2020, 741, 144541.	2.2	15
29	Characterization of CYP11A1 and its potential role in sex asynchronous gonadal development of viviparous black rockfish Sebastes schlegelii (Sebastidae). General and Comparative Endocrinology, 2021, 302, 113689.	1.8	15
30	β1,4-Galactosyltransferase V Modulates Breast Cancer Stem Cells through Wnt/β-catenin Signaling Pathway. Cancer Research and Treatment, 2020, 52, 1084-1102.	3.0	14
31	Polyhydroxylated Sterols from the South China Sea Gorgonian <i>Verrucella umbraculum</i> . Helvetica Chimica Acta, 2014, 97, 900-908.	1.6	13
32	Impact of monoolein on aquaporin1-based supported lipid bilayer membranes. Science and Technology of Advanced Materials, 2015, 16, 045005.	6.1	13
33	Isocyclopamine, a novel synthetic derivative of cyclopamine, reverts doxorubicin resistance in MCF-7/ADR cells by increasing intracellular doxorubicin accumulation and downregulating breast cancer stem-like cells. Tumor Biology, 2016, 37, 1919-1931.	1.8	13
34	Evidence for the Direct Effect of the NPFF Peptide on the Expression of Feeding-Related Factors in Spotted Sea Bass (Lateolabrax maculatus). Frontiers in Endocrinology, 2019, 10, 545.	3.5	13
35	FOXO1A promotes neuropeptide FF transcription subsequently regulating the expression of feeding-related genes in spotted sea bass (Lateolabrax maculatus). Molecular and Cellular Endocrinology, 2020, 517, 110871.	3.2	13
36	ldentification of a novel non-ATP-competitive protein kinase inhibitor of PGK1 from marine nature products. Biochemical Pharmacology, 2021, 183, 114343.	4.4	12

Xin Qi

#	Article	IF	CITATIONS
37	Arg-Vasotocin Directly Activates Isotocin Receptors and Induces COX2 Expression in Ovoviviparous Guppies. Frontiers in Endocrinology, 2021, 12, 617580.	3.5	12
38	A single intronic single nucleotide polymorphism in splicing site of steroidogenic enzyme <i>hsd17b1</i> is associated with phenotypic sex in oyster pompano, <i>Trachinotus anak</i> . Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20212245.	2.6	12
39	Detection of aflatoxin B1 with a new label-free fluorescence aptasensor based on PVP-coated single-walled carbon nanohorns and SYBR Gold. Analytical and Bioanalytical Chemistry, 2022, 414, 3087-3094.	3.7	12
40	Molecular identification of the Dyn/Kor system and its potential role in the reproductive axis of goldfish. General and Comparative Endocrinology, 2018, 257, 29-37.	1.8	11
41	Fungal mycotoxin penisuloxazin A, a novel C-terminal Hsp90 inhibitor and characteristics of its analogues on Hsp90 function related to binding sites. Biochemical Pharmacology, 2020, 182, 114218.	4.4	11
42	Cyclooxygenases of ovoviviparous black rockfish (Sebastes schlegelii): Cloning, tissue distribution and potential role in mating and parturition. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2022, 257, 110677.	1.6	11
43	NF-κB signaling inhibition and anticancer activities of LLDT-246 on human colorectal cancer HCT-116 cells in vitro. Biomedicine and Pharmacotherapy, 2014, 68, 527-535.	5.6	10
44	14-3-3 gene family in spotted sea bass (Lateolabrax maculatus): Genome-wide identification, phylogenetic analysis and expression profiles after salinity stress. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2019, 235, 1-11.	1.8	10
45	Genome-wide identification of the Na+/H+ exchanger gene family in Lateolabrax maculatus and its involvement in salinity regulation. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2019, 29, 286-298.	1.0	10
46	ldentification, expression analysis, and functional characterization of motilin and its receptor in spotted sea bass (Lateolabrax maculatus). General and Comparative Endocrinology, 2019, 277, 38-48.	1.8	10
47	Trichothecin Inhibits Cancer-Related Features in Colorectal Cancer Development by Targeting STAT3. Molecules, 2020, 25, 2306.	3.8	10
48	Bioactive Steroids from a Marine-Derived Fungus Penicillium sp. from the South China Sea. Chemistry of Natural Compounds, 2014, 50, 568-570.	0.8	9
49	CA-1H, a novel oxazole bearing analogue of combretastatin A-4, disrupts the tumor vasculatures and inhibits the tumor growth via inhibiting tubulin polymerization. Biomedicine and Pharmacotherapy, 2016, 80, 151-161.	5.6	9
50	AS1041, a Novel Synthesized Derivative of Marine Natural Compound Aspergiolide A, Arrests Cell Cycle, Induces Apoptosis, and Inhibits ERK Activation in K562 Cells. Marine Drugs, 2017, 15, 346.	4.6	9
51	Effects of long-term crowding stress on neuro-endocrine-immune network of rainbow trout (Oncorhynchus mykiss). Fish and Shellfish Immunology, 2019, 95, 180-189.	3.6	9
52	PNSA, a Novel C-Terminal Inhibitor of HSP90, Reverses Epithelial–Mesenchymal Transition and Suppresses Metastasis of Breast Cancer Cells In Vitro. Marine Drugs, 2021, 19, 117.	4.6	9
53	FGFR leads to sustained activation of STAT3 to mediate resistance to EGFR-TKIs treatment. Investigational New Drugs, 2021, 39, 1201-1212.	2.6	9
54	New insights on folliculogenesis and follicular placentation in marine viviparous fish black rockfish (Sebastes schlegelii). Gene, 2022, 827, 146444.	2.2	9

Xin Qi

#	Article	IF	CITATIONS
55	Genome-wide identification and characterization of glucose transporter (glut) genes in spotted sea bass (Lateolabrax maculatus) and their regulated hepatic expression during short-term starvation. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2019, 30, 217-229.	1.0	8
56	PGK1-coupled HSP90 stabilizes GSK3β expression to regulate the stemness of breast cancer stem cells. Cancer Biology and Medicine, 2021, 19, 486-503.	3.0	8
57	13-Oxyingenol dodecanoate, a cytotoxic ingenol derivative, induces mitochondrial apoptosis and caspase-dependent Akt decrease in K562 cells. Tumor Biology, 2016, 37, 6227-6238.	1.8	7
58	Slc4 Gene Family in Spotted Sea Bass (Lateolabrax maculatus): Structure, Evolution, and Expression Profiling in Response to Alkalinity Stress and Salinity Changes. Genes, 2020, 11, 1271.	2.4	7
59	Immune correlates of NF-κB and TNFα promoter DNA methylation in Japanese flounder (Paralichthys) Tj ETQq1 1 Shellfish Immunology, 2021, 119, 578-586.	0.784314 3.6	4 rgBT /Overl 6
60	Design, Synthesis, and In Vitro/In Vivo Anti-Cancer Activities of Novel (20S)-10,11-Methylenedioxy-Camptothecin Heterocyclic Derivatives. International Journal of Molecular Sciences, 2020, 21, 8495.	4.1	4
61	SUV39H1 is a New Client Protein of Hsp90 Degradated by Chaetocin as a Novel C-Terminal Inhibitor of Hsp90. Biomolecules and Therapeutics, 2021, 29, 73-82.	2.4	4
62	Identification of a Novel Inhibitor of TfR1 from Designed and Synthesized Muriceidine A Derivatives. Antioxidants, 2022, 11, 834.	5.1	4
63	HDN-1 induces cell differentiation toward apoptosis in promyelocytic leukemia cells depending on its selective effect on client proteins of Hsp90. Toxicology and Applied Pharmacology, 2021, 417, 115459.	2.8	3
64	A novel multi-target inhibitor harboring selectivity of inhibiting EGFR T790M sparing wild-type EGFR. American Journal of Cancer Research, 2017, 7, 1884-1898.	1.4	3
65	Identification, expression analysis, and functional characterization of ghrelin and its receptors in spotted sea bass (Lateolabrax maculatus). Marine Life Science and Technology, 2020, 2, 349-359.	4.6	2
66	Systematic identification and expression analysis of the Sox gene family in spotted sea bass (Lateolabrax maculatus). Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2021, 38, 100817.	1.0	2
67	Genome-Wide Characterization of Aquaporins (aqps) in Lateolabrax maculatus: Evolution and Expression Patterns During Freshwater Acclimation. Marine Biotechnology, 2021, 23, 696-709.	2.4	2
68	Molecular characterization and expression patterns of glucocorticoid receptors in the viviparous black rockfish Sebastes schlegelii. General and Comparative Endocrinology, 2022, 316, 113947.	1.8	2
69	Comparative transcriptomic analysis of gonadal development and renewal in the ovoviviparous black rockfish (Sebastes schlegelii). BMC Genomics, 2021, 22, 874.	2.8	2
70	Molecular characterization and expression patterns of nuclear androgen receptors in the ovoviviparous black rockfish Sebastes schlegelii. Aquaculture and Fisheries, 2022, 7, 454-461.	2.2	2
71	Kinetics of pentachlorophenol co-metabolism removal by micro-aeration sequencing batch reactor process. Korean Journal of Chemical Engineering, 2022, 39, 1507-1516.	2.7	1
72	Brain Transcriptomic Dataset During Parturition in Ovoviviparous Sebastes schlegelii. Frontiers in Genetics, 2022, 13, 840067.	2.3	1

Xin	Oı
	æ.

#	Article	IF	CITATIONS
73	Gonadal lipidomics profile of an ovoviviparity teleost, black rockfish, during gonadal development. Fish Physiology and Biochemistry, 2021, 47, 811-828.	2.3	Ο