Bin Du

List of Publications by Citations

Source: https://exaly.com/author-pdf/592099/bin-du-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers26,026
citations40
h-index161
g-index192
ext. papers34,118
ext. citations7
avg, IF7.02
L-index

#	Paper	IF	Citations
148	Clinical Characteristics of Coronavirus Disease 2019 in China. <i>New England Journal of Medicine</i> , 2020 , 382, 1708-1720	59.2	15713
147	Coagulopathy and Antiphospholipid Antibodies in Patients with Covid-19. <i>New England Journal of Medicine</i> , 2020 , 382, e38	59.2	1415
146	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
145	Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). <i>Intensive Care Medicine</i> , 2020 , 46, 854-887	14.5	1011
144	Evolution of mortality over time in patients receiving mechanical ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 220-30	10.2	847
143	Intensive care management of coronavirus disease 2019 (COVID-19): challenges and recommendations. <i>Lancet Respiratory Medicine,the</i> , 2020 , 8, 506-517	35.1	812
142	Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). <i>Critical Care Medicine</i> , 2020 , 48, e440-e469	1.4	566
141	Critical care crisis and some recommendations during the COVID-19 epidemic in China. <i>Intensive Care Medicine</i> , 2020 , 46, 837-840	14.5	311
140	A living WHO guideline on drugs for covid-19. <i>BMJ, The</i> , 2020 , 370, m3379	5.9	275
139	Resuscitation fluid use in critically ill adults: an international cross-sectional study in 391 intensive care units. <i>Critical Care</i> , 2010 , 14, R185	10.8	257
138	Clinical Characteristics of Patients Who Died of Coronavirus Disease 2019 in China. <i>JAMA Network Open</i> , 2020 , 3, e205619	10.4	206
137	Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. <i>Intensive Care Medicine</i> , 2021 , 47, 1181-1247	14.5	199
136	Extended-spectrum beta-lactamase-producing Escherichia coli and Klebsiella pneumoniae bloodstream infection: risk factors and clinical outcome. <i>Intensive Care Medicine</i> , 2002 , 28, 1718-23	14.5	154
135	A comparison of different diagnostic criteria of acute kidney injury in critically ill patients. <i>Critical Care</i> , 2014 , 18, R144	10.8	149
134	Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. <i>BMJ, The</i> , 2011 , 342, d3245	5.9	148
133	The world@major religions@oints of view on end-of-life decisions in the intensive care unit. <i>Intensive Care Medicine</i> , 2008 , 34, 423-30	14.5	138
132	Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1478-1487	27.4	136

131	Does pulse pressure variation predict fluid responsiveness in critically ill patients? A systematic review and meta-analysis. <i>Critical Care</i> , 2014 , 18, 650	10.8	134
130	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, e1063-e1143	1.4	131
129	Surviving Sepsis Campaign Guidelines on the Management of Adults With Coronavirus Disease 2019 (COVID-19) in the ICU: First Update. <i>Critical Care Medicine</i> , 2021 , 49, e219-e234	1.4	119
128	Severe hypercapnia and outcome of mechanically ventilated patients with moderate or severe acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2017 , 43, 200-208	14.5	115
127	Epidemiology and outcome of severe sepsis and septic shock in intensive care units in mainland China. <i>PLoS ONE</i> , 2014 , 9, e107181	3.7	109
126	Clinical characteristics and outcomes of critically ill patients with novel coronavirus infectious disease (COVID-19) in China: a retrospective multicenter study. <i>Intensive Care Medicine</i> , 2020 , 46, 1863-	1 87 2	86
125	Antiphospholipid Antibodies in Critically Ill Patients With COVID-19. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1998-2004	9.5	75
124	Hospitalized adult patients with 2009 influenza A(H1N1) in Beijing, China: risk factors for hospital mortality. <i>BMC Infectious Diseases</i> , 2010 , 10, 256	4	73
123	Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017 , 12, e0176292	3.7	59
122	Clinical review: critical care medicine in mainland China. <i>Critical Care</i> , 2010 , 14, 206	10.8	52
121	Characteristics of critically ill patients in ICUs in mainland China. <i>Critical Care Medicine</i> , 2013 , 41, 84-92	1.4	50
120	The prognostic value of left ventricular systolic function measured by tissue Doppler imaging in septic shock. <i>Critical Care</i> , 2012 , 16, R71	10.8	48
119	Clinicopathological Features and Outcomes of Acute Kidney Injury in Critically Ill COVID-19 with Prolonged Disease Course: A Retrospective Cohort. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2205-2221	12.7	48
118	Sepsis-related mortality in China: a descriptive analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1071-1080	14.5	47
117	Expert consensus statements for the management of COVID-19-related acute respiratory failure using a Delphi method. <i>Critical Care</i> , 2021 , 25, 106	10.8	45
116	Access to urban acute care services in high- vs. middle-income countries: an analysis of seven cities. <i>Intensive Care Medicine</i> , 2014 , 40, 342-52	14.5	44
115	Management and outcome of mechanically ventilated patients after cardiac arrest. <i>Critical Care</i> , 2015 , 19, 215	10.8	43
114	Procalcitonin-guided antibiotic therapy in intensive care unit patients: a systematic review and meta-analysis. <i>Annals of Intensive Care</i> , 2017 , 7, 114	8.9	43

Population-Based Epidemiology of Sepsis in a Subdistrict of Beijing. *Critical Care Medicine*, **2017**, 45, 1168:417641

112	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. Intensive Care Medicine, 2021, 47, 521-537	14.5	41
111	A global perspective on vasoactive agents in shock. <i>Intensive Care Medicine</i> , 2018 , 44, 833-846	14.5	40
110	Attitudes towards ethical problems in critical care medicine: the Chinese perspective. <i>Intensive Care Medicine</i> , 2011 , 37, 655-64	14.5	40
109	Structure, Organization, and Delivery of Critical Care in Asian ICUs. <i>Critical Care Medicine</i> , 2016 , 44, e94	0=184	39
108	Association between ventilatory settings and development of acute respiratory distress syndrome in mechanically ventilated patients due to brain injury. <i>Journal of Critical Care</i> , 2017 , 38, 341-345	4	35
107	Stress ulcer prophylaxis in intensive care unit patients receiving enteral nutrition: a systematic review and meta-analysis. <i>Critical Care</i> , 2018 , 22, 20	10.8	34
106	How the COVID-19 pandemic will change the future of critical care. <i>Intensive Care Medicine</i> , 2021 , 47, 282-291	14.5	34
105	Video Laryngoscopy for Endotracheal Intubation of Critically Ill Adults: A Systemic Review and Meta-Analysis. <i>Chest</i> , 2017 , 152, 510-517	5.3	33
104	Self-reported use of personal protective equipment among Chinese critical care clinicians during 2009 H1N1 influenza pandemic. <i>PLoS ONE</i> , 2012 , 7, e44723	3.7	32
103	Executive Summary: Surviving Sepsis Campaign: International Guidelines for the Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021 , 49, 1974-1982	1.4	31
102	A living WHO guideline on drugs to prevent covid-19. <i>BMJ, The</i> , 2021 , 372, n526	5.9	31
101	Restriction of third-generation cephalosporin use decreases infection-related mortality. <i>Critical Care Medicine</i> , 2003 , 31, 1088-93	1.4	30
100	Gastrointestinal bleeding prophylaxis for critically ill patients: a clinical practice guideline. <i>BMJ, The</i> , 2020 , 368, l6722	5.9	29
99	The Durban World Congress Ethics Round Table Conference Report: I. Differences between withholding and withdrawing life-sustaining treatments. <i>Journal of Critical Care</i> , 2014 , 29, 890-5	4	28
98	Positive End-Expiratory Pressure Effect of 3 High-Flow Nasal Cannula Devices. <i>Respiratory Care</i> , 2017 , 62, 888-895	2.1	25
97	Current epidemiology of sepsis in mainland China. Annals of Translational Medicine, 2016, 4, 324	3.2	25
96	Dermatomyositis and Polymyositis in the Intensive Care Unit: A Single-Center Retrospective Cohort Study of 102 Patients. <i>PLoS ONE</i> , 2016 , 11, e0154441	3.7	24

(2021-2017)

95	Use of noninvasive ventilation in immunocompromised patients with acute respiratory failure: a systematic review and meta-analysis. <i>Critical Care</i> , 2017 , 21, 4	10.8	23
94	High-flow oxygen therapy in immunocompromised patients with acute respiratory failure: A review and meta-analysis. <i>Journal of Critical Care</i> , 2018 , 43, 300-305	4	23
93	The Durban World Congress Ethics Round Table Conference Report: III. Withdrawing Mechanical ventilationthe approach should be individualized. <i>Journal of Critical Care</i> , 2014 , 29, 902-7	4	22
92	Serum procalcitonin and interleukin-6 levels may help to differentiate systemic inflammatory response of infectious and non-infectious origin. <i>Chinese Medical Journal</i> , 2003 , 116, 538-42	2.9	22
91	Weaning critically ill patients from mechanical ventilation: A prospective cohort study. <i>Journal of Critical Care</i> , 2015 , 30, 862.e7-13	4	21
90	Epidemiology of acute kidney injury in intensive care units in Beijing: the multi-center BAKIT study. <i>BMC Nephrology</i> , 2019 , 20, 468	2.7	21
89	Knowledge and attitudes of healthcare workers in Chinese intensive care units regarding 2009 H1N1 influenza pandemic. <i>BMC Infectious Diseases</i> , 2011 , 11, 24	4	20
88	Practice of sedation and the perception of discomfort during mechanical ventilation in Chinese intensive care units. <i>Journal of Critical Care</i> , 2010 , 25, 451-7	4	20
87	Corticosteroid Therapy Is Associated With Improved Outcome in Critically Ill Patients With COVID-19 With Hyperinflammatory Phenotype. <i>Chest</i> , 2021 , 159, 1793-1802	5.3	20
86	Prognostic factors for severe Pneumocystis jiroveci pneumonia of non-HIV patients in intensive care unit: a bicentric retrospective study. <i>BMC Infectious Diseases</i> , 2016 , 16, 528	4	19
85	Does training improve diagnostic accuracy and inter-rater agreement in applying the Berlin radiographic definition of acute respiratory distress syndrome? A multicenter prospective study. <i>Critical Care</i> , 2017 , 21, 12	10.8	18
84	Inter-country variability over time in the mortality of mechanically ventilated patients. <i>Intensive Care Medicine</i> , 2020 , 46, 444-453	14.5	18
83	Could remifentanil reduce duration of mechanical ventilation in comparison with other opioids for mechanically ventilated patients? A systematic review and meta-analysis. <i>Critical Care</i> , 2017 , 21, 206	10.8	17
82	Effect of a quality improvement program on weaning from mechanical ventilation: a cluster randomized trial. <i>Intensive Care Medicine</i> , 2015 , 41, 1781-90	14.5	16
81	Lung protective ventilation in patients undergoing major surgery: a systematic review incorporating a Bayesian approach. <i>BMJ Open</i> , 2015 , 5, e007473	3	15
80	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020 , 21, 734	2.8	15
79	Metagenomic next-generation sequencing for the diagnosis of suspected pneumonia in immunocompromised patients. <i>Journal of Infection</i> , 2021 , 82, 22-27	18.9	14
78	A simple nomogram for predicting failure of non-invasive respiratory strategies in adults with COVID-19: a retrospective multicentre study. <i>The Lancet Digital Health</i> , 2021 , 3, e166-e174	14.4	13

77	Sources of Heterogeneity in Trials Reporting Hydroxyethyl Starch 130/0.4 or 0.42 Associated Excess Mortality in Septic Patients: A Systematic Review and Meta-regression. <i>Chinese Medical Journal</i> , 2015 , 128, 2374-82	2.9	12
76	Prevalence, risk factors, clinical course, and outcome of acute kidney injury in Chinese intensive care units: a prospective cohort study. <i>Chinese Medical Journal</i> , 2013 , 126, 4409-16	2.9	12
75	Usefulness of qSOFA and SIRS scores for detection of incipient sepsis in general ward patients: A prospective cohort study. <i>Journal of Critical Care</i> , 2019 , 51, 13-18	4	11
74	Terlipressin for septic shock patients: a meta-analysis of randomized controlled study. <i>Journal of Intensive Care</i> , 2019 , 7, 16	7	11
73	Value of Kidney Disease Improving Global Outcomes Urine Output Criteria in Critically Ill Patients: A Secondary Analysis of a Multicenter Prospective Cohort Study. <i>Chinese Medical Journal</i> , 2016 , 129, 2050-7	2.9	11
72	Consensus development of core competencies in intensive and critical care medicine training in China. <i>Critical Care</i> , 2016 , 20, 330	10.8	11
71	Meningitis in a Chinese adult patient caused by Mycoplasma hominis: a rare infection and literature review. <i>BMC Infectious Diseases</i> , 2016 , 16, 557	4	11
70	Underlying renal insufficiency: the pivotal risk factor for Pneumocystis jirovecii pneumonia in immunosuppressed patients with non-transplant glomerular disease. <i>International Urology and Nephrology</i> , 2016 , 48, 1863-1871	2.3	11
69	Clinical Characteristics and Outcomes of Patients With Severe COVID-19 Induced Acute Kidney Injury. <i>Journal of Intensive Care Medicine</i> , 2021 , 36, 319-326	3.3	11
68	Accuracy of qSOFA for the diagnosis of sepsis-3: a secondary analysis of a population-based cohort study. <i>Journal of Thoracic Disease</i> , 2019 , 11, 2034-2042	2.6	9
67	Epidemiology of Sepsis-3 in a sub-district of Beijing: secondary analysis of a population-based database. <i>Chinese Medical Journal</i> , 2019 , 132, 2039-2045	2.9	8
66	Changes of central venous oxygen saturation define fluid responsiveness in patients with septic shock: A prospective observational study. <i>Journal of Critical Care</i> , 2017 , 38, 13-19	4	7
65	The effect of thymosin 1 on mortality of critical COVID-19 patients: A multicenter retrospective study. <i>International Immunopharmacology</i> , 2021 , 90, 107143	5.8	7
64	Active Surveillance of Carbapenemase-Producing Organisms (CPO) Colonization With Xpert Carba-R Assay Plus Positive Patient Isolation Proves to Be Effective in CPO Containment. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019 , 9, 162	5.9	6
63	The Prevalence, Risk Factors, and Outcomes of Sepsis in Critically Ill Patients in China: A Multicenter Prospective Cohort Study. <i>Frontiers in Medicine</i> , 2020 , 7, 593808	4.9	6
62	ADJunctive Ulinastatin in Sepsis Treatment in China (ADJUST study): study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 133	2.8	6
61	Easy prognostic assessment of concomitant organ failure in critically ill patients undergoing mechanical ventilation. <i>European Journal of Internal Medicine</i> , 2019 , 70, 18-23	3.9	6
60	Left ventricular systolic function and systolic asynchrony in patients with septic shock and normal left ventricular ejection fraction. <i>Shock</i> , 2013 , 40, 175-81	3.4	6

(2020-2021)

59	Machine Learning Prediction Models for Mechanically Ventilated Patients: Analyses of the MIMIC-III Database. <i>Frontiers in Medicine</i> , 2021 , 8, 662340	4.9	6
58	Machine learning predicts mortality based on analysis of ventilation parameters of critically ill patients: multi-centre validation. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 152	3.6	5
57	External validity of Adult Sepsis Event@simplified eSOFA criteria: a retrospective analysis of patients with confirmed infection in China. <i>Annals of Intensive Care</i> , 2020 , 10, 14	8.9	4
56	Effect of timing of renal replacement therapy on outcomes of critically ill patients in the intensive care unit. <i>Nephrology</i> , 2018 , 23, 405-410	2.2	4
55	Study protocol for a multicentre, randomised, controlled trial to assess the effectiveness of antimicrobial central venous catheters versus ordinary central venous catheters at reducing catheter related infections in critically ill Chinese patients. <i>BMJ Open</i> , 2017 , 7, e016564	3	4
54	Sepsis-related stress response: known knowns, known unknowns, and unknown unknowns. <i>Critical Care</i> , 2010 , 14, 179	10.8	4
53	White paper: statement on conflicts of interest. <i>Intensive Care Medicine</i> , 2018 , 44, 1657-1668	14.5	4
52	Assessment of Melatonergics in Prevention of Delirium: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2020 , 11, 198	4.1	3
51	Lung-protective Ventilation in Patients with Brain Injury: A Multicenter Cross-sectional Study and Questionnaire Survey in China. <i>Chinese Medical Journal</i> , 2016 , 129, 1643-51	2.9	3
50	An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021 , 34, 23-32	2.9	3
49	Pragmatic studies for acute kidney injury: Consensus report of the Acute Disease Quality Initiative (ADQI) 19 Workgroup. <i>Journal of Critical Care</i> , 2018 , 44, 337-344	4	3
48	Echinocandins for pneumonia in non-HIV patients: A case report. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 3227-3232	2.1	3
47	Mechanical Ventilation Discontinuation Practices in Asia: A Multinational Survey. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 1352-1359	4.7	3
46	Delayed Initiation of ECMO Is Associated With Poor Outcomes in Patients With Severe COVID-19: A Multicenter Retrospective Cohort Study. <i>Frontiers in Medicine</i> , 2021 , 8, 716086	4.9	3
45	Etiologies and outcomes of rheumatology patients with acute respiratory failure requiring intensive care: a single-center medical records review study of 259 patients. <i>Clinical Rheumatology</i> , 2020 , 39, 3479-3488	3.9	2
44	Dose-response association between fluid overload and in-hospital mortality in critically ill patients: a multicentre, prospective, observational cohort study. <i>BMJ Open</i> , 2020 , 10, e039875	3	2
43	N-terminal pro-B-type natriuretic peptide for predicting fluid challenge in patients with septic shock. <i>Annals of Translational Medicine</i> , 2019 , 7, 264	3.2	2
42	Body-mass index and long-term risk of sepsis-related mortality: a population-based cohort study of 0.5 million Chinese adults. <i>Critical Care</i> , 2020 , 24, 534	10.8	2

41	Effects of high-flow oxygen therapy on patients with hypoxemia after extubation and predictors of reintubation: a retrospective study based on the MIMIC-IV database. <i>BMC Pulmonary Medicine</i> , 2021 , 21, 160	3.5	2
40	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 1087-1094	1.9	2
39	Conservative oxygen therapy for critically ill patients: a meta-analysis of randomized controlled trials. <i>Journal of Intensive Care</i> , 2021 , 9, 47	7	2
38	Evolution Over Time of Ventilatory Management and Outcome of Patients With Neurologic Disease. <i>Critical Care Medicine</i> , 2021 , 49, 1095-1106	1.4	2
37	Assessment of Chinese medicine for coronavirus-related pneumonia: A protocol for systematic review and meta-analysis. <i>Medicine (United States)</i> , 2020 , 99, e20613	1.8	1
36	4 + 4 medical education: a word of caution. <i>Lancet, The</i> , 2020 , 395, 688	40	1
35	Comparison of Space Glucose Control and Routine Glucose Management Protocol for Glycemic Control in Critically Ill Patients: A Prospective, Randomized Clinical Study. <i>Chinese Medical Journal</i> , 2017 , 130, 2041-2049	2.9	1
34	Lung protective ventilation in patients undergoing major surgery: a systematic review protocol. <i>BMJ Open</i> , 2014 , 4, e004542	3	1
33	Assessment of melatonergics in prevention of delirium in critically ill patients: A protocol for systematic review and meta-analysis. <i>Medicine (United States)</i> , 2020 , 99, e18700	1.8	1
32	Propensity-Adjusted Comparison of Mortality of Elderly Versus Very Elderly Ventilated Patients. <i>Respiratory Care</i> , 2021 , 66, 814-821	2.1	1
31	Acute pancreatitis associated with hemorrhagic fever with renal syndrome: a cohort study of 346 patients. <i>BMC Infectious Diseases</i> , 2021 , 21, 267	4	1
30	Amikacin nebulization for the adjunctive therapy of gram-negative pneumonia in mechanically ventilated patients: a systematic review and meta-analysis of randomized controlled trials. <i>Scientific Reports</i> , 2021 , 11, 6969	4.9	1
29	International Critical Care-From an Indulgence of the Best-Funded Healthcare Systems to a Core Need for the Provision of Equitable Care. <i>Critical Care Medicine</i> , 2021 , 49, 1589-1605	1.4	1
28	Clinical characteristics and outcomes of critically ill patients with coronavirus disease 2019 with hypotension in China: a retrospective cohort study. <i>Annals of Palliative Medicine</i> , 2021 , 10, 8536-8546	1.7	1
27	Association between the modified Nutrition Risk in Critically Ill (mNUTRIC) score and clinical outcomes in the intensive care unit: a secondary analysis of a large prospective observational study. BMC Anesthesiology, 2021 , 21, 220	2.4	1
26	Efficacy and Safety of SARS-CoV-2 Neutralizing Antibody JS016 in Hospitalized Chinese Patients with COVID-19: A Phase 2/3, Multicenter, Randomized, Open-label, Controlled Trial <i>Antimicrobial Agents and Chemotherapy</i> , 2022 , AAC0204521	5.9	1
25	Treatment of sepsis-related organ dysfunction. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1206; author reply 1206-7	27.4	0
24	Intravenous Immunoglobulin Therapy for Critically Ill COVID-19 Patients With Different Inflammatory Phenotypes: A Multicenter, Retrospective Study <i>Frontiers in Immunology</i> , 2021 , 12, 7385	53 ⁸ 2 ⁴	Ο

(2020-2022)

23	Place of death and phenomenon of going home to die in Chinese adults: A prospective cohort study <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 18, 100301	5	0
22	Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. <i>Lancet Infectious Diseases, The</i> , 2021 ,	25.5	0
21	Learning for the next pandemic: the Wuhan experience of managing critically ill people. <i>BMJ, The</i> , 2021 , 375, e066090	5.9	0
20	Retrospective Study of Critically Ill COVID-19 Patients With and Without Extracorporeal Membrane Oxygenation Support in Wuhan, China. <i>Frontiers in Medicine</i> , 2021 , 8, 659793	4.9	0
19	The story of critical care in Asia: a narrative review. Journal of Intensive Care, 2021, 9, 60	7	О
18	Feasibility and efficacy of modified fixed citrate concentration protocol using only commercial preparations in critically ill patients: a prospective cohort study with a historical control group. <i>BMC Anesthesiology</i> , 2021 , 21, 96	2.4	O
17	Exposure-Response Modeling to Support Dosing Selection for Phase IIb Development of Kukoamine B in Sepsis Patients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 645130	5.6	Ο
16	Critical care after the COVID-19 outbreak in China: lessons and renaissance. <i>Intensive Care Medicine</i> , 2021 , 47, 1017-1020	14.5	Ο
15	Evaluation of Positive End-Expiratory Pressure Strategies in Patients With Coronavirus Disease 2019-Induced Acute Respiratory Distress Syndrome. <i>Frontiers in Medicine</i> , 2021 , 8, 637747	4.9	0
14	Driving Pressure Is a Risk Factor for ARDS in Mechanically Ventilated Subjects Without ARDS. <i>Respiratory Care</i> , 2021 , 66, 1505-1513	2.1	0
13	Clinical Characteristics and Prognoses of Patients With Systemic Lupus Erythematosus Hospitalized for Pulmonary Infections. <i>Frontiers in Medicine</i> , 2021 , 8, 732681	4.9	0
12	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury <i>Renal Failure</i> , 2022 , 44, 320-328	2.9	Ο
11	Efficacy and Safety of Ceftazidime-Avibactam for the Treatment of Carbapenem-Resistant Bloodstream Infection: a Systematic Review and Meta-Analysis <i>Microbiology Spectrum</i> , 2022 , e026032	1 ^{8.9}	0
10	Response. <i>Chest</i> , 2017 , 152, 902-903	5.3	
9	Response. <i>Chest</i> , 2018 , 153, 283-284	5.3	
8	A multidisciplinary approach is key to the development of critical care medicine in mainland china. <i>Chest</i> , 2014 , 145, 1433	5.3	
7	Red cell distribution width: the crystal ball in the hands of intensivists?. <i>Journal of Thoracic Disease</i> , 2014 , 6, 64-5	2.6	
6	Clinical features and mortality-related factors of extensive burns among young adults: the Kunshan disaster experience. <i>Annals of Translational Medicine</i> , 2020 , 8, 1053	3.2	

5	Utilizing reclassification to explore characteristics and prognosis of KDIGO AKI subgroups: a retrospective analysis of a multicenter prospective cohort study. <i>Renal Failure</i> , 2021 , 43, 1569-1576	2.9
4	A Retrospective Paired Comparison Between Untargeted Next Generation Sequencing and Conventional Microbiology Tests With Wisely Chosen Metagenomic Sequencing Positive Criteria. <i>Frontiers in Medicine</i> , 2021 , 8, 686247	4.9
3	Predictive value of change in effective arterial elastance in norepinephrine weaning: a retrospective study. <i>Annals of Palliative Medicine</i> , 2021 , 10, 6325-6335	1.7
2	Association of fluid balance trajectories with clinical outcomes in patients with septic shock: a prospective multicenter cohort study. <i>Military Medical Research</i> , 2021 , 8, 40	19.3
1	Establishment and Implementation of Potential Fluid Therapy Balance Strategies for ICU Sepsis Patients Based on Reinforcement Learning <i>Frontiers in Medicine</i> , 2022 , 9, 766447	4.9