

# Martin Hovland

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5921234/martin-hovland-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

4,748  
citations

35  
h-index

68  
g-index

94  
ext. papers

5,219  
ext. citations

3.2  
avg, IF

5.49  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 91 | Endozoicomonadaceae symbiont in gills of <i>Acesta</i> clam encodes genes for essential nutrients and polysaccharide degradation. <i>FEMS Microbiology Ecology</i> , <b>2021</b> , 97,   | 4.3 | 1         |
| 90 | First documentation of seismic stratigraphy and depositional signatures of Zhongsha atoll (Macclesfield Bank), South China Sea. <i>Marine and Petroleum Geology</i> , <b>2020</b> , 117, 104349  | 4.7 | 7         |
| 89 | Geological controls on shallow gas distribution and seafloor seepage in an Arctic fjord of Spitsbergen, Norway. <i>Marine and Petroleum Geology</i> , <b>2019</b> , 107, 237-254   | 4.7 | 8         |
| 88 | Diversity of deep-water coral-associated bacteria and comparison across depth gradients. <i>FEMS Microbiology Ecology</i> , <b>2019</b> , 95,  | 4.3 | 8         |
| 87 | Role of deep-sourced fluids on the initiation and growth of isolated carbonate build-ups. <i>Marine and Petroleum Geology</i> , <b>2019</b> , 105, 141-157   | 4.7 | 3         |
| 86 | Salt-formation in rifting and subduction (Wilson cycles): Reply to Alijan Aftabi and Habibeh Atapour on their comments to our two articles. <i>Marine and Petroleum Geology</i> , <b>2019</b> , 100, 554-558                                   | 4.7 | 1         |
| 85 | Salt Formation, Accumulation, and Expulsion Processes During Ocean Rifting—New Insight Gained from the Red Sea <b>2019</b> , 233-257   |     |           |
| 84 | Large salt accumulations as a consequence of hydrothermal processes associated with Wilson cycles—A review, Part 2: Application of a new salt-forming model on selected cases. <i>Marine and Petroleum Geology</i> , <b>2018</b> , 92, 128-148 | 4.7 | 9         |
| 83 | Large salt accumulations as a consequence of hydrothermal processes associated with Wilson cycles—A review Part 1: Towards a new understanding. <i>Marine and Petroleum Geology</i> , <b>2018</b> , 92, 987-1009                               | 4.7 | 7         |
| 82 | Formation of linear planform chimneys controlled by preferential hydrocarbon leakage and anisotropic stresses in faulted fine-grained sediments, offshore Angola. <i>Solid Earth</i> , <b>2018</b> , 9, 1437-1468                              | 3.3 | 17        |
| 81 | Downslope-shifting pockmarks: interplay between hydrocarbon leakage, sedimentations, currents and slope topography. <i>International Journal of Earth Sciences</i> , <b>2018</b> , 107, 2907-2929  | 2.2 | 13        |
| 80 | Origin of salt giants in abyssal serpentinite systems. <i>International Journal of Earth Sciences</i> , <b>2017</b> , 106, 2595-2608   | 2.2 | 16        |
| 79 | Anomalous depressions in the northern Yellow Sea Basin: Evidences for their evolution processes. <i>Marine and Petroleum Geology</i> , <b>2017</b> , 84, 179-194   | 4.7 | 6         |
| 78 | Evidence of fluid seepage in Grøfjorden, Spitsbergen: Implications from an integrated acoustic study of seafloor morphology, marine sediments and tectonics. <i>Marine Geology</i> , <b>2016</b> , 380, 67-78                                  | 3.3 | 20        |
| 77 | Magma-serpentinite interaction as the origin of diatremes: a case study from the Hyblean Plateau (southeastern Sicily). <i>International Journal of Earth Sciences</i> , <b>2016</b> , 105, 1371-1385  | 2.2 | 6         |
| 76 | Norwegian deep-water coral reefs: cultivation and molecular analysis of planktonic microbial communities. <i>Environmental Microbiology</i> , <b>2015</b> , 17, 3597-609   | 5.2 | 10        |
| 75 | Seepage in Isfjorden and its tributary fjords, West Spitsbergen. <i>Marine Geology</i> , <b>2015</b> , 363, 146-159  | 3.3 | 27        |

|    |   |     |     |
|----|---|-----|-----|
| 74 | Red Sea Salt Formations: A Result of Hydrothermal Processes. <i>Springer Earth System Sciences</i> , <b>2015</b> , 187-203  | 0.3 | 3   |
| 73 | Buried Hydrothermal Systems: The Potential Role of Supercritical Water, $\text{CO}_2$ in Various Geological Processes and Occurrences in the Sub-Surface. <i>American Journal of Analytical Chemistry</i> , <b>2014</b> , 05, 128-139 | 0.7 | 10  |
| 72 | 4. Characteristics of Marine Methane Macro-seeps <b>2013</b> , 63-82  |     |     |
| 71 | High diversity of microplankton surrounds deep-water coral reef in the Norwegian Sea. <i>FEMS Microbiology Ecology</i> , <b>2012</b> , 82, 75-89  | 4.3 | 15  |
| 70 | Unit pockmarks associated with Lophelia coral reefs off mid-Norway: more evidence of control by fertilizing bottom currents. <i>Geo-Marine Letters</i> , <b>2012</b> , 32, 545-554  | 1.9 | 24  |
| 69 | Methane and minor oil macro-seep systems: Their complexity and environmental significance. <i>Marine Geology</i> , <b>2012</b> , 332-334, 163-173   | 3.3 | 35  |
| 68 | The Geomorphology and Nature of Seabed Seepage Processes <b>2012</b> ,  |     | 1   |
| 67 | Marine Life Associated with Offshore Drilling, Pipelines, and Platforms <b>2012</b> , 235-256   |     |     |
| 66 | Two Decades of Community Research on Gas in Shallow Marine Sediments. <i>Eos</i> , <b>2011</b> , 92, 128-128  | 1.5 | 1   |
| 65 | The morphologies and genesis of mega-pockmarks near the Xisha Uplift, South China Sea. <i>Marine and Petroleum Geology</i> , <b>2011</b> , 28, 1146-1156  | 4.7 | 65  |
| 64 | Intracellular Oceanospirillales bacteria inhabit gills of <i>Acesta</i> bivalves. <i>FEMS Microbiology Ecology</i> , <b>2010</b> , 74, 523-33   | 4.3 | 47  |
| 63 | Unit-pockmarks and their potential significance for predicting fluid flow. <i>Marine and Petroleum Geology</i> , <b>2010</b> , 27, 1190-1199  | 4.7 | 87  |
| 62 | Sources of methane inferred from pore-water $\delta^{13}\text{C}$ of dissolved inorganic carbon in Pockmark G11, offshore Mid-Norway. <i>Chemical Geology</i> , <b>2010</b> , 275, 127-138  | 4.2 | 35  |
| 61 | Hydrothermal salt: But how much?. <i>Marine and Petroleum Geology</i> , <b>2008</b> , 25, 203-204   | 4.7 | 2   |
| 60 | Insight into the microbial community structure of a Norwegian deep-water coral reef environment. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2008</b> , 55, 1554-1563   | 2.5 | 31  |
| 59 | Methane assimilation and trophic interactions with marine Methylomicrobium in deep-water coral reef sediment off the coast of Norway. <i>FEMS Microbiology Ecology</i> , <b>2008</b> , 66, 320-30                                     | 4.3 | 33  |
| 58 | Discovery of prolific natural methane seeps at Gullfaks, northern North Sea. <i>Geo-Marine Letters</i> , <b>2007</b> , 27, 197-201  | 1.9 | 25  |
| 57 | Authigenic carbonate formation at hydrocarbon seeps in continental margin sediments: A comparative study. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2007</b> , 54, 1268-1291                             | 2.3 | 186 |

|    |  |     |     |
|----|--|-----|-----|
| 56 | Seabed Fluid Flow: The Impact on Geology, Biology and the Marine Environment <b>2007</b> ,   |     | 353 |
| 55 | Deep-rooted piercement structures in deep sedimentary basins [Manifestations of supercritical water generation at depth?]. <i>Journal of Geochemical Exploration</i> , <b>2006</b> , 89, 157-160 | 3.8 | 17  |
| 54 | Salt formation associated with sub-surface boiling and supercritical water. <i>Marine and Petroleum Geology</i> , <b>2006</b> , 23, 855-869  | 4.7 | 42  |
| 53 | Sub-surface precipitation of salts in supercritical seawater. <i>Basin Research</i> , <b>2006</b> , 18, 221-230  | 3.2 | 40  |
| 52 | Submarine pingoes: Indicators of shallow gas hydrates in a pockmark at Nyegga, Norwegian Sea. <i>Marine Geology</i> , <b>2006</b> , 228, 15-23   | 3.3 | 102 |
| 51 | Comparison and implications from strikingly different authigenic carbonates in a Nyegga complex pockmark, G11, Norwegian Sea. <i>Marine Geology</i> , <b>2006</b> , 231, 89-102                  | 3.3 | 76  |
| 50 | Occurrence and implications of large Lophelia-reefs offshore Mid Norway. <i>Norwegian Petroleum Society Special Publications</i> , <b>2005</b> , 265-270   |     | 2   |
| 49 | Complex pockmarks with carbonate-ridges off mid-Norway: Products of sediment degassing. <i>Marine Geology</i> , <b>2005</b> , 218, 191-206   | 3.3 | 161 |
| 48 | North Sea Quaternary morphology from seismic and magnetic data: indications for gas hydrates during glaciation?. <i>Petroleum Geoscience</i> , <b>2005</b> , 11, 331-337                         | 1.9 | 32  |
| 47 | Pockmark-associated coral reefs at the Kristin field off Mid-Norway <b>2005</b> , 623-632  |     | 12  |
| 46 | Seabed pockmarks associated with deepwater corals off SE Brazilian continental slope, Santos Basin. <i>Marine Geology</i> , <b>2004</b> , 207, 159-167   | 3.3 | 86  |
| 45 | Baseline and Environmental Monitoring in deep water - a new approach <b>2004</b> ,   |     | 2   |
| 44 | Gas and fluid injection triggering shallow mud mobilization in the Hordaland Group, North Sea. <i>Geological Society Special Publication</i> , <b>2003</b> , 216, 139-157                        | 1.7 | 31  |
| 43 | Mud and fluid migration in active mud volcanoes in Azerbaijan. <i>Geo-Marine Letters</i> , <b>2003</b> , 23, 258-268   | 1.9 | 155 |
| 42 | Do Norwegian deep-water coral reefs rely on seeping fluids?. <i>Marine Geology</i> , <b>2003</b> , 198, 83-96  | 3.3 | 67  |
| 41 | Geomorphological, geophysical, and geochemical evidence of fluid flow through the seabed. <i>Journal of Geochemical Exploration</i> , <b>2003</b> , 78-79, 287-291                               | 3.8 | 14  |
| 40 | The geological methane budget at Continental Margins and its influence on climate change. <i>Geofluids</i> , <b>2002</b> , 2, 109-126  | 1.5 | 248 |
| 39 | The significance of pockmarks to understanding fluid flow processes and geohazards. <i>Geofluids</i> , <b>2002</b> , 2, 127-136  | 1.5 | 242 |

|    |   |     |     |
|----|---|-----|-----|
| 38 | Mapping and imaging deep-sea coral reefs off Norway, 1982-2000. <i>Hydrobiologia</i> , <b>2002</b> , 471, 13-17   | 2.4 | 26  |
| 37 | On the self-sealing nature of marine seeps. <i>Continental Shelf Research</i> , <b>2002</b> , 22, 2387-2394   | 2.4 | 104 |
| 36 | Submarine slide scars and mass movements in Karmsundet and Skudenesfjorden, southwestern Norway: morphology and evolution. <i>Marine Geology</i> , <b>2000</b> , 167, 147-165                                     | 3.3 | 41  |
| 35 | Are There Commercial Deposits of Methane Hydrates in Ocean Sediments?. <i>Energy Exploration and Exploitation</i> , <b>2000</b> , 18, 339-347   | 2.1 | 20  |
| 34 | Gas, fire, and water. <i>Eos</i> , <b>1999</b> , 80, 552  | 1.5 | 2   |
| 33 | Formation of natural gas hydrates in marine sediments: 1. Conceptual model of gas hydrate growth conditioned by host sediment properties. <i>Journal of Geophysical Research</i> , <b>1999</b> , 104, 22985-23003 |     | 446 |
| 32 | Piercement shale diapirism in the deep-water Vema Dome area, Vøring basin, offshore Norway. <i>Marine and Petroleum Geology</i> , <b>1998</b> , 15, 191-201   | 4.7 | 30  |
| 31 | Ahermatypic Coral Banks off Mid-Norway: Evidence for a Link with Seepage of Light Hydrocarbons. <i>Palaios</i> , <b>1998</b> , 13, 189  | 1.6 | 81  |
| 30 | The structure and geomorphology of the Dashgil mud volcano, Azerbaijan. <i>Geomorphology</i> , <b>1997</b> , 21, 1-15   | 4.3 | 104 |
| 29 | Cold-water corals—are they hydrocarbon seep related?. <i>Marine Geology</i> , <b>1997</b> , 137, 159-164  | 3.3 | 75  |
| 28 | A large methane plume east of Bear Island (Barents Sea): implications for the marine methane cycle. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , <b>1995</b> , 84, 59                      |     | 57  |
| 27 | Deep water bioherms of the scleractinian coral <i>Lophelia pertusa</i> (L.) at 64°N on the Norwegian shelf: Structure and associated megafauna. <i>Sarsia</i> , <b>1995</b> , 80, 145-158                         |     | 187 |
| 26 | Fault-associated seabed mounds (carbonate knolls?) off western Ireland and north-west Australia. <i>Marine and Petroleum Geology</i> , <b>1994</b> , 11, 232-246  | 4.7 | 162 |
| 25 | The effects of shallow gas in the Skagerrak surficial sediments. <i>Gff</i> , <b>1992</b> , 114, 242-243  |     |     |
| 24 | Environmental effects of submarine seeping natural gas. <i>Continental Shelf Research</i> , <b>1992</b> , 12, 1197-1207   | 2.4 | 50  |
| 23 | Pockmarks and gas-charged sediments in the eastern Skagerrak. <i>Continental Shelf Research</i> , <b>1992</b> , 12, 1111-1119   | 2.4 | 20  |
| 22 | The global production of methane from shallow submarine sources. <i>Continental Shelf Research</i> , <b>1992</b> , 12, 1231-1238  | 2.4 | 46  |
| 21 | The evidence of shallow gas in marine sediments. <i>Continental Shelf Research</i> , <b>1992</b> , 12, 1081-1095  | 2.4 | 203 |

|    |   |     |    |
|----|---|-----|----|
| 20 | Hydrocarbon Seeps in Northern Marine Waters: Their Occurrence and Effects. <i>Palaios</i> , <b>1992</b> , 7, 376                                  | 1.6 | 27 |
| 19 | Large pockmarks, gas-charged sediments and possible clay diapirs in the Skagerrak. <i>Marine and Petroleum Geology</i> , <b>1991</b> , 8, 311-316 | 4.7 | 32 |
| 18 | Do carbonate reefs form due to fluid seepage?. <i>Terra Nova</i> , <b>1990</b> , 2, 8-18  | 3   | 73 |
| 17 | Suspected gas-associated clay diapirism on the seabed off Mid Norway. <i>Marine and Petroleum Geology</i> , <b>1990</b> , 7, 267-276              | 4.7 | 26 |
| 16 | Hydrocarbon-based communities in the North Sea?. <i>Sarsia</i> , <b>1989</b> , 74, 29-42  |     | 45 |
| 15 | TERRA BOOK. <i>Terra Nova</i> , <b>1989</b> , 1, 100-101  | 3   | 2  |
| 14 | Gas seepage and assumed mud diapirism in the Italian central Adriatic Sea. <i>Marine and Petroleum Geology</i> , <b>1989</b> , 6, 161-169         | 4.7 | 60 |
| 13 | Organisms: The only cause of scattering layers?. <i>Eos</i> , <b>1988</b> , 69, 760   | 1.5 | 0  |
| 12 | THE FORMATION OF POCKMARKS AND THEIR POTENTIAL INFLUENCE ON OFFSHORE CONSTRUCTION. <i>Doboku Gakkai Ronbunshu</i> , <b>1987</b> , 1987, 13-22     |     | 3  |
| 11 | Tertiary intrusives in western Skagerrak?. <i>Marine Geology</i> , <b>1987</b> , 78, 175-182  | 3.3 | 6  |
| 10 | Characteristics of two natural gas seepages in the North Sea. <i>Marine and Petroleum Geology</i> , <b>1985</b> , 2, 319-326                      | 4.7 | 97 |
| 9  | Recently formed methane- derived carbonates from the North Sea floor <b>1985</b> , 263-266  |     | 13 |
| 8  | Characteristic features of pockmarks on the North Sea Floor and Scotian Shelf. <i>Sedimentology</i> , <b>1984</b> , 31, 471-480                   | 3.3 | 68 |
| 7  | Gas-induced erosion features in the North Sea. <i>Earth Surface Processes and Landforms</i> , <b>1984</b> , 9, 209-228                            | 3.7 | 31 |
| 6  | Potential Influence of Gas-induced Erosion on Seabed Installations <b>1984</b> , 255-263  |     | 4  |
| 5  | Elongated depressions associated with pockmarks in the Western Slope of the Norwegian Trench. <i>Marine Geology</i> , <b>1983</b> , 51, 35-46     | 3.3 | 47 |
| 4  | A coast-parallel depression, possibly caused by gas migration, off western Norway. <i>Marine Geology</i> , <b>1982</b> , 50, M11-M20              | 3.3 | 1  |
| 3  | Pockmarks and the Recent geology of the central section of the Norwegian Trench. <i>Marine Geology</i> , <b>1982</b> , 47, 283-301                | 3.3 | 33 |

- 2 Characteristics of pockmarks in the Norwegian Trench. *Marine Geology*, **1981**, 39, 103-117 3,3 72
- 1 A submerged beach between Norway and Ekofisk in the North Sea. *Marine Geology*, **1981**, 43, M19-M28 3,3 12