

Henning Hgh Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5921568/henning-hogh-jensen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56
papers

2,265
citations

28
h-index

47
g-index

56
ext. papers

2,435
ext. citations

4.1
avg, IF

4.77
L-index

#	Paper	IF	Citations
56	Micronutrient Density and Stability in West African Pearl Millet Potential for Biofortification. <i>Crop Science</i> , 2014 , 54, 1709-1720	2.4	26
55	YIELDS AND QUALITY OF PHASEOLUS BEAN CULTIVARS UNDER FARMERS' CONDITIONS IN EASTERN AND SOUTHERN AFRICA. <i>Experimental Agriculture</i> , 2014 , 50, 178-190	1.7	
54	Effect of four plant species on soil 15N-access and herbage yield in temporary agricultural grasslands. <i>Plant and Soil</i> , 2013 , 371, 313-325	4.2	12
53	Sexually transmitted infections manifesting as proctitis. <i>Frontline Gastroenterology</i> , 2013 , 4, 32-40	2.6	30
52	Nitrogen transfer from forage legumes to nine neighbouring plants in a multi-species grassland. <i>Plant and Soil</i> , 2012 , 350, 71-84	4.2	123
51	Robustness in the mineral supply from temporary grasslands. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2012 , 62, 79-90	1.1	6
50	Forage herbs improve mineral composition of grassland herbage. <i>Grass and Forage Science</i> , 2011 , 66, 415-423	2.3	66
49	Cowpea N rhizodeposition and its below-ground transfer to a co-existing and to a subsequent millet crop on a sandy soil of the Sudano-Sahelian eco-zone. <i>Plant and Soil</i> , 2011 , 340, 369-382	4.2	25
48	Organic farm conventionalisation and farmer practices in China, Brazil and Egypt. <i>Agronomy for Sustainable Development</i> , 2011 , 31, 689-698	6.8	18
47	Energy efficiency of organic pear production in greenhouses in China. <i>Renewable Agriculture and Food Systems</i> , 2010 , 25, 196-203	1.8	14
46	Energy Use in Organic, Green and Conventional Pear Producing Systems Cases from China. <i>Agroecology and Sustainable Food Systems</i> , 2010 , 34, 630-646		24
45	Effect of plant species and temperature on amino acid release from plant material. <i>Agronomy for Sustainable Development</i> , 2010 , 30, 679-688	6.8	1
44	New Challenges in Underprivileged Regions Call for People-Centered Research for Development. <i>Society and Natural Resources</i> , 2010 , 23, 908-915	2.4	6
43	Root size fractions of ryegrass and clover contribute differently to C and N inclusion in SOM. <i>Biology and Fertility of Soils</i> , 2010 , 46, 293-297	6.1	20
42	Recovery of nitrogen fertilizer by traditional and improved rice cultivars in the Bhutan Highlands. <i>Plant and Soil</i> , 2010 , 332, 233-246	4.2	8
41	Interactions between nitrogen, phosphorus and potassium determine growth and N ₂ -fixation in white clover and ryegrass leys. <i>Nutrient Cycling in Agroecosystems</i> , 2010 , 87, 327-338	3.3	16
40	A comparative study of farm nutrient budgets and nutrient flows of certified organic and non-organic farms in China, Brazil and Egypt. <i>Nutrient Cycling in Agroecosystems</i> , 2010 , 87, 455-470	3.3	23

39	Certified organic agriculture in China and Brazil: Market accessibility and outcomes following adoption. <i>Ecological Economics</i> , 2010 , 69, 1785-1793	5.6	46
38	Life Cycle Assessment of fossil energy use and greenhouse gas emissions in Chinese pear production. <i>Journal of Cleaner Production</i> , 2010 , 18, 1423-1430	10.3	80
37	Nitrogen rhizodeposition from soybean (<i>Glycine max</i>) and its impact on nutrient budgets in two contrasting environments of the Guinean savannah zone of Nigeria. <i>Nutrient Cycling in Agroecosystems</i> , 2009 , 84, 49-58	3.3	16
36	Effects of including chicory in perennial ryegrass/white clover leys on production and health in organic lambs. <i>Livestock Science</i> , 2009 , 125, 66-73	1.7	8
35	Simultaneous Uptake of Multiple Amino Acids by Wheat. <i>Journal of Plant Nutrition</i> , 2009 , 32, 725-740	2.3	17
34	Fate of ¹⁵ N and ¹⁴ C from labelled plant material: Recovery in perennial ryegrass/clover mixtures and in pore water of the sward. <i>Soil Biology and Biochemistry</i> , 2008 , 40, 3031-3039	7.5	21
33	Crop responses to ¹⁵ N-labelled organic and inorganic nitrogen sources. <i>Nutrient Cycling in Agroecosystems</i> , 2008 , 80, 49-60	3.3	7
32	Effects of cropping history and phosphorus source on yield and nitrogen fixation in sole and intercropped cowpea/maize systems. <i>Nutrient Cycling in Agroecosystems</i> , 2008 , 80, 61-73	3.3	29
31	In situ carbon and nitrogen dynamics in ryegrass/clover mixtures: Transfers, deposition and leaching. <i>Soil Biology and Biochemistry</i> , 2007 , 39, 804-815	7.5	66
30	Biological nitrogen fixation and nitrogen and phosphorus budgets in farmer-managed intercrops of maize/pigeonpea in semi-arid southern and eastern Africa. <i>Plant and Soil</i> , 2007 , 295, 127-136	4.2	82
29	Consequences of including adapted white clover in northern European grassland: transfer and deposition of nitrogen. <i>Plant and Soil</i> , 2007 , 297, 93-104	4.2	51
28	Competition for and utilisation of sulfur in sole and intercrops of pea and barley. <i>Nutrient Cycling in Agroecosystems</i> , 2007 , 77, 143-153	3.3	12
27	Productivity and quality, competition and facilitation of chicory in ryegrass/legume-based pastures under various nitrogen supply levels. <i>European Journal of Agronomy</i> , 2006 , 24, 247-256	5	35
26	Variation in Phosphorus Uptake and Use Efficiencies Between Pigeonpea Genotypes and Cowpea. <i>Journal of Plant Nutrition</i> , 2006 , 29, 1869-1888	2.3	17
25	The Nitrogen Transfer Between Plants: An Important but Difficult Flux to Quantify. <i>Plant and Soil</i> , 2006 , 282, 1-5	4.2	55
24	Effect of environment on multi-element grain composition of pigeonpea cultivars under farmers' conditions. <i>Plant and Soil</i> , 2006 , 285, 81-96	4.2	10
23	Yields and accumulations of N and P in farmer-managed intercrops of maize/pigeonpea in semi-arid Africa. <i>Plant and Soil</i> , 2006 , 285, 207-220	4.2	56
22	Intercropping of Wheat and Pea as Influenced by Nitrogen Fertilization. <i>Nutrient Cycling in Agroecosystems</i> , 2005 , 73, 201-212	3.3	77

21	Turnover of organic matter in a Miscanthus field: effect of time in Miscanthus cultivation and inorganic nitrogen supply. <i>Soil Biology and Biochemistry</i> , 2004 , 36, 1075-1085	7.5	62
20	Carbon sequestration potential of organic agriculture in northern Europe – modelling approach. <i>Nutrient Cycling in Agroecosystems</i> , 2004 , 68, 13-24	3.3	59
19	An empirical model for quantification of symbiotic nitrogen fixation in grass-clover mixtures. <i>Agricultural Systems</i> , 2004 , 82, 181-194	6.1	110
18	Morphological Plasticity by Crop Plants and Their Potassium Use Efficiency. <i>Journal of Plant Nutrition</i> , 2003 , 26, 969-984	2.3	53
17	The effect of potassium deficiency on growth and N ₂ -fixation in <i>Trifolium repens</i> . <i>Physiologia Plantarum</i> , 2003 , 119, 440-449	4.6	33
16	Biological nitrogen fixation in a grazed perennial grass/clover ley and correlation with herbage and soil variables. <i>European Journal of Agronomy</i> , 2002 , 16, 309-320	5	8
15	The influence of phosphorus deficiency on growth and nitrogen fixation of white clover plants. <i>Annals of Botany</i> , 2002 , 90, 745-53	4.1	105
14	Regrowth and Nutrient Composition of Different Plant Organs in Grass-clover Canopies as Affected by Phosphorus and Potassium Availability. <i>Annals of Botany</i> , 2001 , 88, 153-162	4.1	7
13	Rhizodeposition of nitrogen by red clover, white clover and ryegrass leys. <i>Soil Biology and Biochemistry</i> , 2001 , 33, 439-448	7.5	127
12	Nitrogen leaching from conventional versus organic farming systems – systems modelling approach. <i>European Journal of Agronomy</i> , 2000 , 13, 65-82	5	97
11	Below-ground nitrogen transfer between different grassland species: Direct quantification by ¹⁵ N leaf feeding compared with indirect dilution of soil ¹⁵ N. <i>Plant and Soil</i> , 2000 , 227, 171-183	4.2	91
10	Stress in Ecological Systems. <i>Oikos</i> , 1999 , 86, 179	4	34
9	A field study of nitrogen dynamics and spring barley growth as affected by the quality of incorporated residues from white clover and ryegrass. <i>Plant and Soil</i> , 1998 , 203, 91-101	4.2	30
8	Variations in the natural abundance of ¹⁵ N in ryegrass/white clover shoot material as influenced by cattle grazing. <i>Plant and Soil</i> , 1998 , 205, 67-76	4.2	30
7	Systems Theory as a Scientific Approach towards Organic Farming. <i>Biological Agriculture and Horticulture</i> , 1998 , 16, 37-52	1.6	10
6	Residual nitrogen effect of clover-ryegrass swards on yield and N uptake of a subsequent winter wheat crop as studied by use of ¹⁵ N methodology and mathematical modelling. <i>European Journal of Agronomy</i> , 1997 , 6, 235-243	5	18
5	Interactions between white clover and ryegrass under contrasting nitrogen availability: N ₂ fixation, N fertilizer recovery, N transfer and water use efficiency. <i>Plant and Soil</i> , 1997 , 197, 187-199	4.2	112
4	Kinetics of nitrate and ammonium absorption and accompanying H ⁺ fluxes in roots of <i>Lolium perenne</i> L. and N ₂ -fixing <i>Trifolium repens</i> L.. <i>Plant, Cell and Environment</i> , 1997 , 20, 1184-1192	8.4	26

3	Estimation of Biological N ₂ Fixation in a Clover-Grass System by the ¹⁵ N Dilution Method and the Total-N Difference Method. <i>Biological Agriculture and Horticulture</i> , 1995 , 11, 203-219	1.6	15
2	A Simple Model for Estimation of Atmospherically-Derived Nitrogen in Grass-Clover Systems. <i>Biological Agriculture and Horticulture</i> , 1995 , 12, 263-276	1.6	37
1	Measurement of biological dinitrogen fixation in grassland: Comparison of the enriched ¹⁵ N dilution and the natural ¹⁵ N abundance methods at different nitrogen application rates and defoliation frequencies. <i>Plant and Soil</i> , 1994 , 166, 153-163	4.2	98