

Giovanni Bertotti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5921698/giovanni-bertotti-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

3,184
citations

36
h-index

52
g-index

124
ext. papers

3,622
ext. citations

3.3
avg, IF

5.29
L-index

#	Paper	IF	Citations
114	Silicification, flow pathways, and deep-seated hypogene dissolution controlled by structural and stratigraphic variability in a carbonate-siliciclastic sequence (Brazil). <i>Marine and Petroleum Geology</i> , 2022 , 139, 105611	4.7	1
113	Vertical Movements and Source-to-Sink Systems of the Rifted Margin of NW Africa: Surprises Continue. <i>Advances in Science, Technology and Innovation</i> , 2022 , 545-548	0.3	
112	Flow pathways in multiple-direction fold hinges: Implications for fractured and karstified carbonate reservoirs. <i>Journal of Structural Geology</i> , 2021 , 146, 104324	3	7
111	Syn-depositional Mesozoic siliciclastic pathways on the Moroccan Atlantic margin linked to evaporite mobilisation. <i>Marine and Petroleum Geology</i> , 2021 , 128, 105018	4.7	3
110	An Integrated Multiscale Method for the Characterisation of Active Faults in Offshore Areas. The Case of Sant'Eufemia Gulf (Offshore Calabria, Italy). <i>Frontiers in Earth Science</i> , 2021 , 9,	3.5	2
109	Low-temperature thermochronology as a control on vertical movements for semi-quantitative source-to-sink analysis: A case study for the Permian to Neogene of Morocco and surroundings. <i>Basin Research</i> , 2021 , 33, 1337-1383	3.2	6
108	The impact of natural fractures on heat extraction from tight Triassic sandstones in the West Netherlands Basin: a case study combining well, seismic and numerical data. <i>Geologie En Mijnbouw/Netherlands Journal of Geosciences</i> , 2021 , 100,	1.1	1
107	Modeling of multiphase mass and heat transfer in fractured high-enthalpy geothermal systems with advanced discrete fracture methodology. <i>Advances in Water Resources</i> , 2021 , 154, 103985	4.7	0
106	Investigating spatial heterogeneity within fracture networks using hierarchical clustering and graph distance metrics. <i>Solid Earth</i> , 2021 , 12, 2159-2209	3.3	1
105	Large-scale natural fracture network patterns: Insights from automated mapping in the Lilstock (Bristol Channel) limestone outcrops. <i>Journal of Structural Geology</i> , 2021 , 150, 104405	3	3
104	Anticline growth by shortening during crustal exhumation of the Moroccan Atlantic margin. <i>Journal of Structural Geology</i> , 2020 , 140, 104125	3	4
103	3-D Architecture and Plio-Quaternary Evolution of the Paola Basin: Insights Into the Forearc of the Tyrrhenian-Ionian Subduction System. <i>Tectonics</i> , 2020 , 39, e2019TC005898	4.3	6
102	The Morro Vermelho hypogenic karst system (Brazil): Stratigraphy, fractures, and flow in a carbonate strike-slip fault zone with implications for carbonate reservoirs. <i>AAPG Bulletin</i> , 2020 , 104, 2029-2050	2.5	3
101	Mapping the fracture network in the Lilstock pavement, Bristol Channel, UK: manual versus automatic. <i>Solid Earth</i> , 2020 , 11, 1773-1802	3.3	5
100	Morphology and topology of dolostone lithons in the regional Carboneras Fault Zone, Southern Spain. <i>Journal of Structural Geology</i> , 2020 , 137, 104073	3	3
99	Testing the preservation potential of early diagenetic dolomites as geochemical archives. <i>Sedimentology</i> , 2020 , 67, 849-881	3.3	21
98	Natural fault and fracture network characterization for the southern Ekofisk field: A case study integrating seismic attribute analysis with image log interpretation. <i>Journal of Structural Geology</i> , 2020 , 141, 104197	3	5

97	Mechanical controls on horizontal stresses and fracture behaviour in layered rocks: A numerical sensitivity analysis. <i>Journal of Structural Geology</i> , 2020 , 130, 103907	3	8
96	Postrift stress field inversion in the Potiguar Basin, Brazil [Implications for petroleum systems and evolution of the equatorial margin of South America. <i>Marine and Petroleum Geology</i> , 2020 , 111, 88-104	4.7	22
95	Monoclinial flexure of an orogenic plateau margin during subduction, south Turkey. <i>Basin Research</i> , 2019 , 31, 709-727	3.2	10
94	A new methodology to train fracture network simulation using multiple-point statistics. <i>Solid Earth</i> , 2019 , 10, 537-559	3.3	15
93	Linking natural fractures to karst cave development: a case study combining drone imagery, a natural cave network and numerical modelling. <i>Petroleum Geoscience</i> , 2019 , 25, 454-469	1.9	9
92	Are stylolites fluid-flow efficient features?. <i>Journal of Structural Geology</i> , 2019 , 125, 270-277	3	23
91	The mechanical contrast between layers controls fracture containment in layered rocks. <i>Journal of Structural Geology</i> , 2019 , 127, 103856	3	14
90	An automated fracture trace detection technique using the complex shearlet transform. <i>Solid Earth</i> , 2019 , 10, 2137-2166	3.3	8
89	New Evidence of 'Anomalous' Vertical Movements along the Hinterland of the Atlantic NW African Margin. <i>Journal of Geophysical Research: Solid Earth</i> , 2019 , 124, 13333-13353	3.6	6
88	Natural fracture system of the Cambro-Permian Wajid Group, Wadi Al-Dawasir, SW Saudi Arabia. <i>Journal of Petroleum Science and Engineering</i> , 2019 , 175, 140-158	4.4	4
87	Analysing the limitations of the dual-porosity response during well tests in naturally fractured reservoirs. <i>Petroleum Geoscience</i> , 2019 , 25, 30-49	1.9	14
86	Sedimentologic and reservoir characteristics under a tectono-sequence stratigraphic framework: A case study from the Early Cretaceous, upper Abu Gabra sandstones, Sufyan Sub-basin, Muglad Basin, Sudan. <i>Journal of African Earth Sciences</i> , 2018 , 142, 22-43	2.2	7
85	The Sidi Ifni transect across the rifted margin of Morocco (Central Atlantic): Vertical movements constrained by low-temperature thermochronology. <i>Journal of African Earth Sciences</i> , 2018 , 141, 22-32	2.2	11
84	Quantitative analysis of the tectonic subsidence in the Potiguar Basin (NE Brazil). <i>Journal of Geodynamics</i> , 2018 , 117, 60-74	2.2	7
83	Mechanical Factors Controlling the Development of Orthogonal and Nested Fracture Network Geometries. <i>Rock Mechanics and Rock Engineering</i> , 2018 , 51, 3455-3469	5.7	6
82	Mesozoic and Cenozoic thermal history of the Western Reguibat Shield (West African Craton). <i>Terra Nova</i> , 2018 , 30, 135-145	3	4
81	Post-Variscan evolution of the Anti-Atlas belt of Morocco constrained from low-temperature geochronology. <i>International Journal of Earth Sciences</i> , 2017 , 106, 593-616	2.2	34
80	Intraplate uplift: new constraints on the Hoggar dome from the Illizi basin (Algeria). <i>Basin Research</i> , 2017 , 29, 377-393	3.2	9

79	Inter-well scale natural fracture geometry and permeability variations in low-deformation carbonate rocks. <i>Journal of Structural Geology</i> , 2017 , 97, 23-36	3	25
78	An integrated workflow for stress and flow modelling using outcrop-derived discrete fracture networks. <i>Computers and Geosciences</i> , 2017 , 103, 21-35	4-5	59
77	Fracturing and fluid-flow during post-rift subsidence in carbonates of the Jandaíba Formation, Potiguar Basin, NE Brazil. <i>Basin Research</i> , 2017 , 29, 836-853	3-2	23
76	Fracturing and calcite cementation controlling fluid flow in the shallow-water carbonates of the Jandaíba Formation, Brazil. <i>Marine and Petroleum Geology</i> , 2017 , 80, 382-393	4-7	24
75	Assessing the Validity and Limitations of Dual-porosity Models Using Geological Well Testing for Fractured Formations 2016 ,		4
74	Rift fault geometry and evolution in the Cretaceous Potiguar Basin (NE Brazil) based on fault growth models. <i>Journal of South American Earth Sciences</i> , 2016 , 71, 96-107	2	11
73	A geometrically based method for predicting stress-induced fracture aperture and flow in discrete fracture networks. <i>AAPG Bulletin</i> , 2016 , 100, 1075-1097	2-5	26
72	Fracture distribution along an Upper Jurassic carbonate ramp, NE Spain. <i>Marine and Petroleum Geology</i> , 2016 , 70, 201-221	4-7	4
71	Coupled Stress-fluid Pressure Modelling of Stimulated Rock Volume in Shale - Impact of Natural Fractures and Beef 2016 ,		2
70	The impact of in-situ stress and outcrop-based fracture geometry on hydraulic aperture and upscaled permeability in fractured reservoirs. <i>Tectonophysics</i> , 2016 , 690, 63-75	3-1	38
69	The impact of different aperture distribution models and critical stress criteria on equivalent permeability in fractured rocks. <i>Journal of Geophysical Research: Solid Earth</i> , 2016 , 121, 4045-4063	3-6	55
68	Multiscale fracture network characterization and impact on flow: A case study on the Latemar carbonate platform. <i>Journal of Geophysical Research: Solid Earth</i> , 2015 , 120, 8197-8222	3-6	52
67	Rifting and pre-rift lithosphere variability in the Orphan Basin, Newfoundland margin, Eastern Canada. <i>Basin Research</i> , 2015 , 27, 367-386	3-2	11
66	Using Outcrop Data for Geological Well Test Modelling in Fractured Reservoirs 2015 ,		6
65	Calibrating discrete fracture-network models with a carbonate three-dimensional outcrop fracture network: Implications for naturally fractured reservoir modeling. <i>AAPG Bulletin</i> , 2014 , 98, 1351-1376	2-5	44
64	Fracture-network analysis of the Latemar Platform (northern Italy): integrating outcrop studies to constrain the hydraulic properties of fractures in reservoir models. <i>Petroleum Geoscience</i> , 2014 , 20, 79-92 ¹⁻⁹		13
63	Pattern and rate of post-20ka vertical tectonic motion around the Capo Vaticano Promontory (W Calabria, Italy) based on offshore geomorphological indicators. <i>Quaternary International</i> , 2014 , 332, 85-98	3	27
62	Predicting Multi-scale Deformation and Fluid Flow Patterns in Folds Using 3D Outcrop Models and Mechanical Modelling 2014 ,		1

61	DigiFract: A software and data model implementation for flexible acquisition and processing of fracture data from outcrops. <i>Computers and Geosciences</i> , 2013 , 54, 326-336	4.5	42
60	Distributed fracturing affecting isolated carbonate platforms, the Latemar Platform Natural Laboratory (Dolomites, North Italy). <i>Marine and Petroleum Geology</i> , 2013 , 40, 69-84	4.7	16
59	Summary of the AAPG/SPE/SEG Hedberg Research Conference on Fundamental Controls on Flow in Carbonates. <i>AAPG Bulletin</i> , 2013 , 97, 533-552	2.5	2
58	FEM analysis of deformation localization mechanisms in a 3-D fractured medium under rotating compressive stress orientations. <i>Tectonophysics</i> , 2013 , 593, 95-110	3.1	6
57	Outcropping Analogs and Multiscale Fracture Patterns in the Janda Formation 2013 ,		2
56	Post-rift vertical movements and horizontal deformations in the eastern margin of the Central Atlantic: Middle Jurassic to Early Cretaceous evolution of Morocco. <i>International Journal of Earth Sciences</i> , 2012 , 101, 2151-2165	2.2	30
55	Multi-scale fracture network analysis from an outcrop analogue: A case study from the Cambro-Ordovician clastic succession in Petra, Jordan. <i>Marine and Petroleum Geology</i> , 2012 , 38, 104-116	4.7	38
54	Structure of the Gabon Margin from integrated seismic reflection and gravity data. <i>Tectonophysics</i> , 2011 , 506, 31-45	3.1	23
53	Kinematic and thermal evolution of the Moroccan rifted continental margin: Doukkala-High Atlas transect. <i>Tectonics</i> , 2010 , 29, n/a-n/a	4.3	25
52	Architecture and Neogene to Recent evolution of the western Calabrian continental margin: An upper plate perspective to the Ionian subduction system, central Mediterranean. <i>Tectonics</i> , 2010 , 29,	4.3	27
51	Late-orogenic vertical movements within the arc of the SW Alps and Ligurian Alps. <i>Tectonophysics</i> , 2009 , 475, 117-127	3.1	15
50	The geology of vertical movements of the lithosphere: An overview. <i>Tectonophysics</i> , 2009 , 475, 1-8	3.1	14
49	Burial and temperature evolution in thrust belt systems: Sedimentary and thrust sheet loading in the SE Canadian Cordillera. <i>Tectonics</i> , 2009 , 28, n/a-n/a	4.3	11
48	Unexpected Jurassic to Neogene vertical movements in parts of NW Africa revealed by low temperature geochronology. <i>Terra Nova</i> , 2008 , 20, 355-363	3	68
47	Large-scale deformation in a locked collisional boundary: Interplay between subsidence and uplift, intraplate stress, and inherited lithospheric structure in the late stage of the SE Carpathians evolution. <i>Tectonics</i> , 2007 , 26, n/a-n/a	4.3	98
46	Toward a quantitative definition of mechanical units: New techniques and results from an outcropping deep-water turbidite succession (Tanqua-Karoo Basin, South Africa). <i>AAPG Bulletin</i> , 2007 , 91, 1085-1098	2.5	20
45	Tectonic history along the South Gabon Basin: Anomalous early post-rift subsidence. <i>Marine and Petroleum Geology</i> , 2007 , 24, 151-172	4.7	42
44	Kinematics of the SE Canadian Fold and Thrust Belt: Implications for the Thermal and Organic Maturation History 2007 , 179-202		5

43	The morphology of a Messinian valley and its hinterland (Ventimiglia, NW Italy): a Miocene to Pliocene reconstruction. <i>Geological Journal</i> , 2006 , 41, 465-480	1.7	8
42	The effects of a lateral variation in lithospheric strength on foredeep evolution: Implications for the East Carpathian foredeep. <i>Tectonophysics</i> , 2006 , 421, 251-267	3.1	15
41	Late orogenic vertical movements in the Carpathian Bend Zone: seismic constraints on the transition zone from orogen to foredeep. <i>Basin Research</i> , 2006 , 18, 521-545	3.2	54
40	Oligocene to Present kilometres scale subsidence and exhumation of the Ligurian Alps and the Tertiary Piedmont Basin (NW Italy) revealed by apatite (U-Th)/He thermochronology: correlation with regional tectonics. <i>Terra Nova</i> , 2006 , 18, 18-25	3	36
39	Structural highs formation and their relationship to sedimentary basins in the north Sicily continental margin (southern Tyrrhenian Sea): Implication for the Drepano Thrust Front. <i>Tectonophysics</i> , 2005 , 409, 1-18	3.1	46
38	Stratigraphic and regional distribution of fractures in Barremian-Aptian carbonate rocks of Eastern Oman: outcrop data and their extrapolation to Interior Oman hydrocarbon reservoirs. <i>International Journal of Earth Sciences</i> , 2005 , 94, 447-461	2.2	6
37	Detecting provenance variations and cooling patterns within the western Alpine orogen through ⁴⁰ Ar/ ³⁹ Ar geochronology on detrital sediments: The Tertiary Piedmont Basin, northwest Italy 2004		8
36	Flexural response of the Venetian foreland to the Southalpine tectonics along the TRANSALP profile. <i>Terra Nova</i> , 2004 , 16, 273-280	3	22
35	Comment on: Uplift and contractional deformation along a segmented strike-slip fault system: the Gargano Promontory, southern Italy [by C.M. Brankman and A. Aydin]. <i>Journal of Structural Geology</i> , 2004 , 26, 2325-2326	3	1
34	Towards an astrochronological framework for the eastern Paratethys Mio-Pliocene sedimentary sequences of the Focșeni basin (Romania). <i>Earth and Planetary Science Letters</i> , 2004 , 227, 231-247	5.3	106
33	Tectono-stratigraphic modelling of the North Sicily continental margin (southern Tyrrhenian Sea). <i>Tectonophysics</i> , 2004 , 384, 257-273	3.1	17
32	Thermo-mechanical controls on the mode of continental collision in the SE Carpathians (Romania). <i>Earth and Planetary Science Letters</i> , 2004 , 218, 57-76	5.3	131
31	Role of the 3-D distributions of load and lithospheric strength in orogenic arcs: polystage subsidence in the Carpathians foredeep. <i>Earth and Planetary Science Letters</i> , 2004 , 221, 163-180	5.3	36
30	Barremian-lower Aptian Qishn Formation, Haushi-Huqf area, Oman: a new outcrop analogue for the Kharab/Shu'iba reservoirs. <i>Geoarabia</i> , 2004 , 9, 153-194		55
29	Episodic exhumation in the Western Alps. <i>Geology</i> , 2003 , 31, 601	5	64
28	Late Miocene to present exhumation in the Ligurian Alps (southwest Alps) with evidence for accelerated denudation during the Messinian salinity crisis. <i>Geology</i> , 2003 , 31, 797	5	40
27	Subsidence analysis and tectonic evolution of the external Carpathian-Moesian Platform region during Neogene times. <i>Sedimentary Geology</i> , 2003 , 156, 71-94	2.8	94
26	Vertical movements in and around the south-east Carpathian foredeep: lithospheric memory and stress field control. <i>Terra Nova</i> , 2003 , 15, 299-305	3	48

25	Architecture of the Focăni Depression: A 13 km deep basin in the Carpathians bend zone (Romania). <i>Tectonics</i> , 2003 , 22, n/a-n/a	4.3	83
24	Probing tectonic topography in the aftermath of continental convergence in central Europe. <i>Eos</i> , 2003 , 84, 89	1.5	12
23	Subsidence, stress regime and rotation(s) of a tectonically active sedimentary basin within the western Alpine Orogen: the Tertiary Piedmont Basin (Alpine domain, NW Italy). <i>Geological Society Special Publication</i> , 2003 , 208, 205-227	1.7	7
22	The Transylvanian basin, transfer zone between coeval extending and contracting regions: Inferences on the relative importance of slab pull and rift push in arc-back arc systems. <i>Tectonics</i> , 2002 , 21, 2-1-2-18	4.3	9
21	Subsidence, deformation, thermal and mechanical evolution of the Mesozoic South Alpine rifted margin: an analogue for Atlantic-type margins. <i>Geological Society Special Publication</i> , 2001 , 187, 125-141	1.7	4
20	Neogene to Quaternary sedimentary basins in the south Adriatic (Central Mediterranean): Foredeeps and lithospheric buckling. <i>Tectonics</i> , 2001 , 20, 771-787	4.3	62
19	Dynamic link between the level of ductile crustal flow and style of normal faulting of brittle crust. <i>Tectonophysics</i> , 2000 , 320, 195-218	3.1	40
18	Tertiary tectonic evolution of the external East Carpathians (Romania). <i>Tectonophysics</i> , 2000 , 316, 255-286	3.1	121
17	Rifted margin formation in the south Tyrrhenian Sea: A high-resolution seismic profile across the north Sicily passive continental margin. <i>Tectonics</i> , 2000 , 19, 241-257	4.3	51
16	Pre-orogenic tectonics in the Umbria-Marche sector of the Afro-Adriatic continental margin. <i>Tectonophysics</i> , 1999 , 315, 123-143	3.1	52
15	Crustal thermal regime prior to, during, and after rifting: A geochronological and modeling study of the Mesozoic South Alpine rifted margin. <i>Tectonics</i> , 1999 , 18, 185-200	4.3	43
14	The influence of a stratified rheology on the flexural response of the lithosphere to (un)loading by extensional faulting. <i>Geophysical Journal International</i> , 1998 , 134, 721-735	2.6	43
13	Lateral variations of thermo-mechanical properties in the Tyrrhenian-Northern Apennine region. <i>Tectonophysics</i> , 1998 , 300, 143-158	3.1	14
12	Lithospheric weakening during retroforeland basin formation: Tectonic evolution of the central South Alpine foredeep. <i>Tectonics</i> , 1998 , 17, 131-142	4.3	17
11	Tertiary tectonic evolution of the external South Carpathians and the adjacent Moesian platform (Romania). <i>Tectonics</i> , 1997 , 16, 896-911	4.3	53
10	Structural evolution of the Transylvanian Basin (Romania): a sedimentary basin in the bend zone of the Carpathians. <i>Tectonophysics</i> , 1997 , 272, 249-268	3.1	39
9	Extension controls Quaternary tectonics, geomorphology and sedimentation of the N-Appennines foothills and adjacent Po Plain (Italy). <i>Tectonophysics</i> , 1997 , 282, 291-301	3.1	65
8	Thermomechanical evolution of the South Alpine rifted margin (North Italy): constraints on the strength of passive continental margins. <i>Earth and Planetary Science Letters</i> , 1997 , 146, 181-193	5.3	46

7	Discussion of Velocity description of deformation. Paper 3: the effects of temperature dependent rheology on extensional basin architecture by Willacy, Waltham and McClay (1995). <i>Marine and Petroleum Geology</i> , 1996 , 13, 847	4.7	
6	Tectono-stratigraphic modelling of the Sardinian margin of the Tyrrhenian Sea. <i>Tectonophysics</i> , 1995 , 252, 269-284	3.1	20
5	Thermo-mechanical modeling of the Tyrrhenian Sea: Lithospheric necking and kinematics of rifting. <i>Tectonics</i> , 1995 , 14, 629-644	4.3	56
4	Thermal effects of normal faulting during rifted basin formation, 1. A finite difference model. <i>Tectonophysics</i> , 1994 , 240, 133-144	3.1	45
3	Thermal effects of normal faulting during rifted basin formation, 2. The Lugano-Val Grande normal fault and the role of pre-existing thermal anomalies. <i>Tectonophysics</i> , 1994 , 240, 145-157	3.1	36
2	From rifting to drifting: tectonic evolution of the South-Alpine upper crust from the Triassic to the Early Cretaceous. <i>Sedimentary Geology</i> , 1993 , 86, 53-76	2.8	246
1	Deformation and metamorphism associated with crustal rifting: The Permian to Liassic evolution of the Lake Lugano-Lake Como area (Southern Alps). <i>Tectonophysics</i> , 1993 , 226, 271-284	3.1	39