

Ana Azevedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5921918/publications.pdf>

Version: 2024-02-01

200
papers

13,389
citations

134610

34
h-index

28425

109
g-index

201
all docs

201
docs citations

201
times ranked

23374
citing authors

#	ARTICLE	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
2	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
3	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
4	N-Terminal "Pro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. <i>Circulation</i> , 2004, 110, 2168-2174.	1.6	644
5	Differences in prevalence, awareness, treatment and control of hypertension between developing and developed countries. <i>Journal of Hypertension</i> , 2009, 27, 963-975.	0.3	466
6	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
7	Intake and Adipose Tissue Composition of Fatty Acids and Risk of Myocardial Infarction in a Male Portuguese Community Sample. <i>Journal of the American Dietetic Association</i> , 2007, 107, 276-286.	1.3	188
8	Hypertension Prevalence, Awareness, Treatment, and Control in Mozambique. <i>Hypertension</i> , 2009, 54, 77-83.	1.3	174
9	Impact of the 2016 ASE/EACVI recommendations on the prevalence of diastolic dysfunction in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 380-386.	0.5	125
10	Prognostic Value of High-Sensitivity C-Reactive Protein in Heart Failure: A Systematic Review. <i>Journal of Cardiac Failure</i> , 2009, 15, 256-266.	0.7	120
11	Diastolic dysfunction in the diabetic continuum: association with insulin resistance, metabolic syndrome and type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 4.	2.7	113
12	Chronic obstructive pulmonary disease in heart failure. Prevalence, therapeutic and prognostic implications. <i>American Heart Journal</i> , 2008, 155, 521-525.	1.2	96
13	Impact of breast cancer treatments on sleep disturbances " A systematic review. <i>Breast</i> , 2014, 23, 697-709.	0.9	96
14	Preliminary data on the potential usefulness of B-type natriuretic peptide levels in predicting outcome after hospital discharge in patients with heart failure. <i>American Journal of Medicine</i> , 2002, 113, 215-219.	0.6	91
15	Caffeine Intake is Associated with a Lower Risk of Cognitive Decline: A Cohort Study from Portugal. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S175-S185.	1.2	83
16	An Epidemiological Study of Stroke Hospitalizations in Maputo, Mozambique. <i>Stroke</i> , 2010, 41, 2463-2469.	1.0	81
17	Prevalence of self-reported cardiovascular risk factors in Portuguese women: a survey after delivery. <i>International Journal of Public Health</i> , 2012, 57, 837-847.	1.0	81
18	Prognostic information provided by serial measurements of brain natriuretic peptide in heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 45-48.	0.8	80

#	ARTICLE	IF	CITATIONS
19	Sociodemographic Determinants of Prevalence and Incidence of <i>Helicobacter pylori</i> Infection in Portuguese Adults. <i>Helicobacter</i> , 2013, 18, 413-422.	1.6	76
20	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
21	Stress and burnout among Portuguese anaesthesiologists. <i>European Journal of Anaesthesiology</i> , 2006, 23, 433-439.	0.7	63
22	Intraindividual Variation of Amino-Terminal Pro-B-Type Natriuretic Peptide Levels in Patients With Stable Heart Failure. <i>American Journal of Cardiology</i> , 2006, 98, 1248-1250.	0.7	58
23	Prognostic value of sST2 added to BNP in acute heart failure with preserved or reduced ejection fraction. <i>Clinical Research in Cardiology</i> , 2015, 104, 491-499.	1.5	54
24	Increasing number of components of the metabolic syndrome and cardiac structural and functional abnormalities – cross-sectional study of the general population. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 17.	0.7	52
25	Prevalence and Determinants of Bullying Among Health Care Workers in Portugal. <i>Workplace Health and Safety</i> , 2017, 65, 188-196.	0.7	51
26	Explaining the Decline in Coronary Heart Disease Mortality in Portugal Between 1995 and 2008. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013, 6, 634-642.	0.9	47
27	Effect of a heart failure clinic on survival and hospital readmission in patients discharged from acute hospital care. <i>European Journal of Heart Failure</i> , 2002, 4, 353-359.	2.9	45
28	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41
29	Coexisting chronic obstructive pulmonary disease and heart failure: implications for treatment, course and mortality. <i>Current Opinion in Pulmonary Medicine</i> , 2010, 16, 106-111.	1.2	40
30	BNP at discharge in acute heart failure patients: Is it all about volemia? A study using impedance cardiography to assess fluid and hemodynamic status. <i>International Journal of Cardiology</i> , 2010, 145, 209-214.	0.8	39
31	Trends in cardiovascular diseases and cancer mortality in 45 countries from five continents (1980–2010). <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1004-1017.	0.8	39
32	Body mass index and waist circumference in Mozambique: urban/rural gap during epidemiological transition. <i>Obesity Reviews</i> , 2010, 11, 627-634.	3.1	38
33	Individual and contextual characteristics as determinants of sagittal standing posture: a population-based study of adults. <i>Spine Journal</i> , 2014, 14, 2373-2383.	0.6	37
34	Oxidative stress and nitric oxide are increased in obese children and correlate with cardiometabolic risk and renal function. <i>British Journal of Nutrition</i> , 2016, 116, 805-815.	1.2	37
35	Sex differences in presenting symptoms of acute coronary syndrome: the EPIHeart cohort study. <i>BMJ Open</i> , 2018, 8, e018798.	0.8	37
36	Diabetes in Mozambique: Prevalence, management and healthcare challenges. <i>Diabetes and Metabolism</i> , 2011, 37, 237-244.	1.4	36

#	ARTICLE	IF	CITATIONS
37	Incidence of hypertension in a prospective cohort study of adults from Porto, Portugal. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 114.	0.7	35
38	Socioeconomic Inequalities in the Prevalence of Nine Established Cardiovascular Risk Factors in a Southern European Population. <i>PLoS ONE</i> , 2012, 7, e37158.	1.1	35
39	Handgrip Strength at Admission and Time to Discharge in Medical and Surgical Inpatients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2014, 38, 481-488.	1.3	35
40	Sagittal Standing Posture, Back Pain, and Quality of Life Among Adults From the General Population. <i>Spine</i> , 2014, 39, E782-E794.	1.0	35
41	Decreased renal function in overweight and obese prepubertal children. <i>Pediatric Research</i> , 2015, 78, 436-444.	1.1	35
42	Emergency surgeons'™ perceptions and attitudes towards antibiotic prescribing and resistance: a worldwide cross-sectional survey. <i>World Journal of Emergency Surgery</i> , 2018, 13, 27.	2.1	34
43	Trends in hypertension prevalence (1990-2005) and mean blood pressure (1975-2005) in Portugal: a systematic review. <i>Blood Pressure</i> , 2012, 21, 220-226.	0.7	33
44	Medication Adherence to Specific Drug Classes in Chronic Heart Failure. <i>Journal of Managed Care Pharmacy</i> , 2014, 20, 1018-1026.	2.2	33
45	Limited Health Literacy in Portugal Assessed with the Newest Vital Sign. <i>Acta Medica Portuguesa</i> , 2017, 30, 861-869.	0.2	33
46	Epidemiology of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Nasal Colonization Among Patients and Healthcare Workers in a Portuguese Hospital: A Pre-intervention Study Toward the Control of MRSA. <i>Microbial Drug Resistance</i> , 2009, 15, 19-26.	0.9	32
47	B-Type Natriuretic Peptide Is Related to Left Ventricular Mass in Hypertensive Patients but Not in Athletes. <i>Cardiology</i> , 2002, 98, 113-115.	0.6	31
48	Safety of Spironolactone Use in Ambulatory Heart Failure Patients. <i>Clinical Cardiology</i> , 2008, 31, 509-513.	0.7	31
49	Determinants of carotid-femoral pulse wave velocity in prepubertal children. <i>International Journal of Cardiology</i> , 2016, 218, 37-42.	0.8	31
50	Self-reported data on reproductive variables were reliable among postmenopausal women. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 945-950.	2.4	30
51	Health-related quality of life and stages of heart failure. <i>International Journal of Cardiology</i> , 2008, 129, 238-244.	0.8	29
52	Impact of risk factors for non-fatal acute myocardial infarction. <i>European Journal of Epidemiology</i> , 2009, 24, 425-432.	2.5	29
53	Clinical syndrome suggestive of heart failure is frequently attributable to non-cardiac disorders - population-based study. <i>European Journal of Heart Failure</i> , 2007, 9, 391-396.	2.9	28
54	Psychiatric Presentation of Hashimoto's Encephalopathy. <i>Psychosomatic Medicine</i> , 2007, 69, 200-201.	1.3	28

#	ARTICLE	IF	CITATIONS
55	Left Ventricular Diastolic Dysfunction and E/E ² Ratio as the Strongest Echocardiographic Predictors of Reduced Exercise Capacity After Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2015, 38, 222-229.	0.7	28
56	Gender and obesity modify the impact of salt intake on blood pressure in children. <i>Pediatric Nephrology</i> , 2016, 31, 279-288.	0.9	28
57	Association between plasma leptin and adiponectin levels and diastolic function in the general population. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1283-1291.	1.5	27
58	Cholesterol – A marker of nutritional status in mild to moderate heart failure. <i>International Journal of Cardiology</i> , 2008, 129, 65-68.	0.8	26
59	Higher C-reactive Protein Predicts Worse Prognosis in Acute Heart Failure Only in Noninfected Patients. <i>Clinical Cardiology</i> , 2010, 33, 708-714.	0.7	26
60	Trends of BMI and prevalence of overweight and obesity in Portugal (1995–2005): a systematic review. <i>Public Health Nutrition</i> , 2012, 15, 972-981.	1.1	26
61	Determinants of Early Case-Fatality among Stroke Patients in Maputo, Mozambique and Impact of in-Hospital Complications. <i>International Journal of Stroke</i> , 2013, 8, 69-75.	2.9	26
62	Prognosis of decompensated heart failure patients with preserved systolic function is predicted by NT-proBNP variations during hospitalization. <i>International Journal of Cardiology</i> , 2007, 117, 75-79.	0.8	25
63	Medical record review to recover missing data in a Portuguese birth cohort: agreement with self-reported data collected by questionnaire and inter-rater variability. <i>Gaceta Sanitaria</i> , 2011, 25, 211-219.	0.6	25
64	Cross-cultural adaptation and validation of the health literacy assessment tool METER in the Portuguese adult population. <i>Patient Education and Counseling</i> , 2014, 97, 269-275.	1.0	24
65	Upper-Body Adiposity and Risk of Myocardial Infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1999, 6, 321-325.	3.1	23
66	Trends in the prevalence of smoking in Portugal: a systematic review. <i>BMC Public Health</i> , 2012, 12, 958.	1.2	23
67	Impact of risk factors on hypertensive disorders in pregnancy, in primiparae and multiparae. <i>Annals of Human Biology</i> , 2013, 40, 377-384.	0.4	23
68	Long-Term Maintenance of Smoking Cessation in Pregnancy: An Analysis of the Birth Cohort Generation XXI. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1598-1607.	1.4	23
69	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1401-1408.	0.8	23
70	HIV Patients Have Impaired Diastolic Function that is Not Aggravated by Anti-Retroviral Treatment. <i>Cardiovascular Drugs and Therapy</i> , 2015, 29, 31-39.	1.3	23
71	The Effect of Exercise Training on Diastolic and Systolic Function After Acute Myocardial Infarction. <i>Medicine (United States)</i> , 2015, 94, e1450.	0.4	22
72	A European benchmarking system to evaluate in-hospital mortality rates in acute coronary syndrome: The EURHOBOP project. <i>International Journal of Cardiology</i> , 2015, 182, 509-516.	0.8	22

#	ARTICLE	IF	CITATIONS
73	Association between neighborhood deprivation and fruits and vegetables consumption and leisure-time physical activity: a cross-sectional multilevel analysis. <i>BMC Public Health</i> , 2013, 13, 1103.	1.2	21
74	The Effect of Season and Temperature Variation on Hospital Admissions for Incident Stroke Events in Maputo, Mozambique. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 271-277.	0.7	21
75	Normalization of glomerular filtration rate in obese children. <i>Pediatric Nephrology</i> , 2016, 31, 1321-1328.	0.9	21
76	Percutaneous coronary intervention reduces mortality in myocardial infarction patients with comorbidities: Implications for elderly patients with diabetes or kidney disease. <i>International Journal of Cardiology</i> , 2017, 249, 83-89.	0.8	21
77	Heart rate at admission is a predictor of in-hospital mortality in patients with acute coronary syndromes: Results from 58 European hospitals: The European Hospital Benchmarking by Outcomes in acute coronary syndrome Processes study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 149-157.	0.4	21
78	Amino Terminal B-Type Natriuretic Peptide, Renal Function, and Prognosis in Acute Heart Failure: A Hospital Cohort Study. <i>Journal of Cardiac Failure</i> , 2007, 13, 275-280.	0.7	19
79	Childhood Obesity and Impact on the Kidney. <i>Nephron</i> , 2019, 143, 8-11.	0.9	19
80	Endovascular Approach Versus Aortobifemoral Bypass Grafting: Outcomes in Extensive Aortoiliac Occlusive Disease. <i>Vascular and Endovascular Surgery</i> , 2020, 54, 102-110.	0.3	19
81	Triggering of stroke by ambient temperature variation: A case-crossover study in Maputo, Mozambique. <i>Clinical Neurology and Neurosurgery</i> , 2015, 129, 72-77.	0.6	18
82	Determinants of awareness, treatment and control of hypertension in a Portuguese population. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1779-92.	0.2	18
83	Depressive Symptoms and Heart Failure Stages. <i>Psychosomatics</i> , 2008, 49, 42-48.	2.5	17
84	Changing patterns of cardiovascular diseases and cancer mortality in Portugal, 1980-2010. <i>BMC Public Health</i> , 2012, 12, 1126.	1.2	17
85	Higher BMI in heart failure patients is associated with longer survival only in the absence of diabetes. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 576-582.	0.6	17
86	Knowledge about cardiovascular disease in Portugal. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 669-677.	0.2	17
87	Patient-centered communication in type 2 diabetes: The facilitating and constraining factors in clinical encounters. <i>Health Services Research</i> , 2019, 54, 623-635.	1.0	17
88	Population based study on the prevalence of the stages of heart failure. <i>Heart</i> , 2006, 92, 1161-1163.	1.2	16
89	Association of myeloperoxidase levels with cardiometabolic factors and renal function in prepubertal children. <i>European Journal of Clinical Investigation</i> , 2016, 46, 50-59.	1.7	16
90	B-type natriuretic peptide and left ventricular hypertrophy in hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2003, 22, 327-36.	0.2	16

#	ARTICLE	IF	CITATIONS
91	Risk factors for cardiovascular disease among the homeless and in the general population of the city of Porto, Portugal. <i>Cadernos De Saude Publica</i> , 2012, 28, 1517-1529.	0.4	15
92	Effect of Saline Load and Metoclopramide on the Renal Dopaminergic System in Patients with Heart Failure and Healthy Controls. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 197-203.	0.8	14
93	Coffee and myocardial infarction: heterogeneity of an association in Portuguese men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 268-273.	3.1	14
94	Indirect calibration between clinical observers - application to the New York Heart Association functional classification system. <i>BMC Research Notes</i> , 2011, 4, 276.	0.6	14
95	Mid-regional proadrenomedullin: An early marker of response in critically ill patients with severe community-acquired pneumonia?. <i>Revista Portuguesa De Pneumologia</i> , 2016, 22, 308-314.	0.7	14
96	Prognostic Implications of Diuretic Dose in Chronic Heart Failure. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2011, 16, 185-191.	1.0	13
97	Long-term stability of endogenous B-type natriuretic peptide during storage at 20°C for later measurement with Biosite Triage assay. <i>Clinical Biochemistry</i> , 2007, 40, 1104-1107.	0.8	12
98	On the comparability of population-based and hospital-based case-control studies. <i>Gaceta Sanitaria</i> , 2009, 23, 564.	0.6	12
99	Diagnostic value of patterns of symptoms and signs of heart failure: application of latent class analysis with concomitant variables in a cross-sectional study. <i>BMJ Open</i> , 2012, 2, e001510.	0.8	12
100	Long-term stability of endogenous B-type natriuretic peptide after storage at 20°C or 80°C. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1171-4.	1.4	11
101	The cyclic guanosine monophosphate/B-type natriuretic peptide ratio and mortality in advanced heart failure. <i>European Journal of Heart Failure</i> , 2009, 11, 185-190.	2.9	11
102	Manufactured and hand-rolled cigarettes and smokeless tobacco consumption in Mozambique: Regional differences at early stages of the tobacco epidemic. <i>Drug and Alcohol Dependence</i> , 2011, 119, e58-e65.	1.6	11
103	Trends in prevalence of diabetes mellitus and mean fasting glucose in Portugal (1987-2009): a systematic review. <i>Public Health</i> , 2014, 128, 214-221.	1.4	11
104	Left atrial deformation analysis by speckle tracking echocardiography to predict exercise capacity after myocardial infarction. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 821-830.	0.2	11
105	Sensitivity is not an intrinsic property of a diagnostic test: empirical evidence from histological diagnosis of <i>Helicobacter pylori</i> infection. <i>BMC Gastroenterology</i> , 2009, 9, 98.	0.8	10
106	Worldwide patterns of ischemic heart disease mortality from 1980 to 2010. <i>International Journal of Cardiology</i> , 2014, 170, 309-314.	0.8	10
107	Prognostic value of worsening renal function in outpatients with chronic heart failure. <i>European Journal of Internal Medicine</i> , 2014, 25, 662-668.	1.0	10
108	Heart failure with reduced ejection fraction: Should we submit patients without angina to coronary angiography?. <i>International Journal of Cardiology</i> , 2015, 190, 131-132.	0.8	10

#	ARTICLE	IF	CITATIONS
109	Prognostic Effect of Renal Function in Ambulatory Patients With Heart Failure and Reduced Ejection Fraction: The Kidney Is a Marker of Cardiac Function. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1325-1332.	0.8	10
110	Haemolytic anaemia secondary to arsenic poisoning: a case report. <i>Cases Journal</i> , 2009, 2, 7768.	0.4	9
111	Inequalities in access to cardiac rehabilitation after an acute coronary syndrome: the EPIHeart cohort. <i>BMJ Open</i> , 2018, 8, e018934.	0.8	9
112	Sex-related inequalities in management of patients with acute coronary syndrome-results from the EURHOBOP study. <i>International Journal of Clinical Practice</i> , 2018, 72, e13049.	0.8	9
113	Early prediction of treatment failure in severe community-acquired pneumonia: The PRoFeSs score. <i>Journal of Critical Care</i> , 2019, 53, 38-45.	1.0	9
114	Patient and system delays in the treatment of acute coronary syndrome. <i>Revista Portuguesa De Cardiologia</i> , 2020, 39, 123-131.	0.2	9
115	Women's Satisfaction with Body Image before Pregnancy and Body Mass Index 4 Years after Delivery in the Mothers of Generation XXI. <i>PLoS ONE</i> , 2013, 8, e70230.	1.1	8
116	Direct, inflammation-mediated and blood-pressure-mediated effects of total and abdominal adiposity on diastolic function: EPIPorto study. <i>International Journal of Cardiology</i> , 2015, 191, 64-70.	0.8	8
117	Prognostic Effect of the Dose of Loop Diuretic Over 5 Years in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017, 23, 589-593.	0.7	8
118	Use of generic and essential medicines for prevention and treatment of cardiovascular diseases in Portugal. <i>BMC Health Services Research</i> , 2017, 17, 449.	0.9	8
119	A cost-utility analysis of increasing percutaneous coronary intervention use in elderly patients with acute coronary syndromes in six European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 408-417.	0.8	8
120	Low prevalence of hypertension with pharmacological treatments and associated factors. <i>Revista De Saude Publica</i> , 2013, 47, 301-308.	0.7	7
121	Prognostic Value of Osteoprotegerin in Acute Heart Failure. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1266-1271.	0.8	7
122	Social Trajectory and Body Image Satisfaction in Childbearing Women. <i>Maternal and Child Health Journal</i> , 2015, 19, 1237-1244.	0.7	7
123	Regional variation in coronary heart disease mortality trends in Portugal, 1981-2012. <i>International Journal of Cardiology</i> , 2016, 224, 279-285.	0.8	7
124	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 273-281.	0.2	7
125	Quality of Care and 30-day Mortality of Women and Men With Acute Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 543-552.	0.4	7
126	Sex-Specific Mediating Role of Insulin Resistance and Inflammation in the Effect of Adiposity on Blood Pressure of Prepubertal Children. <i>PLoS ONE</i> , 2015, 10, e0132097.	1.1	7

#	ARTICLE	IF	CITATIONS
127	Gender differences in heart failure. <i>Heart</i> , 2008, 94, 264-265.	1.2	6
128	Cardiovascular risk in Mozambique. <i>Journal of Hypertension</i> , 2013, 31, 2348-2355.	0.3	6
129	On the Causal Paths Underlying the Relation between Atmospheric Temperature and Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 195-197.	0.7	6
130	Accelerated growth during childhood is associated with increased arterial stiffness in prepubertal children. <i>International Journal of Cardiology</i> , 2016, 204, 83-85.	0.8	6
131	Health-related knowledge on hypertension among the Portuguese population: results from a population-based survey. <i>Blood Pressure</i> , 2018, 27, 194-199.	0.7	6
132	La función diastólica se altera en pacientes con prehipertensión: datos del estudio EPIPorto. <i>Revista Española De Cardiología</i> , 2018, 71, 926-934.	0.6	6
133	The influence of stunting on obesity in adulthood: results from the EPIPorto cohort. <i>Public Health Nutrition</i> , 2018, 21, 1819-1826.	1.1	6
134	Knowledge about cardiovascular disease in Portugal. <i>Revista Portuguesa De Cardiologia (English)</i> 10 Tf 504	0.2	6
135	Natriuretic peptide system is not exhausted in severe heart failure. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 39-43.	0.6	5
136	Changing patterns of tobacco consumption in Mozambique: evidence from a migrant study. <i>BMC Public Health</i> , 2011, 11, 322.	1.2	5
137	Effect of the type of population on estimates of mean body mass index and prevalence of overweight and obesity: A systematic review of studies of Portuguese adults. <i>Annals of Human Biology</i> , 2012, 39, 223-238.	0.4	5
138	Portuguese Migrants in Switzerland: Healthcare and Health Status Compared to Portuguese Residents. <i>PLoS ONE</i> , 2013, 8, e77066.	1.1	5
139	Prevalence and management of cardiovascular risk factors in Portuguese living in Portugal and Portuguese who migrated to Switzerland. <i>BMC Public Health</i> , 2015, 15, 307.	1.2	5
140	Estudo Tromboembolismo Venoso Operatório (TREVO) – risco e mortalidade por especialidade cirúrgica. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 609-616.	0.2	5
141	Electronic Medical Record-Based Predictive Model for Acute Kidney Injury in an Acute Care Hospital. <i>Studies in Health Technology and Informatics</i> , 2016, 228, 810-2.	0.2	5
142	Population-Based Study on the Prevalence of Spirometric Obstructive Pattern in Porto, Portugal. <i>Respiratory Care</i> , 2011, 56, 619-625.	0.8	4
143	Cardiovascular risk profile of mothers of a Portuguese birth cohort: A survey 4years after delivery. <i>Preventive Medicine</i> , 2013, 57, 494-499.	1.6	4
144	Influence of socioeconomic status on therapy and prognosis after an acute heart failure episode. <i>International Journal of Cardiology</i> , 2013, 168, 4985-4987.	0.8	4

#	ARTICLE	IF	CITATIONS
145	Quality of Health Information on Acute Myocardial Infarction and Stroke in the World Wide Web. <i>Acta Medica Portuguesa</i> , 2014, 27, 223-231.	0.2	4
146	Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: The EURHOBOP study. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 449-456.	0.2	4
147	Validity of the Seattle Heart Failure Model for prognosis in a population at low coronary heart disease risk. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 653-658.	0.6	4
148	Urinary fibrogenic cytokines ET-1 and TGF- β 1 are associated with urinary angiotensinogen levels in obese children. <i>Pediatric Nephrology</i> , 2016, 31, 455-464.	0.9	4
149	Inequalities in obesity in Portugal: regional and gender differences. <i>European Journal of Public Health</i> , 2017, 27, 775-780.	0.1	4
150	Metabolic syndrome severity score is associated with diastolic dysfunction and low-grade inflammation in a community-based cohort. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2330-2333.	0.8	4
151	Serum Creatinine Trajectories in Real-World Hospitalized Patients: Clinical Context and Short-Term Mortality. <i>Journal of Investigative Medicine</i> , 2020, 68, 870-881.	0.7	4
152	The Metabolic Syndrome. , 2009, , 1-19.		4
153	Clinical significance of impaired relaxation pattern in middle-aged and elderly adults in the general population. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1799-806.	0.2	4
154	Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: The EURHOBOP study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 449-456.	0.2	3
155	Trends in pharmacological therapy following an acute coronary syndrome in Portugal. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 639-646.	0.6	3
156	Longer duration of obesity is associated with a reduction in urinary angiotensinogen in prepubertal children. <i>Pediatric Nephrology</i> , 2017, 32, 1411-1422.	0.9	3
157	Missed Opportunities in Symptomatic Patients before a First Acute Coronary Syndrome: The EPIHeart Cohort Study. <i>Cardiology</i> , 2018, 139, 71-82.	0.6	3
158	Diastolic Function Is Impaired in Patients With Prehypertension: Data From the EPIPorto Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 926-934.	0.4	3
159	Validation of the Short Assessment of Health Literacy in Portuguese-speaking Adults in Portugal. <i>Gaceta Sanitaria</i> , 2020, 34, 435-441.	0.6	3
160	Obesity-related knowledge and body mass index: a national survey in Portugal. <i>Eating and Weight Disorders</i> , 2020, 25, 1437-1446.	1.2	3
161	Prenatal alcohol exposure affects renal function in overweight schoolchildren: birth cohort analysis. <i>Pediatric Nephrology</i> , 2020, 35, 695-702.	0.9	3
162	Estimation of Missing Baseline Serum Creatinine for Acute Kidney Injury Diagnosis in Hospitalized Patients. <i>Nephron</i> , 2021, 145, 123-132.	0.9	3

#	ARTICLE	IF	CITATIONS
163	Spironolactone Therapy in Heart Failure Patients with Chronic Kidney Disease. <i>Clinical Cardiology</i> , 2009, 32, 597-597.	0.7	2
164	Determinants and outcomes of atrial fibrillation complicating myocardial infarction: the EURHOBOP study in Portugal. <i>International Journal of Cardiology</i> , 2014, 176, 1426-1428.	0.8	2
165	Is New Grade Ia of Diastolic Dysfunction Relevant at the Population Level?. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 229-230.	2.3	2
166	Model-based patterns of cardiovascular risk factors in Mozambique. <i>Annals of Human Biology</i> , 2015, 42, 160-167.	0.4	2
167	Healthy excessive weight in Portuguese women 4years after delivery of a liveborn. <i>Preventive Medicine</i> , 2015, 75, 49-55.	1.6	2
168	Resposta À Carta ao Editor: “Prevalência de Literacia em Saúde Inadequada em Portugal Medida com o Newest Vital Sign”. <i>Acta Medica Portuguesa</i> , 2018, 31, 183.	0.2	2
169	Conversion methods for modified Jaffe reaction assays of serum creatinine. <i>Porto Biomedical Journal</i> , 2020, 5, e72.	0.4	2
170	Evaluating Transportation by Comparing Several uses of Rotary Endodontic Files. <i>Journal of Contemporary Dental Practice</i> , 2015, 16, 927-932.	0.2	2
171	C-Reactive Protein Is an Intermediate Step Between Obesity and Hypertension. <i>Archives of Internal Medicine</i> , 2006, 166, 1526.	4.3	1
172	Hypercholesterolemia, eligibility for lipid-lowering therapy and therapeutic success: population-based study in a Portuguese urban population. <i>European Journal of Endocrinology</i> , 2008, 159, 755-760.	1.9	1
173	Variability of High-Sensitivity C-Reactive Protein in Chronic Heart Failure. <i>Cardiology</i> , 2009, 113, 180-183.	0.6	1
174	Wet BNP, fluid and hemodynamic status at discharge in acute heart failure “ Reply. <i>International Journal of Cardiology</i> , 2010, 145, 336-337.	0.8	1
175	P2-11 Gender-specific socioeconomic patterning of nine established cardiovascular risk factors. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A222-A223.	2.0	1
176	Use of medicines by homeless people in Porto, Portugal. <i>Cadernos De Saude Publica</i> , 2014, 30, 207-212.	0.4	1
177	Measuring renal function in acute heart failure: A place for old and new equations. <i>International Journal of Cardiology</i> , 2015, 196, 70-72.	0.8	1
178	A biopsychosocial approach to the interrelation between motherhood and women's excessive weight. <i>Porto Biomedical Journal</i> , 2016, 1, 59-64.	0.4	1
179	Satisfaction with a therapeutic sleeve for arm lymphedema secondary to breast cancer treatment: Controlled crossover trial. <i>Porto Biomedical Journal</i> , 2017, 2, 13-17.	0.4	1
180	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 273-281.	0.2	1

#	ARTICLE	IF	CITATIONS
181	Patient and system delays in the treatment of acute coronary syndrome. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2020, 39, 123-131.	0.2	1
182	Persuasive antimicrobial stewardship intervention in the context of a KPC outbreak: a controlled interrupted time series analysis. <i>Antimicrobial Resistance and Infection Control</i> , 2020, 9, 55.	1.5	1
183	A Scoping Review of Process Indicators for Measuring Quality of Care in Glaucoma. <i>Journal of Glaucoma</i> , 2021, 30, e198-e204.	0.8	1
184	B-type natriuretic peptide measured in serum--calibration using plasma samples for research purposes. <i>Clinical Laboratory</i> , 2011, 57, 1015-9.	0.2	1
185	News from the IEA European Epidemiology Federation. <i>International Journal of Epidemiology</i> , 2005, 34, 513-514.	0.9	0
186	Validation of a risk score to estimate cardiac risk in subjects from the general population on cardioactive treatment. <i>European Journal of Heart Failure</i> , 2008, 10, 621-622.	2.9	0
187	O1-4.5 Prognostic value of a novel classification scheme of clinical symptoms and signs of heart failure adjusted for major confounders. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A15-A15.	2.0	0
188	P2-357 Cigarette smoking cessation during pregnancy and sustainability 4 years after delivery. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A321-A321.	2.0	0
189	P1-50 Should heart failure be considered as categorical or dimensional?. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A80-A80.	2.0	0
190	Epidemiology, management and outcome in acute coronary syndromes of octogenarians: the EURHOBOP study in Portugal. <i>European Heart Journal</i> , 2013, 34, P3124-P3124.	1.0	0
191	Acute coronary syndromes in Portuguese young adults: the EURHOBOP study. <i>European Heart Journal</i> , 2013, 34, P3118-P3118.	1.0	0
192	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. <i>European Heart Journal</i> , 2013, 34, P2518-P2518.	1.0	0
193	The use of reperfusion and revascularization procedures in acute coronary syndrome in Portugal: A systematic review. <i>Revista Portuguesa De Cardiologia</i> , 2014, 33, 707-715.	0.2	0
194	Weight change and its determinants in Portuguese adult women: a longitudinal analysis in the EPIPorto cohort. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1162-1168.	2.0	0
195	Definition of baseline renal function in hospitalised patients with multiple preadmission measures of serum creatinine--A joint modelling approach. <i>Nephrology</i> , 2020, 25, 897-905.	0.7	0
196	P2327 Health-related quality of life and heart failure. <i>European Heart Journal</i> , 2003, 24, 450.	1.0	0
197	526 Use of beta blockers in HF patients with chronic obstructive pulmonary disease. <i>European Journal of Heart Failure, Supplement</i> , 2007, 6, 119-119.	0.2	0
198	453 Safety of spironolactone use in ambulatory HF patients. <i>European Journal of Heart Failure, Supplement</i> , 2007, 6, 96-97.	0.2	0

#	ARTICLE	IF	CITATIONS
199	Hyporresponsiveness to bnp in chronic advanced heart failure: fact or myth?. European Journal of Heart Failure, Supplement, 2008, 7, 81-81.	0.2	0
200	Prevalence of impaired relaxation pattern with normal ejection fraction - a population based study. European Journal of Heart Failure, Supplement, 2008, 7, 22-22.	0.2	0