

Ana Azevedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5921918/publications.pdf>

Version: 2024-02-01

200
papers

13,389
citations

134610

34
h-index

28425

109
g-index

201
all docs

201
docs citations

201
times ranked

23374
citing authors

#	ARTICLE	IF	CITATIONS
1	Estimation of Missing Baseline Serum Creatinine for Acute Kidney Injury Diagnosis in Hospitalized Patients. <i>Nephron</i> , 2021, 145, 123-132.	0.9	3
2	A cost-utility analysis of increasing percutaneous coronary intervention use in elderly patients with acute coronary syndromes in six European countries. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 408-417.	0.8	8
3	A Scoping Review of Process Indicators for Measuring Quality of Care in Glaucoma. <i>Journal of Glaucoma</i> , 2021, 30, e198-e204.	0.8	1
4	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021, 10, .	2.8	41
5	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021, 398, 957-980.	6.3	1,289
6	Validation of the Short Assessment of Health Literacy in Portuguese-speaking Adults in Portugal. <i>Gaceta Sanitaria</i> , 2020, 34, 435-441.	0.6	3
7	Obesity-related knowledge and body mass index: a national survey in Portugal. <i>Eating and Weight Disorders</i> , 2020, 25, 1437-1446.	1.2	3
8	Endovascular Approach Versus Aortobifemoral Bypass Grafting: Outcomes in Extensive Aortoiliac Occlusive Disease. <i>Vascular and Endovascular Surgery</i> , 2020, 54, 102-110.	0.3	19
9	Prenatal alcohol exposure affects renal function in overweight schoolchildren: birth cohort analysis. <i>Pediatric Nephrology</i> , 2020, 35, 695-702.	0.9	3
10	Metabolic syndrome severity score is associated with diastolic dysfunction and low-grade inflammation in a community-based cohort. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2330-2333.	0.8	4
11	Definition of baseline renal function in hospitalised patients with multiple preadmission measures of serum creatinine—A joint modelling approach. <i>Nephrology</i> , 2020, 25, 897-905.	0.7	0
12	Patient and system delays in the treatment of acute coronary syndrome. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2020, 39, 123-131.	0.2	1
13	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020, 396, 1511-1524.	6.3	219
14	Patient and system delays in the treatment of acute coronary syndrome. <i>Revista Portuguesa De Cardiologia</i> , 2020, 39, 123-131.	0.2	9
15	Serum Creatinine Trajectories in Real-World Hospitalized Patients: Clinical Context and Short-Term Mortality. <i>Journal of Investigative Medicine</i> , 2020, 68, 870-881.	0.7	4
16	Conversion methods for modified Jaffe reaction assays of serum creatinine. <i>Porto Biomedical Journal</i> , 2020, 5, e72.	0.4	2
17	Persuasive antimicrobial stewardship intervention in the context of a KPC outbreak: a controlled interrupted time series analysis. <i>Antimicrobial Resistance and Infection Control</i> , 2020, 9, 55.	1.5	1
18	Quality of Care and 30-day Mortality of Women and Men With Acute Myocardial Infarction. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 543-552.	0.4	7

#	ARTICLE	IF	CITATIONS
19	Early prediction of treatment failure in severe community-acquired pneumonia: The PRoFeSS score. <i>Journal of Critical Care</i> , 2019, 53, 38-45.	1.0	9
20	Patient-centered communication in type 2 diabetes: The facilitating and constraining factors in clinical encounters. <i>Health Services Research</i> , 2019, 54, 623-635.	1.0	17
21	Childhood Obesity and Impact on the Kidney. <i>Nephron</i> , 2019, 143, 8-11.	0.9	19
22	Inequalities in access to cardiac rehabilitation after an acute coronary syndrome: the EPIHeart cohort. <i>BMJ Open</i> , 2018, 8, e018934.	0.8	9
23	Sex differences in presenting symptoms of acute coronary syndrome: the EPIHeart cohort study. <i>BMJ Open</i> , 2018, 8, e018798.	0.8	37
24	Health-related knowledge on hypertension among the Portuguese population: results from a population-based survey. <i>Blood Pressure</i> , 2018, 27, 194-199.	0.7	6
25	Sex-related inequalities in management of patients with acute coronary syndrome-results from the EURHOBOP study. <i>International Journal of Clinical Practice</i> , 2018, 72, e13049.	0.8	9
26	Missed Opportunities in Symptomatic Patients before a First Acute Coronary Syndrome: The EPIHeart Cohort Study. <i>Cardiology</i> , 2018, 139, 71-82.	0.6	3
27	Diastolic Function Is Impaired in Patients With Prehypertension: Data From the EPIPorto Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 926-934.	0.4	3
28	Impact of the 2016 ASE/EACVI recommendations on the prevalence of diastolic dysfunction in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 380-386.	0.5	125
29	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018, 47, 872-883i.	0.9	65
30	La funci3n diast3lica se altera en pacientes con prehipertensi3n: datos del estudio EPIPorto. <i>Revista Espanola De Cardiologia</i> , 2018, 71, 926-934.	0.6	6
31	The influence of stunting on obesity in adulthood: results from the EPIPorto cohort. <i>Public Health Nutrition</i> , 2018, 21, 1819-1826.	1.1	6
32	Heart rate at admission is a predictor of in-hospital mortality in patients with acute coronary syndromes: Results from 58 European hospitals: The European Hospital Benchmarking by Outcomes in acute coronary syndrome Processes study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 149-157.	0.4	21
33	Left atrial deformation analysis by speckle tracking echocardiography to predict exercise capacity after myocardial infarction. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 821-830.	0.2	11
34	Resposta 3 Carta ao Editor: 3Preval3ncia de Literacia em Sa3de Inadequada em Portugal Medida com o Newest Vital Sign3. <i>Acta Medica Portuguesa</i> , 2018, 31, 183.	0.2	2
35	Knowledge about cardiovascular disease in Portugal. <i>Revista Portuguesa De Cardiologia</i> , 2018, 37, 669-677.	0.2	17
36	Emergency surgeons3™ perceptions and attitudes towards antibiotic prescribing and resistance: a worldwide cross-sectional survey. <i>World Journal of Emergency Surgery</i> , 2018, 13, 27.	2.1	34

#	ARTICLE	IF	CITATIONS
37	Knowledge about cardiovascular disease in Portugal. <i>Revista Portuguesa De Cardiologia (English)</i> Tj ETQq1 1 0.784314 rgBT /Overlock	0.2	6
38	Prognostic Effect of Renal Function in Ambulatory Patients With Heart Failure and Reduced Ejection Fraction: The Kidney Is a Marker of Cardiac Function. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1325-1332.	0.8	10
39	Prevalence and Determinants of Bullying Among Health Care Workers in Portugal. <i>Workplace Health and Safety</i> , 2017, 65, 188-196.	0.7	51
40	Inequalities in obesity in Portugal: regional and gender differences. <i>European Journal of Public Health</i> , 2017, 27, 775-780.	0.1	4
41	Longer duration of obesity is associated with a reduction in urinary angiotensinogen in prepubertal children. <i>Pediatric Nephrology</i> , 2017, 32, 1411-1422.	0.9	3
42	Prognostic Effect of the Dose of Loop Diuretic Over 5 Years in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017, 23, 589-593.	0.7	8
43	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 273-281.	0.2	7
44	Satisfaction with a therapeutic sleeve for arm lymphedema secondary to breast cancer treatment: Controlled crossover trial. <i>Porto Biomedical Journal</i> , 2017, 2, 13-17.	0.4	1
45	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017, 390, 2627-2642.	6.3	5,010
46	Estudo TRomboEmbolismo Venoso pÃ3sÃ3 OperatÃ3rio (TREVO) â€“ risco e mortalidade por especialidade cirÃ3rgica. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 609-616.	0.2	5
47	Disability-adjusted life years lost due to ischemic heart disease in mainland Portugal, 2013. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 273-281.	0.2	1
48	Percutaneous coronary intervention reduces mortality in myocardial infarction patients with comorbidities: Implications for elderly patients with diabetes or kidney disease. <i>International Journal of Cardiology</i> , 2017, 249, 83-89.	0.8	21
49	Use of generic and essential medicines for prevention and treatment of cardiovascular diseases in Portugal. <i>BMC Health Services Research</i> , 2017, 17, 449.	0.9	8
50	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
51	Limited Health Literacy in Portugal Assessed with the Newest Vital Sign. <i>Acta Medica Portuguesa</i> , 2017, 30, 861-869.	0.2	33
52	Trends in pharmacological therapy following an acute coronary syndrome in Portugal. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 639-646.	0.6	3
53	Validity of the Seattle Heart Failure Model for prognosis in a population at low coronary heart disease risk. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 653-658.	0.6	4
54	Determinants of carotid-femoral pulse wave velocity in prepubertal children. <i>International Journal of Cardiology</i> , 2016, 218, 37-42.	0.8	31

#	ARTICLE	IF	CITATIONS
55	Normalization of glomerular filtration rate in obese children. <i>Pediatric Nephrology</i> , 2016, 31, 1321-1328.	0.9	21
56	Regional variation in coronary heart disease mortality trends in Portugal, 1981-2012. <i>International Journal of Cardiology</i> , 2016, 224, 279-285.	0.8	7
57	Association of myeloperoxidase levels with cardiometabolic factors and renal function in prepubertal children. <i>European Journal of Clinical Investigation</i> , 2016, 46, 50-59.	1.7	16
58	A biopsychosocial approach to the interrelation between motherhood and women's excessive weight. <i>Porto Biomedical Journal</i> , 2016, 1, 59-64.	0.4	1
59	Oxidative stress and nitric oxide are increased in obese children and correlate with cardiometabolic risk and renal function. <i>British Journal of Nutrition</i> , 2016, 116, 805-815.	1.2	37
60	Mid-regional proadrenomedullin: An early marker of response in critically ill patients with severe community-acquired pneumonia?. <i>Revista Portuguesa De Pneumologia</i> , 2016, 22, 308-314.	0.7	14
61	Urinary fibrogenic cytokines ET-1 and TGF- β 1 are associated with urinary angiotensinogen levels in obese children. <i>Pediatric Nephrology</i> , 2016, 31, 455-464.	0.9	4
62	Accelerated growth during childhood is associated with increased arterial stiffness in prepubertal children. <i>International Journal of Cardiology</i> , 2016, 204, 83-85.	0.8	6
63	Gender and obesity modify the impact of salt intake on blood pressure in children. <i>Pediatric Nephrology</i> , 2016, 31, 279-288.	0.9	28
64	Electronic Medical Record-Based Predictive Model for Acute Kidney Injury in an Acute Care Hospital. <i>Studies in Health Technology and Informatics</i> , 2016, 228, 810-2.	0.2	5
65	Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: The EURHOBOP study. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2015, 34, 449-456.	0.2	3
66	Left Ventricular Diastolic Dysfunction and E/E α Ratio as the Strongest Echocardiographic Predictors of Reduced Exercise Capacity After Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2015, 38, 222-229.	0.7	28
67	Higher BMI in heart failure patients is associated with longer survival only in the absence of diabetes. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 576-582.	0.6	17
68	The Effect of Exercise Training on Diastolic and Systolic Function After Acute Myocardial Infarction. <i>Medicine (United States)</i> , 2015, 94, e1450.	0.4	22
69	Measuring renal function in acute heart failure: A place for old and new equations. <i>International Journal of Cardiology</i> , 2015, 196, 70-72.	0.8	1
70	Is New Grade Ia of Diastolic Dysfunction Relevant at the Population Level?. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 229-230.	2.3	2
71	A European benchmarking system to evaluate in-hospital mortality rates in acute coronary syndrome: The EURHOBOP project. <i>International Journal of Cardiology</i> , 2015, 182, 509-516.	0.8	22
72	Model-based patterns of cardiovascular risk factors in Mozambique. <i>Annals of Human Biology</i> , 2015, 42, 160-167.	0.4	2

#	ARTICLE	IF	CITATIONS
73	HIV Patients Have Impaired Diastolic Function that is Not Aggravated by Anti-Retroviral Treatment. <i>Cardiovascular Drugs and Therapy</i> , 2015, 29, 31-39.	1.3	23
74	Decreased renal function in overweight and obese prepubertal children. <i>Pediatric Research</i> , 2015, 78, 436-444.	1.1	35
75	Weight change and its determinants in Portuguese adult women: a longitudinal analysis in the EPIPorto cohort. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1162-1168.	2.0	0
76	Direct, inflammation-mediated and blood-pressure-mediated effects of total and abdominal adiposity on diastolic function: EPIPorto study. <i>International Journal of Cardiology</i> , 2015, 191, 64-70.	0.8	8
77	Healthy excessive weight in Portuguese women 4years after delivery of a liveborn. <i>Preventive Medicine</i> , 2015, 75, 49-55.	1.6	2
78	Heart failure with reduced ejection fraction: Should we submit patients without angina to coronary angiography?. <i>International Journal of Cardiology</i> , 2015, 190, 131-132.	0.8	10
79	Association between plasma leptin and adiponectin levels and diastolic function in the general population. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1283-1291.	1.5	27
80	Prevalence and management of cardiovascular risk factors in Portuguese living in Portugal and Portuguese who migrated to Switzerland. <i>BMC Public Health</i> , 2015, 15, 307.	1.2	5
81	Diastolic dysfunction in the diabetic continuum: association with insulin resistance, metabolic syndrome and type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015, 14, 4.	2.7	113
82	Prognostic value of sST2 added to BNP in acute heart failure with preserved or reduced ejection fraction. <i>Clinical Research in Cardiology</i> , 2015, 104, 491-499.	1.5	54
83	Prognostic Value of Osteoprotegerin in Acute Heart Failure. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1266-1271.	0.8	7
84	Triggering of stroke by ambient temperature variation: A case-crossover study in Maputo, Mozambique. <i>Clinical Neurology and Neurosurgery</i> , 2015, 129, 72-77.	0.6	18
85	Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: The EURHOBOP study. <i>Revista Portuguesa De Cardiologia</i> , 2015, 34, 449-456.	0.2	4
86	Social Trajectory and Body Image Satisfaction in Childbearing Women. <i>Maternal and Child Health Journal</i> , 2015, 19, 1237-1244.	0.7	7
87	Sex-Specific Mediating Role of Insulin Resistance and Inflammation in the Effect of Adiposity on Blood Pressure of Prepubertal Children. <i>PLoS ONE</i> , 2015, 10, e0132097.	1.1	7
88	Evaluating Transportation by Comparing Several uses of Rotary Endodontic Files. <i>Journal of Contemporary Dental Practice</i> , 2015, 16, 927-932.	0.2	2
89	Medication Adherence to Specific Drug Classes in Chronic Heart Failure. <i>Journal of Managed Care Pharmacy</i> , 2014, 20, 1018-1026.	2.2	33
90	Quality of Health Information on Acute Myocardial Infarction and Stroke in the World Wide Web. <i>Acta Medica Portuguesa</i> , 2014, 27, 223-231.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Use of medicines by homeless people in Porto, Portugal. <i>Cadernos De Saude Publica</i> , 2014, 30, 207-212.	0.4	1
92	The use of reperfusion and revascularization procedures in acute coronary syndrome in Portugal: A systematic review. <i>Revista Portuguesa De Cardiologia</i> , 2014, 33, 707-715.	0.2	0
93	Impact of breast cancer treatments on sleep disturbances – A systematic review. <i>Breast</i> , 2014, 23, 697-709.	0.9	96
94	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1401-1408.	0.8	23
95	Handgrip Strength at Admission and Time to Discharge in Medical and Surgical Inpatients. <i>Journal of Parenteral and Enteral Nutrition</i> , 2014, 38, 481-488.	1.3	35
96	Trends in cardiovascular diseases and cancer mortality in 45 countries from five continents (1980–2010). <i>European Journal of Preventive Cardiology</i> , 2014, 21, 1004-1017.	0.8	39
97	Individual and contextual characteristics as determinants of sagittal standing posture: a population-based study of adults. <i>Spine Journal</i> , 2014, 14, 2373-2383.	0.6	37
98	Worldwide patterns of ischemic heart disease mortality from 1980 to 2010. <i>International Journal of Cardiology</i> , 2014, 170, 309-314.	0.8	10
99	Trends in prevalence of diabetes mellitus and mean fasting glucose in Portugal (1987–2009): a systematic review. <i>Public Health</i> , 2014, 128, 214-221.	1.4	11
100	Prognostic value of worsening renal function in outpatients with chronic heart failure. <i>European Journal of Internal Medicine</i> , 2014, 25, 662-668.	1.0	10
101	Determinants and outcomes of atrial fibrillation complicating myocardial infarction: the EURHOBOP study in Portugal. <i>International Journal of Cardiology</i> , 2014, 176, 1426-1428.	0.8	2
102	Cross-cultural adaptation and validation of the health literacy assessment tool METER in the Portuguese adult population. <i>Patient Education and Counseling</i> , 2014, 97, 269-275.	1.0	24
103	On the Causal Paths Underlying the Relation between Atmospheric Temperature and Acute Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 195-197.	0.7	6
104	The Effect of Season and Temperature Variation on Hospital Admissions for Incident Stroke Events in Maputo, Mozambique. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 271-277.	0.7	21
105	Sagittal Standing Posture, Back Pain, and Quality of Life Among Adults From the General Population. <i>Spine</i> , 2014, 39, E782-E794.	1.0	35
106	Sociodemographic Determinants of Prevalence and Incidence of <i>Helicobacter pylori</i> Infection in Portuguese Adults. <i>Helicobacter</i> , 2013, 18, 413-422.	1.6	76
107	Association between neighborhood deprivation and fruits and vegetables consumption and leisure-time physical activity: a cross-sectional multilevel analysis. <i>BMC Public Health</i> , 2013, 13, 1103.	1.2	21
108	Determinants of Early Case-Fatality among Stroke Patients in Maputo, Mozambique and Impact of in-Hospital Complications. <i>International Journal of Stroke</i> , 2013, 8, 69-75.	2.9	26

#	ARTICLE	IF	CITATIONS
109	Cardiovascular risk profile of mothers of a Portuguese birth cohort: A survey 4years after delivery. Preventive Medicine, 2013, 57, 494-499.	1.6	4
110	Influence of socioeconomic status on therapy and prognosis after an acute heart failure episode. International Journal of Cardiology, 2013, 168, 4985-4987.	0.8	4
111	Epidemiology, management and outcome in acute coronary syndromes of octogenarians: the EURHOBOP study in Portugal. European Heart Journal, 2013, 34, P3124-P3124.	1.0	0
112	Acute coronary syndromes in Portuguese young adults: the EURHOBOP study. European Heart Journal, 2013, 34, P3118-P3118.	1.0	0
113	Impact of risk factors on hypertensive disorders in pregnancy, in primiparae and multiparae. Annals of Human Biology, 2013, 40, 377-384.	0.4	23
114	Explaining the Decline in Coronary Heart Disease Mortality in Portugal Between 1995 and 2008. Circulation: Cardiovascular Quality and Outcomes, 2013, 6, 634-642.	0.9	47
115	Long-Term Maintenance of Smoking Cessation in Pregnancy: An Analysis of the Birth Cohort Generation XXI. Nicotine and Tobacco Research, 2013, 15, 1598-1607.	1.4	23
116	Cardiovascular risk in Mozambique. Journal of Hypertension, 2013, 31, 2348-2355.	0.3	6
117	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. European Heart Journal, 2013, 34, P2518-P2518.	1.0	0
118	Low prevalence of hypertension with pharmacological treatments and associated factors. Revista De Saude Publica, 2013, 47, 301-308.	0.7	7
119	Women's Satisfaction with Body Image before Pregnancy and Body Mass Index 4 Years after Delivery in the Mothers of Generation XXI. PLoS ONE, 2013, 8, e70230.	1.1	8
120	Portuguese Migrants in Switzerland: Healthcare and Health Status Compared to Portuguese Residents. PLoS ONE, 2013, 8, e77066.	1.1	5
121	Effect of the type of population on estimates of mean body mass index and prevalence of overweight and obesity: A systematic review of studies of Portuguese adults. Annals of Human Biology, 2012, 39, 223-238.	0.4	5
122	Trends in hypertension prevalence (1990-2005) and mean blood pressure (1975-2005) in Portugal: a systematic review. Blood Pressure, 2012, 21, 220-226.	0.7	33
123	Trends of BMI and prevalence of overweight and obesity in Portugal (1995-2005): a systematic review. Public Health Nutrition, 2012, 15, 972-981.	1.1	26
124	Diagnostic value of patterns of symptoms and signs of heart failure: application of latent class analysis with concomitant variables in a cross-sectional study. BMJ Open, 2012, 2, e001510.	0.8	12
125	Prevalence of self-reported cardiovascular risk factors in Portuguese women: a survey after delivery. International Journal of Public Health, 2012, 57, 837-847.	1.0	81
126	Incidence of hypertension in a prospective cohort study of adults from Porto, Portugal. BMC Cardiovascular Disorders, 2012, 12, 114.	0.7	35

#	ARTICLE	IF	CITATIONS
127	Trends in the prevalence of smoking in Portugal: a systematic review. BMC Public Health, 2012, 12, 958.	1.2	23
128	Changing patterns of cardiovascular diseases and cancer mortality in Portugal, 1980â€“2010. BMC Public Health, 2012, 12, 1126.	1.2	17
129	Socioeconomic Inequalities in the Prevalence of Nine Established Cardiovascular Risk Factors in a Southern European Population. PLoS ONE, 2012, 7, e37158.	1.1	35
130	Risk factors for cardiovascular disease among the homeless and in the general population of the city of Porto, Portugal. Cadernos De Saude Publica, 2012, 28, 1517-1529.	0.4	15
131	Diabetes in Mozambique: Prevalence, management and healthcare challenges. Diabetes and Metabolism, 2011, 37, 237-244.	1.4	36
132	Manufactured and hand-rolled cigarettes and smokeless tobacco consumption in Mozambique: Regional differences at early stages of the tobacco epidemic. Drug and Alcohol Dependence, 2011, 119, e58-e65.	1.6	11
133	O1-4.5 Prognostic value of a novel classification scheme of clinical symptoms and signs of heart failure adjusted for major confounders. Journal of Epidemiology and Community Health, 2011, 65, A15-A15.	2.0	0
134	P2-357 Cigarette smoking cessation during pregnancy and sustainability 4 years after delivery. Journal of Epidemiology and Community Health, 2011, 65, A321-A321.	2.0	0
135	Medical record review to recover missing data in a Portuguese birth cohort: agreement with self-reported data collected by questionnaire and inter-rater variability. Gaceta Sanitaria, 2011, 25, 211-219.	0.6	25
136	Changing patterns of tobacco consumption in Mozambique: evidence from a migrant study. BMC Public Health, 2011, 11, 322.	1.2	5
137	Indirect calibration between clinical observers - application to the New York Heart Association functional classification system. BMC Research Notes, 2011, 4, 276.	0.6	14
138	P1-50 Should heart failure be considered as categorical or dimensional?. Journal of Epidemiology and Community Health, 2011, 65, A80-A80.	2.0	0
139	P2-11 Gender-specific socioeconomic patterning of nine established cardiovascular risk factors. Journal of Epidemiology and Community Health, 2011, 65, A222-A223.	2.0	1
140	Prognostic Implications of Diuretic Dose in Chronic Heart Failure. Journal of Cardiovascular Pharmacology and Therapeutics, 2011, 16, 185-191.	1.0	13
141	Population-Based Study on the Prevalence of Spirometric Obstructive Pattern in Porto, Portugal. Respiratory Care, 2011, 56, 619-625.	0.8	4
142	B-type natriuretic peptide measured in serum--calibration using plasma samples for research purposes. Clinical Laboratory, 2011, 57, 1015-9.	0.2	1
143	Coexisting chronic obstructive pulmonary disease and heart failure: implications for treatment, course and mortality. Current Opinion in Pulmonary Medicine, 2010, 16, 106-111.	1.2	40
144	Caffeine Intake is Associated with a Lower Risk of Cognitive Decline: A Cohort Study from Portugal. Journal of Alzheimer's Disease, 2010, 20, S175-S185.	1.2	83

#	ARTICLE	IF	CITATIONS
145	Higher C-reactive Protein Predicts Worse Prognosis in Acute Heart Failure Only in Noninfected Patients. <i>Clinical Cardiology</i> , 2010, 33, 708-714.	0.7	26
146	Body mass index and waist circumference in Mozambique: urban/rural gap during epidemiological transition. <i>Obesity Reviews</i> , 2010, 11, 627-634.	3.1	38
147	An Epidemiological Study of Stroke Hospitalizations in Maputo, Mozambique. <i>Stroke</i> , 2010, 41, 2463-2469.	1.0	81
148	BNP at discharge in acute heart failure patients: Is it all about volemia? A study using impedance cardiography to assess fluid and hemodynamic status. <i>International Journal of Cardiology</i> , 2010, 145, 209-214.	0.8	39
149	Wet BNP, fluid and hemodynamic status at discharge in acute heart failure – Reply. <i>International Journal of Cardiology</i> , 2010, 145, 336-337.	0.8	1
150	Determinants of awareness, treatment and control of hypertension in a Portuguese population. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1779-92.	0.2	18
151	Clinical significance of impaired relaxation pattern in middle-aged and elderly adults in the general population. <i>Revista Portuguesa De Cardiologia</i> , 2010, 29, 1799-806.	0.2	4
152	Hypertension Prevalence, Awareness, Treatment, and Control in Mozambique. <i>Hypertension</i> , 2009, 54, 77-83.	1.3	174
153	Differences in prevalence, awareness, treatment and control of hypertension between developing and developed countries. <i>Journal of Hypertension</i> , 2009, 27, 963-975.	0.3	466
154	Variability of High-Sensitivity C-Reactive Protein in Chronic Heart Failure. <i>Cardiology</i> , 2009, 113, 180-183.	0.6	1
155	The cyclic guanosine monophosphate/B-type natriuretic peptide ratio and mortality in advanced heart failure. <i>European Journal of Heart Failure</i> , 2009, 11, 185-190.	2.9	11
156	On the comparability of population-based and hospital-based case-control studies. <i>Gaceta Sanitaria</i> , 2009, 23, 564.	0.6	12
157	Impact of risk factors for non-fatal acute myocardial infarction. <i>European Journal of Epidemiology</i> , 2009, 24, 425-432.	2.5	29
158	Sensitivity is not an intrinsic property of a diagnostic test: empirical evidence from histological diagnosis of <i>Helicobacter pylori</i> infection. <i>BMC Gastroenterology</i> , 2009, 9, 98.	0.8	10
159	Spironolactone Therapy in Heart Failure Patients with Chronic Kidney Disease. <i>Clinical Cardiology</i> , 2009, 32, 597-597.	0.7	2
160	Epidemiology of Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Nasal Colonization Among Patients and Healthcare Workers in a Portuguese Hospital: A Pre-intervention Study Toward the Control of MRSA. <i>Microbial Drug Resistance</i> , 2009, 15, 19-26.	0.9	32
161	Prognostic Value of High-Sensitivity C-Reactive Protein in Heart Failure: A Systematic Review. <i>Journal of Cardiac Failure</i> , 2009, 15, 256-266.	0.7	120
162	Natriuretic peptide system is not exhausted in severe heart failure. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 39-43.	0.6	5

#	ARTICLE	IF	CITATIONS
163	Haemolytic anaemia secondary to arsenic poisoning: a case report. <i>Cases Journal</i> , 2009, 2, 7768.	0.4	9
164	The Metabolic Syndrome. , 2009, , 1-19.		4
165	Safety of Spironolactone Use in Ambulatory Heart Failure Patients. <i>Clinical Cardiology</i> , 2008, 31, 509-513.	0.7	31
166	Cholesterol " A marker of nutritional status in mild to moderate heart failure. <i>International Journal of Cardiology</i> , 2008, 129, 65-68.	0.8	26
167	Health-related quality of life and stages of heart failure. <i>International Journal of Cardiology</i> , 2008, 129, 238-244.	0.8	29
168	Self-reported data on reproductive variables were reliable among postmenopausal women. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 945-950.	2.4	30
169	Chronic obstructive pulmonary disease in heart failure. Prevalence, therapeutic and prognostic implications. <i>American Heart Journal</i> , 2008, 155, 521-525.	1.2	96
170	Depressive Symptoms and Heart Failure Stages. <i>Psychosomatics</i> , 2008, 49, 42-48.	2.5	17
171	Long-term stability of endogenous B-type natriuretic peptide after storage at "20°C or "80°C. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 1171-4.	1.4	11
172	Gender differences in heart failure. <i>Heart</i> , 2008, 94, 264-265.	1.2	6
173	Hypercholesterolemia, eligibility for lipid-lowering therapy and therapeutic success: population-based study in a Portuguese urban population. <i>European Journal of Endocrinology</i> , 2008, 159, 755-760.	1.9	1
174	Validation of a risk score to estimate cardiac risk in subjects from the general population on cardioactive treatment. <i>European Journal of Heart Failure</i> , 2008, 10, 621-622.	2.9	0
175	Hyporesponsiveness to bnp in chronic advanced heart failure: fact or myth?. <i>European Journal of Heart Failure</i> , Supplement, 2008, 7, 81-81.	0.2	0
176	Prevalence of impaired relaxation pattern with normal ejection fraction - a population based study. <i>European Journal of Heart Failure</i> , Supplement, 2008, 7, 22-22.	0.2	0
177	Clinical syndrome suggestive of heart failure is frequently attributable to non-cardiac disorders - population-based study. <i>European Journal of Heart Failure</i> , 2007, 9, 391-396.	2.9	28
178	Psychiatric Presentation of Hashimoto's Encephalopathy. <i>Psychosomatic Medicine</i> , 2007, 69, 200-201.	1.3	28
179	Amino Terminal B-Type Natriuretic Peptide, Renal Function, and Prognosis in Acute Heart Failure: A Hospital Cohort Study. <i>Journal of Cardiac Failure</i> , 2007, 13, 275-280.	0.7	19
180	Prognosis of decompensated heart failure patients with preserved systolic function is predicted by NT-proBNP variations during hospitalization. <i>International Journal of Cardiology</i> , 2007, 117, 75-79.	0.8	25

#	ARTICLE	IF	CITATIONS
181	Long-term stability of endogenous B-type natriuretic peptide during storage at 20°C for later measurement with Biosite Triage assay. <i>Clinical Biochemistry</i> , 2007, 40, 1104-1107.	0.8	12
182	Increasing number of components of the metabolic syndrome and cardiac structural and functional abnormalities – cross-sectional study of the general population. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 17.	0.7	52
183	Intake and Adipose Tissue Composition of Fatty Acids and Risk of Myocardial Infarction in a Male Portuguese Community Sample. <i>Journal of the American Dietetic Association</i> , 2007, 107, 276-286.	1.3	188
184	526 Use of beta blockers in HF patients with chronic obstructive pulmonary disease. <i>European Journal of Heart Failure, Supplement</i> , 2007, 6, 119-119.	0.2	0
185	453 Safety of spironolactone use in ambulatory HF patients. <i>European Journal of Heart Failure, Supplement</i> , 2007, 6, 96-97.	0.2	0
186	Stress and burnout among Portuguese anaesthesiologists. <i>European Journal of Anaesthesiology</i> , 2006, 23, 433-439.	0.7	63
187	Intraindividual Variation of Amino-Terminal Pro-B-Type Natriuretic Peptide Levels in Patients With Stable Heart Failure. <i>American Journal of Cardiology</i> , 2006, 98, 1248-1250.	0.7	58
188	Population based study on the prevalence of the stages of heart failure. <i>Heart</i> , 2006, 92, 1161-1163.	1.2	16
189	Coffee and myocardial infarction: heterogeneity of an association in Portuguese men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 268-273.	3.1	14
190	C-Reactive Protein Is an Intermediate Step Between Obesity and Hypertension. <i>Archives of Internal Medicine</i> , 2006, 166, 1526.	4.3	1
191	Effect of Saline Load and Metoclopramide on the Renal Dopaminergic System in Patients with Heart Failure and Healthy Controls. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 45, 197-203.	0.8	14
192	News from the IEA European Epidemiology Federation. <i>International Journal of Epidemiology</i> , 2005, 34, 513-514.	0.9	0
193	N-Terminal Pro-Brain Natriuretic Peptide Predicts Outcome After Hospital Discharge in Heart Failure Patients. <i>Circulation</i> , 2004, 110, 2168-2174.	1.6	644
194	Prognostic information provided by serial measurements of brain natriuretic peptide in heart failure. <i>International Journal of Cardiology</i> , 2004, 93, 45-48.	0.8	80
195	P2327 Health-related quality of life and heart failure. <i>European Heart Journal</i> , 2003, 24, 450.	1.0	0
196	B-type natriuretic peptide and left ventricular hypertrophy in hypertensive patients. <i>Revista Portuguesa De Cardiologia</i> , 2003, 22, 327-36.	0.2	16
197	B-Type Natriuretic Peptide Is Related to Left Ventricular Mass in Hypertensive Patients but Not in Athletes. <i>Cardiology</i> , 2002, 98, 113-115.	0.6	31
198	Effect of a heart failure clinic on survival and hospital readmission in patients discharged from acute hospital care. <i>European Journal of Heart Failure</i> , 2002, 4, 353-359.	2.9	45

#	ARTICLE	IF	CITATIONS
199	Preliminary data on the potential usefulness of B-type natriuretic peptide levels in predicting outcome after hospital discharge in patients with heart failure. American Journal of Medicine, 2002, 113, 215-219.	0.6	91
200	Upper-Body Adiposity and Risk of Myocardial Infarction. European Journal of Cardiovascular Prevention and Rehabilitation, 1999, 6, 321-325.	3.1	23