

# Gilles Lubineau

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5922679/gilles-lubineau-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

203  
papers

5,454  
citations

40  
h-index

64  
g-index

216  
ext. papers

6,423  
ext. citations

5.6  
avg, IF

6.55  
L-index

#	Paper	IF	Citations
203	Mechanical Reliability of Fullerene/Tin Oxide Interfaces in Monolithic Perovskite/Silicon Tandem Cells. <i>ACS Energy Letters</i> , <b>2022</b> , 7, 827-833	20.1	2
202	On the impact damage resistance and tolerance improvement of hybrid CFRP/Kevlar sandwich composites. <i>Microporous and Mesoporous Materials</i> , <b>2022</b> , 333, 111732	5.3	0
201	Impact and post-impact response of lightweight CFRP/wood sandwich composites. <i>Composite Structures</i> , <b>2022</b> , 279, 114766	5.3	4
200	Toughening adhesive joints through crack path engineering using integrated polyamide wires. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2022</b> , 106954	8.4	0
199	Laser-based pretreatment of composite T-joints for improved pull-off strength and toughness. <i>Composite Structures</i> , <b>2022</b> , 115545	5.3	0
198	Evolution of the Seebeck effect in nanoparticle-percolated networks under applied strain. <i>Applied Materials Today</i> , <b>2022</b> , 28, 101503	6.6	1
197	Effect of actual surface area on adhesion strength of copper electroplated on ABS plastic micro-textured by hot embossing. <i>Procedia CIRP</i> , <b>2022</b> , 108, 210-215	1.8	1
196	Cassette-like peeling system for testing the adhesion of soft-to-rigid assemblies. <i>International Journal of Solids and Structures</i> , <b>2022</b> , 111751	3.1	0
195	Large-scale hot embossing of 1 µm high-aspect-ratio textures on ABS polymer. <i>CIRP Journal of Manufacturing Science and Technology</i> , <b>2022</b> , 38, 340-349	3.4	1
194	Polymer metallization via cold spray additive manufacturing: A review of process control, coating qualities, and prospective applications. <i>Additive Manufacturing</i> , <b>2021</b> , 102459	6.1	2
193	Effect of Mechanical Pretreatments on Damage Mechanisms and Fracture Toughness in CFRP/Epoxy Joints. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
192	Fatigue crack growth in laser-treated adhesively bonded composite joints: An experimental examination. <i>International Journal of Adhesion and Adhesives</i> , <b>2021</b> , 105, 102784	3.4	5
191	Smartphone-Based Single-Camera Stereo-DIC System: Thermal Error Analysis and Design Recommendations. <i>IEEE Sensors Journal</i> , <b>2021</b> , 21, 9567-9576	4	2
190	Bio-inspired composite laminate design with improved out-of-plane strength and ductility. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 144, 106362	8.4	8
189	Robust, Long-Term, and Exceptionally Sensitive Microneedle-Based Bioimpedance Sensor for Precision Farming. <i>Advanced Science</i> , <b>2021</b> , 8, e2101261	13.6	2
188	Achieving Super Sensitivity in Capacitive Strain Sensing by Electrode Fragmentation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 36062-36070	9.5	4
187	Toughening mechanisms in cost-effective carbon-epoxy laminates with thermoplastic veils: Mode-I and in-situ SEM fracture characterisation. <i>International Journal of Lightweight Materials and Manufacture</i> , <b>2021</b> , 4, 50-61	2.2	7

186	A dynamic hybrid local/nonlocal continuum model for wave propagation. <i>Computational Mechanics</i> , <b>2021</b> , 67, 385-407	4	6
185	Strength-induced peridynamic modeling and simulation of fractures in brittle materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2021</b> , 374, 113558	5.7	9
184	Enhanced mode II fracture toughness of secondary bonded joints using tailored sacrificial cracks inside the adhesive. <i>Composites Science and Technology</i> , <b>2021</b> , 204, 108605	8.6	6
183	Nanocomposite sensors for smart textile composites <b>2021</b> , 55-81		2
182	A smartphone camera and built-in gyroscope based application for non-contact yet accurate off-axis structural displacement measurements. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2021</b> , 167, 108449	4.6	5
181	Post Processing Strategies for the Enhancement of Mechanical Properties of ENMs (Electrospun Nanofibrous Membranes): A Review. <i>Membranes</i> , <b>2021</b> , 11,	3.8	14
180	Snap-back instability of double cantilever beam with bridging. <i>International Journal of Solids and Structures</i> , <b>2021</b> , 233, 111150	3.1	1
179	Surface preparation strategies in secondary bonded thermoset-based composite materials: A review. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 147, 106443	8.4	8
178	Strain Sensing by Electrical Capacitive Variation: From Stretchable Materials to Electronic Interfaces. <i>Advanced Electronic Materials</i> , <b>2021</b> , 7, 2100190	6.4	1
177	Bio-inspired adhesive joint with improved interlaminar fracture toughness. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106530	8.4	6
176	Influence of curing processes on the development of fiber bridging during delamination in composite laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106564	8.4	1
175	How the spatial correlation in adhesion properties influences the performance of secondary bonding of laminated composites. <i>International Journal of Solids and Structures</i> , <b>2020</b> , 196-197, 41-52	3.1	5
174	Improving mode II fracture toughness of secondary bonded joints using laser patterning of adherends. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2020</b> , 134, 105892	8.4	11
173	Characterizing and modeling the progressive damage of off-axis thermoplastic plies: Effect of ply confinement. <i>Composite Structures</i> , <b>2020</b> , 246, 112397	5.3	1
172	Post-impact flexural behavior of carbon-aramid/epoxy hybrid composites. <i>Composite Structures</i> , <b>2020</b> , 239, 112022	5.3	25
171	Aerospace engineering requirements in building with composites <b>2020</b> , 3-22		8
170	An experimental study on the influence of intralaminar damage on interlaminar delamination properties of laminated composites. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2020</b> , 131, 105783	8.4	4
169	Low-Voltage-Driven Large-Amplitude Soft Actuators Based on Phase Transition. <i>Soft Robotics</i> , <b>2020</b> , 7, 688-699	9.2	6

168	On the effect of interfacial patterns on energy dissipation in plastically deforming adhesive bonded ductile sheets. <i>International Journal of Solids and Structures</i> , <b>2020</b> , 198, 31-40	3.1	25
167	Rate-dependent viscoelasticity of an impact-hardening polymer under oscillatory shear. <i>Materials Research Express</i> , <b>2020</b> , 7, 075701	1.7	1
166	Inkjet-printed Ti3C2Tx MXene electrodes for multimodal cutaneous biosensing. <i>JPhys Materials</i> , <b>2020</b> , 3, 044004	4.2	10
165	Effect of Al2O3 particles on mechanical and tribological properties of AlMg dual-matrix nanocomposites. <i>Ceramics International</i> , <b>2020</b> , 46, 5779-5787	5.1	33
164	On controlling interfacial heterogeneity to trigger bridging in secondary bonded composite joints: An efficient strategy to introduce crack-arrest features. <i>Composites Science and Technology</i> , <b>2020</b> , 188, 107964	8.6	15
163	Buckled Conductive Polymer Ribbons in Elastomer Channels as Stretchable Fiber Conductor. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 1907316	15.6	21
162	How variability in interfacial properties results in tougher bonded composite joints by triggering bridging. <i>International Journal of Solids and Structures</i> , <b>2020</b> , 191-192, 87-98	3.1	7
161	An enriched cohesive law using plane-part of interfacial strains to model intra/inter laminar coupling in laminated composites. <i>Composites Science and Technology</i> , <b>2020</b> , 200, 108460	8.6	1
160	Enhancement of fracture toughness in secondary bonded CFRP using hybrid thermoplastic/thermoset bondline architecture. <i>Composites Science and Technology</i> , <b>2020</b> , 199, 108346	8.6	12
159	Laser-based interfacial patterning enables toughening of CFRP/epoxy joints through bridging of adhesive ligaments. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2020</b> , 139, 106094	8.4	10
158	A synergetic layered inorganic-organic hybrid film for conductive, flexible, and transparent electrodes. <i>Npj Flexible Electronics</i> , <b>2019</b> , 3,	10.7	7
157	Emergent Protective Organogenesis in Date Palms: A Morpho-Devo-Dynamic Adaptive Strategy during Early Development. <i>Plant Cell</i> , <b>2019</b> , 31, 1751-1766	11.6	11
156	Copolymer-enabled stretchable conductive polymer fibers. <i>Polymer</i> , <b>2019</b> , 177, 189-195	3.9	12
155	Modeling of systematic errors in stereo-digital image correlation due to camera self-heating. <i>Scientific Reports</i> , <b>2019</b> , 9, 6567	4.9	6
154	All-polymer based polymorph skin with controllable surface texture. <i>Smart Materials and Structures</i> , <b>2019</b> , 28, 075011	3.4	3
153	Accurate 3D Shape, Displacement and Deformation Measurement Using a Smartphone. <i>Sensors</i> , <b>2019</b> , 19,	3.8	13
152	Internal strain assessment using FBGs in a thermoplastic composite subjected to quasi-static indentation and low-velocity impact. <i>Composite Structures</i> , <b>2019</b> , 215, 305-316	5.3	2
151	A Hybrid Local/Nonlocal Continuum Mechanics Modeling and Simulation of Fracture in Brittle Materials. <i>CMES - Computer Modeling in Engineering and Sciences</i> , <b>2019</b> , 121, 399-423	1.7	7

150	A LabVIEW-based electrical bioimpedance spectroscopic data interpreter (LEBISDI) for biological tissue impedance analysis and equivalent circuit modelling. <i>Journal of Electrical Bioimpedance</i> , <b>2019</b> , 7, 35-54	1.5	13
149	Macroscopic Modeling of Water Uptake Behavior of PEDOT:PSS Films. <i>ACS Omega</i> , <b>2019</b> , 4, 21883-21890	3.9	5
148	A highly stretchable strain-insensitive temperature sensor exploits the Seebeck effect in nanoparticle-based printed circuits. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 24493-24501	13	22
147	In situ micro-scale high-speed imaging for evaluation of fracture propagation and fracture toughness of thermoplastic laminates subjected to impact. <i>Composite Structures</i> , <b>2019</b> , 210, 747-754	5.3	7
146	Revealing the effects of matrix behavior on low-velocity impact response of continuous fiber-reinforced thermoplastic laminates. <i>Composite Structures</i> , <b>2019</b> , 210, 239-249	5.3	22
145	Influence of process-induced shrinkage and annealing on the thermomechanical behavior of glass fiber-reinforced polypropylene. <i>Composites Science and Technology</i> , <b>2019</b> , 170, 183-189	8.6	7
144	In situ analysis of interfacial damage in adhesively bonded composite joints subjected to various surface pretreatments. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2019</b> , 116, 216-223	8.4	25
143	On the anisotropic behavior of electrodes for electrical-based monitoring of CFRP laminated composites. <i>Polymer Composites</i> , <b>2019</b> , 40, 2061-2066	3	5
142	Robust method for identifying material parameters based on virtual fields in elastodynamics. <i>Computers and Mathematics With Applications</i> , <b>2019</b> , 77, 3021-3042	2.7	
141	Toward Programmable Materials for Wearable Electronics: Electrical Welding Turns Sensors into Conductors. <i>Advanced Electronic Materials</i> , <b>2019</b> , 5, 1800273	6.4	5
140	Real-time electrical impedance monitoring of carbon fiber-reinforced polymer laminates undergoing quasi-static indentation. <i>Composite Structures</i> , <b>2019</b> , 207, 255-263	5.3	8
139	An experimental approach that assesses in-situ micro-scale damage mechanisms and fracture toughness in thermoplastic laminates under out-of-plane loading. <i>Composite Structures</i> , <b>2019</b> , 207, 546-559	5.3	9
138	Laser-based surface patterning of composite plates for improved secondary adhesive bonding. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 109, 84-94	8.4	40
137	Characterizing and modeling the pressure- and rate-dependent elastic-plastic-damage behavior of polypropylene-based polymers. <i>Polymer Testing</i> , <b>2018</b> , 68, 433-445	4.5	11
136	Computational modeling of electrically conductive networks formed by graphene nanoplatelet-carbon nanotube hybrid particles. <i>Modelling and Simulation in Materials Science and Engineering</i> , <b>2018</b> , 26, 035010	2	15
135	Coaxial Thermoplastic Elastomer-Wrapped Carbon Nanotube Fibers for Deformable and Wearable Strain Sensors. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1705591	15.6	163
134	Nonlinear viscoelasticity of pre-compressed layered polymeric composite under oscillatory compression. <i>Composites Science and Technology</i> , <b>2018</b> , 162, 188-197	8.6	1
133	In-Situ Systematic Error Correction for Digital Volume Correlation Using a Reference Sample. <i>Experimental Mechanics</i> , <b>2018</b> , 58, 427-436	2.6	5

132	Morphological evolution and internal strain mapping of pomelo peel using X-ray computed tomography and digital volume correlation. <i>Materials and Design</i> , <b>2018</b> , 137, 305-315	8.1	16
131	Space-time tomography for continuously deforming objects. <i>ACM Transactions on Graphics</i> , <b>2018</b> , 37, 1-14	7.6	22
130	Principles and Applications of Microwave Testing for Woven and Non-Woven Carbon Fibre-Reinforced Polymer Composites: a Topical Review. <i>Applied Composite Materials</i> , <b>2018</b> , 25, 965-982 <sup>2</sup>		25
129	Estimating and understanding the efficiency of nanoparticles in enhancing the conductivity of carbon nanotube/polymer composites. <i>Results in Physics</i> , <b>2018</b> , 10, 81-90	3.7	32
128	Characterizing the influence of matrix ductility on damage phenomenology in continuous fiber-reinforced thermoplastic laminates undergoing quasi-static indentation. <i>Composite Structures</i> , <b>2018</b> , 186, 324-334	5.3	21
127	Computational Investigation of the Morphology, Efficiency, and Properties of Silver Nano Wires Networks in Transparent Conductive Film. <i>Scientific Reports</i> , <b>2018</b> , 8, 17494	4.9	15
126	Making a Bilateral Compression/Tension Sensor by Pre-Stretching Open-Crack Networks in Carbon Nanotube Papers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 33507-33515	9.5	33
125	Human-Finger Electronics Based on Opposing Humidity-Resistance Responses in Carbon Nanofilms. <i>Small</i> , <b>2017</b> , 13, 1603486	11	32
124	Ultrasensitive, Stretchable Strain Sensors Based on Fragmented Carbon Nanotube Papers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 4835-4842	9.5	141
123	A morphological investigation of conductive networks in polymers loaded with carbon nanotubes. <i>Computational Materials Science</i> , <b>2017</b> , 130, 21-38	3.2	26
122	Electrical impedance spectroscopy for measuring the impedance response of carbon-fiber-reinforced polymer composite laminates. <i>Composite Structures</i> , <b>2017</b> , 168, 510-521	5.3	21
121	"Self-Peel-Off" Transfer Produces Ultrathin Polyvinylidene-Fluoride-Based Flexible Nanodevices. <i>Advanced Science</i> , <b>2017</b> , 4, 1600370	13.6	8
120	Combining the converse humidity/resistance response behaviors of rGO films for flexible logic devices. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 3848-3854	7.1	13
119	Hysteresis in the relation between moisture uptake and electrical conductivity in neat epoxy. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 141, 54-57	4.7	5
118	High stability of few layer graphene nanoplatelets in various solvents. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2017</b> , 191, 012015	0.4	1
117	Deformable and wearable carbon nanotube microwire-based sensors for ultrasensitive monitoring of strain, pressure and torsion. <i>Nanoscale</i> , <b>2017</b> , 9, 604-612	7.7	62
116	Leveraging a temperature-tunable, scale-like microstructure to produce multimodal, supersensitive sensors. <i>Nanoscale</i> , <b>2017</b> , 9, 7888-7894	7.7	16
115	Identifying design parameters controlling damage behaviors of continuous fiber-reinforced thermoplastic composites using micromechanics as a virtual testing tool. <i>International Journal of Solids and Structures</i> , <b>2017</b> , 117, 177-190	3.1	33



114	Systematic errors in digital volume correlation due to the self-heating effect of a laboratory x-ray CT scanner. <i>Measurement Science and Technology</i> , <b>2017</b> , 28, 055402	2	9
113	The effect of z-binding yarns on the electrical properties of 3D woven composites. <i>Composite Structures</i> , <b>2017</b> , 182, 606-616	5.3	17
112	Magneto-dependent stress relaxation of magnetorheological gels. <i>Smart Materials and Structures</i> , <b>2017</b> , 26, 115005	3.4	10
111	Recent advancements in mechanical characterisation of 3D woven composites. <i>Mechanics of Advanced Materials and Modern Processes</i> , <b>2017</b> , 3,	2.2	40
110	A Sandwiched/Cracked Flexible Film for Multithermal Monitoring and Switching Devices. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 32184-32191	9.5	10
109	Sodium Hypochlorite and Sodium Bromide Individualized and Stabilized Carbon Nanotubes in Water. <i>Langmuir</i> , <b>2017</b> , 33, 10868-10876	4	3
108	Preparation of water-soluble graphene nanoplatelets and highly conductive films. <i>Carbon</i> , <b>2017</b> , 124, 133-141	10.4	13
107	Toughness amplification in copper/epoxy joints through pulsed laser micro-machined interface heterogeneities. <i>Scientific Reports</i> , <b>2017</b> , 7, 16344	4.9	13
106	Alcohol Recognition by Flexible, Transparent and Highly Sensitive Graphene-Based Thin-Film Sensors. <i>Scientific Reports</i> , <b>2017</b> , 7, 4317	4.9	23
105	Laser-engraved carbon nanotube paper for instilling high sensitivity, high stretchability, and high linearity in strain sensors. <i>Nanoscale</i> , <b>2017</b> , 9, 10897-10905	7.7	55
104	Investigating the Potential of Using Off-Axis 3D Woven Composites in Composite Joints□ Applications. <i>Applied Composite Materials</i> , <b>2017</b> , 24, 377-396	2	18
103	Heating-Rate-Triggered Carbon-Nanotube-based 3-Dimensional Conducting Networks for a Highly Sensitive Noncontact Sensing Device. <i>Scientific Reports</i> , <b>2016</b> , 6, 19632	4.9	20
102	Highly transparent, low-haze, hybrid cellulose nanopaper as electrodes for flexible electronics. <i>Nanoscale</i> , <b>2016</b> , 8, 12294-306	7.7	95
101	Electrical impedance spectroscopy (EIS)-based evaluation of biological tissue phantoms to study multifrequency electrical impedance tomography (Mf-EIT) systems. <i>Journal of Visualization</i> , <b>2016</b> , 19, 691-713	1.6	34
100	Adaptive coupling between damage mechanics and peridynamics: A route for objective simulation of material degradation up to complete failure. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2016</b> , 94, 453-472	5	71
99	A morphing approach to couple state-based peridynamics with classical continuum mechanics. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2016</b> , 301, 336-358	5.7	74
98	Micro-mechanics based damage mechanics for 3D orthogonal woven composites: Experiment and numerical modelling. <i>Composite Structures</i> , <b>2016</b> , 156, 115-124	5.3	27
97	Comparison of subset-based local and FE-based global digital image correlation: Theoretical error analysis and validation. <i>Optics and Lasers in Engineering</i> , <b>2016</b> , 82, 148-158	4.6	14

96	Field Strain Measurement on the Fiber-Epoxy Scale in CFRPs. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , <b>2016</b> , 309-316	0.3	
95	Monotonic and cyclic responses of impact polypropylene and continuous glass fiber-reinforced impact polypropylene composites at different strain rates. <i>Polymer Testing</i> , <b>2016</b> , 51, 93-100	4.5	17
94	Process monitoring of glass reinforced polypropylene laminates using fiber Bragg gratings. <i>Composites Science and Technology</i> , <b>2016</b> , 123, 143-150	8.6	39
93	High-ampacity conductive polymer microfibers as fast response wearable heaters and electromechanical actuators. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 1238-1249	7.1	80
92	Improving adhesion of copper/epoxy joints by pulsed laser ablation. <i>International Journal of Adhesion and Adhesives</i> , <b>2016</b> , 64, 23-32	3.4	17
91	Effect of Voltage Measurement on the Quantitative Identification of Transverse Cracks by Electrical Measurements. <i>Sensors</i> , <b>2016</b> , 16, 427	3.8	2
90	Transverse Crack Detection in 3D Angle Interlock Glass Fibre Composites Using Acoustic Emission. <i>Materials</i> , <b>2016</b> , 9,	3.5	14
89	Double-Twisted Conductive Smart Threads Comprising a Homogeneously and a Gradient-Coated Thread for Multidimensional Flexible Pressure-Sensing Devices. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 4078-4084	15.6	57
88	Light-Activated Rapid-Response Polyvinylidene-Fluoride-Based Flexible Films. <i>Advanced Materials</i> , <b>2016</b> , 28, 4665-70	24	56
87	Facile Preparation of Carbon-Nanotube-based 3-Dimensional Transparent Conducting Networks for Flexible Noncontact Sensing Device. <i>MRS Advances</i> , <b>2016</b> , 1, 3533-3538	0.7	
86	Accurate kinematic measurement at interfaces between dissimilar materials using conforming finite-element-based digital image correlation. <i>Optics and Lasers in Engineering</i> , <b>2016</b> , 81, 103-112	4.6	7
85	Effects of the cooling rate on the shear behavior of continuous glass fiber/impact polypropylene composites (GF-IPP). <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 91, 41-52	8.4	23
84	Characterising the loading direction sensitivity of 3D woven composites: Effect of z-binder architecture. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 90, 577-588	8.4	70
83	Unraveling the Order and Disorder in Poly(3,4-ethylenedioxythiophene)/Poly(styrenesulfonate) Nanofilms. <i>Macromolecules</i> , <b>2015</b> , 48, 5688-5696	5.5	40
82	A highly sensitive, low-cost, wearable pressure sensor based on conductive hydrogel spheres. <i>Nanoscale</i> , <b>2015</b> , 7, 14766-73	7.7	105
81	Drastic modification of the piezoresistive behavior of polymer nanocomposites by using conductive polymer coatings. <i>Composites Science and Technology</i> , <b>2015</b> , 117, 342-350	8.6	26
80	Some practical considerations in finite element-based digital image correlation. <i>Optics and Lasers in Engineering</i> , <b>2015</b> , 73, 22-32	4.6	15
79	Flexible, Highly Graphitized Carbon Aerogels Based on Bacterial Cellulose/Lignin: Catalyst-Free Synthesis and its Application in Energy Storage Devices. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 3193-3202	15.6	219



78	Using Image Gradients to Improve Robustness of Digital Image Correlation to Non-uniform Illumination: Effects of Weighting and Normalization Choices. <i>Experimental Mechanics</i> , <b>2015</b> , 55, 963-979 <sup>2.6</sup>	16
77	Development of Low-Cost DDGS-Based Activated Carbons and Their Applications in Environmental Remediation and High-Performance Electrodes for Supercapacitors. <i>Journal of Polymers and the Environment</i> , <b>2015</b> , 23, 595-605	4.5 11
76	Distributed internal strain measurement during composite manufacturing using optical fibre sensors. <i>Composites Science and Technology</i> , <b>2015</b> , 120, 49-57	8.6 33
75	Temperature sensing of micron scale polymer fibers using fiber Bragg gratings. <i>Measurement Science and Technology</i> , <b>2015</b> , 26, 085003	2 8
74	Validation of Micro-Meso Electrical Relations for Laminates with Varying Anisotropy. <i>Applied Mechanics and Materials</i> , <b>2015</b> , 784, 435-442	0.3
73	On the detectability of transverse cracks in laminated composites using electrical potential change measurements. <i>Composite Structures</i> , <b>2015</b> , 121, 237-246	5.3 23
72	Carbon nanotubes with silver nanoparticle decoration and conductive polymer coating for improving the electrical conductivity of polycarbonate composites. <i>Carbon</i> , <b>2015</b> , 81, 720-730	10.4 50
71	Monitoring and simulations of hydrolysis in epoxy matrix composites during hygrothermal aging. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2015</b> , 68, 184-192	8.4 25
70	Global sensitivity analysis in the identification of cohesive models using full-field kinematic data. <i>International Journal of Solids and Structures</i> , <b>2015</b> , 55, 66-78	3.1 33
69	Interface debonding characterization by image correlation integrated with Double Cantilever Beam kinematics. <i>International Journal of Solids and Structures</i> , <b>2015</b> , 55, 79-91	3.1 54
68	Peridynamics for analysis of failure in advanced composite materials <b>2015</b> , 331-350	8
67	Investigating the Inter-Tube Conduction Mechanism in Polycarbonate Nanocomposites Prepared with Conductive Polymer-Coated Carbon Nanotubes. <i>Nanoscale Research Letters</i> , <b>2015</b> , 10, 485	5 20
66	Thermal conductivity and stability of a three-phase blend of carbon nanotubes, conductive polymer, and silver nanoparticles incorporated into polycarbonate nanocomposites. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9 11
65	A 3D domain decomposition approach for the identification of spatially varying elastic material parameters. <i>International Journal for Numerical Methods in Engineering</i> , <b>2015</b> , 102, 1431-1448	2.4 2
64	Response of fiber Bragg gratings bonded on a glass/epoxy laminate subjected to static loadings. <i>Composite Structures</i> , <b>2015</b> , 130, 75-84	5.3 22
63	Laser-based surface preparation of composite laminates leads to improved electrodes for electrical measurements. <i>Applied Surface Science</i> , <b>2015</b> , 359, 388-397	6.7 14
62	Effect of camera temperature variations on stereo-digital image correlation measurements. <i>Applied Optics</i> , <b>2015</b> , 54, 10089-95	0.2 24
61	A domain decomposition approach for full-field measurements based identification of local elastic parameters. <i>International Journal of Solids and Structures</i> , <b>2015</b> , 55, 44-57	3.1 7

60	Comparison of Subset-Based Local and Finite Element-Based Global Digital Image Correlation. <i>Experimental Mechanics</i> , <b>2015</b> , 55, 887-901	2.6	27
59	Damage characteristics in 3D stitched composites with various stitch parameters under in-plane tension. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2015</b> , 71, 17-31	8.4	39
58	Semi-metallic, strong and stretchable wet-spun conjugated polymer microfibers. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 2528-2538	7.1	100
57	Electrical behavior of laminated composites with intralaminar degradation: A comprehensive micro-meso homogenization procedure. <i>Composite Structures</i> , <b>2014</b> , 109, 178-188	5.3	23
56	Analysis of interlaminar fracture toughness and damage mechanisms in composite laminates reinforced with sprayed multi-walled carbon nanotubes. <i>Materials &amp; Design</i> , <b>2014</b> , 53, 921-927		77
55	Probing the Role of Poly(3,4-ethylenedioxythiophene)/Poly(styrenesulfonate)-Coated Multiwalled Carbon Nanotubes in the Thermal and Mechanical Properties of Polycarbonate Nanocomposites. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 3539-3549	3.9	32
54	Lignin-based carbon fibers: Carbon nanotube decoration and superior thermal stability. <i>Carbon</i> , <b>2014</b> , 80, 91-102	10.4	61
53	Understanding the mechanisms that change the conductivity of damaged ITO-coated polymeric films: A micro-mechanical investigation. <i>Solar Energy Materials and Solar Cells</i> , <b>2014</b> , 130, 199-207	6.4	25
52	Model of Parameters Controlling Resistance of Pipeline Steels to Hydrogen-Induced Cracking. <i>Corrosion</i> , <b>2014</b> , 70, 87-94	1.8	3
51	The morphing method as a flexible tool for adaptive local/non-local simulation of static fracture. <i>Computational Mechanics</i> , <b>2014</b> , 54, 711-722	4	43
50	The temperature-dependent microstructure of PEDOT/PSS films: insights from morphological, mechanical and electrical analyses. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 9903-9910	7.1	140
49	Volume digital image correlation to assess displacement field in compression loaded bread crumb under X-ray microtomography. <i>Innovative Food Science and Emerging Technologies</i> , <b>2014</b> , 25, 78-87	6.8	11
48	Computational modeling of elastic properties of carbon nanotube/polymer composites with interphase regions. Part II: Mechanical modeling. <i>Computational Materials Science</i> , <b>2014</b> , 81, 652-661	3.2	20
47	Characterizing the toughness of an epoxy resin after wet aging using compact tension specimens with non-uniform moisture content. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 109, 319-326	4.7	21
46	Computational modeling of elastic properties of carbon nanotube/polymer composites with interphase regions. Part I: Micro-structural characterization and geometric modeling. <i>Computational Materials Science</i> , <b>2014</b> , 81, 641-651	3.2	36
45	An efficient and accurate 3D displacements tracking strategy for digital volume correlation. <i>Optics and Lasers in Engineering</i> , <b>2014</b> , 58, 126-135	4.6	34
44	Thermomechanical and hygroelastic properties of an epoxy system under humid and cold-warm cycling conditions. <i>Polymer Degradation and Stability</i> , <b>2014</b> , 99, 146-155	4.7	23
43	Integrated Global Digital Image Correlation for Interface Delamination Characterization. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , <b>2014</b> , 27-32	0.3	

42	The constitutive compatibility method for identification of material parameters based on full-field measurements. <i>Computer Methods in Applied Mechanics and Engineering</i> , <b>2013</b> , 265, 1-14	5.7	43
41	The thermal properties of a carbon nanotube-enriched epoxy: Thermal conductivity, curing, and degradation kinetics. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 130, 2722-2733	2.9	25
40	A Morphing framework to couple non-local and local anisotropic continua. <i>International Journal of Solids and Structures</i> , <b>2013</b> , 50, 1332-1341	3.1	48
39	Porous core-shell carbon fibers derived from lignin and cellulose nanofibrils. <i>Materials Letters</i> , <b>2013</b> , 109, 175-178	3.3	43
38	An experimental investigation of the effect of shear-induced diffuse damage on transverse cracking in carbon-fiber reinforced laminates. <i>Composite Structures</i> , <b>2013</b> , 106, 529-536	5.3	15
37	On micro-meso relations homogenizing electrical properties of transversely cracked laminated composites. <i>Composite Structures</i> , <b>2013</b> , 105, 66-74	5.3	13
36	Improving electrical conductivity in polycarbonate nanocomposites using highly conductive PEDOT/PSS coated MWCNTs. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 6189-200	9.5	112
35	The effect of bulk-resin CNT-enrichment on damage and plasticity in shear-loaded laminated composites. <i>Composites Science and Technology</i> , <b>2013</b> , 84, 23-30	8.6	13
34	A morphing strategy to couple non-local to local continuum mechanics. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2012</b> , 60, 1088-1102	5	118
33	Coupling of nonlocal and local continuum models by the Arlequin approach. <i>International Journal for Numerical Methods in Engineering</i> , <b>2012</b> , 89, 671-685	2.4	61
32	Study on the role of laser surface irradiation on damage and decohesion of Al/epoxy joints. <i>International Journal of Adhesion and Adhesives</i> , <b>2012</b> , 39, 33-41	3.4	44
31	An effective finite element model for the prediction of hydrogen induced cracking in steel pipelines. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 16214-16230	6.7	48
30	A fully coupled diffusion-reaction scheme for moisture sorption-desorption in an anhydride-cured epoxy resin. <i>Polymer</i> , <b>2012</b> , 53, 5582-5595	3.9	50
29	A Dissipation Gap Method for full-field measurement-based identification of elasto-plastic material parameters. <i>International Journal for Numerical Methods in Engineering</i> , <b>2012</b> , 91, 685-704	2.4	25
28	A review of strategies for improving the degradation properties of laminated continuous-fiber/epoxy composites with carbon-based nanoreinforcements. <i>Carbon</i> , <b>2012</b> , 50, 2377-2395	10.4	178
27	Hybrid 2DBD modelling of GTA welding with filler wire addition. <i>International Journal of Heat and Mass Transfer</i> , <b>2012</b> , 55, 3946-3963	4.9	17
26	3D Imaging Using X-Ray Tomography and SEM Combined FIB to Study Non Isothermal Creep Damage of (111) Oriented Samples of $\gamma$ Nickel Base Single Crystal Superalloy MC2. <i>Materials Science Forum</i> , <b>2012</b> , 706-709, 2400-2405	0.4	3
25	Cyclic hygrothermal aging of aircraft lightning protections: phenomenological overview <b>2012</b> ,		1

24	Une approche en dissipation pour l'identification de propri�s mat�riaux h�t�rog�nes � partir de mesures de champs. <i>Materiaux Et Techniques</i> , <b>2012</b> , 100, 665-670	0.6	3
23	On the enhancement of bond toughness for Al/epoxy T-peel joints with laser treated substrates. <i>International Journal of Fracture</i> , <b>2011</b> , 171, 139-150	2.3	32
22	Using constitutive equation gap method for identification of elastic material parameters: technical insights and illustrations. <i>International Journal on Interactive Design and Manufacturing</i> , <b>2011</b> , 5, 227-234 <sup>1.9</sup>	1.9	11
21	The global equilibrium method and its hybrid implementation for identifying heterogeneous elastic material parameters. <i>Computers and Structures</i> , <b>2011</b> , 89, 656-667	4.5	7
20	Simulation of debonding in Al/epoxy T-peel joints using a potential-based cohesive zone model. <i>Procedia Engineering</i> , <b>2011</b> , 10, 1760-1765		13
19	A Pyramidal Modeling Scheme for Laminates - Identification of Transverse Cracking. <i>International Journal of Damage Mechanics</i> , <b>2010</b> , 19, 499-518	3	50
18	Identification of the parameters of an elastic material model using the constitutive equation gap method. <i>Computational Mechanics</i> , <b>2010</b> , 46, 521-531	4	64
17	A goal-oriented field measurement filtering technique for the identification of material model parameters. <i>Computational Mechanics</i> , <b>2009</b> , 44, 591-603	4	25
16	Micromodel-based simulations for laminated composites. <i>Composites Science and Technology</i> , <b>2009</b> , 69, 1364-1371	8.6	36
15	Illustrations of a microdamage model for laminates under oxidizing thermal cycling. <i>Composites Science and Technology</i> , <b>2009</b> , 69, 3-9	8.6	24
14	Construction of a micromechanics-based intralaminar mesomodel, and illustrations in ABAQUS/Standard. <i>Computational Materials Science</i> , <b>2008</b> , 43, 137-145	3.2	98
13	Estimation of residual stresses in laminated composites using field measurements on a cracked sample. <i>Composites Science and Technology</i> , <b>2008</b> , 68, 2761-2769	8.6	23
12	Towards a bridge between the micro- and mesomechanics of delamination for laminated composites. <i>Composites Science and Technology</i> , <b>2006</b> , 66, 698-712	8.6	86
11	Durability of CFRP laminates under thermomechanical loading: A micro-meso damage model. <i>Composites Science and Technology</i> , <b>2006</b> , 66, 983-992	8.6	34
10	A Computational Damage Micromodel of Laminated Composites. <i>International Journal of Fracture</i> , <b>2006</b> , 137, 139-150	2.3	43
9	ON THE OUT-OF-PLANE INTERACTIONS BETWEEN PLY DAMAGE AND INTERFACE DAMAGE IN LAMINATES <b>2006</b> , 97-104		
8	A COMPUTATIONAL DAMAGE MICROMODEL FOR LAMINATE COMPOSITES <b>2006</b> , 1-12		2
7	Towards a Micromechanics-Based Damage Mesomodel for CFRP Laminates under Thermomechanical Cyclic Loading. <i>Science and Engineering of Composite Materials</i> , <b>2005</b> , 12, 71-82	1.5	3

6	A computational mesodamage model for life prediction for laminates <b>2003</b> , 432-441		3
5	On a damage mesomodel for laminates: micromechanics basis and improvement. <i>Mechanics of Materials</i> , <b>2003</b> , 35, 763-775	3.3	59
4	Pont entre les « micro » et « mso » mcaniques des composites stratifi. <i>Comptes Rendus - Mecanique</i> , <b>2003</b> , 331, 537-544	2.1	24
3	An enhanced mesomodel for laminates based on micromechanics. <i>Composites Science and Technology</i> , <b>2002</b> , 62, 533-541	8.6	108
2	On a damage mesomodel for laminates. <i>Composites Science and Technology</i> , <b>2001</b> , 61, 2149-2158	8.6	112
1	Flexural Behaviour of Unreinforced and Z-Fibre Reinforced 3D Carbon/Epoxy Composites. <i>Applied Composite Materials</i> , 1	2	0