

Prasad Chitra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5922888/publications.pdf>

Version: 2024-02-01

31
papers

64
citations

1937685

4
h-index

1720034

7
g-index

35
all docs

35
docs citations

35
times ranked

49
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of pain levels in patients treated with 3 different orthodontic appliances - a randomized trial. <i>Medicine and Pharmacy Reports</i> , 2020, 93, 81-88.	0.4	10
2	Long-term evaluation of metal ion release in orthodontic patients using fluoridated oral hygiene agents: An inÁvivo study. <i>Journal of the World Federation of Orthodontists</i> , 2019, 8, 107-111.	2.3	7
3	Effect of fluoride agents on surface characteristics of NiTi wires. An ex vivo investigation. <i>Journal of Oral Biology and Craniofacial Research</i> , 2020, 10, 435-440.	1.9	7
4	Photogrammetric reliability of frontal facial photographs with radiographs and anthropometric measurements. <i>Journal of Oral Biology and Craniofacial Research</i> , 2019, 9, 280-285.	1.9	5
5	Stress distribution patterns in mini-implant and bone in the infra-zygomatic crest region at different angulations: A finite element study. <i>Journal of the World Federation of Orthodontists</i> , 2021, 10, 29-34.	2.3	4
6	Modified SARME (Surgically Assisted Rapid Maxillary Expansion) in Conjunction with Orthodontic Treatment- A Case Report. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015, 9, ZD20-2.	0.8	3
7	Determination of Bolton Norms for Indian Population Sample. <i>Orthodontic Journal of Nepal</i> , 2017, 7, 33-36.	0.1	3
8	Photogrammetric Correlation of Face with Frontal Radiographs and Direct Measurements. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, ZC79-ZC83.	0.8	3
9	Cone beam computed tomographic comparison of infrazygomatic crest bone thickness in patients with different facial types. <i>Orthodontic Waves</i> , 2020, 79, 99-104.	0.2	3
10	Stereomicroscopic analysis of microleakage, evaluation of shear bond strengths and adhesive remnants beneath orthodontic brackets under cyclic exposure to commonly consumed commercial "soft" drinks. <i>Indian Journal of Dental Research</i> , 2021, 32, 98.	0.4	3
11	Alleviation of Lower Anterior Crowding with Super- Elastic and Heat-Activated NiTi Wires: A Prospective Clinical Trial. <i>Turkish Journal of Orthodontics</i> , 2021, 34, 127-135.	1.1	3
12	Benign reactive lymphadenopathy associated with submandibular gland enlargement during orthodontic treatment. <i>Journal of Oral and Maxillofacial Pathology</i> , 2017, 21, 181.	0.6	3
13	In Vivo Evaluation of Micronucleus Frequencies in Buccal Mucosal Cells of Orthodontic Patients with and Without Fluoride Use. <i>The Journal of Indian Orthodontic Society</i> , 0, , 030157422110373.	0.4	1
14	An Umbrella Review of Systematic Reviews With or Without Meta-Analysis Assessing Treatment Outcomes and Efficiency of Self-Ligating Brackets. <i>The Journal of Indian Orthodontic Society</i> , 2022, 56, 111-123.	0.4	1
15	Altered Passive Eruption Complicating Optimal Orthodontic Bracket Placement: A Case Report and Review of Literature. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015, 9, ZD01-3.	0.8	0
16	Rapid Reactivation of Open Coil Springs: A Novel Approach. <i>Orthodontic Journal of Nepal</i> , 2015, 5, 50.	0.1	0
17	A Comparison of the Efficacy of a Primerless Orthodontic Bonding Adhesive as Compared to Conventional Materials: an Invitro Study. <i>Dental Journal of Advance Studies</i> , 2016, 04, 049-055.	0.2	0
18	The Extraction-Non Extraction Conundrum and the Role of Self Ligation in Present Day Mechanotherapy. <i>Orthodontic Journal of Nepal</i> , 2019, 8, 60-67.	0.1	0

#	ARTICLE	IF	CITATIONS
19	A New Approach to Prevent Crown Loosening and Caries in the AdvanSync2 Class II Corrector. The Journal of Indian Orthodontic Society, 2020, 54, 77-79.	0.4	0
20	The conundrum of molar distalization or mandibular relocation in Class II malocclusions. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, e89.	1.7	0
21	In Vivo Comparison of Ultimate Tensile Strength and Surface Topography of Three Different Nickel-Titanium Archwires. The Journal of Indian Orthodontic Society, 2021, 55, 399-405.	0.4	0
22	Torque Comparison Between Two Passive Self-Ligating Brackets with Respect to Interbracket Wire Dimensions and Types: A Finite Element Analysis. The Journal of Indian Orthodontic Society, 0, , 030157422110296.	0.4	0
23	Airway changes in patients with sleep apnea using AdvanSync2 Class II correctors – a case series. Medicine and Pharmacy Reports, 0, , .	0.4	0
24	Rapid Maxillary Expansion to Correct Palatal Fracture Malunion: A Case Report. Journal of Clinical and Diagnostic Research JCDR, 2016, 10, ZD01-2.	0.8	0
25	Clinical Instrument Refurbishment-A Chair side Technique. Journal of Clinical and Diagnostic Research JCDR, 2016, 10, ZH01-ZH02.	0.8	0
26	Bolton's analysis using a photogrammetric method on occlusal photographs. , 2020, 54, 55-61.		0
27	DENTOSKELETAL, SOFT TISSUE AND AIRWAY EFFECTS OF THE ADVANSYNC2 IN PATIENTS WITH CLASS II DIV 1 MANDIBULAR RETROGNATHISM: A RETROSPECTIVE STUDY. , 2020, , 1-3.		0
28	Evaluating upper lip changes during smiling and at rest in Indian population. Indian Journal of Dental Research, 2021, 32, 167.	0.4	0
29	In Vivo Comparison of Ultimate Tensile Strength of Nickel-Titanium Aligning Archwires Exposed to Fluoridated Mouthwash. Orthodontic Journal of Nepal, 2020, 10, 21-26.	0.1	0
30	In vivo investigation of gingival health and oxidative stress changes in patients undergoing orthodontic treatment with and without fluoride use. Journal of Indian Society of Periodontology, 2022, 26, 123.	0.7	0
31	A Clinical Audit of Cross-Infection Control Practices in Orthodontic Setups During the COVID-19 Scenario. The Journal of Indian Orthodontic Society, 0, , 030157422110737.	0.4	0