## **Prasad Chitra**

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5922888/publications.pdf

Version: 2024-02-01

1937685 1720034 64 31 4 7 citations h-index g-index papers 35 35 35 49 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	In vivo investigation of gingival health and oxidative stress changes in patients undergoing orthodontic treatment with and without fluoride use. Journal of Indian Society of Periodontology, 2022, 26, 123.	0.7	O
2	An Umbrella Review of Systematic Reviews With or Without Meta-Analysis Assessing Treatment Outcomes and Efficiency of Self-Ligating Brackets. The Journal of Indian Orthodontic Society, 2022, 56, 111-123.	0.4	1
3	Stereomicroscopic analysis of microleakage, evaluation of shear bond strengths and adhesive remnants beneath orthodontic brackets under cyclic exposure to commonly consumed commercial "soft―drinks. Indian Journal of Dental Research, 2021, 32, 98.	0.4	3
4	The conundrum of molar distalization or mandibular relocation in Class II malocclusions. American Journal of Orthodontics and Dentofacial Orthopedics, 2021, 159, e89.	1.7	0
5	In Vivo Comparison of Ultimate Tensile Strength and Surface Topography of Three Different Nickel–Titanium Archwires. The Journal of Indian Orthodontic Society, 2021, 55, 399-405.	0.4	0
6	Stress distribution patterns in mini-implant and bone in the infra-zygomatic crest region at different angulations: A finite element study. Journal of the World Federation of Orthodontists, 2021, 10, 29-34.	2.3	4
7	Alleviation of Lower Anterior Crowding with Super- Elastic and Heat-Activated NiTi Wires: A Prospective Clinical Trial. Turkish Journal of Orthodontics, 2021, 34, 127-135.	1.1	3
8	Evaluating upper lip changes during smiling and at rest in Indian population. Indian Journal of Dental Research, 2021, 32, 167.	0.4	0
9	Effect of fluoride agents on surface characteristics of NiTi wires. An ex vivo investigation. Journal of Oral Biology and Craniofacial Research, 2020, 10, 435-440.	1.9	7
10	Cone beam computed tomographic comparison of infrazygomatic crest bone thickness in patients with different facial types. Orthodontic Waves, 2020, 79, 99-104.	0.2	3
11	A New Approach to Prevent Crown Loosening and Caries in the AdvanSync2 Class II Corrector. The Journal of Indian Orthodontic Society, 2020, 54, 77-79.	0.4	0
12	Comparison of pain levels in patients treated with 3 different orthodontic appliances - a randomized trial. Medicine and Pharmacy Reports, 2020, 93, 81-88.	0.4	10
13	Bolton's analysis using a photogrammetric method on occlusal photographs. , 2020, 54, 55-61.		0
14	DENTOSKELETAL, SOFT TISSUE AND AIRWAY EFFECTS OF THE ADVANSYNC2 IN PATIENTS WITH CLASS II DIV 1 MANDIBULAR RETROGNATHISM: A RETROSPECTIVE STUDY. , 2020, , $1$ -3.		0
15	In Vivo Comparison of Ultimate Tensile Strength of Nickel-Titanium Aligning Archwires Exposed to Fluoridated Mouthwash. Orthodontic Journal of Nepal, 2020, 10, 21-26.	0.1	0
16	Long-term evaluation of metal ion release in orthodontic patients using fluoridated oral hygiene agents: An inÂvivo study. Journal of the World Federation of Orthodontists, 2019, 8, 107-111.	2.3	7
17	Photogrammetric reliability of frontal facial photographs with radiographs and anthropometric measurements. Journal of Oral Biology and Craniofacial Research, 2019, 9, 280-285.	1.9	5
18	The Extraction-Non Extraction Conundrum and the Role of Self Ligation in Present Day Mechanotherapy. Orthodontic Journal of Nepal, 2019, 8, 60-67.	0.1	0

#	Article	IF	CITATIONS
19	Determination of Bolton Norms for Indian Population Sample. Orthodontic Journal of Nepal, 2017, 7, 33-36.	0.1	3
20	Photogrammetric Correlation of Face with Frontal Radiographs and Direct Measurements. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, ZC79-ZC83.	0.8	3
21	Benign reactive lymphadenopathy associated with submandibular gland enlargement during orthodontic treatment. Journal of Oral and Maxillofacial Pathology, 2017, 21, 181.	0.6	3
22	A Comparison of the Efficacy of a Primerless Orthodontic Bonding Adhesive as Compared to Conventional Materials: an Invitro Study. Dental Journal of Advance Studies, 2016, 04, 049-055.	0.2	0
23	Rapid Maxillary Expansion to Correct Palatal Fracture Malunion: A Case Report. Journal of Clinical and Diagnostic Research JCDR, 2016, 10, ZD01-2.	0.8	0
24	Clinical Instrument Refurbishment-A Chair side Technique. Journal of Clinical and Diagnostic Research JCDR, 2016, 10, ZH01-ZH02.	0.8	0
25	Altered Passive Eruption Complicating Optimal Orthodontic Bracket Placement: A Case Report and Review of Literature. Journal of Clinical and Diagnostic Research JCDR, 2015, 9, ZD01-3.	0.8	0
26	Rapid Reactivation of Open Coil Springs: A Novel Approach. Orthodontic Journal of Nepal, 2015, 5, 50.	0.1	0
27	Modified SARME (Surgically Assisted Rapid Maxillary Expansion) in Conjunction with Orthodontic Treatment- A Case Report. Journal of Clinical and Diagnostic Research JCDR, 2015, 9, ZD20-2.	0.8	3
28	Torque Comparison Between Two Passive Self-Ligating Brackets with Respect to Interbracket Wire Dimensions and Types: A Finite Element Analysis. The Journal of Indian Orthodontic Society, 0, , 030157422110296.	0.4	0
29	In Vivo Evaluation of Micronucleus Frequencies in Buccal Mucosal Cells of Orthodontic Patients with and Without Fluoride Use. The Journal of Indian Orthodontic Society, 0, , 030157422110373.	0.4	1
30	Airway changes in patients with sleep apnea using AdvanSync2 Class II correctors – a case series. Medicine and Pharmacy Reports, 0, , .	0.4	0
31	A Clinical Audit of Cross-Infection Control Practices in Orthodontic Setups During the COVID-19 Scenario. The Journal of Indian Orthodontic Society, 0, , 030157422110737.	0.4	O