

Qingjie Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5922900/qingjie-sun-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

4,372
citations

37
h-index

57
g-index

172
ext. papers

5,638
ext. citations

7.4
avg, IF

6.2
L-index

#	Paper	IF	Citations
168	Characterization of starch nanoparticles prepared by nanoprecipitation: Influence of amylose content and starch type. <i>Industrial Crops and Products</i> , 2016 , 87, 182-190	5.9	155
167	Green preparation and characterisation of waxy maize starch nanoparticles through enzymolysis and recrystallisation. <i>Food Chemistry</i> , 2014 , 162, 223-8	8.5	154
166	Characterizations of Pickering emulsions stabilized by starch nanoparticles: Influence of starch variety and particle size. <i>Food Chemistry</i> , 2017 , 234, 339-347	8.5	133
165	Physicochemical differences between sorghum starch and sorghum flour modified by heat-moisture treatment. <i>Food Chemistry</i> , 2014 , 145, 756-64	8.5	121
164	Characterisation of corn starch-based films reinforced with taro starch nanoparticles. <i>Food Chemistry</i> , 2015 , 174, 82-8	8.5	119
163	Mechanical, barrier and morphological properties of starch nanocrystals-reinforced pea starch films. <i>Carbohydrate Polymers</i> , 2015 , 121, 155-62	10.3	116
162	Green preparation and characterization of size-controlled nanocrystalline cellulose via ultrasonic-assisted enzymatic hydrolysis. <i>Industrial Crops and Products</i> , 2016 , 83, 346-352	5.9	104
161	Effects of chitin nano-whiskers on the antibacterial and physicochemical properties of maize starch films. <i>Carbohydrate Polymers</i> , 2016 , 147, 372-378	10.3	98
160	Effect of dry heat treatment on the physicochemical properties and structure of proso millet flour and starch. <i>Carbohydrate Polymers</i> , 2014 , 110, 128-34	10.3	95
159	Preparation and characterization of essential oil-loaded starch nanoparticles formed by short glucan chains. <i>Food Chemistry</i> , 2017 , 221, 1426-1433	8.5	85
158	Mechanical, barrier and morphological properties of pea starch and peanut protein isolate blend films. <i>Carbohydrate Polymers</i> , 2013 , 98, 630-7	10.3	81
157	Enhanced dispersion stability and heavy metal ion adsorption capability of oxidized starch nanoparticles. <i>Food Chemistry</i> , 2018 , 242, 256-263	8.5	76
156	Size-controlled starch nanoparticles prepared by self-assembly with different green surfactant: The effect of electrostatic repulsion or steric hindrance. <i>Food Chemistry</i> , 2016 , 199, 356-63	8.5	76
155	Physicochemical properties of starch nanocomposite films enhanced by self-assembled potato starch nanoparticles. <i>LWT - Food Science and Technology</i> , 2016 , 69, 251-257	5.4	71
154	Preparation and characterization of size-controlled starch nanoparticles based on short linear chains from debranched waxy corn starch. <i>LWT - Food Science and Technology</i> , 2016 , 74, 303-310	5.4	68
153	Effect of retrogradation time on preparation and characterization of proso millet starch nanoparticles. <i>Carbohydrate Polymers</i> , 2014 , 111, 133-8	10.3	68
152	Preparation and characterization of starch nanoparticles through ultrasonic-assisted oxidation methods. <i>Carbohydrate Polymers</i> , 2014 , 106, 359-64	10.3	63

151	Synthesis and self-assembly of octenyl succinic anhydride modified short glucan chains based amphiphilic biopolymer: Micelles, ultrasmall micelles, vesicles, and lutein encapsulation/release. <i>Food Hydrocolloids</i> , 2017 , 67, 14-26	10.6	60
150	Stability enhancement efficiency of surface decoration on curcumin-loaded liposomes: Comparison of guar gum and its cationic counterpart. <i>Food Hydrocolloids</i> , 2019 , 87, 29-37	10.6	58
149	Adsorption mechanism of polyphenols onto starch nanoparticles and enhanced antioxidant activity under adverse conditions. <i>Journal of Functional Foods</i> , 2016 , 26, 632-644	5.1	58
148	Preparation of Bioactive Polysaccharide Nanoparticles with Enhanced Radical Scavenging Activity and Antimicrobial Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 4373-4383	5.7	55
147	Enhanced mechanical properties and gelling ability of gelatin hydrogels reinforced with chitin whiskers. <i>Food Hydrocolloids</i> , 2018 , 75, 1-12	10.6	51
146	Purification and identification of antioxidant peptides from peanut protein isolate hydrolysates using UHR-Q-TOF mass spectrometer. <i>Food Chemistry</i> , 2014 , 161, 148-54	8.5	50
145	Fabrication and characterization of hollow starch nanoparticles by gelation process for drug delivery application. <i>Carbohydrate Polymers</i> , 2017 , 173, 223-232	10.3	47
144	Effect of dry heating with ionic gums on physicochemical properties of starch. <i>Food Chemistry</i> , 2013 , 136, 1421-5	8.5	46
143	Effects of heat moisture treatment on the physicochemical properties of starch nanoparticles. <i>Carbohydrate Polymers</i> , 2015 , 117, 605-609	10.3	45
142	Enhanced antibacterial activity of lysozyme immobilized on chitin nanowhiskers. <i>Food Chemistry</i> , 2017 , 221, 1507-1513	8.5	44
141	Gallic acid liposomes decorated with lactoferrin: Characterization, in vitro digestion and antibacterial activity. <i>Food Chemistry</i> , 2019 , 293, 315-322	8.5	43
140	Morphology and Characteristics of Starch Nanoparticles Self-Assembled via a Rapid Ultrasonication Method for Peppermint Oil Encapsulation. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8363-8373	5.7	41
139	Antibacterial properties and mechanism of biopolymer-based films functionalized by CuO/ZnO nanoparticles against Escherichia coli and Staphylococcus aureus. <i>Journal of Hazardous Materials</i> , 2021 , 402, 123542	12.8	40
138	Fabrication and characterization of biocompatible hybrid nanoparticles from spontaneous co-assembly of casein/gliadin and proanthocyanidin. <i>Food Hydrocolloids</i> , 2017 , 73, 74-89	10.6	39
137	Preparation and characterization of starch nanoparticles via self-assembly at moderate temperature. <i>International Journal of Biological Macromolecules</i> , 2016 , 84, 354-60	7.9	38
136	A comparative study of size-controlled worm-like amylopectin nanoparticles and spherical amylose nanoparticles: Their characteristics and the adsorption properties of polyphenols. <i>Food Chemistry</i> , 2016 , 213, 579-587	8.5	38
135	Double Cross-Linked Chitosan Composite Films Developed with Oxidized Tannic Acid and Ferric Ions Exhibit High Strength and Excellent Water Resistance. <i>Biomacromolecules</i> , 2019 , 20, 801-812	6.9	38
134	Fractionation of debranched starch with different molecular weights via edible alcohol precipitation. <i>Food Hydrocolloids</i> , 2018 , 83, 430-437	10.6	38

133	Characterization of starch films impregnated with starch nanoparticles prepared by 2,2,6,6-tetramethylpiperidine-1-oxyl (TEMPO)-mediated oxidation. <i>Food Chemistry</i> , 2016 , 192, 865-72	8.5	37
132	The effect of heat moisture treatment on physicochemical properties of early indica rice. <i>Food Chemistry</i> , 2013 , 141, 853-7	8.5	37
131	Effects of chitin nano-whiskers on the gelatinization and retrogradation of maize and potato starches. <i>Food Chemistry</i> , 2017 , 214, 543-549	8.5	37
130	In vitro inhibition of pancreatic α -amylase by spherical and polygonal starch nanoparticles. <i>Food and Function</i> , 2018 , 9, 355-363	6.1	37
129	Evaluation of rheological behavior of starch nanocrystals by acid hydrolysis and starch nanoparticles by self-assembly: A comparative study. <i>Food Hydrocolloids</i> , 2016 , 52, 914-922	10.6	35
128	Green preparation and characterization of starch nanoparticles using a vacuum cold plasma process combined with ultrasonication treatment. <i>Ultrasonics Sonochemistry</i> , 2019 , 58, 104660	8.9	35
127	Functional and pasting properties of pea starch and peanut protein isolate blends. <i>Carbohydrate Polymers</i> , 2014 , 101, 1134-9	10.3	35
126	Enhancing the formation and stability of emulsions using mixed natural emulsifiers: Hydrolyzed rice glutelin and quillaja saponin. <i>Food Hydrocolloids</i> , 2019 , 89, 396-405	10.6	35
125	Rheological properties and microstructure characterization of normal and waxy corn starch dry heated with soy protein isolate. <i>Food Hydrocolloids</i> , 2015 , 48, 1-7	10.6	34
124	Preparation of a Strong Gelatin-Short Linear Glucan Nanocomposite Hydrogel by an in Situ Self-Assembly Process. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 177-186	5.7	34
123	Preparation and Characterization of Octenyl Succinic Anhydride Modified Taro Starch Nanoparticles. <i>PLoS ONE</i> , 2016 , 11, e0150043	3.7	34
122	Development of chitosan-sodium phytate nanoparticles as a potent antibacterial agent. <i>Carbohydrate Polymers</i> , 2017 , 178, 311-321	10.3	33
121	Construction of food-grade pH-sensitive nanoparticles for delivering functional food ingredients. <i>Trends in Food Science and Technology</i> , 2020 , 96, 102-113	15.3	32
120	Characterization of edible corn starch nanocomposite films: The effect of self-assembled starch nanoparticles. <i>Starch/Staerke</i> , 2016 , 68, 239-248	2.3	32
119	Interaction of cellulose nanocrystals and amylase: Its influence on enzyme activity and resistant starch content. <i>Food Chemistry</i> , 2018 , 245, 481-487	8.5	32
118	Glucose-responsive biopolymer nanoparticles prepared by co-assembly of concanavalin A and amylopectin for insulin delivery. <i>Industrial Crops and Products</i> , 2018 , 112, 98-104	5.9	31
117	Characterization of corn starch films reinforced with CaCO ₃ nanoparticles. <i>PLoS ONE</i> , 2014 , 9, e106727	3.7	30
116	Effect of microwave-assisted dry heating with xanthan on normal and waxy corn starches. <i>International Journal of Biological Macromolecules</i> , 2014 , 68, 86-91	7.9	30

115	Formation of Protein Corona on Nanoparticles with Digestive Enzymes in Simulated Gastrointestinal Fluids. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 2296-2306	5.7	29
114	Effect of heat moisture treatment on physicochemical and morphological properties of wheat starch and xylitol mixture. <i>Food Chemistry</i> , 2014 , 143, 54-9	8.5	29
113	Differences in physicochemical, morphological, and structural properties between rice starch and rice flour modified by dry heat treatment. <i>Starch/Staerke</i> , 2015 , 67, 756-764	2.3	28
112	Rapid gelling, self-healing, and fluorescence-responsive chitosan hydrogels formed by dynamic covalent crosslinking. <i>Carbohydrate Polymers</i> , 2020 , 246, 116586	10.3	27
111	Fabrication of debranched starch nanoparticles via reverse emulsification for improvement of functional properties of corn starch films. <i>Food Hydrocolloids</i> , 2020 , 104, 105760	10.6	27
110	Fabrication and Characterization of Starch Nanohydrogels via Reverse Emulsification and Internal Gelation. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 9326-9334	5.7	27
109	Elaboration and characterization of corn starch films incorporating silver nanoparticles obtained using short glucan chains. <i>LWT - Food Science and Technology</i> , 2016 , 74, 311-318	5.4	27
108	Synthesis and study the properties of StNPs/gum nanoparticles for salvianolic acid B-oral delivery system. <i>Food Chemistry</i> , 2017 , 229, 111-119	8.5	26
107	The effect of peanut protein nanoparticles on characteristics of protein- and starch-based nanocomposite films: A comparative study. <i>Industrial Crops and Products</i> , 2015 , 77, 565-574	5.9	26
106	Effect of acid hydrolysis combined with heat moisture treatment on structure and physicochemical properties of corn starch. <i>Journal of Food Science and Technology</i> , 2015 , 52, 375-82	3.3	26
105	Enhanced viability of layer-by-layer encapsulated <i>Lactobacillus pentosus</i> using chitosan and sodium phytate. <i>Food Chemistry</i> , 2019 , 285, 260-265	8.5	25
104	Acetylated debranched starch micelles as a promising nanocarrier for curcumin. <i>Food Hydrocolloids</i> , 2021 , 111, 106253	10.6	24
103	Biosynthetic calcium-doped biosilica with multiple hemostatic properties for hemorrhage control. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 7834-7841	7.3	24
102	Preparation of Borax Cross-Linked Starch Nanoparticles for Improvement of Mechanical Properties of Maize Starch Films. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 2916-2925	5.7	22
101	Preparation of octenyl succinic anhydride-modified debranched starch vesicles for loading of hydrophilic functional ingredients. <i>Food Hydrocolloids</i> , 2019 , 94, 546-552	10.6	21
100	Characterization of Cationic Modified Debranched Starch and Formation of Complex Nanoparticles with κ -Carrageenan and Low Methoxyl Pectin. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 2906-2915	5.7	21
99	In vitro digestion of nanoscale starch particles and evolution of thermal, morphological, and structural characteristics. <i>Food Hydrocolloids</i> , 2016 , 61, 344-350	10.6	21
98	Effects of anionic polysaccharides on the digestion of fish oil-in-water emulsions stabilized by hydrolyzed rice glutelin. <i>Food Research International</i> , 2020 , 127, 108768	7	21

97	The inhibition effect of starch nanoparticles on tyrosinase activity and its mechanism. <i>Food and Function</i> , 2016 , 7, 4804-4815	6.1	21
96	Starch-based nanoparticles: Stimuli responsiveness, toxicity, and interactions with food components. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 1075-1100	16.4	21
95	Preparation of Hollow Biopolymer Nanospheres Employing Starch Nanoparticle Templates for Enhancement of Phenolic Acid Antioxidant Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 3868-3882	5.7	20
94	Effect of annealing on the structural and physicochemical properties of waxy rice starch nanoparticles: Effect of annealing on the properties of starch nanoparticles. <i>Food Chemistry</i> , 2019 , 286, 17-21	8.5	20
93	Preparation of crosslinked active bilayer film based on chitosan and alginate for regulating ascorbate-glutathione cycle of postharvest cherry tomato (<i>Lycopersicon esculentum</i>). <i>International Journal of Biological Macromolecules</i> , 2019 , 130, 584-594	7.9	19
92	Oxidation modification of debranched starch for the preparation of starch nanoparticles with calcium ions. <i>Food Hydrocolloids</i> , 2018 , 85, 86-92	10.6	19
91	Self-healing, stretchable, and freezing-resistant hydroxypropyl starch-based double-network hydrogels. <i>Carbohydrate Polymers</i> , 2021 , 251, 116982	10.3	19
90	Preparation of debranched starch nanoparticles by ionic gelation for encapsulation of epigallocatechin gallate. <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 481-491	7.9	18
89	Physicochemical properties of maize and sweet potato starches in the presence of cellulose nanocrystals. <i>Food Hydrocolloids</i> , 2018 , 77, 220-227	10.6	18
88	High-Strength Physically Multi-Cross-Linked Chitosan Hydrogels and Aerogels for Removing Heavy-Metal Ions. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 13648-13657	5.7	18
87	Retrogradation property of starch nanoparticles prepared by pullulanase and recrystallization. <i>Starch/Staerke</i> , 2016 , 68, 230-238	2.3	17
86	The pasting and gel textural properties of corn starch in glucose, fructose and maltose syrup. <i>PLoS ONE</i> , 2014 , 9, e95862	3.7	17
85	Characterization and antioxidant activity of short linear glucan-lysine nanoparticles prepared by Maillard reaction. <i>Food Hydrocolloids</i> , 2019 , 92, 86-93	10.6	16
84	Separation and characterization of linear glucans debranched from normal corn, potato and sweet potato starches. <i>Food Hydrocolloids</i> , 2019 , 89, 196-206	10.6	16
83	Coordination of Covalent Cross-Linked Gelatin Hydrogels via Oxidized Tannic Acid and Ferric Ions with Strong Mechanical Properties. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 11489-11497	5.7	15
82	Effect of sugar alcohol on physicochemical properties of wheat starch. <i>Starch/Staerke</i> , 2014 , 66, 788-794	2.3	15
81	Functional Properties of Glutinous Rice Flour by Dry-Heat Treatment. <i>PLoS ONE</i> , 2016 , 11, e0160371	3.7	15
80	Development of Self-Healing Double-Network Hydrogels: Enhancement of the Strength of Wheat Gluten Hydrogels by In Situ Metal-Catechol Coordination. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 6508-6516	5.7	14

79	Morphology and Structural Properties of Novel Short Linear Glucan/Protein Hybrid Nanoparticles and Their Influence on the Rheological Properties of Starch Gel. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 7955-7965	5.7	14
78	Effect of chitosan on the antibacterial and physical properties of corn starch nanocomposite films. <i>Starch/Staerke</i> , 2017 , 69, 1600114	2.3	14
77	Fabrication and characterization of starch beads formed by a dispersion-inverse gelation process for loading polyphenols with improved antioxidation. <i>Food Hydrocolloids</i> , 2020 , 101, 105565	10.6	14
76	Bioactive and intelligent starch-based films: A review. <i>Trends in Food Science and Technology</i> , 2021 , 116, 854-869	15.3	14
75	Nanoencapsulation of lutein within lipid-based delivery systems: Characterization and comparison of zein peptide stabilized nano-emulsion, solid lipid nanoparticle, and nano-structured lipid carrier. <i>Food Chemistry</i> , 2021 , 358, 129840	8.5	14
74	Effect of food gums on properties of pea starch and vermicelli prepared from pea starch. <i>Starch/Staerke</i> , 2015 , 67, 399-406	2.3	13
73	Preparation of extra-small nisin nanoparticles for enhanced antibacterial activity after autoclave treatment. <i>Food Chemistry</i> , 2018 , 245, 756-760	8.5	13
72	Optimization of the preparation conditions of thermo-sensitive chitosan hydrogel in heterogeneous reaction using response surface methodology. <i>International Journal of Biological Macromolecules</i> , 2019 , 121, 293-300	7.9	13
71	Chitosan-Sodium Phytate Films with a Strong Water Barrier and Antimicrobial Properties Produced via One-Step-Consecutive-Stripping and Layer-by-Layer-Casting Technologies. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 6104-6115	5.7	13
70	Retrogradation behavior of debranched starch with different degrees of polymerization. <i>Food Chemistry</i> , 2019 , 297, 125001	8.5	12
69	Interaction of bovine serum albumin with starch nanoparticles prepared by TEMPO-mediated oxidation. <i>International Journal of Biological Macromolecules</i> , 2015 , 78, 333-8	7.9	12
68	Effects of different isolation methods on the physicochemical properties of pea starch and textural properties of vermicelli. <i>Journal of Food Science and Technology</i> , 2015 , 52, 327-334	3.3	12
67	Effects of four polyphenols loading on the attributes of lipid bilayers. <i>Journal of Food Engineering</i> , 2020 , 282, 110008	6	12
66	Effect of xylitol on wheat dough properties and bread characteristics. <i>International Journal of Food Science and Technology</i> , 2014 , 49, 1159-1167	3.8	12
65	Relationship between the emulsifying properties and formation time of rice bran protein fibrils. <i>LWT - Food Science and Technology</i> , 2020 , 122, 108985	5.4	12
64	Gelatinization, pasting, and rheological properties of pea starch in alcohol solution. <i>Food Hydrocolloids</i> , 2021 , 112, 106331	10.6	12
63	Inhibitory effects of sorbitol on the collapse and deterioration of gluten network in fresh noodles during storage. <i>Food Chemistry</i> , 2021 , 344, 128638	8.5	12
62	The formation of a protein corona and the interaction with α -amylase by chitin nanowhiskers in simulated saliva fluid. <i>Food Hydrocolloids</i> , 2020 , 102, 105615	10.6	11

61	Interactions between debranched starch and emulsifiers, polyphenols, and fatty acids. <i>International Journal of Biological Macromolecules</i> , 2020 , 150, 644-653	7.9	10
60	Study on the interaction between bovine serum albumin and starch nanoparticles prepared by isoamylolysis and recrystallization. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 128, 594-599	6	10
59	Aggregation of Fucoxanthin and Its Effects on Binding and Delivery Properties of Whey Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 10412-10422	5.7	9
58	Effect of heat-moisture treatment with maltitol on physicochemical properties of wheat starch. <i>LWT - Food Science and Technology</i> , 2015 , 62, 319-324	5.4	9
57	Inhibition of normal and waxy corn starch retrogradation by sodium borohydride. <i>International Journal of Biological Macromolecules</i> , 2020 , 153, 341-348	7.9	9
56	Preparation and characterization of waxy maize starch nanocrystals with a high yield via dry-heated oxalic acid hydrolysis. <i>Food Chemistry</i> , 2020 , 318, 126479	8.5	9
55	Starch Nanoparticles 2018 , 691-745		9
54	Horseradish peroxidase-mediated synthesis of an antioxidant gallic acid--chitosan derivative and its preservation application in cherry tomatoes.. <i>RSC Advances</i> , 2018 , 8, 20363-20371	3.7	9
53	Preparation and Characterization of Tadpole- and Sphere-Shaped Hemin Nanoparticles for Enhanced Solubility. <i>Nanoscale Research Letters</i> , 2019 , 14, 47	5	9
52	Preparation of active polysaccharide-loaded maltodextrin nanoparticles and their stability as a function of ionic strength and pH. <i>LWT - Food Science and Technology</i> , 2017 , 76, 164-171	5.4	9
51	Effect of the Amount and Particle Size of Wheat Fiber on the Physicochemical Properties and Gel Morphology of Starches. <i>PLoS ONE</i> , 2015 , 10, e0128665	3.7	9
50	Rapid production of corn starch gels with high mechanical properties through alcohol soaking. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 1557-1564	7.9	9
49	An Enhanced Stability Nanoparticle Preparation by Corn Protein Hydrolysate-Carboxymethyl Chitosan Maillard Conjugates Loaded with Rutin. <i>Journal of Food Science</i> , 2019 , 84, 1829-1835	3.4	8
48	Resistant starch nanoparticles prepared from debranched starch by medium-temperature recrystallization. <i>International Journal of Biological Macromolecules</i> , 2020 , 155, 598-604	7.9	8
47	Modulating layer-by-layer assembled sodium alginate-chitosan film properties through incorporation of cellulose nanocrystals with different surface charge densities. <i>International Journal of Biological Macromolecules</i> , 2021 , 180, 510-522	7.9	8
46	Synergistic effect of glycerol and ionic strength on the rheological behavior of cellulose nanocrystals suspension system. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 1073-1082	7.9	7
45	The combination of starch nanoparticles and Tween 80 results in enhanced emulsion stability. <i>International Journal of Biological Macromolecules</i> , 2020 , 163, 2048-2059	7.9	7
44	Interaction of food-grade titanium dioxide nanoparticles with pepsin in simulated gastric fluid. <i>LWT - Food Science and Technology</i> , 2020 , 134, 110208	5.4	7

43	Self-assembled micelles based on amphiphilic biopolymers for delivery of functional ingredients. <i>Trends in Food Science and Technology</i> , 2021 , 114, 386-398	15.3	7
42	Fabrication and characterization of walnut peptides-loaded proliposomes with three lyoprotectants: Environmental stabilities and antioxidant/antibacterial activities. <i>Food Chemistry</i> , 2022 , 366, 130643	8.5	7
41	Differences in rheological behavior between normal and waxy corn starches modified by dry heating with hydrocolloids. <i>Starch/Staerke</i> , 2017 , 69, 1600332	2.3	6
40	Resveratrol-loaded hollow kafirin nanoparticles via gallic acid crosslinking: An evaluation compared with their solid and non-crosslinked counterparts. <i>Food Research International</i> , 2020 , 135, 109308	7	5
39	Fabrication and characterization of hollow starch nanoparticles by heterogeneous crystallization of debranched starch in a nanoemulsion system. <i>Food Chemistry</i> , 2020 , 323, 126851	8.5	5
38	Characterization of Maillard reaction products micro/nano-particles present in fermented soybean sauce and vinegar. <i>Scientific Reports</i> , 2019 , 9, 11285	4.9	5
37	Preparation and characterization of redox-sensitive glutenin nanoparticles. <i>International Journal of Biological Macromolecules</i> , 2019 , 137, 327-336	7.9	5
36	Effects of heat moisture treatment with erythritol on the physicochemical properties of wheat starch. <i>Starch/Staerke</i> , 2014 , 66, 496-501	2.3	5
35	Interactions of Surface-Functionalized Starch Nanoparticles with Pepsin and Trypsin in Simulated Gastrointestinal Fluids. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 10174-10183	5.7	5
34	pH-Sensitive Chitosan-Sodium Phytate Core-Shell Hollow Beads and Nanocapsules for the Encapsulation of Active Ingredients. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 2894-2905	5.7	4
33	Comparison of Lutein Bioaccessibility from Dietary Supplement-Excipient Nanoemulsions and Nanoemulsion-Based Delivery Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 13925-13932	5.7	3
32	Characterization and in vitro digestibility of potato starch encapsulated in calcium alginate beads. <i>Food Hydrocolloids</i> , 2022 , 126, 107458	10.6	3
31	Emulsification and dilatational surface rheology of ultrasonicated milk fat globule membrane (MFGM) materials. <i>LWT - Food Science and Technology</i> , 2020 , 133, 110094	5.4	3
30	Characterization of complexes formed between debranched starch and fatty acids having different carbon chain lengths. <i>International Journal of Biological Macromolecules</i> , 2021 , 167, 595-604	7.9	3
29	Effects of food-grade inorganic nanoparticles on the probiotic properties of <i>Lactobacillus plantarum</i> and <i>Lactobacillus fermentum</i> . <i>LWT - Food Science and Technology</i> , 2021 , 139, 110540	5.4	3
28	Preparation of a superhydrophilic SiO ₂ nanoparticles coated chitosan-sodium phytate film by a simple ethanol soaking process. <i>Carbohydrate Polymers</i> , 2021 , 271, 118422	10.3	3
27	Interaction between soybean oleosome-associated proteins and phospholipid bilayer and its influence on environmental stability of luteolin-loaded liposomes. <i>Food Hydrocolloids</i> , 2022 , 107721	10.6	3
26	The synergistic effect of glycerol and sodium chloride on the degree of chitin nano-whisker gels reinforcement. <i>Colloid and Polymer Science</i> , 2017 , 295, 1643-1654	2.4	2

25	Prebiotic effects of resistant starch nanoparticles on growth and proliferation of the probiotic <i>Lactiplantibacillus plantarum</i> subsp. <i>plantarum</i> . <i>LWT - Food Science and Technology</i> , 2022 , 154, 112572	5.4	2
24	Current knowledge in the stabilization/destabilization of infant formula emulsions during processing as affected by formulations. <i>Trends in Food Science and Technology</i> , 2021 , 109, 435-447	15.3	2
23	Construction and Characterization of Phthalocyanine-Loaded Particles of Curdlan and Their Photosensitivity. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	2
22	Development of chitosan/tannic acid/corn starch multifunctional bilayer smart films as pH-responsive actuators and for fruit preservation.. <i>International Journal of Biological Macromolecules</i> , 2022 ,	7.9	2
21	Recent advances in the preparation, characterization, and food application of starch-based hydrogels. <i>Carbohydrate Polymers</i> , 2022 , 119624	10.3	2
20	Formation of protein corona on interaction of pepsin with chitin nanowhiskers in simulated gastric fluid.. <i>Food Chemistry</i> , 2022 , 383, 132393	8.5	1
19	The formation of starch-lipid complexes by microwave heating.. <i>Food Chemistry</i> , 2022 , 382, 132319	8.5	1
18	Preparation and characterization of waxy maize starch nanoparticles via hydrochloric acid vapor hydrolysis combined with ultrasonication treatment. <i>Ultrasonics Sonochemistry</i> , 2021 , 80, 105836	8.9	1
17	Hydroxypropyl methylcellulose hydrocolloid systems: Effect of hydroxypropy group content on the phase structure, rheological properties and film characteristics.. <i>Food Chemistry</i> , 2022 , 379, 132075	8.5	1
16	The effect of ethanol solution annealing on the physicochemical properties of pea and potato starches. <i>Food Hydrocolloids</i> , 2022 , 125, 107428	10.6	1
15	Formation and characterization of debranched starch-alcohol complexes with six aliphatic alcohols. <i>LWT - Food Science and Technology</i> , 2021 , 140, 110805	5.4	1
14	Preparation of highly purified β -docosapentaenoic acid from seal oil via urea complexation combined with preparative high performance liquid chromatography. <i>Separation Science and Technology</i> , 2021 , 56, 1769-1778	2.5	1
13	Anti-freezing starch hydrogels with superior mechanical properties and water retention ability for 3D printing. <i>International Journal of Biological Macromolecules</i> , 2021 , 190, 382-389	7.9	1
12	Calcium alginate/curdlan/corn starch@calcium alginate macrocapsules for slowly digestible and resistant starch.. <i>Carbohydrate Polymers</i> , 2022 , 285, 119259	10.3	1
11	Delineating the dynamic transformation of gluten morphological distribution, structure, and aggregation behavior in noodle dough induced by mixing and resting.. <i>Food Chemistry</i> , 2022 , 386, 132853	8.5	1
10	Improved stability of liposome-stabilized emulsions as a co-encapsulation delivery system for vitamin B, vitamin E and β -carotene.. <i>Food and Function</i> , 2022 , 13, 2966-2984	6.1	0
9	Effect of molecular weight on the interfacial and emulsifying characteristics of rice glutelin hydrolysates. <i>Food Hydrocolloids</i> , 2022 , 128, 107560	10.6	0
8	Green preparation of debranched starch nanoparticles with different crystalline structures by electrostatic spraying. <i>Food Hydrocolloids</i> , 2022 , 127, 107513	10.6	0

7	Gelatinizing Starch in Sodium Hydroxide/Glycerol Aqueous Solution at Room Temperature. <i>Starch/Staerke</i> , 2021 , 73, 2000152	2.3	○
6	Inhibition of Long-Term Retrogradation of Corn, Potato, and Pea Starches by Borax. <i>Starch/Staerke</i> , 2021 , 73, 2000045	2.3	○
5	Evolution of Physicochemical Properties, Phenolic Acid Accumulation, and Dough-Making Quality of Whole Wheat Flour During Germination Under UV-B Radiation.. <i>Frontiers in Nutrition</i> , 2022 , 9, 877324	6.2	○
4	Properties of curcumin-loaded zein-tea saponin nanoparticles prepared by antisolvent co-precipitation and precipitation. <i>Food Chemistry</i> , 2022 , 133224	8.5	○
3	Efficient preparation of cellulose nanocrystals with a high yield through simultaneous acidolysis with a heatmoisture treatment. <i>Food Chemistry</i> , 2022 , 391, 133285	8.5	○
2	Versatile wheat gluten: functional properties and application in the food-related industry. <i>Critical Reviews in Food Science and Nutrition</i> ,1-17	11.5	○
1	Emulsion-Based Formulations for Delivery of Vitamin E: Fabrication, Characterization, in Vitro Release, Bioaccessibility and Bioavailability. <i>Food Reviews International</i> ,1-18	5.5	