

Fengxi Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5923273/publications.pdf>

Version: 2024-02-01

84
papers

5,919
citations

136950

32
h-index

79698

73
g-index

87
all docs

87
docs citations

87
times ranked

10081
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | CD10+GPR77+ Cancer-Associated Fibroblasts Promote Cancer Formation and Chemoresistance by Sustaining Cancer Stemness. <i>Cell</i> , 2018, 172, 841-856.e16. | 28.9 | 831 |
| 2 | A Cytoplasmic NF- κ B Interacting Long Noncoding RNA Blocks κ B Phosphorylation and Suppresses Breast Cancer Metastasis. <i>Cancer Cell</i> , 2015, 27, 370-381. | 16.8 | 794 |
| 3 | A Positive Feedback Loop between Mesenchymal-like Cancer Cells and Macrophages Is Essential to Breast Cancer Metastasis. <i>Cancer Cell</i> , 2014, 25, 605-620. | 16.8 | 607 |
| 4 | Extracellular vesicle-packaged HIF-1 α -stabilizing lncRNA from tumour-associated macrophages regulates aerobic glycolysis of breast cancer cells. <i>Nature Cell Biology</i> , 2019, 21, 498-510. | 10.3 | 488 |
| 5 | NKILA lncRNA promotes tumor immune evasion by sensitizing T cells to activation-induced cell death. <i>Nature Immunology</i> , 2018, 19, 1112-1125. | 14.5 | 337 |
| 6 | miR-142-5p and miR-130a-3p are regulated by IL-4 and IL-13 and control profibrogenic macrophage program. <i>Nature Communications</i> , 2015, 6, 8523. | 12.8 | 203 |
| 7 | Immune Checkpoint Inhibition Overcomes ADCP-Induced Immunosuppression by Macrophages. <i>Cell</i> , 2018, 175, 442-457.e23. | 28.9 | 198 |
| 8 | Blocking the recruitment of naive CD4+ T cells reverses immunosuppression in breast cancer. <i>Cell Research</i> , 2017, 27, 461-482. | 12.0 | 163 |
| 9 | Development and Validation of a Preoperative Magnetic Resonance Imaging Radiomics-Based Signature to Predict Axillary Lymph Node Metastasis and Disease-Free Survival in Patients With Early-Stage Breast Cancer. <i>JAMA Network Open</i> , 2020, 3, e2028086. | 5.9 | 130 |
| 10 | MiR-27 as a Prognostic Marker for Breast Cancer Progression and Patient Survival. <i>PLoS ONE</i> , 2012, 7, e51702. | 2.5 | 128 |
| 11 | Pretreatment neutrophil-to-lymphocyte ratio is correlated with response to neoadjuvant chemotherapy as an independent prognostic indicator in breast cancer patients: a retrospective study. <i>BMC Cancer</i> , 2016, 16, 320. | 2.6 | 115 |
| 12 | lncRNA NKILA suppresses TGF β -induced epithelial-mesenchymal transition by blocking NF κ B signaling in breast cancer. <i>International Journal of Cancer</i> , 2018, 143, 2213-2224. | 5.1 | 108 |
| 13 | Magnetic resonance imaging radiomics predicts preoperative axillary lymph node metastasis to support surgical decisions and is associated with tumor microenvironment in invasive breast cancer: A machine learning, multicenter study. <i>EBioMedicine</i> , 2021, 69, 103460. | 6.1 | 101 |
| 14 | The Peripheral Blood Neutrophil-To-Lymphocyte Ratio Is Superior to the Lymphocyte-To-Monocyte Ratio for Predicting the Long-Term Survival of Triple-Negative Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0143061. | 2.5 | 90 |
| 15 | Tamoxifen-resistant breast cancer cells are resistant to DNA-damaging chemotherapy because of upregulated BARD1 and BRCA1. <i>Nature Communications</i> , 2018, 9, 1595. | 12.8 | 89 |
| 16 | Efficacy and safety of camrelizumab combined with apatinib in advanced triple-negative breast cancer: an open-label phase II trial. , 2020, 8, e000696. | | 88 |
| 17 | Treatments for Idiopathic Granulomatous Mastitis: Systematic Review and Meta-Analysis. <i>Breastfeeding Medicine</i> , 2017, 12, 415-421. | 1.7 | 85 |
| 18 | BRMS1L suppresses breast cancer metastasis by inducing epigenetic silence of FZD10. <i>Nature Communications</i> , 2014, 5, 5406. | 12.8 | 84 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | A serum microRNA signature predicts trastuzumab benefit in HER2-positive metastatic breast cancer patients. <i>Nature Communications</i> , 2018, 9, 1614. | 12.8 | 76 |
| 20 | What lies behind chemotherapy-induced amenorrhea for breast cancer patients: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 113-128. | 2.5 | 71 |
| 21 | Lin28 Induces Epithelial-to-Mesenchymal Transition and Stemness via Downregulation of Let-7a in Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e83083. | 2.5 | 70 |
| 22 | E2F7 overexpression leads to tamoxifen resistance in breast cancer cells by competing with E2F1 at miR-15a/16 promoter. <i>Oncotarget</i> , 2015, 6, 31944-31957. | 1.8 | 62 |
| 23 | Which nomogram is best for predicting non-sentinel lymph node metastasis in breast cancer patients? A meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 783-795. | 2.5 | 58 |
| 24 | A single-center, prospective and randomized controlled study: Can the prophylactic use of lamivudine prevent hepatitis B virus reactivation in hepatitis B s-antigen seropositive breast cancer patients during chemotherapy?. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 705-712. | 2.5 | 49 |
| 25 | Comparative effectiveness study of breast-conserving surgery and mastectomy in the general population: A NCDB analysis. <i>Oncotarget</i> , 2015, 6, 40127-40140. | 1.8 | 48 |
| 26 | Tumor-Associated Macrophages Promote Malignant Progression of Breast Phyllodes Tumors by Inducing Myofibroblast Differentiation. <i>Cancer Research</i> , 2017, 77, 3605-3618. | 0.9 | 44 |
| 27 | A novel six-microRNA-based model to improve prognosis prediction of breast cancer. <i>Aging</i> , 2019, 11, 649-662. | 3.1 | 44 |
| 28 | Prognostic Value of a BCSC-associated MicroRNA Signature in Hormone Receptor-Positive HER2-Negative Breast Cancer. <i>EBioMedicine</i> , 2016, 11, 199-209. | 6.1 | 43 |
| 29 | CCL18-mediated down-regulation of miR98 and miR27b promotes breast cancer metastasis. <i>Oncotarget</i> , 2015, 6, 20485-20499. | 1.8 | 43 |
| 30 | Targeting regulator of G protein signaling 1 in tumor-specific T cells enhances their trafficking to breast cancer. <i>Nature Immunology</i> , 2021, 22, 865-879. | 14.5 | 41 |
| 31 | Reduced Let-7a Is Associated with Chemoresistance in Primary Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0133643. | 2.5 | 37 |
| 32 | Estrogen receptor beta as a prognostic factor in breast cancer patients: A systematic review and meta-analysis. <i>Oncotarget</i> , 2016, 7, 10373-10385. | 1.8 | 37 |
| 33 | Response and prognosis of taxanes and anthracyclines neoadjuvant chemotherapy in patients with triple-negative breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1505-1510. | 2.5 | 36 |
| 34 | Development and validation of a nomogram predicting the overall survival of stage <scp>IV</scp> breast cancer patients. <i>Cancer Medicine</i> , 2017, 6, 2586-2594. | 2.8 | 35 |
| 35 | Safety study of axillary reverse mapping in the surgical treatment for breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1869-1874. | 2.5 | 33 |
| 36 | Potentiated DNA Damage Response in Circulating Breast Tumor Cells Confers Resistance to Chemotherapy. <i>Journal of Biological Chemistry</i> , 2015, 290, 14811-14825. | 3.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Nipple sparing mastectomy in breast cancer patients and long-term survival outcomes: An analysis of the SEER database. PLoS ONE, 2017, 12, e0183448. | 2.5 | 30 |
| 38 | Clinical Outcomes of Breast-Conserving Surgery in Patients Using a Modified Method for Cavity Margin Assessment. Annals of Surgical Oncology, 2012, 19, 3386-3394. | 1.5 | 26 |
| 39 | Benign Phyllodes Tumor of the Breast Diagnosed After Ultrasound-Guided Vacuum-Assisted Biopsy: Surgical Excision or Wait-and-Watch?. Annals of Surgical Oncology, 2016, 23, 1129-1134. | 1.5 | 25 |
| 40 | Comparison of ER/PR and HER2 statuses in primary and paired liver metastatic sites of breast carcinoma in patients with or without treatment. Journal of Cancer Research and Clinical Oncology, 2012, 138, 837-842. | 2.5 | 23 |
| 41 | HER-2 positive breast cancer is associated with an increased risk of positive cavity margins after initial lumpectomy. World Journal of Surgical Oncology, 2014, 12, 289. | 1.9 | 22 |
| 42 | Development and validation of a novel nomogram for predicting distant metastasis-free survival among breast cancer patients. Annals of Translational Medicine, 2019, 7, 537-537. | 1.7 | 19 |
| 43 | Does patient age affect the PPV3 of ACR BI-RADS Ultrasound categories 4 and 5 in the diagnostic setting?. European Radiology, 2018, 28, 2492-2498. | 4.5 | 16 |
| 44 | Incidence and survival outcomes of early male breast cancer: a population-based comparison with early female breast cancer. Annals of Translational Medicine, 2019, 7, 536-536. | 1.7 | 16 |
| 45 | Effects of Traditional Chinese Medicine on Chemotherapy-Induced Myelosuppression and Febrile Neutropenia in Breast Cancer Patients. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-11. | 1.2 | 15 |
| 46 | Evaluation of guidelines regarding surgical treatment of breast cancer using the AGREE Instrument: a systematic review. BMJ Open, 2017, 7, e014883. | 1.9 | 14 |
| 47 | Circumferential Shaving of the Cavity in Breast-Conserving Surgery: A Randomized Controlled Trial. Annals of Surgical Oncology, 2019, 26, 4256-4263. | 1.5 | 14 |
| 48 | Identification of a novel microRNA recurrence-related signature and risk stratification system in breast cancer. Aging, 2019, 11, 7525-7536. | 3.1 | 14 |
| 49 | Expression profile and prognostic values of STAT family members in non-small cell lung cancer. American Journal of Translational Research (discontinued), 2019, 11, 4866-4880. | 0.0 | 14 |
| 50 | <p>Risk factors of catheter-related thrombosis in early-stage breast cancer patients: a single-center retrospective study<p>. Cancer Management and Research, 2019, Volume 11, 8379-8389. | 1.9 | 13 |
| 51 | Development and validation of a nomogram incorporating axillary lymph node ratio to predict survival in node-positive breast cancer patients after neoadjuvant chemotherapy. Japanese Journal of Clinical Oncology, 2019, 49, 22-28. | 1.3 | 13 |
| 52 | A combination of Nottingham prognostic index and IHC4 score predicts pathological complete response of neoadjuvant chemotherapy in estrogen receptor positive breast cancer. Oncotarget, 2016, 7, 87312-87322. | 1.8 | 12 |
| 53 | Clinical Predictive Models for Chemotherapy-Induced Febrile Neutropenia in Breast Cancer Patients: A Validation Study. PLoS ONE, 2014, 9, e96413. | 2.5 | 11 |
| 54 | Comparison of breast-conserving surgery and mastectomy in early breast cancer using observational data revisited: a propensity score-matched analysis. Science China Life Sciences, 2018, 61, 1528-1536. | 4.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Predicting initial margin status in breast cancer patients during breast-conserving surgery. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 2627-2635. | 2.0 | 9 |
| 56 | The prognostic value of age for invasive lobular breast cancer depending on estrogen receptor and progesterone receptor-defined subtypes: A NCDB analysis. <i>Oncotarget</i> , 2016, 7, 6063-6073. | 1.8 | 9 |
| 57 | Impact of atypical hyperplasia at margins of breast-conserving surgery on the recurrence of breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 599-605. | 2.5 | 7 |
| 58 | A Nomogram to Predict the Benefit of Radiation Therapy After Breast-Conserving Surgery in Elderly Patients with Stage I & ER-Negative, or Stage II/III Disease. <i>Annals of Surgical Oncology</i> , 2015, 22, 3497-3503. | 1.5 | 7 |
| 59 | Does establishing a preoperative nomogram including ultrasonographic findings help predict the likelihood of malignancy in patients with microcalcifications?. <i>Cancer Imaging</i> , 2019, 19, 46. | 2.8 | 7 |
| 60 | Overexpression of Activin Receptor-like Kinase 7 in Breast Cancer Cells Is Associated with Decreased Cell Growth and Adhesion. <i>Anticancer Research</i> , 2017, 37, 3441-3451. | 1.1 | 7 |
| 61 | Identification of SOCS family members with prognostic values in human ovarian cancer. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 1824-1838. | 0.0 | 7 |
| 62 | Prognostic significance of Ki67 in Chinese women diagnosed with ER+/HER2 ⁻ breast cancers by the 2015 ⁺ St. Gallen consensus classification. <i>BMC Cancer</i> , 2017, 17, 28. | 2.6 | 6 |
| 63 | Factors associated with the increasing trend of contralateral prophylactic mastectomy among patients with ductal carcinoma in situ: Analysis of Surveillance, Epidemiology, and End Results data. <i>Breast</i> , 2018, 40, 147-155. | 2.2 | 6 |
| 64 | Imaging features that distinguish pure ductal carcinoma in situ (DCIS) from DCIS with microinvasion. <i>Molecular and Clinical Oncology</i> , 2019, 11, 313-319. | 1.0 | 6 |
| 65 | In pursuit of a flawless aphrodite: paving the way to scarless oncoplastic breast surgery. <i>Cancer Communications</i> , 2019, 39, 82. | 9.2 | 6 |
| 66 | Neoadjuvant everolimus plus letrozole versus fluorouracil, epirubicin and cyclophosphamide for ER-positive, HER2-negative breast cancer: a randomized pilot trial. <i>BMC Cancer</i> , 2021, 21, 862. | 2.6 | 6 |
| 67 | Introduction of a multicenter online database for non-metastatic breast cancer in China. <i>Science China Life Sciences</i> , 2020, 63, 1417-1420. | 4.9 | 5 |
| 68 | Rare imaging appearance of adenoid cystic carcinoma of the breast: A case report. <i>Molecular and Clinical Oncology</i> , 2017, 7, 473-475. | 1.0 | 4 |
| 69 | Patterns of Use of Docetaxel-Containing Adjuvant Chemotherapy Among Chinese Patients with Operable Breast Cancer: A Multicenter Observational Study. <i>Advances in Therapy</i> , 2019, 36, 131-146. | 2.9 | 4 |
| 70 | Effect of Implant vs. Tissue Reconstruction on Cancer Specific Survival Varies by Axillary Lymph Node Status in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0118161. | 2.5 | 3 |
| 71 | Multiple metastases of bones and sigmoid colon after mastectomy for ductal carcinoma in situ of the breast: a case report. <i>BMC Cancer</i> , 2019, 19, 844. | 2.6 | 3 |
| 72 | Risk factors associated with loss to follow-up of breast cancer patients: A retrospective analysis. <i>Breast</i> , 2021, 57, 36-42. | 2.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Multicentre, randomised, open-label, non-inferiority trial comparing the effectiveness and safety of ductal lavage versus oral corticosteroids for idiopathic granulomatous mastitis: a study protocol. <i>BMJ Open</i> , 2020, 10, e036643. | 1.9 | 2 |
| 74 | Impact of a 21-Gene Recurrence Score Test on the Choice of Adjuvant Chemotherapy for Hormone Receptor-positive Early-stage Breast Cancer: A Prospective Study. <i>Anticancer Research</i> , 2017, 37, 4539-4547. | 1.1 | 2 |
| 75 | Prospective comparison of Sapylin and Avitene for reducing hydrops after axillary lymphadenectomy in breast cancer patients. <i>Journal of Surgical Research</i> , 2017, 210, 8-14. | 1.6 | 1 |
| 76 | Male breast cancer with ureteral metastasis: a case report. <i>Annals of Palliative Medicine</i> , 2021, 10, 8346-8351. | 1.2 | 1 |
| 77 | A multicenter, cross-sectional research of the adherence to endocrine therapy with selective estrogen receptor modulators (SERMs) in premenopausal women in China.. <i>Journal of Clinical Oncology</i> , 2016, 34, e12025-e12025. | 1.6 | 1 |
| 78 | Predictors of Malignancy for Female Patients with Suspicious Nipple Discharge: A Retrospective Study. <i>Anticancer Research</i> , 2017, 37, 4655-4658. | 1.1 | 1 |
| 79 | Assessing second echelon lymph nodes during sentinel lymph node biopsy: Can we have more accurate axillary treatment for breast cancer patients?. <i>Medical Hypotheses</i> , 2011, 77, 987-989. | 1.5 | 0 |
| 80 | Central venous port placement in advanced breast cancer patients: comparison of the anatomic-landmark and ultrasound-guided techniques. <i>Chinese-German Journal of Clinical Oncology</i> , 2011, 10, 695-698. | 0.1 | 0 |
| 81 | Prognostic value of a BCSC-associated microRNA signature in hormone receptor-positive HER2-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 532-532. | 1.6 | 0 |
| 82 | Prognostic impact of 21-gene recurrence score in patients with node negative breast cancer in China.. <i>Journal of Clinical Oncology</i> , 2018, 36, e24255-e24255. | 1.6 | 0 |
| 83 | Machine learning radiomics signature on magnetic resonance imaging associated with phenotypes and disease-free survival in patients with breast cancer (RBC-01): A registry-based, multicenter cohort study.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3563-3563. | 1.6 | 0 |
| 84 | A novel approach for 21-genes testing associated with prognosis in Chinese patients with ER-positive/HER2-negative breast cancer: A real-world study.. <i>Journal of Clinical Oncology</i> , 2020, 38, e12528-e12528. | 1.6 | 0 |