

# Fengxi Su

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5923273/publications.pdf>

Version: 2024-02-01

84  
papers

5,919  
citations

136950

32  
h-index

79698

73  
g-index

87  
all docs

87  
docs citations

87  
times ranked

10081  
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting regulator of G protein signaling 1 in tumor-specific T cells enhances their trafficking to breast cancer. <i>Nature Immunology</i> , 2021, 22, 865-879.	14.5	41
2	Risk factors associated with loss to follow-up of breast cancer patients: A retrospective analysis. <i>Breast</i> , 2021, 57, 36-42.	2.2	3
3	Magnetic resonance imaging radiomics predicts preoperative axillary lymph node metastasis to support surgical decisions and is associated with tumor microenvironment in invasive breast cancer: A machine learning, multicenter study. <i>EBioMedicine</i> , 2021, 69, 103460.	6.1	101
4	Male breast cancer with ureteral metastasis: a case report. <i>Annals of Palliative Medicine</i> , 2021, 10, 8346-8351.	1.2	1
5	Neoadjuvant everolimus plus letrozole versus fluorouracil, epirubicin and cyclophosphamide for ER-positive, HER2-negative breast cancer: a randomized pilot trial. <i>BMC Cancer</i> , 2021, 21, 862.	2.6	6
6	Multicentre, randomised, open-label, non-inferiority trial comparing the effectiveness and safety of ductal lavage versus oral corticosteroids for idiopathic granulomatous mastitis: a study protocol. <i>BMJ Open</i> , 2020, 10, e036643.	1.9	2
7	Introduction of a multicenter online database for non-metastatic breast cancer in China. <i>Science China Life Sciences</i> , 2020, 63, 1417-1420.	4.9	5
8	Development and Validation of a Preoperative Magnetic Resonance Imaging Radiomics-Based Signature to Predict Axillary Lymph Node Metastasis and Disease-Free Survival in Patients With Early-Stage Breast Cancer. <i>JAMA Network Open</i> , 2020, 3, e2028086.	5.9	130
9	Efficacy and safety of camrelizumab combined with apatinib in advanced triple-negative breast cancer: an open-label phase II trial. , 2020, 8, e000696.		88
10	Machine learning radiomics signature on magnetic resonance imaging associated with phenotypes and disease-free survival in patients with breast cancer (RBC-01): A registry-based, multicenter cohort study.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3563-3563.	1.6	0
11	A novel approach for 21-genes testing associated with prognosis in Chinese patients with ER-positive/HER2-negative breast cancer: A real-world study.. <i>Journal of Clinical Oncology</i> , 2020, 38, e12528-e12528.	1.6	0
12	Identification of SOCS family members with prognostic values in human ovarian cancer. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 1824-1838.	0.0	7
13	Imaging features that distinguish pure ductal carcinoma in situ (DCIS) from DCIS with microinvasion. <i>Molecular and Clinical Oncology</i> , 2019, 11, 313-319.	1.0	6
14	Circumferential Shaving of the Cavity in Breast-Conserving Surgery: A Randomized Controlled Trial. <i>Annals of Surgical Oncology</i> , 2019, 26, 4256-4263.	1.5	14
15	Does establishing a preoperative nomogram including ultrasonographic findings help predict the likelihood of malignancy in patients with microcalcifications?. <i>Cancer Imaging</i> , 2019, 19, 46.	2.8	7
16	Multiple metastases of bones and sigmoid colon after mastectomy for ductal carcinoma in situ of the breast: a case report. <i>BMC Cancer</i> , 2019, 19, 844.	2.6	3
17	&lt;p&gt;Risk factors of catheter-related thrombosis in early-stage breast cancer patients: a single-center retrospective study&lt;p&gt;. <i>Cancer Management and Research</i> , 2019, Volume 11, 8379-8389.	1.9	13
18	A novel six-microRNA-based model to improve prognosis prediction of breast cancer. <i>Aging</i> , 2019, 11, 649-662.	3.1	44

#	ARTICLE	IF	CITATIONS
19	Extracellular vesicle-packaged HIF-1 $\alpha$ -stabilizing lncRNA from tumour-associated macrophages regulates aerobic glycolysis of breast cancer cells. <i>Nature Cell Biology</i> , 2019, 21, 498-510.	10.3	488
20	In pursuit of a flawless aphrodite: paving the way to scarless oncoplastic breast surgery. <i>Cancer Communications</i> , 2019, 39, 82.	9.2	6
21	Development and validation of a nomogram incorporating axillary lymph node ratio to predict survival in node-positive breast cancer patients after neoadjuvant chemotherapy. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 22-28.	1.3	13
22	Patterns of Use of Docetaxel-Containing Adjuvant Chemotherapy Among Chinese Patients with Operable Breast Cancer: A Multicenter Observational Study. <i>Advances in Therapy</i> , 2019, 36, 131-146.	2.9	4
23	Identification of a novel microRNA recurrence-related signature and risk stratification system in breast cancer. <i>Aging</i> , 2019, 11, 7525-7536.	3.1	14
24	Incidence and survival outcomes of early male breast cancer: a population-based comparison with early female breast cancer. <i>Annals of Translational Medicine</i> , 2019, 7, 536-536.	1.7	16
25	Development and validation of a novel nomogram for predicting distant metastasis-free survival among breast cancer patients. <i>Annals of Translational Medicine</i> , 2019, 7, 537-537.	1.7	19
26	Expression profile and prognostic values of STAT family members in non-small cell lung cancer. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 4866-4880.	0.0	14
27	Tamoxifen-resistant breast cancer cells are resistant to DNA-damaging chemotherapy because of upregulated BARD1 and BRCA1. <i>Nature Communications</i> , 2018, 9, 1595.	12.8	89
28	A serum microRNA signature predicts trastuzumab benefit in HER2-positive metastatic breast cancer patients. <i>Nature Communications</i> , 2018, 9, 1614.	12.8	76
29	CD10+GPR77+ Cancer-Associated Fibroblasts Promote Cancer Formation and Chemoresistance by Sustaining Cancer Stemness. <i>Cell</i> , 2018, 172, 841-856.e16.	28.9	831
30	Does patient age affect the PPV3 of ACR BI-RADS Ultrasound categories 4 and 5 in the diagnostic setting?. <i>European Radiology</i> , 2018, 28, 2492-2498.	4.5	16
31	Comparison of breast-conserving surgery and mastectomy in early breast cancer using observational data revisited: a propensity score-matched analysis. <i>Science China Life Sciences</i> , 2018, 61, 1528-1536.	4.9	11
32	Immune Checkpoint Inhibition Overcomes ADCP-Induced Immunosuppression by Macrophages. <i>Cell</i> , 2018, 175, 442-457.e23.	28.9	198
33	NKILA lncRNA promotes tumor immune evasion by sensitizing T cells to activation-induced cell death. <i>Nature Immunology</i> , 2018, 19, 1112-1125.	14.5	337
34	Factors associated with the increasing trend of contralateral prophylactic mastectomy among patients with ductal carcinoma in situ: Analysis of Surveillance, Epidemiology, and End Results data. <i>Breast</i> , 2018, 40, 147-155.	2.2	6
35	lncRNA NKILA suppresses TGF $\beta$ -induced epithelial-mesenchymal transition by blocking NF $\kappa$ B signaling in breast cancer. <i>International Journal of Cancer</i> , 2018, 143, 2213-2224.	5.1	108
36	Predicting initial margin status in breast cancer patients during breast-conserving surgery. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 2627-2635.	2.0	9

#	ARTICLE	IF	CITATIONS
37	Prognostic impact of 21-gene recurrence score in patients with node negative breast cancer in China.. Journal of Clinical Oncology, 2018, 36, e24255-e24255.	1.6	0
38	Prognostic significance of Ki67 in Chinese women diagnosed with ER+/HER2 <sup>+</sup> breast cancers by the 2015 <sup>+</sup> St. Gallen consensus classification. BMC Cancer, 2017, 17, 28.	2.6	6
39	Tumor-Associated Macrophages Promote Malignant Progression of Breast Phyllodes Tumors by Inducing Myofibroblast Differentiation. Cancer Research, 2017, 77, 3605-3618.	0.9	44
40	Blocking the recruitment of naive CD4+ T cells reverses immunosuppression in breast cancer. Cell Research, 2017, 27, 461-482.	12.0	163
41	Prospective comparison of Sapylin and Avitene for reducing hydrops after axillary lymphadenectomy in breast cancer patients. Journal of Surgical Research, 2017, 210, 8-14.	1.6	1
42	Development and validation of a nomogram predicting the overall survival of stage <scp>IV</scp> breast cancer patients. Cancer Medicine, 2017, 6, 2586-2594.	2.8	35
43	Treatments for Idiopathic Granulomatous Mastitis: Systematic Review and Meta-Analysis. Breastfeeding Medicine, 2017, 12, 415-421.	1.7	85
44	Rare imaging appearance of adenoid cystic carcinoma of the breast: A case report. Molecular and Clinical Oncology, 2017, 7, 473-475.	1.0	4
45	Evaluation of guidelines regarding surgical treatment of breast cancer using the AGREE Instrument: a systematic review. BMJ Open, 2017, 7, e014883.	1.9	14
46	Nipple sparing mastectomy in breast cancer patients and long-term survival outcomes: An analysis of the SEER database. PLoS ONE, 2017, 12, e0183448.	2.5	30
47	Predictors of Malignancy for Female Patients with Suspicious Nipple Discharge: A Retrospective Study. Anticancer Research, 2017, 37, 4655-4658.	1.1	1
48	Overexpression of Activin Receptor-like Kinase 7 in Breast Cancer Cells Is Associated with Decreased Cell Growth and Adhesion. Anticancer Research, 2017, 37, 3441-3451.	1.1	7
49	Impact of a 21-Gene Recurrence Score Test on the Choice of Adjuvant Chemotherapy for Hormone Receptor-positive Early-stage Breast Cancer: A Prospective Study. Anticancer Research, 2017, 37, 4539-4547.	1.1	2
50	Estrogen receptor beta as a prognostic factor in breast cancer patients: A systematic review and meta-analysis. Oncotarget, 2016, 7, 10373-10385.	1.8	37
51	Pretreatment neutrophil-to-lymphocyte ratio is correlated with response to neoadjuvant chemotherapy as an independent prognostic indicator in breast cancer patients: a retrospective study. BMC Cancer, 2016, 16, 320.	2.6	115
52	Prognostic Value of a BCSC-associated MicroRNA Signature in Hormone Receptor-Positive HER2-Negative Breast Cancer. EBioMedicine, 2016, 11, 199-209.	6.1	43
53	Benign Phyllodes Tumor of the Breast Diagnosed After Ultrasound-Guided Vacuum-Assisted Biopsy: Surgical Excision or Wait-and-Watch?. Annals of Surgical Oncology, 2016, 23, 1129-1134.	1.5	25
54	A multicenter, cross-sectional research of the adherence to endocrine therapy with selective estrogen receptor modulators (SERMs) in premenopausal women in China.. Journal of Clinical Oncology, 2016, 34, e12025-e12025.	1.6	1

#	ARTICLE	IF	CITATIONS
55	A combination of Nottingham prognostic index and IHC4 score predicts pathological complete response of neoadjuvant chemotherapy in estrogen receptor positive breast cancer. <i>Oncotarget</i> , 2016, 7, 87312-87322.	1.8	12
56	The prognostic value of age for invasive lobular breast cancer depending on estrogen receptor and progesterone receptor-defined subtypes: A NCDB analysis. <i>Oncotarget</i> , 2016, 7, 6063-6073.	1.8	9
57	Prognostic value of a BCSC-associated microRNA signature in hormone receptor-positive HER2-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 532-532.	1.6	0
58	Effect of Implant vs. Tissue Reconstruction on Cancer Specific Survival Varies by Axillary Lymph Node Status in Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0118161.	2.5	3
59	Reduced Let-7a Is Associated with Chemoresistance in Primary Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0133643.	2.5	37
60	Effects of Traditional Chinese Medicine on Chemotherapy-Induced Myelosuppression and Febrile Neutropenia in Breast Cancer Patients. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-11.	1.2	15
61	Comparative effectiveness study of breast-conserving surgery and mastectomy in the general population: A NCDB analysis. <i>Oncotarget</i> , 2015, 6, 40127-40140.	1.8	48
62	A Nomogram to Predict the Benefit of Radiation Therapy After Breast-Conserving Surgery in Elderly Patients with Stage I & ER-Negative, or Stage II/III Disease. <i>Annals of Surgical Oncology</i> , 2015, 22, 3497-3503.	1.5	7
63	A Cytoplasmic NF- $\kappa$ B Interacting Long Noncoding RNA Blocks I $\kappa$ B Phosphorylation and Suppresses Breast Cancer Metastasis. <i>Cancer Cell</i> , 2015, 27, 370-381.	16.8	794
64	Potentiated DNA Damage Response in Circulating Breast Tumor Cells Confers Resistance to Chemotherapy. <i>Journal of Biological Chemistry</i> , 2015, 290, 14811-14825.	3.4	32
65	miR-142-5p and miR-130a-3p are regulated by IL-4 and IL-13 and control profibrogenic macrophage program. <i>Nature Communications</i> , 2015, 6, 8523.	12.8	203
66	The Peripheral Blood Neutrophil-To-Lymphocyte Ratio Is Superior to the Lymphocyte-To-Monocyte Ratio for Predicting the Long-Term Survival of Triple-Negative Breast Cancer Patients. <i>PLoS ONE</i> , 2015, 10, e0143061.	2.5	90
67	CCL18-mediated down-regulation of miR98 and miR27b promotes breast cancer metastasis. <i>Oncotarget</i> , 2015, 6, 20485-20499.	1.8	43
68	E2F7 overexpression leads to tamoxifen resistance in breast cancer cells by competing with E2F1 at miR-15a/16 promoter. <i>Oncotarget</i> , 2015, 6, 31944-31957.	1.8	62
69	Clinical Predictive Models for Chemotherapy-Induced Febrile Neutropenia in Breast Cancer Patients: A Validation Study. <i>PLoS ONE</i> , 2014, 9, e96413.	2.5	11
70	HER-2 positive breast cancer is associated with an increased risk of positive cavity margins after initial lumpectomy. <i>World Journal of Surgical Oncology</i> , 2014, 12, 289.	1.9	22
71	Impact of atypical hyperplasia at margins of breast-conserving surgery on the recurrence of breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 599-605.	2.5	7
72	What lies behind chemotherapy-induced amenorrhea for breast cancer patients: a meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 113-128.	2.5	71

#	ARTICLE	IF	CITATIONS
73	A Positive Feedback Loop between Mesenchymal-like Cancer Cells and Macrophages Is Essential to Breast Cancer Metastasis. <i>Cancer Cell</i> , 2014, 25, 605-620.	16.8	607
74	BRMS1L suppresses breast cancer metastasis by inducing epigenetic silence of FZD10. <i>Nature Communications</i> , 2014, 5, 5406.	12.8	84
75	Which nomogram is best for predicting non-sentinel lymph node metastasis in breast cancer patients? A meta-analysis. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 783-795.	2.5	58
76	Lin28 Induces Epithelial-to-Mesenchymal Transition and Stemness via Downregulation of Let-7a in Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e83083.	2.5	70
77	Clinical Outcomes of Breast-Conserving Surgery in Patients Using a Modified Method for Cavity Margin Assessment. <i>Annals of Surgical Oncology</i> , 2012, 19, 3386-3394.	1.5	26
78	Comparison of ER/PR and HER2 statuses in primary and paired liver metastatic sites of breast carcinoma in patients with or without treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 837-842.	2.5	23
79	MiR-27 as a Prognostic Marker for Breast Cancer Progression and Patient Survival. <i>PLoS ONE</i> , 2012, 7, e51702.	2.5	128
80	Assessing second echelon lymph nodes during sentinel lymph node biopsy: Can we have more accurate axillary treatment for breast cancer patients?. <i>Medical Hypotheses</i> , 2011, 77, 987-989.	1.5	0
81	A single-center, prospective and randomized controlled study: Can the prophylactic use of lamivudine prevent hepatitis B virus reactivation in hepatitis B s-antigen seropositive breast cancer patients during chemotherapy?. <i>Breast Cancer Research and Treatment</i> , 2011, 127, 705-712.	2.5	49
82	Response and prognosis of taxanes and anthracyclines neoadjuvant chemotherapy in patients with triple-negative breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1505-1510.	2.5	36
83	Safety study of axillary reverse mapping in the surgical treatment for breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2011, 137, 1869-1874.	2.5	33
84	Central venous port placement in advanced breast cancer patients: comparison of the anatomic-landmark and ultrasound-guided techniques. <i>Chinese-German Journal of Clinical Oncology</i> , 2011, 10, 695-698.	0.1	0