

Michihiko Ike

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/592338/publications.pdf>

Version: 2024-02-01

162
papers

4,059
citations

87843

38
h-index

149623

56
g-index

163
all docs

163
docs citations

163
times ranked

3818
citing authors

#	ARTICLE	IF	CITATIONS
1	Accelerated biodegradation of pyrene and benzo[a]pyrene in the <i>Phragmites australis</i> rhizosphere by bacteria—root exudate interactions. <i>Water Research</i> , 2011, 45, 1629-1638.	5.3	185
2	Factors affecting soluble selenium removal by a selenate-reducing bacterium <i>Bacillus</i> sp. SF-1. <i>Journal of Bioscience and Bioengineering</i> , 2000, 89, 528-533.	1.1	114
3	Microbial population dynamics during startup of a full-scale anaerobic digester treating industrial food waste in Kyoto eco-energy project. <i>Bioresource Technology</i> , 2010, 101, 3952-3957.	4.8	114
4	Biodegradation of bisphenol A and bisphenol F in the rhizosphere sediment of <i>Phragmites australis</i> . <i>Journal of Bioscience and Bioengineering</i> , 2009, 108, 147-150.	1.1	100
5	Acute toxicity, mutagenicity, and estrogenicity of biodegradation products of bisphenol-A. <i>Environmental Toxicology</i> , 2002, 17, 457-461.	2.1	95
6	Laboratory-scale bioreactors for soluble selenium removal from selenium refinery wastewater using anaerobic sludge. <i>Desalination</i> , 2011, 279, 433-438.	4.0	93
7	Isolation and characterization of bacterial strains that have high ability to degrade 1,4-dioxane as a sole carbon and energy source. <i>Biodegradation</i> , 2013, 24, 665-674.	1.5	87
8	Design of PCR primers and gene probes for the general detection of bacterial populations capable of degrading aromatic compounds via catechol cleavage pathways. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 542-550.	1.1	84
9	Evaluation of wastewater reclamation technologies based on in vitro and in vivo bioassays. <i>Science of the Total Environment</i> , 2009, 407, 1588-1597.	3.9	84
10	Characterization of <i>Pseudomonas stutzeri</i> NT-I capable of removing soluble selenium from the aqueous phase under aerobic conditions. <i>Journal of Bioscience and Bioengineering</i> , 2011, 112, 259-264.	1.1	83
11	Isolation and characterization of a novel selenate-reducing bacterium, <i>Bacillus</i> sp. SF-1. <i>Journal of Bioscience and Bioengineering</i> , 1997, 83, 517-522.	0.9	82
12	Effective selenium volatilization under aerobic conditions and recovery from the aqueous phase by <i>Pseudomonas stutzeri</i> NT-I. <i>Water Research</i> , 2013, 47, 1361-1368.	5.3	79
13	Laboratory-scale continuous reactor for soluble selenium removal using selenate-reducing bacterium, <i>Bacillus</i> sp. SF-1. <i>Biotechnology and Bioengineering</i> , 2002, 80, 755-761.	1.7	78
14	<i>Bacillus selenatarsenatis</i> sp. nov., a selenate- and arsenate-reducing bacterium isolated from the effluent drain of a glass-manufacturing plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1060-1064.	0.8	75
15	Biodegradation of a polyvinyl alcohol-starch blend plastic film. <i>World Journal of Microbiology and Biotechnology</i> , 1999, 15, 321-327.	1.7	71
16	Accelerated aromatic compounds degradation in aquatic environment by use of interaction between <i>Spirodela polyrrhiza</i> and bacteria in its rhizosphere. <i>Journal of Bioscience and Bioengineering</i> , 2006, 101, 346-353.	1.1	69
17	Simultaneous anammox and denitrification (SAD) process in sequencing batch reactors. <i>Bioresource Technology</i> , 2014, 174, 159-166.	4.8	67
18	1,4-Dioxane degradation potential of members of the genera <i>Pseudonocardia</i> and <i>Rhodococcus</i> . <i>Biodegradation</i> , 2016, 27, 277-286.	1.5	67

#	ARTICLE	IF	CITATIONS
19	Removal of phenol, bisphenol A, and 4- <i>tert</i> -butylphenol from synthetic landfill leachate by vertical flow constructed wetlands. <i>Science of the Total Environment</i> , 2017, 578, 566-576.	3.9	67
20	Selenate reduction by bacteria isolated from aquatic environment free from selenium contamination. <i>Water Research</i> , 2000, 34, 3019-3025.	5.3	65
21	Evaluation of environmental bacterial communities as a factor affecting the growth of duckweed <i>Lemna minor</i> . <i>Biotechnology for Biofuels</i> , 2017, 10, 62.	6.2	64
22	A novel control method for nitrification: The domination of ammonia-oxidizing bacteria by high concentrations of inorganic carbon in an airlift-fluidized bed reactor. <i>Water Research</i> , 2010, 44, 4195-4203.	5.3	59
23	Isolation and Characterization of 4- <i>tert</i> -Butylphenol-Utilizing <i>Sphingobium fuliginis</i> Strains from <i>Phragmites australis</i> Rhizosphere Sediment. <i>Applied and Environmental Microbiology</i> , 2010, 76, 6733-6740.	1.4	58
24	Acceleration of Nonylphenol and 4- <i>tert</i> -Octylphenol Degradation in Sediment by <i>Phragmites australis</i> and Associated Rhizosphere Bacteria. <i>Environmental Science & Technology</i> , 2011, 45, 6524-6530.	4.6	57
25	Molecular Cloning and Characterization of the <i>srdBCA</i> Operon, Encoding the Respiratory Selenate Reductase Complex, from the Selenate-Reducing Bacterium <i>Bacillus selenatarsenatis</i> SF-1. <i>Journal of Bacteriology</i> , 2011, 193, 2141-2148.	1.0	56
26	Effect of extracellular electron shuttles on arsenic-mobilizing activities in soil microbial communities. <i>Journal of Hazardous Materials</i> , 2018, 342, 571-578.	6.5	56
27	Dissimilatory arsenate reduction by a facultative anaerobe, <i>Bacillus</i> sp. strain SF-1. <i>Journal of Bioscience and Bioengineering</i> , 2003, 96, 454-460.	1.1	52
28	Evaluation of the biodegradation potential of 1,4-dioxane in river, soil and activated sludge samples. <i>Biodegradation</i> , 2010, 21, 585-591.	1.5	51
29	Removal of heavy metals from synthetic landfill leachate in lab-scale vertical flow constructed wetlands. <i>Science of the Total Environment</i> , 2017, 584-585, 742-750.	3.9	51
30	The 4- <i>tert</i> -Butylphenol-Utilizing Bacterium <i>Sphingobium fuliginis</i> OMI Can Degrade Bisphenols via Phenolic Ring Hydroxylation and <i>Meta</i> -Cleavage Pathway. <i>Environmental Science & Technology</i> , 2013, 47, 1017-1023.	4.6	50
31	Isolation of a selenite-reducing and cadmium-resistant bacterium <i>Pseudomonas</i> sp. strain RB for microbial synthesis of CdSe nanoparticles. <i>Journal of Bioscience and Bioengineering</i> , 2014, 117, 576-581.	1.1	50
32	1,4-Dioxane degradation characteristics of <i>Rhodococcus aetherivorans</i> JCM 14343. <i>Biodegradation</i> , 2018, 29, 301-310.	1.5	50
33	Occurrence of 4- <i>tert</i> -butylphenol (4- <i>t</i> -BP) biodegradation in an aquatic sample caused by the presence of <i>Spirodela polyrrhiza</i> and isolation of a 4- <i>t</i> -BP-utilizing bacterium. <i>Biodegradation</i> , 2013, 24, 191-202.	1.5	49
34	Effects of the C/N ratio and bacterial populations on nitrogen removal in the simultaneous anammox and heterotrophic denitrification process: Mathematic modeling and batch experiments. <i>Chemical Engineering Journal</i> , 2015, 280, 606-613.	6.6	47
35	Temperature dependence of nitrogen removal activity by anammox bacteria enriched at low temperatures. <i>Journal of Bioscience and Bioengineering</i> , 2017, 123, 505-511.	1.1	46
36	Bacterial community dynamics in a full-scale municipal wastewater treatment plant employing conventional activated sludge process. <i>Journal of Bioscience and Bioengineering</i> , 2014, 118, 64-71.	1.1	44

#	ARTICLE	IF	CITATIONS
37	Biological treatment of selenate-containing saline wastewater by activated sludge under oxygen-limiting conditions. <i>Water Research</i> , 2019, 154, 327-335.	5.3	43
38	Identification of Retinoic Acid Receptor Agonists in Sewage Treatment Plants. <i>Environmental Science & Technology</i> , 2009, 43, 6611-6616.	4.6	42
39	Characterization of newly isolated <i>Pseudonocardia</i> sp. N23 with high 1,4-dioxane-degrading ability. <i>Journal of Bioscience and Bioengineering</i> , 2018, 125, 552-558.	1.1	42
40	Enrichment of bacteria possessing catechol dioxygenase genes in the rhizosphere of <i>Spirodela polyrrhiza</i> : A mechanism of accelerated biodegradation of phenol. <i>Water Research</i> , 2009, 43, 3765-3776.	5.3	39
41	Duckweed biomass as a renewable biorefinery feedstock: Ethanol and succinate production from <i>Wolffia globosa</i> . <i>Biomass and Bioenergy</i> , 2015, 81, 364-368.	2.9	38
42	Effect of Aeration on Stabilization of Organic Solid Waste and Microbial Population Dynamics in Lab-Scale Landfill Bioreactors. <i>Journal of Bioscience and Bioengineering</i> , 2008, 106, 425-432.	1.1	35
43	Production of a novel biofloculant by fed-batch culture of <i>Citrobacter</i> sp.. <i>Biotechnology Letters</i> , 2001, 23, 593-597.	1.1	34
44	Monitoring behaviour of catabolic genes and change of microbial community structures in seawater microcosms during aromatic compound degradation. <i>Water Research</i> , 2004, 38, 4405-4414.	5.3	33
45	Cake layer bacterial communities during different biofouling stages in full-scale membrane bioreactors. <i>Bioresource Technology</i> , 2018, 259, 259-267.	4.8	33
46	Enhanced biomass production and nutrient removal capacity of duckweed via two-step cultivation process with a plant growth-promoting bacterium, <i>Acinetobacter calcoaceticus</i> P23. <i>Chemosphere</i> , 2020, 238, 124682.	4.2	33
47	Estrogenic Activity of Branched 4-Nonylphenol Isomers Examined by Yeast Two-Hybrid Assay. <i>Journal of Health Science</i> , 2006, 52, 132-141.	0.9	31
48	Pilot test of biological removal of 1,4-dioxane from a chemical factory wastewater by gel carrier entrapping <i>Afipia</i> sp. strain D1. <i>Journal of Hazardous Materials</i> , 2016, 304, 251-258.	6.5	29
49	Biological wastewater treatment of 1,4-dioxane using polyethylene glycol gel carriers entrapping <i>Afipia</i> sp. D1. <i>Journal of Bioscience and Bioengineering</i> , 2016, 121, 203-208.	1.1	29
50	Colonization and Competition Dynamics of Plant Growth-Promoting/Inhibiting Bacteria in the Phytosphere of the Duckweed <i>Lemna minor</i> . <i>Microbial Ecology</i> , 2019, 77, 440-450.	1.4	29
51	Effects of culture conditions of <i>Pseudomonas aeruginosa</i> strain RB on the synthesis of CdSe nanoparticles. <i>Journal of Bioscience and Bioengineering</i> , 2015, 119, 440-445.	1.1	27
52	Effects of planting <i>Phragmites australis</i> on nitrogen removal, microbial nitrogen cycling, and abundance of ammonia-oxidizing and denitrifying microorganisms in sediments. <i>Environmental Technology (United Kingdom)</i> , 2016, 37, 478-485.	1.2	27
53	Differential oxidative and antioxidative response of duckweed <i>Lemna minor</i> toward plant growth promoting/inhibiting bacteria. <i>Plant Physiology and Biochemistry</i> , 2017, 118, 667-673.	2.8	27
54	Abundance of polymers degrading microorganisms in a sea-based solid waste disposal site. <i>Journal of Basic Microbiology</i> , 2000, 40, 177-186.	1.8	26

#	ARTICLE	IF	CITATIONS
55	Novel Plant-Associated Acidobacteria Promotes Growth of Common Floating Aquatic Plants, Duckweeds. <i>Microorganisms</i> , 2021, 9, 1133.	1.6	26
56	Detection of Agonistic Activities Against Five Human Nuclear Receptors in River Environments of Japan Using a Yeast Two-Hybrid Assay. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 82, 399-404.	1.3	23
57	Contamination with retinoic acid receptor agonists in two rivers in the Kinki region of Japan. <i>Water Research</i> , 2010, 44, 2409-2418.	5.3	23
58	Isolation and Characterization of Tetrahydrofuran- Degrading Bacteria for 1,4-Dioxane-Containing Wastewater Treatment by Co-Metabolic Degradation. <i>Journal of Water and Environment Technology</i> , 2013, 11, 11-19.	0.3	23
59	Estimation and field measurement of methane emission from waste landfills in Hanoi, Vietnam. <i>Journal of Material Cycles and Waste Management</i> , 2008, 10, 165-172.	1.6	22
60	Community dynamics of duckweed-associated bacteria upon inoculation of plant growth-promoting bacteria. <i>FEMS Microbiology Ecology</i> , 2020, 96, .	1.3	22
61	An Enzyme-Linked Immunosorbent Assay for Detection of Linear Alkylbenzene Sulfonate: Development and Field Studies. <i>Environmental Science & Technology</i> , 1998, 32, 1143-1146.	4.6	21
62	Screening of agonistic activities against four nuclear receptors in wastewater treatment plants in Japan using a yeast two-hybrid assay. <i>Journal of Environmental Sciences</i> , 2011, 23, 125-132.	3.2	20
63	Isolation and Characterization of Bacteria Capable of Reducing Tellurium Oxyanions to Insoluble Elemental Tellurium for Tellurium Recovery from Wastewater. <i>Waste and Biomass Valorization</i> , 2012, 3, 409-418.	1.8	20
64	Occurrence and distribution of estrogenic chemicals in river waters of Malaysia. <i>Toxicology and Environmental Health Sciences</i> , 2020, 12, 65-74.	1.1	20
65	Development of Simple Methods of DNA Extraction from Environmental Samples for Monitoring Microbial Community Based on PCR.. <i>Japanese Journal of Water Treatment Biology</i> , 2000, 36, 193-204.	0.2	19
66	Removal of soluble selenium by a selenate-reducing bacterium <i>Bacillus</i> sp. SF-1. <i>BioFactors</i> , 2001, 14, 261-265.	2.6	19
67	Kinetics of nutrient removal and biomass production by duckweed <i>Wolffia arrhiza</i> in continuous-flow mesocosms. <i>Ecological Engineering</i> , 2013, 57, 210-215.	1.6	19
68	Characterization of moderately halotolerant selenate- and tellurite-reducing bacteria isolated from brackish areas in Osaka. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 173-181.	0.6	19
69	Disruption of Retinoic Acid Receptor Signaling by Environmental Pollutants. <i>Journal of Health Science</i> , 2010, 56, 221-230.	0.9	18
70	Transfer of plasmid pJP4 from <i>Escherichia coli</i> and <i>Pseudomonas putida</i> to bacteria in activated sludge developed under different sludge retention times. <i>Journal of Bioscience and Bioengineering</i> , 2010, 110, 684-689.	1.1	18
71	Biotreatment of Selenium Refinery Wastewater Using Pilot-Scale Granular Sludge and Swim-Bed Bioreactors Augmented with a Selenium-Reducing Bacterium <i>Pseudomonas stutzeri</i> NT1/4. <i>Japanese Journal of Water Treatment Biology</i> , 2012, 48, 63-71.	0.2	18
72	Treatment of 1,4-dioxane-containing water using carriers immobilized with indigenous microorganisms in landfill leachate treatment sludge: A laboratory-scale reactor study. <i>Journal of Hazardous Materials</i> , 2021, 414, 125497.	6.5	16

#	ARTICLE	IF	CITATIONS
73	Accelerated degradation of a variety of aromatic compounds by <i>Spirodela polyrrhiza</i> -bacterial associations and contribution of root exudates released from <i>S. polyrrhiza</i> . <i>Journal of Environmental Sciences</i> , 2010, 22, 494-499.	3.2	15
74	Biological 1,4-Dioxane Wastewater Treatment by Immobilized <i>Pseudonocardia</i> sp. D17 on Lower 1,4-Dioxane Concentration. <i>Journal of Water and Environment Technology</i> , 2016, 14, 289-301.	0.3	15
75	Removal of selenite from artificial wastewater with high salinity by activated sludge in aerobic sequencing batch reactors. <i>Journal of Bioscience and Bioengineering</i> , 2019, 127, 618-624.	1.1	15
76	Carbon sources that enable enrichment of 1,4-dioxane-degrading bacteria in landfill leachate. <i>Biodegradation</i> , 2020, 31, 23-34.	1.5	15
77	Detection of retinoic acid receptor agonistic activity and identification of causative compounds in municipal wastewater treatment plants in Japan. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 307-315.	2.2	14
78	Kinetics of bisphenol A degradation by <i>Sphingomonas paucimobilis</i> FJ-4. <i>Journal of Bioscience and Bioengineering</i> , 2016, 122, 341-344.	1.1	14
79	High methane production potential of activated sludge accumulating polyhydroxyalkanoates in anaerobic digestion. <i>Biochemical Engineering Journal</i> , 2016, 114, 283-287.	1.8	14
80	Methods for selenium removal from contaminated waters: a review. <i>Environmental Chemistry Letters</i> , 2022, 20, 2019-2041.	8.3	14
81	Characterization of the genes involved in nitrogen cycling in wastewater treatment plants using DNA microarray and most probable number-PCR. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 1.	3.3	13
82	Biological removal of selenate in saline wastewater by activated sludge under alternating anoxic/oxic conditions. <i>Frontiers of Environmental Science and Engineering</i> , 2019, 13, 1.	3.3	13
83	Temperature dependence of sequential chlorinated ethenes dechlorination and the dynamics of dechlorinating microorganisms. <i>Chemosphere</i> , 2022, 287, 131989.	4.2	13
84	Performance of plant growth-promoting bacterium of duckweed under different kinds of abiotic stress factors. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 19, 101146.	1.5	12
85	Stimulatory and inhibitory effects of metals on 1,4-dioxane degradation by four different 1,4-dioxane-degrading bacteria. <i>Chemosphere</i> , 2020, 238, 124606.	4.2	12
86	Isolation and Characterization of Facultative-Anaerobic Antimonate-Reducing Bacteria. <i>Microorganisms</i> , 2020, 8, 1435.	1.6	12
87	Growth Promotion of Giant Duckweed <i>Spirodela polyrhiza</i> (Lemnaceae) by <i>Ensifer</i> sp. SP4 Through Enhancement of Nitrogen Metabolism and Photosynthesis. <i>Molecular Plant-Microbe Interactions</i> , 2022, 35, 28-38.	1.4	12
88	Field Test of On-Site Treatment of 1,4-Dioxane-Contaminated Groundwater Using <i>Pseudonocardia</i> sp. D17. <i>Journal of Water and Environment Technology</i> , 2018, 16, 256-268.	0.3	11
89	Microbial antimonate reduction and removal potentials in river sediments. <i>Chemosphere</i> , 2021, 266, 129192.	4.2	11
90	Technologies to Remove Selenium from Water and Wastewater. <i>Environmental Chemistry for A Sustainable World</i> , 2021, , 207-304.	0.3	11

#	ARTICLE	IF	CITATIONS
91	Enhancement of Au Dissolution by Microorganisms Using an Accelerating Cathode Reaction. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2009, 40, 39-44.	1.0	10
92	Genome-wide identification of bacterial colonization and fitness determinants on the floating macrophyte, duckweed. Communications Biology, 2022, 5, 68.	2.0	10
93	Draft Genome Sequence of Aquitalea magnusonii Strain H3, a Plant Growth-Promoting Bacterium of Duckweed (<i>Lemna minor</i>). Genome Announcements, 2017, 5, .	0.8	9
94	Optimization of aerobic dynamic discharge process for very rapid enrichment of polyhydroxyalkanoates-accumulating bacteria from activated sludge. Bioresource Technology, 2021, 336, 125314.	4.8	9
95	Synthetic Bacterial Community of Duckweed: A Simple and Stable System to Study Plant-microbe Interactions. Microbes and Environments, 2020, 35, n/a.	0.7	9
96	Whole structures, core taxa, and functional properties of duckweed microbiomes. Bioresource Technology Reports, 2022, 18, 101060.	1.5	9
97	Characterization of Novel 4-Butylphenol Degrading <i>Pseudomonas veronii</i> Strains Isolated from Rhizosphere of Giant Duckweed, <i>Spirodela polyrrhiza</i> . Japanese Journal of Water Treatment Biology, 2009, 45, 83-92.	0.2	8
98	Energy Content of Organics in Municipal Wastewater Treatment Streams at Tsumori Wastewater Treatment Plant. Journal of Water and Environment Technology, 2015, 13, 89-97.	0.3	8
99	Microbial Communities on the Submerged Membranes in Full-Scale Membrane Bioreactors Treating Municipal Wastewater. Journal of Environmental Engineering, ASCE, 2018, 144, 04017084.	0.7	8
100	Performance of Lab-Scale Membrane Bioreactor for Leachate from Go Cat Landfill in Ho Chi Minh City, Vietnam. Japanese Journal of Water Treatment Biology, 2007, 43, 43-49.	0.2	8
101	Detection of retinoic acid receptor antagonist contamination in the aquatic environment of the Kinki region of Japan. Water Research, 2016, 103, 58-65.	5.3	7
102	Nitrogen-Cycling Functional Genes in Brackish and Freshwater Sediments in Yodo River in Japan. Journal of Water and Environment Technology, 2019, 17, 109-116.	0.3	7
103	Factors affecting antimonate bioreduction by <i>Dechloromonas</i> sp. AR-2 and <i>Propionivibrio</i> sp. AR-3. 3 Biotech, 2021, 11, 163.	1.1	7
104	Decolorization of Heat Treatment Liquor of Waste Sludge by the White Rot Fungus <i>Coriolus hirsutus</i> . Japanese Journal of Water Treatment Biology, 1997, 33, 35-45.	0.2	7
105	Comparative Evaluation of Quantitative Polymerase Chain Reaction Methods for Routine Enumeration of Specific Bacterial DNA in Aquatic Samples. World Journal of Microbiology and Biotechnology, 2005, 21, 1029-1035.	1.7	6
106	Degradation of <i>sec</i> -hexylbenzene and its metabolites by a biofilm-forming yeast <i>Trichosporon asahii</i> B1 isolated from oil-contaminated sediments in Quangninh coastal zone, Vietnam. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2016, 51, 267-275.	0.9	6
107	Changes in bacterial community structure in a full-scale membrane bioreactor for municipal wastewater treatment. Journal of Bioscience and Bioengineering, 2016, 122, 97-104.	1.1	6
108	Biosynthesis of bismuth selenide nanoparticles using chalcogen-metabolizing bacteria. Applied Microbiology and Biotechnology, 2019, 103, 8853-8861.	1.7	6

#	ARTICLE	IF	CITATIONS
109	Coordination of leaf economics traits within the family of the world's fastest growing plants (Lemnaceae). <i>Journal of Ecology</i> , 2021, 109, 2950-2962.	1.9	6
110	Ethanol Production from Vegetative Fronds and Turions of <i>Wolffia arrhiza</i>. <i>Japanese Journal of Water Treatment Biology</i> , 2014, 50, 133-140.	0.2	6
111	Microalgal transformation of food processing byproducts into functional food ingredients. <i>Bioresource Technology</i> , 2022, 344, 126324.	4.8	6
112	Bacterial community succession during the enrichment of chemolithoautotrophic arsenite oxidizing bacteria at high arsenic concentrations. <i>Journal of Environmental Sciences</i> , 2012, 24, 2133-2140.	3.2	5
113	Characterization of Microbial Community in Membrane Bioreactors Treating Domestic Wastewater. <i>Journal of Water and Environment Technology</i> , 2014, 12, 99-107.	0.3	4
114	Draft Genome Sequence of <i>Bacillus selenatarsenatis</i> SF-1 T , a Promising Agent for Bioremediation of Environments Contaminated with Selenium and Arsenic. <i>Genome Announcements</i> , 2015, 3, .	0.8	4
115	Biomass Production and Nutrient Removal through Cultivation of <i>Euglena gracilis</i> in Domestic Wastewater. <i>Japanese Journal of Water Treatment Biology</i> , 2018, 54, 105-113.	0.2	4
116	Complete Genome Sequences of Two Plant Growth-Inhibiting Bacteria, <i>Acinetobacter ursingii</i> M3 and <i>Asticcacaulis excentricus</i> M6, Isolated from Duckweed (<i>Lemna minor</i>). <i>Microbiology Resource Announcements</i> , 2018, 7, .	0.3	4
117	Rapid enrichment of polyhydroxyalkanoate-accumulating bacteria by the aerobic dynamic discharge process: Enrichment effectiveness, polyhydroxyalkanoate accumulation ability, and bacterial community characteristics in comparison with the aerobic dynamic feeding process. <i>Bioresource Technology Reports</i> , 2019, 7, 100276.	1.5	4
118	Potential of waste activated sludge to accumulate polyhydroxyalkanoates and glycogen using industrial wastewater/liquid wastes as substrates. <i>Water Science and Technology</i> , 2019, 80, 2373-2380.	1.2	4
119	Isolation and Characterization of <i>Euglena gracilis</i> -Associated Bacteria, <i>Enterobacter</i> sp. CA3 and <i>Emticicia</i> sp. CN5, Capable of Promoting the Growth and Paramylon Production of <i>E. gracilis</i> under Mixotrophic Cultivation. <i>Microorganisms</i> , 2021, 9, 1496.	1.6	4
120	Isolation and Characterization of a Floc-Forming Bacterium <i>Sphingomonas paucimobilis</i> 551 from Activated Sludge.. <i>Japanese Journal of Water Treatment Biology</i> , 1998, 34, 195-204.	0.2	4
121	Screening of Bacteria Capable of Producing Biofloculants from Acetic and Propionic Acids.. <i>Japanese Journal of Water Treatment Biology</i> , 2000, 36, 183-192.	0.2	4
122	Characterization of arsenate-, selenate- and nitrate-reducing activities in <i>Bacillus</i> sp. SF-1. <i>Japanese Journal of Water Treatment Biology</i> , 2004, 40, 161-168.	0.2	4
123	Effects of Operational Conditions on Treatment Performances of Single-Stage Nitrogen Removal using Anammox and Partial Nitritation (SNAP) Process. <i>Japanese Journal of Water Treatment Biology</i> , 2013, 49, 133-142.	0.2	4
124	Long-term Performance and Community Analysis of <i>Spirodela Polyrhiza</i> -bacteria Association Treating Phenol-contaminated Water. <i>Journal of Water and Environment Technology</i> , 2010, 8, 239-250.	0.3	3
125	Development of a whole community genome amplification-assisted DNA microarray method to detect functional genes involved in the nitrogen cycle. <i>World Journal of Microbiology and Biotechnology</i> , 2014, 30, 2907-2915.	1.7	3
126	Draft Genome Sequence of <i>Pseudomonas aeruginosa</i> Strain RB, a Bacterium Capable of Synthesizing Cadmium Selenide Nanoparticles. <i>Genome Announcements</i> , 2014, 2, .	0.8	3

#	ARTICLE	IF	CITATIONS
127	Degradation Pathway of Bisphenol S by <i>Sphingobium fuliginis</i> OMI and Removal Properties of Metabolites by Activated Sludge. <i>Journal of Japan Society on Water Environment</i> , 2015, 38, 139-147.	0.1	3
128	Startup of Lab-scale Anammox Reactors Seeded with Activated Sludge at Ambient Temperature. <i>Japanese Journal of Water Treatment Biology</i> , 2016, 52, 73-83.	0.2	3
129	Draft Genome Sequence of <i>Pseudonocardia</i> sp. Strain N23, a 1,4-Dioxane-Degrading Bacterium. <i>Genome Announcements</i> , 2017, 5, .	0.8	3
130	Potential for Enhanced Degradation and Removal of Various Bisphenols by Interaction between Common Reed (<i>Phragmites australis</i>) and Microorganisms. <i>Journal of Water and Environment Technology</i> , 2021, 19, 13-23.	0.3	3
131	Development and Characterization of a Chloroethenes-Dechlorinating Consortium Using Gluconate as a Hydrogen Donor. <i>Journal of Water and Environment Technology</i> , 2020, 18, 212-225.	0.3	3
132	Selenium Removal from Sewage Sludge Ash by Chemical Extraction and Microbial Reduction. <i>Journal of Environmental Conservation Engineering</i> , 2014, 43, 96-101.	0.0	3
133	Draft Genome Sequence of <i>Rhodococcus aetherivorans</i> JCM 14343 ^T , a Bacterium Capable of Degrading Recalcitrant Noncyclic and Cyclic Ethers. <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.3	2
134	Effects of selection and compiling strategy of substrates in column-type vertical-flow constructed wetlands on the treatment of synthetic landfill leachate containing bisphenol A. <i>Water Science and Technology</i> , 2021, 84, 1428-1437.	1.2	2
135	Effect of nitrogen, phosphorus, and sulfur on the start-up of a biological 1,4-dioxane removal process using <i>Pseudonocardia</i> sp. D17. <i>Biochemical Engineering Journal</i> , 2021, 176, 108179.	1.8	2
136	Bioprocess Approaches for the Removal of Selenium from Industrial Waste and Wastewater by <i>Pseudomonas stutzeri</i> NT-I. , 2017, , 57-73.		2
137	Distribution of Bacterial Plasmids in an Activated Sludge Plant.. <i>Japanese Journal of Water Treatment Biology</i> , 1994, 30, 65-71.	0.2	2
138	Metabolic Pathway of Bisphenol a by <i>Pseudomonas paucimobilis</i> Strain FJ-4.. <i>Japanese Journal of Water Treatment Biology</i> , 1996, 32, 199-210.	0.2	2
139	Effect of Heating Patterns on Inactivation and Regrowth Potential of Bacterial Indicator Organisms in Simulation of Composting. <i>Japanese Journal of Water Treatment Biology</i> , 2003, 39, 131-138.	0.2	2
140	Draft Genome Sequence of <i>Sphingobium fuliginis</i> OMI, a Bacterium That Degrades Alkylphenols and Bisphenols. <i>Genome Announcements</i> , 2017, 5, .	0.8	1
141	Historical Trends of Academic Research on the Water Environment in Japan: Evidence from the Academic Literature in the Past 50 Years. <i>Water (Switzerland)</i> , 2018, 10, 1456.	1.2	1
142	Biodegradation of Three Phthalic Acid Esters by Microorganisms from Aquatic Environment. <i>Japanese Journal of Water Treatment Biology</i> , 2005, 41, 193-201.	0.2	1
143	The Role of Compost Pile Turning for Improving Performance of Composting. <i>Japanese Journal of Water Treatment Biology</i> , 2008, 44, 21-28.	0.2	1
144	Multiple Detection of Occurrence of Bacterial Pathogens in Two Rivers in the Kinki District of Japan with a DNA Microarray. <i>Japanese Journal of Water Treatment Biology</i> , 2009, 45, 31-43.	0.2	1

#	ARTICLE	IF	CITATIONS
145	Effects of Gel-immobilization Conditions of 1,4-dioxane-degrading Bacterium, <i>Pseudonocardia</i> sp. strain D17, and Storage on the Treatment Performance. Japanese Journal of Water Treatment Biology, 2015, 51, 83-93.	0.2	1
146	Possibility of Simultaneous Anammox and Denitrification as an Advanced Nitrogen Removal Process. Journal of Environmental Conservation Engineering, 2014, 43, 293-300.	0.0	1
147	Screening of Anaerobic Ammonium Oxidation (Anammox) Potentials in Biomass from a Variety of Wastewater Treatment Processes. Japanese Journal of Water Treatment Biology, 2001, 37, 151-159.	0.2	1
148	Evaluation of Biodegradation Potential of Bisphenol A and Bisphenol F in Seawater. Japanese Journal of Water Treatment Biology, 2010, 46, 137-144.	0.2	1
149	Draft Genome Sequence of Bryobacteraceae Strain F-183. Microbiology Resource Announcements, 2022, 11, e0045321.	0.3	1
150	Complete Genome Sequence of <i>Luteitalea</i> sp. Strain TBR-22. Microbiology Resource Announcements, 2022, 11, e0045521.	0.3	1
151	Effects of External Organics on Growth and Turion Formation of Rootless Duckweed <i>Wolffia arrhiza</i> . Japanese Journal of Water Treatment Biology, 2015, 51, 29-35.	0.2	0
152	Model-based Evaluation of Effects of Temperature on Nitrogen Removal in Low- and Moderate-temperature Type Anammox Reactors. Japanese Journal of Water Treatment Biology, 2017, 53, 69-79.	0.2	0
153	Bioaugmenting a Lab-Scale Membrane Bioreactor with 4- <i>tert</i> -butylphenol-degrading Bacterium, <i>Spingobium fuliginis</i> OMI. Japanese Journal of Water Treatment Biology, 2018, 54, 1-12.	0.2	0
154	Universality of Gluconate as a Hydrogen Donor for Reductive Dechlorination of Chloroethenes. Journal of Japan Society on Water Environment, 2021, 44, 69-77.	0.1	0
155	Effect of Step Feed Ratio and Temperature on Nitrogen Removal in an Anoxic-Oxic Activated Sludge Process. Japanese Journal of Water Treatment Biology, 2001, 37, 19-27.	0.2	0
156	Arsenic adsorption characteristics of biogenic iron oxides in comparison to chemogenic iron oxides. Japanese Journal of Water Treatment Biology, 2012, 48, 145-156.	0.2	0
157	Monitoring the Fates of Retinoic Acids and 4-Oxo-Retinoic Acids in Municipal Wastewater Treatment Plants. Journal of Japan Society on Water Environment, 2013, 36, 57-65.	0.1	0
158	Volume Reduction of Radiocesium-Contaminated Soil by Air-Lift Washing Process. Journal of Environmental Conservation Engineering, 2014, 43, 729-738.	0.0	0
159	Specificity of the DNA Probe for Detection of Phenol-Degrading Bacteria in Wastewater Treatment Process. Japanese Journal of Water Treatment Biology, 1991, 27, 59-65.	0.2	0
160	Issues on Existing Treatment Technologies and Possibility of Biological Treatment Technologies for 1,4-Dioxane-containing Industrial Wastewater. Japanese Journal of Water Treatment Biology, 2019, 55, 1-13.	0.2	0
161	Nitrogen Removal by Simultaneous Anammox and Denitrification under Low Temperature: Preliminary Batch Trials. Japanese Journal of Water Treatment Biology, 2020, 56, 91-97.	0.2	0
162	Community Composition and Carbon Utilization Profiles of Yodo River Microbes in Brackish and Freshwater Sediments. Japanese Journal of Water Treatment Biology, 2020, 56, 17-26.	0.2	0