

Sucheta Mehra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5924405/publications.pdf>

Version: 2024-02-01

45
papers

1,117
citations

471061

17
h-index

414034

32
g-index

45
all docs

45
docs citations

45
times ranked

1679
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Vitamin A or Beta Carotene Supplementation on Pregnancy-Related Mortality and Infant Mortality in Rural Bangladesh. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1986-95.	3.8	122
2	Effect of Maternal Multiple Micronutrient vs Iron+Folic Acid Supplementation on Infant Mortality and Adverse Birth Outcomes in Rural Bangladesh. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 2649.	3.8	115
3	Effect of fortified complementary food supplementation on child growth in rural Bangladesh: a cluster-randomized trial. <i>International Journal of Epidemiology</i> , 2015, 44, 1862-1876.	0.9	112
4	Aflatoxin exposure during the first 1000 days of life in rural South Asia assessed by aflatoxin B1-lysine albumin biomarkers. <i>Food and Chemical Toxicology</i> , 2014, 74, 184-189.	1.8	97
5	Constructing Indices of Rural Living Standards in Northwestern Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2010, 28, 509-19.	0.7	66
6	Vitamin A Intake and Status in Populations Facing Economic Stress. <i>Journal of Nutrition</i> , 2010, 140, 201S-207S.	1.3	64
7	Maternal Dietary Diversity Decreases with Household Food Insecurity in Rural Bangladesh: A Longitudinal Analysis. <i>Journal of Nutrition</i> , 2016, 146, 2109-2116.	1.3	63
8	Analyzing the Mobile "Digital Divide": Changing Determinants of Household Phone Ownership Over Time in Rural Bangladesh. <i>JMIR MHealth and UHealth</i> , 2015, 3, e24.	1.8	50
9	Patterns and determinants of care seeking for obstetric complications in rural northwest Bangladesh: analysis from a prospective cohort study. <i>BMC Health Services Research</i> , 2015, 15, 166.	0.9	34
10	Arsenic exposure and hepatitis E virus infection during pregnancy. <i>Environmental Research</i> , 2015, 142, 273-280.	3.7	33
11	Antenatal Multiple Micronutrient Supplementation Compared to Iron+Folic Acid Affects Micronutrient Status but Does Not Eliminate Deficiencies in a Randomized Controlled Trial Among Pregnant Women of Rural Bangladesh. <i>Journal of Nutrition</i> , 2019, 149, 1260-1270.	1.3	33
12	Effect of complementary food supplementation on breastfeeding and home diet in rural Bangladeshi children. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1450-1458.	2.2	31
13	Antenatal care in rural Bangladesh: current state of costs, content and recommendations for effective service delivery. <i>BMC Health Services Research</i> , 2019, 19, 861.	0.9	26
14	Accounts of severe acute obstetric complications in Rural Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 76.	0.9	24
15	Availability of emergency obstetric care (EmOC) among public and private health facilities in rural northwest Bangladesh. <i>BMC Public Health</i> , 2015, 15, 36.	1.2	24
16	Effect of maternal antenatal and newborn supplementation with vitamin A on cognitive development of school-aged children in rural Bangladesh: a follow-up of a placebo-controlled, randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 77-87.	2.2	24
17	Maternal determinants of timely vaccination coverage among infants in rural Bangladesh. <i>Vaccine</i> , 2014, 32, 5514-5519.	1.7	23
18	The Association of Cytokines and Micronutrients with Hepatitis E Virus Infection During Pregnancy and the Postpartum Period in Rural Bangladesh. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 203-211.	0.6	20

#	ARTICLE	IF	CITATIONS
19	Complementary Food Supplements Increase Dietary Nutrient Adequacy and Do Not Replace Home Food Consumption in Children 6â€“18 Months Old in a Randomized Controlled Trial in Rural Bangladesh. <i>Journal of Nutrition</i> , 2018, 148, 1484-1492.	1.3	18
20	Dietary patterns of >30,000 adolescents 9â€“15 years of age in rural Bangladesh. <i>Annals of the New York Academy of Sciences</i> , 2020, 1468, 3-15.	1.8	18
21	Environmental enteric dysfunction and systemic inflammation predict reduced weight but not length gain in rural Bangladeshi children. <i>British Journal of Nutrition</i> , 2018, 119, 407-414.	1.2	15
22	Risk of Depressive Symptoms Associated with Morbidity in Postpartum Women in Rural Bangladesh. <i>Maternal and Child Health Journal</i> , 2017, 21, 1890-1900.	0.7	12
23	Unintended pregnancy is a risk factor for depressive symptoms among socio-economically disadvantaged women in rural Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 490.	0.9	12
24	Costs and cost-effectiveness analyses of mCARE strategies for promoting care seeking of maternal and newborn health services in rural Bangladesh. <i>PLoS ONE</i> , 2019, 14, e0223004.	1.1	11
25	Newborn micronutrient status biomarkers in a cluster-randomized trial of antenatal multiple micronutrient compared with iron folic acid supplementation in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1328-1337.	2.2	11
26	Depressive symptoms in mothers after perinatal and early infant loss in rural Bangladesh: a population-based study. <i>Annals of Epidemiology</i> , 2016, 26, 467-473.	0.9	10
27	A novel device for assessing dark adaptation in field settings. <i>BMC Ophthalmology</i> , 2015, 15, 74.	0.6	9
28	Efficacy of Antenatal Multiple Micronutrient (MM) vs Ironâ€“Folic Acid (IFA) Supplementation in Improving Gestational and Postnatal Viability in Rural Bangladesh: The JiVitAâ€“3 Trial. <i>FASEB Journal</i> , 2013, 27, 358.6.	0.2	8
29	Early newborn ritual foods correlate with delayed breastfeeding initiation in rural Bangladesh. <i>International Breastfeeding Journal</i> , 2016, 11, 31.	0.9	6
30	Maternal nutritional status mediates the linkage between household food insecurity and mid-infancy size in rural Bangladesh. <i>British Journal of Nutrition</i> , 2020, 123, 1415-1425.	1.2	6
31	Development of bioelectrical impedance analysis-based equations for estimation of body composition in postpartum rural Bangladeshi women. <i>British Journal of Nutrition</i> , 2013, 109, 639-647.	1.2	5
32	Supplementation with Fortified Lipid-Based and Blended Complementary Foods has Variable Impact on Body Composition Among Rural Bangladeshi Children: A Cluster-Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2020, 150, 1924-1932.	1.3	5
33	Autism spectrum disorder in a rural community in Bangladesh: A midâ€“childhood assessment. <i>Autism Research</i> , 2022, 15, 328-339.	2.1	4
34	mCARE, a digital health intervention package on pregnancy surveillance and care-seeking reminders from 2018 to 2027 in Bangladesh: a model-based cost-effectiveness analysis. <i>BMJ Open</i> , 2021, 11, e042553.	0.8	3
35	Novel Method for Estimating Nutrient Intakes Using a Semistructured 24-Hour Diet Recall for Infants and Young Children in Rural Bangladesh. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa123.	0.1	1
36	Association between household food insecurity and infant growth in rural Bangladesh. <i>FASEB Journal</i> , 2011, 25, 986.7.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Quantification and Validation of a Semi-Structured 24-Hour Diet Recall for Infants and Young Children in Rural Bangladesh. <i>FASEB Journal</i> , 2017, 31, 639.25.	0.2	1
38	Micronutrient Status of Young Adolescents in Rural Bangladesh: The JiVitA-1 Birth Cohort (FS01-04-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz028.FS01-04-19.	0.1	0
39	Micronutrient Status of Young Adolescents in Rural Bangladesh: The JiVitA-1 Birth Cohort (FS01-04-19). <i>Current Developments in Nutrition</i> , 2019, 3, nzz034.FS01-04-19.	0.1	0
40	Women's employment impacts household food expenditure patterns over time in rural Bangladesh. <i>FASEB Journal</i> , 2012, 26, 269.8.	0.2	0
41	Exploration of non-nutritional factors associated with stunting in 24 month old children of rural Bangladesh. <i>FASEB Journal</i> , 2013, 27, 618.8.	0.2	0
42	Development of a two-item quick screen for household food insecurity assessment. <i>FASEB Journal</i> , 2013, 27, 1054.2.	0.2	0
43	Breastfeeding practices as determinants of nutritional status and growth of Bangladeshi infants prior to 6 months of age (1015.4). <i>FASEB Journal</i> , 2014, 28, 1015.4.	0.2	0
44	An enteropathy score predicts subsequent length better than lactulose mannitol (L:M) ratio alone in children enrolled in a community-based randomized trial of complementary food supplements in rural Bangladesh. <i>FASEB Journal</i> , 2016, 30, 432.4.	0.2	0
45	Non-Responsive Feeding Behaviors are Negatively Associated with Growth and Dietary Diversity at 24 months in Rural Bangladesh. <i>FASEB Journal</i> , 2016, 30, 432.8.	0.2	0