

Carlos Eduardo Vergani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5924978/carlos-eduardo-vergani-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

4,023
citations

37
h-index

51
g-index

159
ext. papers

4,661
ext. citations

3.6
avg, IF

5.22
L-index

#	Paper	IF	Citations
159	Antifungal Activity and Biocompatibility of β AgVO, β AgWO, and β AgMoO Using a Three-Dimensional Coculture Model of the Oral Mucosa.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022 , 10, 826123	5.8	0
158	Inactivation of SARS-CoV-2 by a chitosan/ β AgWO composite generated by femtosecond laser irradiation.. <i>Scientific Reports</i> , 2022 , 12, 8118	4.9	0
157	Insights into the activation of oral keratinocyte cell death by and biofilms. <i>Biofouling</i> , 2021 , 1-9	3.3	0
156	Selective Synthesis of β β and β AgWO Polymorphs: Promising Platforms for Photocatalytic and Antibacterial Materials. <i>Inorganic Chemistry</i> , 2021 , 60, 1062-1079	5.1	8
155	A long-term controlled drug-delivery with anionic beta cyclodextrin complex in layer-by-layer coating for percutaneous implants devices. <i>Carbohydrate Polymers</i> , 2021 , 257, 117604	10.3	9
154	Surface-dependent photocatalytic and biological activities of Ag ₂ CrO ₄ : Integration of experiment and simulation. <i>Applied Surface Science</i> , 2021 , 545, 148964	6.7	8
153	Proto-Oncogenes and Cell Cycle Gene Expression in Normal and Neoplastic Oral Epithelial Cells Stimulated With Soluble Factors From Single and Dual Biofilms of and. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 627043	5.9	2
152	Increasing the photocatalytic and fungicide activities of Ag ₃ PO ₄ microcrystals under visible-light irradiation. <i>Ceramics International</i> , 2021 , 47, 22604-22614	5.1	1
151	Surface-dependent properties of β Ag ₂ WO ₄ : a joint experimental and theoretical investigation. <i>Theoretical Chemistry Accounts</i> , 2020 , 139, 1	1.9	10
150	In Vitro Toxic Effect of Biomaterials Coated with Silver Tungstate or Silver Molybdate Microcrystals. <i>Journal of Nanomaterials</i> , 2020 , 2020, 1-9	3.2	4
149	Unveiling the role of β AgMoO microcrystals to the improvement of antibacterial activity. <i>Materials Science and Engineering C</i> , 2020 , 111, 110765	8.3	23
148	Antifungal activity and biocompatibility of β AgVO microcrystals: A promising material against oral Candida disease. <i>Materials Science and Engineering C</i> , 2020 , 108, 110405	8.3	12
147	Herbicides That Target Acetohydroxyacid Synthase Are Potent Inhibitors of the Growth of Drug-Resistant. <i>ACS Infectious Diseases</i> , 2020 , 6, 2901-2912	5.5	6
146	Anti-bacterial efficacy via drug-delivery system from layer-by-layer coating for percutaneous dental implant components. <i>Applied Surface Science</i> , 2019 , 488, 194-204	6.7	21
145	Low-temperature plasma on peri-implant-related biofilm and gingival tissue. <i>Journal of Periodontology</i> , 2019 , 90, 507-515	4.6	13
144	Towards the scale-up of the formation of nanoparticles on β AgWO with bactericidal properties by femtosecond laser irradiation. <i>Scientific Reports</i> , 2018 , 8, 1884	4.9	32
143	Chemical composition and morphology study of bovine enamel submitted to different sterilization methods. <i>Clinical Oral Investigations</i> , 2018 , 22, 733-744	4.2	3

142	Promising effects of silver tungstate microcrystals on fibroblast human cells and three dimensional collagen matrix models: A novel non-cytotoxic material to fight oral disease. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 505-513	6	8
141	Development and characterization of a 3D oral mucosa model as a tool for host-pathogen interactions. <i>Journal of Microbiological Methods</i> , 2018 , 152, 52-60	2.8	11
140	From Complex Inorganic Oxides to Ag-Bi Nanoalloy: Synthesis by Femtosecond Laser Irradiation. <i>ACS Omega</i> , 2018 , 3, 9880-9887	3.9	13
139	Occlusal Pressure Analysis of Complete Dentures after Microwave Disinfection: A Clinical Study. <i>Journal of Prosthodontics</i> , 2017 , 26, 606-610	3.9	3
138	Synthesis and evaluation of Ag_2WO_4 as novel antifungal agent. <i>Chemical Physics Letters</i> , 2017 , 674, 125-129	2.5	22
137	Effect of titanium and zirconia dental implant abutments on a cultivable polymicrobial saliva community. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 481-487	4	18
136	Mechanism of Antibacterial Activity via Morphology Change of AgVO : Theoretical and Experimental Insights. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 11472-11481	9.5	46
135	The impact of antimicrobial photodynamic therapy on peri-implant disease: What mechanisms are involved in this novel treatment?. <i>Photodiagnosis and Photodynamic Therapy</i> , 2017 , 17, 236-244	3.5	18
134	Tuning the Morphological, Optical, and Antimicrobial Properties of Ag_2WO_4 Microcrystals Using Different Solvents. <i>Crystal Growth and Design</i> , 2017 , 17, 6239-6246	3.5	27
133	Soluble factors from biofilm of <i>Candida albicans</i> and <i>Staphylococcus aureus</i> promote cell death and inflammatory response. <i>BMC Microbiology</i> , 2017 , 17, 146	4.5	26
132	Well-designed Ag_2MoO_4 crystals with photocatalytic and antibacterial activity. <i>Materials and Design</i> , 2017 , 115, 73-81	8.1	42
131	Impact of Physical Chemical Characteristics of Abutment Implant Surfaces on Bacteria Adhesion. <i>Journal of Oral Implantology</i> , 2016 , 42, 153-8	1.2	28
130	Synthesis, antifungal evaluation and optical properties of silver molybdate microcrystals in different solvents: a combined experimental and theoretical study. <i>Dalton Transactions</i> , 2016 , 45, 10736-43	4.3	38
129	Effect of surface roughness on the hydrophobicity of a denture-base acrylic resin and <i>Candida albicans</i> colonization. <i>Journal of Investigative and Clinical Dentistry</i> , 2016 , 7, 141-8	2.3	21
128	Reliability of the agar based method to assess the production of degradative enzymes in clinical isolates of <i>Candida albicans</i> . <i>Medical Mycology</i> , 2016 , 54, 266-74	3.9	1
127	Structural and quantitative analysis of a mature anaerobic biofilm on different implant abutment surfaces. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 428-36	4	42
126	Effect of Atmospheric-Pressure Cold Plasma on Pathogenic Oral Biofilms and In Vitro Reconstituted Oral Epithelium. <i>PLoS ONE</i> , 2016 , 11, e0155427	3.7	53
125	Influence of different buffers (HEPES/MOPS) on keratinocyte cell viability and microbial growth. <i>Journal of Microbiological Methods</i> , 2016 , 125, 40-2	2.8	12

124	Photodynamic inactivation of a multispecies biofilm using curcumin and LED light. <i>Lasers in Medical Science</i> , 2016 , 31, 997-1009	3.1	37
123	Cytotoxicity of antimicrobial photodynamic inactivation on epithelial cells when co-cultured with <i>Candida albicans</i> . <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 682-90	4.2	13
122	Antimicrobial activity of TiO ₂ :Ag nanocrystalline heterostructures: Experimental and theoretical insights. <i>Chemical Physics</i> , 2015 , 459, 87-95	2.3	21
121	Antimicrobial photodynamic therapy against pathogenic bacterial suspensions and biofilms using chloro-aluminum phthalocyanine encapsulated in nanoemulsions. <i>Lasers in Medical Science</i> , 2015 , 30, 549-59	3.1	45
120	Dynamics of biofilm formation and the interaction between <i>Candida albicans</i> and methicillin-susceptible (MSSA) and -resistant <i>Staphylococcus aureus</i> (MRSA). <i>PLoS ONE</i> , 2015 , 10, e0123206	3.7	86
119	Potentiated electron transference in Ag ₂ WO ₄ microcrystals with Ag nanofilaments as microbial agent. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 5769-78	2.8	91
118	In vitro evaluation of the enzymatic activity profile of non-albicans <i>Candida</i> species isolated from patients with oral candidiasis with or without diabetes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014 , 118, 84-91	2	11
117	Resistance to impact of cross-linked denture base biopolymer materials: effect of relining, glass flakes reinforcement and cyclic loading. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 37, 33-41	4.1	6
116	Biological effects of soft denture reline materials on L929 cells in vitro. <i>Journal of Tissue Engineering</i> , 2014 , 5, 2041731414540911	7.5	12
115	In vitro evaluation of adherence of <i>Candida albicans</i> , <i>Candida glabrata</i> , and <i>Streptococcus mutans</i> to an acrylic resin modified by experimental coatings. <i>Biofouling</i> , 2014 , 30, 525-33	3.3	21
114	Effect of a Silver Nanoparticles Solution on <i>Staphylococcus aureus</i> and <i>Candida</i> spp.. <i>Journal of Nanomaterials</i> , 2014 , 2014, 1-7	3.2	16
113	The Relationship between Biofilm and Physical-Chemical Properties of Implant Abutment Materials for Successful Dental Implants. <i>Materials</i> , 2014 , 7, 3651-3662	3.5	22
112	Effects of soft denture liners on L929 fibroblasts, HaCaT keratinocytes, and RAW 264.7 macrophages. <i>BioMed Research International</i> , 2014 , 2014, 840613	3	7
111	<i>Candida albicans</i> adherence to an acrylic resin modified by experimental photopolymerised coatings: an in vitro study. <i>Gerodontology</i> , 2014 , 31, 25-33	2.8	18
110	Enzymatic activity profile of a Brazilian culture collection of <i>Candida albicans</i> isolated from diabetics and non-diabetics with oral candidiasis. <i>Mycoses</i> , 2014 , 57, 351-7	5.2	12
109	In vitro adhesion of <i>Candida glabrata</i> to denture base acrylic resin modified by glow-discharge plasma treatment. <i>Mycoses</i> , 2013 , 56, 134-44	5.2	16
108	Curcumin-mediated photodynamic inactivation of <i>Candida albicans</i> in a murine model of oral candidiasis. <i>Medical Mycology</i> , 2013 , 51, 243-51	3.9	95
107	Photodynamic inactivation of clinical isolates of <i>Candida</i> using Photodithazine. <i>Biofouling</i> , 2013 , 29, 1057-67	3.3	48

106	Effect of experimental photopolymerized coatings on the hydrophobicity of a denture base acrylic resin and on <i>Candida albicans</i> adhesion. <i>Archives of Oral Biology</i> , 2013 , 58, 1-9	2.8	30
105	Susceptibility profile of a Brazilian yeast stock collection of <i>Candida</i> species isolated from subjects with <i>Candida</i> -associated denture stomatitis with or without diabetes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013 , 116, 562-9	2	17
104	Experimental and theoretical approach of nanocrystalline TiO ₂ with antifungal activity. <i>Chemical Physics Letters</i> , 2013 , 577, 114-120	2.5	13
103	Phototoxic effect of curcumin on methicillin-resistant <i>Staphylococcus aureus</i> and L929 fibroblasts. <i>Lasers in Medical Science</i> , 2013 , 28, 391-8	3.1	74
102	Antifungal Applications of Ag-Decorated Hydroxyapatite Nanoparticles. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-9	3.2	18
101	Effect of human whole saliva on the in vitro adhesion of <i>Candida albicans</i> to a denture base acrylic resin: a focus on collection and preparation of saliva samples. <i>Journal of Investigative and Clinical Dentistry</i> , 2013 , 4, 225-8	2.3	4
100	Effect of thermal cycling on denture base and autopolymerizing relined resins. <i>Journal of Applied Oral Science</i> , 2013 , 21, 219-24	3.3	23
99	Eradication of a mature methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) biofilm from acrylic surfaces. <i>Brazilian Dental Journal</i> , 2013 , 24, 487-91	1.9	12
98	Adhesive bonding of resin composite to various titanium surfaces using different metal conditioners and a surface modification system. <i>Journal of Applied Oral Science</i> , 2013 , 21, 590-6	3.3	12
97	Evaluation of <i>Candida albicans</i> adhesion and biofilm formation on a denture base acrylic resin containing silver nanoparticles. <i>Journal of Applied Microbiology</i> , 2012 , 112, 1163-72	4.7	83
96	Prevalence of <i>Candida</i> spp. associated with bacteria species on complete dentures. <i>Gerodontology</i> , 2012 , 29, 203-8	2.8	30
95	Effect of microwave irradiation and water storage on the viscoelastic properties of denture base and relined acrylic resins. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012 , 5, 53-61	4.1	11
94	Cytotoxicity of denture base and hard chairside relined materials: a systematic review. <i>Journal of Prosthetic Dentistry</i> , 2012 , 107, 114-27	4	42
93	Leachability of degradation products from hard chairside relined resins in artificial saliva: Effect of water-bath post-polymerization treatment. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 732-739	2.9	3
92	Toxicity of photodynamic therapy with LED associated to Photogem [®] : an in vivo study. <i>Lasers in Medical Science</i> , 2012 , 27, 403-11	3.1	16
91	Photodynamic inactivation of microorganisms present on complete dentures. A clinical investigation. Photodynamic disinfection of complete dentures. <i>Lasers in Medical Science</i> , 2012 , 27, 161-8 ¹	3.1	40
90	Effectiveness of two disinfectant solutions and microwave irradiation in disinfecting complete dentures contaminated with methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of the American Dental Association</i> , 2012 , 143, 270-7	1.9	18
89	Comparison of Photodynamic Therapy versus conventional antifungal therapy for the treatment of denture stomatitis: a randomized clinical trial. <i>Clinical Microbiology and Infection</i> , 2012 , 18, E380-8	9.5	82

88	Comparison of denture microwave disinfection and conventional antifungal therapy in the treatment of denture stomatitis: a randomized clinical study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012 , 114, 469-79	2	28
87	Clinical evaluation of failures in removable partial dentures. <i>Journal of Oral Science</i> , 2012 , 54, 337-42	1.5	11
86	Effectiveness of mechanical brushing with different denture cleansing agents in reducing in vitro <i>Candida albicans</i> biofilm viability. <i>Brazilian Dental Journal</i> , 2012 , 23, 547-54	1.9	24
85	Weight loss and changes in surface roughness of denture base and reline materials after simulated toothbrushing in vitro. <i>Gerodontology</i> , 2012 , 29, e121-7	2.8	13
84	Effect of thermocycling on the flexural and impact strength of urethane-based and high-impact denture base resins. <i>Gerodontology</i> , 2012 , 29, e318-23	2.8	22
83	Surface roughness of denture base and reline materials after disinfection by immersion in chlorhexidine or microwave irradiation. <i>Gerodontology</i> , 2012 , 29, e375-82	2.8	15
82	The effect of long-term disinfection procedures on hardness property of resin denture teeth. <i>Gerodontology</i> , 2012 , 29, e571-6	2.8	15
81	Evaluation of the occlusion vertical dimension of complete dentures after microwave disinfection. <i>Gerodontology</i> , 2012 , 29, e815-21	2.8	6
80	Effect of long-term water immersion on the fracture toughness of denture base and reline resins. <i>Gerodontology</i> , 2012 , 29, e858-64	2.8	6
79	Impact strength of denture base and reline acrylic resins: An in vitro study. <i>Journal of Dental Biomechanics</i> , 2012 , 3, 1758736012459535		9
78	Microwave denture disinfection versus nystatin in treating patients with well-controlled type 2 diabetes and denture stomatitis: a randomized clinical trial. <i>International Journal of Prosthodontics</i> , 2012 , 25, 232-44	1.9	15
77	Colour stability of relined dentures after chemical disinfection. A randomised clinical trial. <i>Journal of Dentistry</i> , 2011 , 39 Suppl 3, e65-71	4.8	19
76	<i>Candida</i> spp. prevalence in well controlled type 2 diabetic patients with denture stomatitis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 111, 726-33		35
75	Denture stomatitis treated with photodynamic therapy: five cases. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2011 , 112, 602-8		32
74	Microwave assisted disinfection method in dentistry 2011 ,		1
73	Changes in roughness of denture base and reline materials by chemical disinfection or microwave irradiation: surface roughness of denture base and reline materials. <i>Journal of Applied Oral Science</i> , 2011 , 19, 521-8	3.3	24
72	Impact strength of denture base and reline acrylic resins subjected to long-term water immersion. <i>Brazilian Dental Journal</i> , 2011 , 22, 56-61	1.9	9
71	Fungicidal effect of photodynamic therapy against fluconazole-resistant <i>Candida albicans</i> and <i>Candida glabrata</i> . <i>Mycoses</i> , 2011 , 54, 123-30	5.2	103

70	Evaluation of fungal adherence to plasma-modified polymethylmethacrylate. <i>Mycoses</i> , 2011 , 54, e344-51	5.2	10
69	Effectiveness of chlorhexidine on the disinfection of complete dentures colonised with fluconazole-resistant <i>Candida albicans</i> : in vitro study. <i>Mycoses</i> , 2011 , 54, e506-12	5.2	7
68	Effect of thermal cycling on microleakage between hard chairside relines and denture base acrylic resins. <i>Gerodontology</i> , 2011 , 28, 121-6	2.8	9
67	Effect of microwave disinfection on the surface roughness of three denture base resins after tooth brushing. <i>Gerodontology</i> , 2011 , 28, 277-82	2.8	12
66	Exothermic behavior, degree of conversion, and viscoelastic properties of experimental and commercially available hard chairside reline resins. <i>Journal of Applied Polymer Science</i> , 2011 , 122, 1669-1676	2.9	6
65	Effectiveness of photodynamic therapy for the inactivation of <i>Candida</i> spp. on dentures: in vitro study. <i>Photomedicine and Laser Surgery</i> , 2011 , 29, 827-33		48
64	Color stability of chemically activated reline resin after microwave disinfection: a 1-year clinical trial. <i>American Journal of Dentistry</i> , 2011 , 24, 200-4	1.3	2
63	Influence of microwave disinfection on the dimensional stability of denture reline polymers. <i>Journal of Prosthodontics</i> , 2010 , 19, 364-8	3.9	10
62	Effect of reline material and denture base surface treatment on the impact strength of a denture base acrylic resin. <i>Gerodontology</i> , 2010 , 27, 62-9	2.8	12
61	Glass transition temperature of hard chairside reline materials after post-polymerisation treatments. <i>Gerodontology</i> , 2010 , 27, 230-5	2.8	7
60	Disinfection of bovine enamel by microwave irradiation: effect on the surface microhardness and demineralization/remineralization processes. <i>Caries Research</i> , 2010 , 44, 349-57	4.2	21
59	Susceptibility of <i>Candida albicans</i> to photodynamic therapy in a murine model of oral candidosis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2010 , 109, 392-401		109
58	Effect of different periods of preconditioning with saliva on <i>Candida albicans</i> adhesion to a denture base resin by crystal violet staining and XTT assay. <i>Journal of Investigative and Clinical Dentistry</i> , 2010 , 1, 114-9	2.3	5
57	Adherence in vitro of <i>Candida albicans</i> to plasma treated acrylic resin. Effect of plasma parameters, surface roughness and salivary pellicle. <i>Archives of Oral Biology</i> , 2010 , 55, 763-70	2.8	69
56	Cytotoxicity of monomers, plasticizer and degradation by-products released from dental hard chairside reline resins. <i>Dental Materials</i> , 2010 , 26, 1017-23	5.7	26
55	Influence of microwave disinfection on the linear dimensional stability of complete dentures: a clinical study. <i>International Journal of Prosthodontics</i> , 2010 , 23, 318-20	1.9	11
54	Effect of water storage on the shear strength and fatigue limit of the reline resin bond to denture base resins. <i>Journal of Adhesive Dentistry</i> , 2010 , 12, 319-27	3	5
53	Hardness and surface roughness of reline and denture base acrylic resins after repeated disinfection procedures. <i>Journal of Prosthetic Dentistry</i> , 2009 , 102, 115-22	4	55

52	Effect of water-bath post-polymerization on the mechanical properties, degree of conversion, and leaching of residual compounds of hard chairside reline resins. <i>Dental Materials</i> , 2009 , 25, 662-71	5.7	44
51	The occurrence of porosity in reline acrylic resins. Effect of microwave disinfection. <i>Gerodontology</i> , 2009 , 26, 65-71	2.8	11
50	Growth of <i>Candida</i> species on complete dentures: effect of microwave disinfection. <i>Mycoses</i> , 2009 , 52, 154-60	5.2	39
49	Microwave disinfection of complete dentures contaminated in vitro with selected bacteria. <i>Journal of Prosthodontics</i> , 2009 , 18, 611-7	3.9	24
48	Adhesive bonding of resin composite to various Ni-Cr alloy surfaces using different metal conditioners and a surface modification system. <i>Journal of Prosthodontics</i> , 2009 , 18, 663-9	3.9	11
47	Denture disinfection by microwave irradiation: a randomized clinical study. <i>Journal of Dentistry</i> , 2009 , 37, 666-72	4.8	45
46	Effect of different exposure times on microwave irradiation on the disinfection of a hard chairside reline resin. <i>Journal of Prosthodontics</i> , 2008 , 17, 312-7	3.9	49
45	Effectiveness of microwave disinfection of complete dentures on the treatment of <i>Candida</i> -related denture stomatitis. <i>Journal of Oral Rehabilitation</i> , 2008 , 35, 836-46	3.4	63
44	Dual path: a concept to improve the esthetic replacement of missing anterior teeth with a removable partial denture. <i>Journal of Prosthodontics</i> , 2008 , 17, 586-90	3.9	7
43	Effect of microwave disinfection on the bond strength of denture teeth to acrylic resins. <i>International Journal of Adhesion and Adhesives</i> , 2008 , 28, 296-301	3.4	
42	Effect of disinfection by microwave irradiation on the strength of intact and relined denture bases and the water sorption and solubility of denture base and reline materials. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 300-308	2.9	10
41	Effect of a post-polymerization treatments on the flexural strength and Vickers hardness of reline and acrylic denture base resins. <i>Journal of Applied Oral Science</i> , 2007 , 15, 506-11	3.3	11
40	Degree of conversion and molecular weight of one denture base and three reline resins submitted to post-polymerization treatments. <i>Materials Research</i> , 2007 , 10, 191-197	1.5	12
39	Clinical evaluation of abutment teeth of removable partial denture by means of the Periotest method. <i>Journal of Oral Rehabilitation</i> , 2007 , 34, 222-7	3.4	25
38	<i>Candida albicans</i> inactivation and cell membrane integrity damage by microwave irradiation. <i>Mycoses</i> , 2007 , 50, 140-7	5.2	33
37	The effect of water immersion on the shear bond strength between chairside reline and denture base acrylic resins. <i>Journal of Prosthodontics</i> , 2007 , 16, 255-62	3.9	13
36	Biocompatibility of denture base acrylic resins evaluated in culture of L929 cells. Effect of polymerisation cycle and post-polymerisation treatments. <i>Gerodontology</i> , 2007 , 24, 52-7	2.8	41
35	Residual monomer of reline acrylic resins. Effect of water-bath and microwave post-polymerization treatments. <i>Dental Materials</i> , 2007 , 23, 363-8	5.7	68

34	Influence of microwave disinfection on the dimensional stability of intact and relined acrylic resin denture bases. <i>Journal of Prosthetic Dentistry</i> , 2007 , 98, 216-23	4	33
33	Effect of Disinfection on Adhesion of Reline Polymers 2007 , 83, 139-150		3
32	Influence of thermal and mechanical stresses on the strength of intact and relined denture bases. <i>Journal of Prosthetic Dentistry</i> , 2006 , 96, 59-67	4	22
31	Linear dimensional changes of denture base and hard chair-side reline resins after disinfection. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 1821-1826	2.9	20
30	Effect of relining, water storage and cyclic loading on the flexural strength of a denture base acrylic resin. <i>Journal of Dentistry</i> , 2006 , 34, 420-6	4.8	23
29	Effect of post-polymerization heat treatments on the cytotoxicity of two denture base acrylic resins. <i>Journal of Applied Oral Science</i> , 2006 , 14, 203-7	3.3	26
28	Bond strength of hard chairside reline resins to a rapid polymerizing denture base resin before and after thermal cycling. <i>Journal of Applied Oral Science</i> , 2006 , 14, 436-42	3.3	9
27	Effect of disinfectants on the hardness and roughness of reline acrylic resins. <i>Journal of Prosthodontics</i> , 2006 , 15, 235-42	3.9	46
26	Cytotoxicity of hard chairside reline resins: effect of microwave irradiation and water bath postpolymerization treatments. <i>International Journal of Prosthodontics</i> , 2006 , 19, 195-201	1.9	26
25	Weight loss and surface roughness of hard chairside reline resins after toothbrushing: influence of postpolymerization treatments. <i>International Journal of Prosthodontics</i> , 2006 , 19, 281-7	1.9	9
24	Effectiveness of microwave irradiation on the disinfection of complete dentures. <i>International Journal of Prosthodontics</i> , 2006 , 19, 288-93	1.9	46
23	Effect of microwave disinfection on the flexural strength of hard chairside reline resins. <i>Journal of Dentistry</i> , 2005 , 33, 741-8	4.8	32
22	Hardness of heat-polymerized acrylic resins after disinfection and long-term water immersion. <i>Journal of Prosthetic Dentistry</i> , 2005 , 93, 171-6	4	74
21	Effect of microwave sterilization and water storage on the Vickers hardness of acrylic resin denture teeth. <i>Journal of Prosthetic Dentistry</i> , 2005 , 93, 483-7	4	38
20	Flexural strength of autopolymerizing denture reline resins with microwave postpolymerization treatment. <i>Journal of Prosthetic Dentistry</i> , 2005 , 93, 577-83	4	37
19	Hardness of denture base and hard chair-side reline acrylic resins. <i>Journal of Applied Oral Science</i> , 2005 , 13, 291-5	3.3	21
18	Hardness and compressive strength of indirect composite resins: effects of immersion in distilled water. <i>Journal of Oral Rehabilitation</i> , 2004 , 31, 1085-9	3.4	31
17	Cytotoxicity of denture base resins: Effect of water bath and microwave postpolymerization heat treatments. <i>Journal of Prosthetic Dentistry</i> , 2004 , 92, 568	4	6

16	Cytotoxicity of denture base resins: effect of water bath and microwave postpolymerization heat treatments. <i>International Journal of Prosthodontics</i> , 2004 , 17, 340-4	1.9	30
15	Different methods of finishing and polishing enamel. <i>Journal of Prosthetic Dentistry</i> , 2003 , 89, 135-40	4	3
14	Cytotoxicity of denture base acrylic resins: a literature review. <i>Journal of Prosthetic Dentistry</i> , 2003 , 90, 190-3	4	100
13	An infection control protocol: effectiveness of immersion solutions to reduce the microbial growth on dental prostheses. <i>Journal of Oral Rehabilitation</i> , 2003 , 30, 532-6	3.4	68
12	The effect of disinfectant solutions on the hardness of acrylic resin denture teeth. <i>Journal of Oral Rehabilitation</i> , 2003 , 30, 749-52	3.4	36
11	Effects of chemical disinfectants on the transverse strength of denture base acrylic resins. <i>Journal of Oral Rehabilitation</i> , 2003 , 30, 1085-9	3.4	37
10	Shear bond strength of aesthetic materials bonded to Ni-Cr alloy. <i>Journal of Dentistry</i> , 2003 , 31, 205-11	4.8	25
9	Effectiveness of microwave sterilization on three hard chairside reline resins. <i>International Journal of Prosthodontics</i> , 2003 , 16, 616-20	1.9	43
8	Preparation of composite retentive areas for removable partial denture retainers. <i>Journal of Prosthetic Dentistry</i> , 2002 , 88, 218-20	4	6
7	Effect of a heat-treatment on the linear dimensional change of a hard chairside reline resin. <i>Journal of Prosthetic Dentistry</i> , 2002 , 88, 611-5	4	7
6	Bonding strength between a hard chairside reline resin and a denture base material as influenced by surface treatment. <i>Journal of Oral Rehabilitation</i> , 2001 , 28, 1153-7	3.4	44
5	Overlay removable partial dentures for a patient with ectodermal dysplasia: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2001 , 86, 574-7	4	20
4	Tensile bond strengths of hard chairside reline resins as influenced by water storage. <i>Journal of Oral Rehabilitation</i> , 1999 , 26, 631-4	3.4	15
3	Water sorption, solubility, and bond strength of two autopolymerizing acrylic resins and one heat-polymerizing acrylic resin. <i>Journal of Prosthetic Dentistry</i> , 1998 , 80, 434-8	4	53
2	Composite occlusal surfaces for acrylic resin denture teeth. <i>Journal of Prosthetic Dentistry</i> , 1997 , 77, 328-31	4	17
1	Unrestricted linear dimensional changes of two hard chairside reline resins and one heat-curing acrylic resin. <i>Journal of Prosthetic Dentistry</i> , 1996 , 76, 414-7	4	14