List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/592652/publications.pdf Version: 2024-02-01



HONG-XI XII

#	Article	IF	CITATIONS
1	Use of ITS2 Region as the Universal DNA Barcode for Plants and Animals. PLoS ONE, 2010, 5, e13102.	2.5	818
2	Antiviral Chinese medicinal herbs against respiratory syncytial virus. Journal of Ethnopharmacology, 2002, 79, 205-211.	4.1	242
3	Antiviral flavonoids from the root bark of Morus alba L Phytochemistry, 2003, 62, 1235-1238.	2.9	223
4	Activity of plant flavonoids against antibiotic-resistant bacteria. Phytotherapy Research, 2001, 15, 39-43.	5.8	217
5	Identification of medicinal plants in the family Fabaceae using a potential DNA barcode ITS2. Journal of Ethnopharmacology, 2010, 130, 116-121.	4.1	207
6	Anti-HIV Triterpene Acids fromGeum japonicum. Journal of Natural Products, 1996, 59, 643-645.	3.0	198
7	Chemical markers for the quality control of herbal medicines: an overview. Chinese Medicine, 2008, 3, 7.	4.0	172
8	Hypoxia-induced <i>MIR155</i> is a potent autophagy inducer by targeting multiple players in the MTOR pathway. Autophagy, 2014, 10, 70-79.	9.1	160
9	Chemical profiling of Radix Paeoniae evaluated by ultra-performance liquid chromatography/photo-diode-array/quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 253-266.	2.8	156
10	Holistic quality evaluation of commercial white and red ginseng using a UPLC-QTOF-MS/MS-based metabolomics approach. Journal of Pharmaceutical and Biomedical Analysis, 2012, 62, 258-273.	2.8	142
11	Bioactive natural compounds against human coronaviruses: a review and perspective. Acta Pharmaceutica Sinica B, 2020, 10, 1163-1174.	12.0	135
12	Antiviral traditional medicines against herpes simplex virus (HSV-1), poliovirus, and measles virus in vitro and their therapeutic efficacies for HSV-1 infection in mice. Antiviral Research, 1993, 22, 175-188.	4.1	127
13	Analysis of the transcriptome of Panax notoginseng root uncovers putative triterpene saponin-biosynthetic genes and genetic markers. BMC Genomics, 2011, 12, S5.	2.8	125
14	The natural compound oblongifolin C inhibits autophagic flux and enhances antitumor efficacy of nutrient deprivation. Autophagy, 2014, 10, 736-749.	9.1	120
15	Decocting-induced chemical transformations and global quality of Du–Shen–Tang, the decoction of ginseng evaluated by UPLC–Q-TOF-MS/MS based chemical profiling approach. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 946-957.	2.8	118
16	Applying plant DNA barcodes for Rosaceae species identification. Cladistics, 2011, 27, 165-170.	3.3	118
17	Isolation and characterization of an anti-HSV polysaccharide from Prunella vulgaris. Antiviral Research, 1999, 44, 43-54.	4.1	109
18	A novel strategy to rapidly explore potential chemical markers for the discrimination between raw and processed Radix Rehmanniae by UHPLC–TOFMS with multivariate statistical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 812-823.	2.8	107

#	Article	IF	CITATIONS
19	Antibacterial activities of extracts from Nigerian chewing sticks. Phytotherapy Research, 1999, 13, 675-679.	5.8	105
20	Ligand Controlled Regiodivergent C ₁ Insertion on Arynes for Construction of Phenanthridinone and Acridone Alkaloids. Angewandte Chemie - International Edition, 2015, 54, 14960-14964.	13.8	105
21	Sustained Antidiabetic Effects of a Berberine-Containing Chinese Herbal Medicine Through Regulation of Hepatic Gene Expression. Diabetes, 2012, 61, 933-943.	0.6	103
22	Caged Garcinia Xanthones: Development Since 1937. Current Medicinal Chemistry, 2009, 16, 3775-3796.	2.4	102
23	Ultra-high-performance liquid chromatography–quadrupole/time of flight mass spectrometry based chemical profiling approach to rapidly reveal chemical transformation of sulfur-fumigated medicinal herbs, a case study on white ginseng. Journal of Chromatography A, 2012, 1231, 31-45.	3.7	96
24	Chemical properties, mode of action, and in vivo anti-herpes activities of a lignin–carbohydrate complex from Prunella vulgaris. Antiviral Research, 2007, 75, 242-249.	4.1	91
25	Systematic review of animal models of post-infectious/post-inflammatory irritable bowel syndrome. Journal of Gastroenterology, 2011, 46, 164-174.	5.1	90
26	Cytotoxic Acylphloroglucinol Derivatives from the Twigs of <i>Garcinia cowa</i> . Journal of Natural Products, 2010, 73, 104-108.	3.0	86
27	Chemical fingerprint and quantitative analysis of Fructus Psoraleae by high-performance liquid chromatography. Journal of Separation Science, 2007, 30, 813-818.	2.5	84
28	Xanthones with growth inhibition against HeLa cells from Garcinia xipshuanbannaensis. Phytochemistry, 2008, 69, 2187-2192.	2.9	82
29	Proteomic identification of molecular targets of gambogic acid: Role of stathmin in hepatocellular carcinoma. Proteomics, 2009, 9, 242-253.	2.2	81
30	Chemical comparison and classification of Radix Astragali by determination of isoflavonoids and astragalosides. Journal of Pharmaceutical and Biomedical Analysis, 2008, 47, 399-406.	2.8	78
31	Application of proteomics to determine the mechanism of action of traditional Chinese medicine remedies. Journal of Ethnopharmacology, 2014, 155, 1-8.	4.1	77
32	The complete chloroplast genome of Gentiana straminea (Gentianaceae), an endemic species to the Sino-Himalayan subregion. Gene, 2016, 577, 281-288.	2.2	73
33	UPLC–PDA–TOFMS based chemical profiling approach to rapidly evaluate chemical consistency between traditional and dispensing granule decoctions of traditional medicine combinatorial formulae. Journal of Pharmaceutical and Biomedical Analysis, 2010, 52, 468-478.	2.8	72
34	Hypersubones A and B, New Polycyclic Acylphloroglucinols with Intriguing Adamantane Type Cores from <i>Hypericum subsessile</i> . Organic Letters, 2015, 17, 1172-1175.	4.6	71
35	Cytotoxic Polyprenylated Xanthones from the Resin of Garcinia hanburyi. Chemical and Pharmaceutical Bulletin, 2006, 54, 265-267.	1.3	70
36	The antibacterial principle ofCaesalpina sappan. Phytotherapy Research, 2004, 18, 647-651.	5.8	68

#	Article	IF	CITATIONS
37	An experimental design approach using response surface techniques to obtain optimal liquid chromatography and mass spectrometry conditions to determine the alkaloids in Meconopsi species. Journal of Chromatography A, 2009, 1216, 7013-7023.	3.7	68
38	USP21 prevents the generation of T-helper-1-like Treg cells. Nature Communications, 2016, 7, 13559.	12.8	67
39	Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858.	3.7	64
40	JMJD6 is a tumorigenic factor and therapeutic target in neuroblastoma. Nature Communications, 2019, 10, 3319.	12.8	63
41	Bioassay and Ultraperformance Liquid Chromatography/Mass Spectrometry Guided Isolation of Apoptosis-Inducing Benzophenones and Xanthone from the Pericarp of Garcinia yunnanensis Hu. Journal of Agricultural and Food Chemistry, 2008, 56, 11144-11150.	5.2	61
42	Bioassay-Guided Isolation of Xanthones and Polycyclic Prenylated Acylphloroglucinols from <i>Garcinia oblongifolia</i> . Journal of Natural Products, 2009, 72, 130-135.	3.0	61
43	Collective Synthesis of Phenanthridinone through C–H Activation Involving a Pd-Catalyzed Aryne Multicomponent Reaction. Organic Letters, 2016, 18, 4352-4355.	4.6	60
44	Stability and Cytotoxicity of Gambogic Acid and Its Derivative, Gambogoic Acid. Biological and Pharmaceutical Bulletin, 2005, 28, 2335-2337.	1.4	59
45	Antidepressant-Like Effects of Psoralen Isolated from the Seeds of Psoralea corylifolia in the Mouse Forced Swimming Test. Biological and Pharmaceutical Bulletin, 2008, 31, 1109-1114.	1.4	58
46	A new approach for simultaneous screening and quantification of toxic pyrrolizidine alkaloids in some potential pyrrolizidine alkaloid-containing plants by using ultra performance liquid chromatography–tandem quadrupole mass spectrometry. Analytica Chimica Acta, 2010, 681, 33-40.	5.4	58
47	A simple method to optimize the HSCCC twoâ€phase solvent system by predicting the partition coefficient for target compound. Journal of Separation Science, 2008, 31, 1189-1194.	2.5	55
48	Hypercohin A, a new polycyclic polyprenylated acylphloroglucinol possessing an unusual bicyclo[5.3.1]hendecane core from Hypericum cohaerens. Chemical Communications, 2012, 48, 5998.	4.1	53
49	Gambogic Acid and Epigambogic Acid, C-2 Epimers with Novel Anticancer Effects fromGarcinia hanburyi. Planta Medica, 2006, 72, 281-284.	1.3	52
50	Characterization of protostane triterpenoids in <i>Alisma orientalis</i> by ultraâ€performance liquid chromatography coupled with quadrupole timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2010, 24, 1514-1522.	1.5	52
51	A new anticancer compound, Oblongifolin C, inhibits tumor growth and promotes apoptosis in HeLa cells through bax activation. International Journal of Cancer, 2012, 131, 1445-1454.	5.1	51
52	Cytotoxic Prenylated Phenolic Compounds from the Twig Bark ofGarcinia xanthochymus. Chemistry and Biodiversity, 2007, 4, 940-946.	2.1	50
53	Gut microbiota alterations are distinct for primary colorectal cancer and hepatocellular carcinoma. Protein and Cell, 2021, 12, 374-393.	11.0	50
54	Antitumor effects of novel compound, guttiferone K, on colon cancer by p21Waf1/Cip1â€mediated G ₀ /G ₁ cell cycle arrest and apoptosis. International Journal of Cancer, 2013, 132, 707-716.	5.1	49

#	Article	IF	CITATIONS
55	Furocoumarins affect hepatic cytochrome P450 and renal organic ion transporters in mice. Toxicology Letters, 2012, 209, 67-77.	0.8	47
56	A multidimensional analytical approach based on time-decoupled online comprehensive two-dimensional liquid chromatography coupled with ion mobility quadrupole time-of-flight mass spectrometry for the analysis of ginsenosides from white and red ginsengs. Journal of Pharmaceutical and Biomedical Analysis, 2019, 163, 24-33.	2.8	47
57	Apoptotic Effects of Polyprenylated Benzoylphloroglucinol Derivatives from the Twigs of <i>Garcinia multiflora</i> . Journal of Natural Products, 2010, 73, 1355-1359.	3.0	46
58	Metabolite profiling of plasma and urine from rats with TNBSâ€induced acute colitis using UPLCâ€ESIâ€QTOFâ€MSâ€based metabonomics – a pilot study. FEBS Journal, 2012, 279, 2322-2338.	4.7	46
59	Analysis of caged xanthones from the resin of Garcinia hanburyi using ultra-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2008, 629, 104-118.	5.4	45
60	Prenylated Benzoylphloroglucinols and Xanthones from the Leaves of <i>Garcinia oblongifolia</i> with Antienteroviral Activity. Journal of Natural Products, 2014, 77, 1037-1046.	3.0	45
61	A high performance liquid chromatography fingerprinting and ultra high performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry chemical profiling approach to rapidly find characteristic chemical markers for quality evaluation of dispensing granules, a case study on Chuanxiong Rhizoma. Journal of Pharmaceutical and Biomedical Analysis,	2.8	45
62	2014, 88, 391-400. Guttiferone K induces autophagy and sensitizes cancer cells to nutrient stress-induced cell death. Phytomedicine, 2015, 22, 902-910.	5.3	44
63	Uncovering the Mechanisms of Chinese Herbal Medicine (MaZiRenWan) for Functional Constipation by Focused Network Pharmacology Approach. Frontiers in Pharmacology, 2018, 9, 270.	3.5	44
64	Bioassay-Guided Isolation of Prenylated Xanthones and Polycyclic Acylphloroglucinols from the Leaves of <i>Garcinia nujiangensis</i> . Journal of Natural Products, 2012, 75, 1459-1464.	3.0	43
65	Gambogenic acid inhibits fibroblast growth factor receptor signaling pathway in erlotinib-resistant non-small-cell lung cancer and suppresses patient-derived xenograft growth. Cell Death and Disease, 2018, 9, 262.	6.3	43
66	Characterization of polyprenylated xanthones in Garcinia xipshuanbannaensis using liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2008, 1206, 131-139.	3.7	42
67	Identification and evaluation of apoptotic compounds from Garcinia oligantha. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2350-2353.	2.2	42
68	Screening of Traditional Medicines for their Inhibitory Activity Against HIV-1 Protease. Phytotherapy Research, 1996, 10, 207-210.	5.8	41
69	Distinguishing Radix Angelica sinensis from different regions by HS-SFME/GC–MS. Food Chemistry, 2015, 186, 200-206.	8.2	41
70	Bioassay-Guided Isolation of Prenylated Xanthone Derivatives from the Leaves of <i>Garcinia oligantha</i> . Journal of Natural Products, 2016, 79, 1752-1761.	3.0	41
71	Andrographolide inhibits inflammatory responses in LPS-stimulated macrophages and murine acute colitis through activating AMPK. Biochemical Pharmacology, 2019, 170, 113646.	4.4	41
72	Oblongifolin C inhibits metastasis by up-regulating keratin 18 and tubulins. Scientific Reports, 2015, 5, 10293.	3.3	40

#	Article	IF	CITATIONS
73	The natural compound neobractatin inhibits tumor metastasis by upregulating the RNA-binding-protein MBNL2. Cell Death and Disease, 2019, 10, 554.	6.3	40
74	Structural characterization and antiviral effect of a novel polysaccharide PSP-2B from Prunellae Spica. Carbohydrate Polymers, 2016, 152, 699-709.	10.2	39
75	Identification and evaluation of apoptotic compounds from Garcinia paucinervis. Bioorganic and Medicinal Chemistry, 2010, 18, 4957-4964.	3.0	38
76	Heat shock protein 27 mediates the effect of 1,3,5-trihydroxy-13,13-dimethyl-2H-pyran [7,6-b] xanthone on mitochondrial apoptosis in hepatocellular carcinoma. Journal of Proteomics, 2012, 75, 4833-4843.	2.4	38
77	Cytotoxic and Anti-Inflammatory Prenylated Benzoylphloroglucinols and Xanthones from the Twigs of <i>Garcinia esculenta</i> . Journal of Natural Products, 2014, 77, 1700-1707.	3.0	38
78	Garcinol inhibits esophageal cancer metastasis by suppressing the p300 and TGF-β1 signaling pathways. Acta Pharmacologica Sinica, 2020, 41, 82-92.	6.1	38
79	Ultra performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometric procedure for qualitative and quantitative analyses of nortriterpenoids and lignans in the genus Schisandra. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 916-927.	2.8	37
80	Cambogin Induces Caspase-Independent Apoptosis through the ROS/JNK Pathway and Epigenetic Regulation in Breast Cancer Cells. Molecular Cancer Therapeutics, 2015, 14, 1738-1749.	4.1	37
81	Bioassay guided discovery of apoptosis inducers from gamboge by high-speed counter-current chromatography and high-pressure liquid chromatography/electrospray ionization quadrupole time-of-flight mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences. 2009. 877. 401-407.	2.3	36
82	Prevalence of mental health problems in frontline healthcare workers after the first outbreak of COVID-19 in China: a cross-sectional study. Health and Quality of Life Outcomes, 2021, 19, 103.	2.4	36
83	Complete NMR Assignments of the Antibacterial Biflavonoid GB1 from Garcinia kola. Chemical and Pharmaceutical Bulletin, 2005, 53, 1034-1036.	1.3	35
84	Rapid determination of polyprenylated xanthones in gamboge resin ofGarcinia hanburyi by HPLC. Journal of Separation Science, 2007, 30, 304-309.	2.5	35
85	Synthesis of a novel series of diphenolic chromone derivatives as inhibitors of NO production in LPS-activated RAW264.7 macrophages. Bioorganic and Medicinal Chemistry, 2010, 18, 2864-2871.	3.0	35
86	Identification and Characterization of Anticancer Compounds Targeting Apoptosis and Autophagy from Chinese Native Garcinia Species. Planta Medica, 2014, 81, 79-89.	1.3	35
87	Hepatotoxicity induced by psoralen and isopsoralen from Fructus Psoraleae: Wistar rats are more vulnerable than ICR mice. Food and Chemical Toxicology, 2019, 125, 133-140.	3.6	35
88	Guttiferone K suppresses cell motility and metastasis of hepatocellular carcinoma by restoring aberrantly reduced profilin 1. Oncotarget, 2016, 7, 56650-56663.	1.8	35
89	Apoptosis induced by 1,3,6,7-tetrahydroxyxanthone in Hepatocellular carcinoma and proteomic analysis. Apoptosis: an International Journal on Programmed Cell Death, 2012, 17, 842-851.	4.9	34
90	Advanced ultra-performance liquid chromatography–photodiode array–quadrupole time-of-flight mass spectrometric methods for simultaneous screening and quantification of triterpenoids in Poria cocos. Food Chemistry, 2014, 152, 237-244.	8.2	34

Ηοης-Χι Χυ

#	Article	IF	CITATIONS
91	Simultaneous determination of ten compounds in rat plasma by UPLC-MS/MS: Application in the pharmacokinetic study of Ma-Zi-Ren-Wan. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1000, 136-146.	2.3	34
92	The natural compound nujiangexanthone A suppresses mast cell activation and allergic asthma. Biochemical Pharmacology, 2016, 100, 61-72.	4.4	34
93	Chloroplast genome structures in Gentiana (Gentianaceae), based on three medicinal alpine plants used in Tibetan herbal medicine. Current Genetics, 2017, 63, 241-252.	1.7	34
94	Two New Xanthones Isolated from the Stem Bark of Garcinia lancilimba. Chemical and Pharmaceutical Bulletin, 2007, 55, 950-952.	1.3	33
95	Gymnothelignans A–O: Conformation and Absolute Configuration Analyses of Lignans Bearing Tetrahydrofuran from Gymnotheca chinensis. Journal of Organic Chemistry, 2012, 77, 8435-8443.	3.2	33
96	Guttiferone K impedes cell cycle re-entry of quiescent prostate cancer cells via stabilization of FBXW7 and subsequent c-MYC degradation. Cell Death and Disease, 2016, 7, e2252-e2252.	6.3	33
97	Application of microscopy in authentication of valuable Chinese medicine i— <i>Cordyceps sinensis</i> , its counterfeits, and related products. Microscopy Research and Technique, 2012, 75, 54-64.	2.2	32
98	Natural compound Oblongifolin C confers gemcitabine resistance in pancreatic cancer by downregulating Src/MAPK/ERK pathways. Cell Death and Disease, 2018, 9, 538.	6.3	32
99	Xanthones from the Leaves of Garcinia cowa Induce Cell Cycle Arrest, Apoptosis, and Autophagy in Cancer Cells. Molecules, 2015, 20, 11387-11399.	3.8	31
100	A Pair of Novel Cytotoxic Polyprenylated Xanthone Epimers from Gamboges. Chemistry and Biodiversity, 2006, 3, 101-105.	2.1	30
101	Cytotoxic triterpenoid saponins from Clematis tangutica. Phytochemistry, 2016, 130, 228-237.	2.9	30
102	Novel polyisoprenylated benzophenone derivatives from Garcinia paucinervis. Tetrahedron Letters, 2010, 51, 2442-2446.	1.4	29
103	The natural compound Guttiferone F sensitizes prostate cancer to starvation induced apoptosis via calcium and JNK elevation. BMC Cancer, 2015, 15, 254.	2.6	29
104	Nujiangexathone A, a novel compound from Garcinia nujiangensis, suppresses cervical cancer growth by targeting hnRNPK. Cancer Letters, 2016, 380, 447-456.	7.2	29
105	Screening of FDA-approved drugs identifies sutent as a modulator of UCP1 expression in brown adipose tissue. EBioMedicine, 2018, 37, 344-355.	6.1	29
106	Safranal Alleviates Dextran Sulfate Sodium-Induced Colitis and Suppresses Macrophage-Mediated Inflammation. Frontiers in Pharmacology, 2019, 10, 1281.	3.5	29
107	A novel approach to rapidly explore analytical markers for quality control of Radix Salviae Miltiorrhizae extract granules by robust principal component analysis with ultra-high performance liquid chromatography–ultraviolet–quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis. 2010. 53. 279-286.	2.8	28
108	A bioactivity-guided study on the anti-diarrheal activity of Polygonum chinense Linn. Journal of Ethnopharmacology, 2013, 149, 499-505.	4.1	28

#	Article	IF	CITATIONS
109	Efficient optimization of ultraâ€high―performance supercritical fluid chromatographic separation of <i>Rosa sericea</i> by response surface methodology. Journal of Separation Science, 2013, 36, 2114-2120.	2.5	28
110	Garciesculenxanthone B induces PINK1-Parkin-mediated mitophagy and prevents ischemia-reperfusion brain injury in mice. Acta Pharmacologica Sinica, 2021, 42, 199-208.	6.1	28
111	Visceral hypersensitivity induced by activation of transient receptor potential vanilloid type 1 is mediated through the serotonin pathway in rat colon. European Journal of Pharmacology, 2010, 647, 75-83.	3.5	27
112	A New Anti-HIV Triterpene from Geum japonicum Chemical and Pharmaceutical Bulletin, 2000, 48, 1367-1369.	1.3	26
113	Polyprenylated Xanthones from <i>Garcinia lancilimba</i> Showing Apoptotic Effects against HeLa 3 Cells. Chemistry and Biodiversity, 2008, 5, 2710-2717.	2.1	26
114	Me ₂ AlSEt-Promoted Domino Dieckmann Cyclization Enables the Total Synthesis of Polycyclic Polyprenylated Acylphloroglucinols. Organic Letters, 2019, 21, 8075-8079.	4.6	26
115	Isolation and Structure of Woodorien, a New Glucoside Having Antiviral Activity, from Woodwardia orientalis Chemical and Pharmaceutical Bulletin, 1993, 41, 1803-1806.	1.3	25
116	Cambogin suppresses dextran sulphate sodiumâ€induced colitis by enhancing Treg cell stability and function. British Journal of Pharmacology, 2018, 175, 1085-1099.	5.4	25
117	Towards a Framework for Better Understanding of Quiescent Cancer Cells. Cells, 2021, 10, 562.	4.1	25
118	Oblongifolin M, an active compound isolated from a Chinese medical herb <i>Garcinia oblongifolia</i> , potently inhibits enterovirus 71 reproduction through downregulation of ERp57. Oncotarget, 2016, 7, 8797-8808.	1.8	25
119	Qualitative and quantitative analysis of polycyclic polyprenylated acylphloroglucinols from Garcinia species using ultra performance liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2010, 678, 96-107.	5.4	24
120	Quick identification of apoptosis inducer from Isodon eriocalyx by a drug discovery platform composed of analytical high-speed counter-current chromatography and the fluorescence-based caspase-3 biosensor detection. Talanta, 2010, 82, 1521-1527.	5.5	24
121	Diagnostic filtering to screen polycyclic polyprenylated acylphloroglucinols from Garcinia oblongifolia by ultrahigh performance liquid chromatography coupled with ion mobility quadrupole time-of-flight mass spectrometry. Analytica Chimica Acta, 2016, 912, 85-96.	5.4	24
122	Xanthone Glucosides: Isolation, Bioactivity and Synthesis. Molecules, 2021, 26, 5575.	3.8	23
123	Chinese herbal medicines as a source of molecules with anti-enterovirus 71 activity. Chinese Medicine, 2016, 11, 2.	4.0	22
124	Synthesis of NH‣ulfoximines by Using Recyclable Hypervalent Iodine(III) Reagents under Aqueous Micellar Conditions. ChemSusChem, 2020, 13, 922-928.	6.8	22
125	Rapid optimization of dual-mode gradient high performance liquid chromatographic separation of Radix et Rhizoma Salviae Miltiorrhizae by response surface methodology. Journal of Chromatography A, 2009, 1216, 7007-7012.	3.7	21
126	<scp>ER</scp> stressâ€induced autophagy in melanoma. Clinical and Experimental Pharmacology and Physiology, 2015, 42, 811-816.	1.9	21

#	Article	IF	CITATIONS
127	Bicyclic polyprenylated acylphloroglucinols and their derivatives: structural modification, structure-activity relationship, biological activity and mechanism of action. European Journal of Medicinal Chemistry, 2020, 205, 112646.	5.5	21
128	Analgesic effects of JCM-16021 on neonatal maternal separation-induced visceral pain in rats. World Journal of Gastroenterology, 2010, 16, 837-45.	3.3	21
129	A New Hydrolyzable Tannin from Geum japonicum and Its Antiviral Activity. Heterocycles, 1994, 38, 167.	0.7	21
130	Three new phenolic compounds from the leaves of Rosa sericea. Fìtoterapìâ, 2013, 84, 332-337.	2.2	20
131	Oblongifolin C and guttiferone K extracted from Garcinia yunnanensis fruit synergistically induce apoptosis in human colorectal cancer cells in vitro. Acta Pharmacologica Sinica, 2017, 38, 252-263.	6.1	20
132	Hsp27 Responds to and Facilitates Enterovirus A71 Replication by Enhancing Viral Internal Ribosome Entry Site-Mediated Translation. Journal of Virology, 2019, 93, .	3.4	20
133	The histone chaperone complex FACT promotes proliferative switch of G 0 cancer cells. International Journal of Cancer, 2019, 145, 164-178.	5.1	20
134	Bioactive scalemic caged xanthones from the leaves of Garcinia bracteata. Bioorganic Chemistry, 2019, 82, 274-283.	4.1	20
135	Development and validation of a rapid capillary zone electrophoresis method for the determination of aconite alkaloids in aconite roots. Phytochemical Analysis, 2010, 21, 137-143.	2.4	19
136	The active fraction of <i>Garcinia yunnanensis</i> suppresses the progression of colorectal carcinoma by interfering with tumorassociated macrophageâ€associated M2 macrophage polarization in vitro. FASEB Journal, 2020, 34, 7387-7403.	0.5	19
137	Characterization of Proapoptotic Compounds from the Bark of Garcinia oblongifolia. Journal of Natural Products, 2014, 77, 1111-1116.	3.0	18
138	Garciyunnanimines A–C, novel cytotoxic polycyclic polyprenylated acylphloroglucinol imines from Garcinia yunnanensis. Organic Chemistry Frontiers, 2017, 4, 2102-2108.	4.5	18
139	Molecularly Imprinted Polymers for Selective Extraction of Oblongifolin C from Garcinia yunnanensis Hu. Molecules, 2017, 22, 508.	3.8	18
140	Cambogin exerts anti-proliferative and pro-apoptotic effects on breast adenocarcinoma through the induction of NADPH oxidase 1 and the alteration of mitochondrial morphology and dynamics. Oncotarget, 2016, 7, 50596-50611.	1.8	18
141	Rapid determination of yunaconitine and related alkaloids in aconites and aconiteâ€containing drugs by ultra highâ€performance liquid chromatography–tandem mass spectrometry. Biomedical Chromatography, 2012, 26, 1567-1574.	1.7	17
142	Anti-Inflammatory Effect of 1,3,5,7-Tetrahydroxy-8-isoprenylxanthone Isolated from Twigs of <i>Garcinia esculenta</i> on Stimulated Macrophage. Mediators of Inflammation, 2015, 2015, 1-11.	3.0	17
143	Garsubelone A, the First Dimeric Polycyclic Polyprenylated Acylphloroglucinols with Complicated Heptacyclic Architecture from <i>Garcinia subelliptica</i> . Organic Letters, 2019, 21, 1534-1537.	4.6	17
144	Mycomedicine: A Unique Class of Natural Products with Potent Anti-tumour Bioactivities. Molecules, 2021, 26, 1113.	3.8	17

#	Article	IF	CITATIONS
145	Stereodivergent Strategy in Structural Determination: Asymmetric Total Synthesis of Garcinol, Cambogin, and Related Analogues. Organic Letters, 2021, 23, 4203-4208.	4.6	17
146	Safrana l Prevents Prostate Cancer Recurrence by Blocking the Re-activation of Quiescent Cancer Cells via Downregulation of S-Phase Kinase-Associated Protein 2. Frontiers in Cell and Developmental Biology, 2020, 8, 598620.	3.7	17
147	DNA damage and ER stress contribute to oblongifolin C-induced cell killing in Bax/Bak-deficient cells. Biochemical and Biophysical Research Communications, 2015, 457, 300-306.	2.1	16
148	Multiorgan toxicity induced by EtOH extract of Fructus Psoraleae in Wistar rats. Phytomedicine, 2019, 58, 152874.	5.3	16
149	Safranal Alleviated OVA-Induced Asthma Model and Inhibits Mast Cell Activation. Frontiers in Immunology, 2021, 12, 585595.	4.8	16
150	The natural compound from Garcinia bracteata mainly induces GSDME-mediated pyroptosis in esophageal cancer cells. Phytomedicine, 2022, 102, 154142.	5.3	16
151	The Isolation of A New Labdane Diterpene from the Seeds of <i>Alpinia zerumbet</i> . Natural Product Research, 1995, 7, 29-34.	0.4	15
152	Quantification of luminally released serotonin in rat proximal colon by capillary electrophoresis with laser-induced fluorescence detection. Analytical and Bioanalytical Chemistry, 2009, 393, 2059-2066.	3.7	15
153	Tandem mass spectrometry fragmentation of the protonated 2â€(2â€phenylethyl)chromones from Agarwood: radical ions versus nonâ€radical ions. Journal of Mass Spectrometry, 2013, 48, 979-982.	1.6	15
154	Two novel polycyclic spiro lignans from Gymnotheca involucrata. Tetrahedron Letters, 2014, 55, 5949-5951.	1.4	15
155	Prenylated benzoylphloroglucinols and biphenyl derivatives from the leaves of Garcinia multiflora Champ. RSC Advances, 2015, 5, 78259-78267.	3.6	15
156	Griffipavixanthone, a dimeric xanthone extracted from edible plants, inhibits tumor metastasis and proliferation via downregulation of the RAF pathway in esophageal cancer. Oncotarget, 2016, 7, 1826-1837.	1.8	15
157	Synthesis and biological evaluation of Oblongifolin C derivatives as c-Met inhibitors. Bioorganic and Medicinal Chemistry, 2016, 24, 4120-4128.	3.0	15
158	SRC and MEK Co-inhibition Synergistically Enhances the Anti-tumor Effect in Both Non-small-cell Lung Cancer (NSCLC) and Erlotinib-Resistant NSCLC. Frontiers in Oncology, 2019, 9, 586.	2.8	15
159	Xanthone derivatives from the leaves of Garcinia oligantha. European Journal of Medicinal Chemistry, 2019, 181, 111536.	5.5	15
160	In Vivo Screening of Xanthones from Garcinia oligantha Identified Oliganthin H as a Novel Natural Inhibitor of Convulsions. Journal of Natural Products, 2020, 83, 3706-3716.	3.0	15
161	Gerontoxanthone I and Macluraxanthone Induce Mitophagy and Attenuate Ischemia/Reperfusion Injury. Frontiers in Pharmacology, 2020, 11, 452.	3.5	15
162	Natural Products Targeting EGFR Signaling Pathways as Potential Anticancer Drugs. Current Protein and Peptide Science, 2018, 19, 380-388.	1.4	15

Номс-Хі Хи

#	Article	IF	CITATIONS
163	An optimized high-performance liquid chromatography (HPLC) method for benzoylmesaconine determination in Radix Aconiti Lateralis Preparata (Fuzi, aconite roots) and its products. Chinese Medicine, 2008, 3, 6.	4.0	14
164	Synthesis and evaluation of a novel series of quinoline derivatives with immunosuppressive activity. Bioorganic and Medicinal Chemistry, 2009, 17, 5433-5441.	3.0	14
165	Screening of polycyclic polyprenylated acylphloroglucinols from Garcinia species using precursor ion discovery (PID) scan and ultra performance liquid chromatography electrospray ionization Q-TOF tandem mass spectrometry. Journal of the American Society for Mass Spectrometry, 2009, 20, 1846-1850.	2.8	14
166	A critical view on spike recovery for accuracy evaluation of analytical method for medicinal herbs. Journal of Pharmaceutical and Biomedical Analysis, 2012, 62, 210-215.	2.8	14
167	Inhibitory effect of oblongifolin C on allergic inflammation through the suppression of mast cell activation. Molecular and Cellular Biochemistry, 2015, 406, 263-271.	3.1	14
168	MiR-218-targeting-Bmi-1 mediates the suppressive effect of 1,6,7-trihydroxyxanthone on liver cancer cells. Apoptosis: an International Journal on Programmed Cell Death, 2015, 20, 75-82.	4.9	14
169	Nujiangexathone A, a Novel Compound Derived from Garcinia nujiangensis, Induces Caspase-Dependent Apoptosis in Cervical Cancer through the ROS/JNK Pathway. Molecules, 2016, 21, 1360.	3.8	14
170	Spirocyclic polycyclic polyprenylated acylphloroglucinols from the ethyl acetate fraction of Hypericum henryi. Tetrahedron Letters, 2018, 59, 4067-4072.	1.4	14
171	Gaudichaudione H Inhibits Inflammatory Responses in Macrophages and Dextran Sodium Sulfate-Induced Colitis in Mice. Frontiers in Pharmacology, 2019, 10, 1561.	3.5	14
172	Screening of the active fractions from the Coreopsis tinctoria Nutt. Flower on diabetic endothelial protection and determination of the underlying mechanism. Journal of Ethnopharmacology, 2020, 253, 112645.	4.1	14
173	Jiangzhi Granule attenuates non-alcoholic steatohepatitis by suppressing TNF/NFκB signaling pathway-a study based on network pharmacology. Biomedicine and Pharmacotherapy, 2021, 143, 112181.	5.6	14
174	Optimisation of ultraâ€performance LC conditions using response surface methodology for rapid separation and quantitative determination of phenolic compounds in <i>Artemisia minor</i> . Journal of Separation Science, 2010, 33, 3675-3682.	2.5	13
175	Magnolol inhibits colonic motility through down-regulation of voltage-sensitive L-type Ca2+ channels of colonic smooth muscle cells in rats. Phytomedicine, 2013, 20, 1272-1279.	5.3	13
176	Chemical comparison of two dosage forms of Hemp Seed Pills by UHPLC-Q-ToF–MS/MS and multivariate statistical techniques. Journal of Pharmaceutical and Biomedical Analysis, 2013, 84, 59-68.	2.8	13
177	Folding fan mode counter-current chromatography offers fast blind screening for drug discovery. Case study: Finding anti-enterovirus 71 agents from Anemarrhena asphodeloides. Journal of Chromatography A, 2014, 1368, 116-124.	3.7	13
178	Safety and antifatigue effect of Korean Red Ginseng: a randomized, double-blind, and placebo-controlled clinical trial. Journal of Ginseng Research, 2019, 43, 676-683.	5.7	13
179	Fast analysis of triterpenoids in <i>Ganoderma lucidum</i> spores by ultraâ€performance liquid chromatography coupled with triple quadrupole mass spectrometry. Biomedical Chromatography, 2013, 27, 1560-1567.	1.7	12
180	Xanthine Oxidase Inhibitors from Garcinia esculenta Twigs. Planta Medica, 2014, 80, 1721-1726.	1.3	12

#	Article	IF	CITATIONS
181	Effects of Traditional Chinese Medicinal Plants on Anti-insulin Resistance Bioactivity of DXMS-Induced Insulin Resistant HepG2 Cells. Natural Products and Bioprospecting, 2014, 4, 197-206.	4.3	12
182	Two new lignans from Gymnotheca chinensis Decne. Phytochemistry Letters, 2014, 8, 38-40.	1.2	12
183	Cytotoxic xanthone derivatives from the twigs of Garcinia oligantha. Phytochemistry, 2020, 174, 112329.	2.9	12
184	Extracts of <i>Coreopsis tinctoria</i> Nutt. Flower Exhibit Antidiabetic Effects via the Inhibition of <i>α</i> -Glucosidase Activity. Journal of Diabetes Research, 2016, 2016, 1-9.	2.3	11
185	Recent Progress in Understanding the Action of Natural Compounds at Novel Therapeutic Drug Targets for the Treatment of Liver Cancer. Frontiers in Oncology, 2021, 11, 795548.	2.8	11
186	Intracolonical administration of protease-activated receptor-2 agonists produced visceral hyperalgesia by up-regulating serotonin in the colon of rats. European Journal of Pharmacology, 2009, 606, 199-204.	3.5	10
187	C-8 Mannich base derivatives of baicalein display improved glucuronidation stability: exploring the mechanism by experimentation and theoretical calculations. RSC Advances, 2015, 5, 89818-89826.	3.6	10
188	Screening Active Compounds fromGarciniaSpecies Native to China Reveals Novel Compounds Targeting the STAT/JAK Signaling Pathway. BioMed Research International, 2015, 2015, 1-10.	1.9	10
189	Cytotoxic Prenylated Xanthones from the Leaves of Garcinia bracteata. Planta Medica, 2019, 85, 444-452.	1.3	10
190	Oblongifolin C suppresses lysosomal function independently of TFEB nuclear translocation. Acta Pharmacologica Sinica, 2019, 40, 929-937.	6.1	10
191	Guttiferone K Exerts the Anti-inflammatory Effect on Mycobacterium Tuberculosis- (H37Ra-) Infected Macrophages by Targeting the TLR/IRAK-1 Mediated Akt and NF- <i>۱۹</i> B Pathway. Mediators of Inflammation, 2020, 2020, 1-16.	3.0	10
192	Prenylated xanthones and biphenyls from <i>Garcinia esculenta</i> with antistaphylococcal activity. Natural Product Research, 2021, 35, 2137-2144.	1.8	10
193	Total alkaloid fraction of Leonurus japonicus Houtt. Promotes angiogenesis and wound healing through SRC/MEK/ERK signaling pathway. Journal of Ethnopharmacology, 2022, 295, 115396.	4.1	10
194	Purity determination of yunaconitine reference standard using HPLC with experimental design and response surface optimization. Journal of Separation Science, 2008, 31, 3809-3816.	2.5	9
195	JCM-16021, a Chinese Herbal Formula, Attenuated Visceral Hyperalgesia in TNBS-Induced Postinflammatory Irritable Bowel Syndrome through Reducing Colonic EC Cell Hyperplasia and Serotonin Availability in Rats. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-12.	1.2	9
196	Isolation and characterization of an antibacterial biflavonoid from an African chewing stick Garcinia kola Heckel (Clusiaceae). Journal of Ethnopharmacology, 2013, 147, 497-502.	4.1	9
197	UPLC-PDA-QTOFMS-guided isolation of prenylated xanthones and benzoylphloroglucinols from the leaves of Garcinia oblongifolia and their migration-inhibitory activity. Scientific Reports, 2016, 6, 35789.	3.3	9
198	Total Synthesis of Norsampsones A and B, Garcinielliptones N and O, and Hyperscabrin A. Journal of Natural Products, 2018, 81, 2582-2589.	3.0	9

Ηοης-Χι Χυ

#	Article	IF	CITATIONS
199	The Natural Compound Neobractatin Induces Cell Cycle Arrest by Regulating E2F1 and Gadd45α. Frontiers in Oncology, 2019, 9, 654.	2.8	9
200	Novel Meroterpenoids from <i>Hypericum patulum</i> : Highly Potent Late Na _v 1.5 Sodium Current Inhibitors. Organic Letters, 2020, 22, 6339-6343.	4.6	9
201	Dearomatized Isoprenylated Acylphloroglucinol Derivatives with Potential Antitumor Activities from Hypericum henryi. Natural Products and Bioprospecting, 2020, 10, 1-11.	4.3	9
202	Jinfukang inhibits lung cancer metastasis by upregulating CX3CL1 to recruit NK cells to kill CTCs. Journal of Ethnopharmacology, 2021, 275, 114175.	4.1	9
203	The anticoagulant effects ofGeum japonicum extract and its constituents. , 1998, 12, 146-148.		8
204	Development and validation of an ultra highâ€performance liquid chromatographic method for the determination of a diastereomeric impurity in (+)â€pinoresinol diglucoside chemical reference substance. Journal of Separation Science, 2010, 33, 1909-1915.	2.5	8
205	Combinative application of pHâ€zoneâ€refining and conventional highâ€speed counterâ€current chromatography for preparative separation of caged polyprenylated xanthones from gamboge. Journal of Separation Science, 2016, 39, 559-565.	2.5	8
206	Identification of viral SIM-SUMO2-interaction inhibitors for treating primary effusion lymphoma. PLoS Pathogens, 2019, 15, e1008174.	4.7	8
207	Structural Revision of Guttiferone F and 30- <i>epi</i> -Cambogin. Journal of Natural Products, 2021, 84, 1397-1402.	3.0	8
208	Cytotoxic <scp>7â€Methoxylated</scp> Caged Xanthones from the Twigs of <i>Garcinia oligantha</i> . Chinese Journal of Chemistry, 2021, 39, 2898-2910.	4.9	8
209	Trigonelline, An Alkaloid From Leonurus japonicus Houtt., Suppresses Mast Cell Activation and OVA-Induced Allergic Asthma. Frontiers in Pharmacology, 2021, 12, 687970.	3.5	8
210	Interactions between traditional chinese medicine and anticancer drugs in chemotherapy. World Journal of Traditional Chinese Medicine, 2017, 3, 38.	1.9	8
211	Biphenyl Lignans with a Tetrahydrofuran Moiety fromGymnotheca chinensisDecne. Chinese Journal of Organic Chemistry, 2014, 34, 1677.	1.3	8
212	Structural diversity and biological activities of caged Garcinia xanthones: recent updates. , 2022, 1, .		8
213	A highâ€sensitivity UPLCâ€MS/MS method for simultaneous determination and confirmation of triptolide in zebrafish embryos. Biomedical Chromatography, 2011, 25, 851-857.	1.7	7
214	Implication of Unfolded Protein Response and Autophagy in the Treatment of BRAF Inhibitor Resistant Melanoma. Anti-Cancer Agents in Medicinal Chemistry, 2016, 16, 291-298.	1.7	7
215	Proteome profiling of spinal cord and dorsal root ganglia in rats with trinitrobenzene sulfonic acid-induced colitis. World Journal of Gastroenterology, 2012, 18, 2914.	3.3	7
216	Natural Products and Their Derivatives against Human Herpesvirus Infection. Molecules, 2021, 26, 6290.	3.8	7

#	Article	IF	CITATIONS
217	Recent advances in the synthesis of natural products containing the phloroglucinol motif. Natural Product Reports, 2022, 39, 1766-1802.	10.3	7
218	Using two-phase solvent systems for sample pretreatment increases yield of counter-current chromatography: Anemarrhena asphodeloides saponins, a case study. Separation and Purification Technology, 2014, 138, 138-143.	7.9	6
219	Uncariitannin, a polyphenolic polymer from Uncaria gambier, attenuates Staphylococcus aureus virulence through an MgrA-mediated regulation of α-hemolysin. Pharmacological Research, 2019, 147, 104328.	7.1	6
220	Strategies towards <i>endo</i> -type B polycyclic polyprenylated acylphloroglucinols: total synthesis of <i>regio</i> -hyperibone L and (+)- <i>epi</i> -clusianone. Organic Chemistry Frontiers, 2021, 8, 2525-2531.	4.5	6
221	Advances in therapeutic agents targeting quiescent cancer cells. , 2022, 1, .		6
222	Interaction between oblongifolin C and UDP-glucuronosyltransferase isoforms in human liver and intestine microsomes. Xenobiotica, 2015, 45, 578-585.	1.1	5
223	Synthesis and Cytotoxicities of Royleanone Derivatives. Natural Products and Bioprospecting, 2018, 8, 453-456.	4.3	5
224	Current global status and future development of traditional Chinese medicine in the prevention and treatment of Coronavirus Disease 2019. World Journal of Traditional Chinese Medicine, 2021, .	1.9	5
225	Nujiangexanthone A Inhibits Cervical Cancer Cell Proliferation by Promoting Mitophagy. Molecules, 2021, 26, 2858.	3.8	5
226	Polycyclic polyprenylated acylphloroglucinol congeners from Garcinia yunnanensis Hu with inhibitory effect on α-hemolysin production in Staphylococcus aureus. Bioorganic Chemistry, 2021, 114, 105074.	4.1	5
227	The Natural Compound Oblongifolin C Exhibits Anticancer Activity by Inhibiting HSPA8 and Cathepsin B In Vitro. Frontiers in Pharmacology, 2020, 11, 564833.	3.5	5
228	OMICS Applications for Medicinal Plants in Gastrointestinal Cancers: Current Advancements and Future Perspectives. Frontiers in Pharmacology, 2022, 13, 842203.	3.5	5
229	Chemical Constituents of Garcinia yunnanensis and Their Scavenging Activity Against DPPH Radicals. Chemistry of Natural Compounds, 2018, 54, 232-234.	0.8	4
230	Nujiangexanthone A Inhibits Hepatocellular Carcinoma Metastasis via Down Regulation of Cofilin 1. Frontiers in Cell and Developmental Biology, 2021, 9, 644716.	3.7	4
231	New monoterpenoids from the stigmas of Crocus sativus. Journal of Natural Medicines, 2022, 76, 102-109.	2.3	4
232	Efficacy and Safety of Ejiao (Asini Corii Colla) in Women With Blood Deficient Symptoms: A Randomized, Double-Blind, and Placebo-Controlled Clinical Trial. Frontiers in Pharmacology, 2021, 12, 718154.	3.5	4
233	Major Constituents From Brucea javanica and Their Pharmacological Actions. Frontiers in Pharmacology, 2022, 13, 853119.	3.5	4
234	Brucein D augments the chemosensitivity of gemcitabine in pancreatic cancerÂvia inhibiting the Nrf2 pathway. Journal of Experimental and Clinical Cancer Research, 2022, 41, 90.	8.6	4

Ηοης-Χι Χυ

#	Article	IF	CITATIONS
235	Two Novel Phenylpropanoid Trimers From Ligusticum chuanxiong Hort With Inhibitory Activities on Alpha-Hemolysin Secreted by Staphylococcus aureus. Frontiers in Chemistry, 2022, 10, 877469.	3.6	4
236	An interesting twoâ€phase solvent system and its use in preparative isolation of aconitines from aconite roots by counterâ€current chromatography. Journal of Separation Science, 2013, 36, 1304-1310.	2.5	3
237	Genetically encoded fluorescence screening probe for MgrA, a global regulator in Staphylococcus aureus. RSC Advances, 2015, 5, 87216-87220.	3.6	3
238	An efficient approach for the synthesis of 1,2-dihydroxanthones enabled by one-pot Claisen condensation/cyclization reactions. Organic and Biomolecular Chemistry, 2021, 19, 4126-4131.	2.8	3
239	Antibacterial activities of extracts from Nigerian chewing sticks. Phytotherapy Research, 1999, 13, 675-679.	5.8	3
240	The anti-infective activity of <i>Salvia miltiorrhiza</i> against <i>Staphylococcus aureus</i> by attenuating accessory gene regulator system-mediated virulence. Food and Function, 2022, 13, 5050-5060.	4.6	3
241	The natural compound neobractatin inhibits cell proliferation mainly by regulating the RNA binding protein CELF6. Food and Function, 2022, 13, 1741-1750.	4.6	3
242	Studies toward the Total Synthesis of Xanthochymol. Chinese Journal of Organic Chemistry, 2021, 41, 4421.	1.3	2
243	A Unique Skeletal Rearrangement of a Bicyclo[3.3.1]nonanetrione to a Tetrahydroquinolin-2(1H)-one System. Synlett, 2018, 29, 1711-1716.	1.8	1
244	The Natural Compound Neobractatin Induces Cell Cycle Arrest Through Multiple Signaling Pathways Including RNA Binding Protein CELF6. SSRN Electronic Journal, 0, , .	0.4	0
245	Mental Disorders of Healthcare Workers Fighting COVID-19: Little Relieved After One Month. SSRN Electronic Journal, 0, , .	0.4	Ο