Masato Akiba

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5926876/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A survey of antimicrobial resistance in <i>Escherichia coli</i> isolated from wild sika deer (<i>Cervus nippon</i>) in Japan. Journal of Veterinary Medical Science, 2021, 83, 754-758.	0.9	9
2	Identification of a Recently Dominant Sublineage in Salmonella 4,[5],12:i:- Sequence Type 34 Isolated From Food Animals in Japan. Frontiers in Microbiology, 2021, 12, 690947.	3.5	6
3	The association between antimicrobials and the antimicrobial-resistant phenotypes and resistance genes of Escherichia coli isolated from hospital wastewaters and adjacent surface waters in Sri Lanka. Chemosphere, 2021, 279, 130591.	8.2	11
4	Duplication of blaCTX-M-1 and a class 1 integron on the chromosome enhances antimicrobial resistance in Escherichia coli isolated from racehorses in Japan. Journal of Global Antimicrobial Resistance, 2021, 27, 225-227.	2.2	4
5	Occurrence of antimicrobial-resistant Escherichia coli in sewage treatment plants of South India. Journal of Water Sanitation and Hygiene for Development, 2020, 10, 48-55.	1.8	23
6	Influence of SOS-inducing agents on the expression of ArtAB toxin gene in Salmonella enterica and Salmonella bongori. Microbiology (United Kingdom), 2020, 166, 785-793.	1.8	5
7	<i>Salmonella</i> Genomic Island 3 Is an Integrative and Conjugative Element and Contributes to Copper and Arsenic Tolerance of <i>Salmonella enterica</i> . Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	35
8	Transcriptomic analysis of Campylobacter jejuni grown in a medium containing serine as the main energy source. Archives of Microbiology, 2019, 201, 571-579.	2.2	1
9	Microplate Agglutination Test for Serological Diagnosis of Equine Paratyphoid. Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association, 2019, 72, 210-214.	0.1	0
10	Molecular Epidemiology of <i>Campylobacter fetus</i> Isolates from Cattle in the Tokachi Area of Hokkaido, Japan. Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association, 2019, 72, 750-756.	0.1	0
11	Phylogenetic Characterization of Salmonella enterica Serovar Typhimurium and Its Monophasic Variant Isolated from Food Animals in Japan Revealed Replacement of Major Epidemic Clones in the Last 4 Decades. Journal of Clinical Microbiology, 2018, 56, .	3.9	38
12	<i>In vivo</i> effect of a TLR5 SNP (C1205T) on <i>Salmonella enterica</i> serovar Typhimurium infection in weaned, specific pathogenâ€free Landrace piglets. Microbiology and Immunology, 2018, 62, 380-387.	1.4	5
13	Seasonal movement of trace-element discharge in a typical south-Indian suburban community. Water Science and Technology, 2018, 77, 1035-1047.	2.5	4
14	Comparative Analysis of Pathogenic <i>Escherichia coli</i> Isolated from Diseased Swine in Ibaraki Prefecture, Japan: Analysis of the Most Prevalent Serogroup O116. Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association, 2017, 70, 643-649.	0.1	1
15	Spatio-temporal distribution, source, and genotoxic potential of polycyclic aromatic hydrocarbons in estuarine and riverine sediments from southern India. Ecotoxicology and Environmental Safety, 2016, 130, 113-123.	6.0	39
16	Peptidoglycan Acetylation of Campylobacter jejuni Is Essential for Maintaining Cell Wall Integrity and Colonization in Chicken Intestines. Applied and Environmental Microbiology, 2016, 82, 6284-6290.	3.1	11
17	Removal rates of antibiotics in four sewage treatment plants in South India. Environmental Science and Pollution Research, 2016, 23, 8679-8685.	5.3	57
18	Investigation of a plasmid genome database for colistin-resistance gene mcr-1. Lancet Infectious Diseases, The, 2016, 16, 284-285.	9.1	87

MASATO AKIBA

#	Article	IF	CITATIONS
19	Emergence of a Multidrug-Resistant Shiga Toxin-Producing Enterotoxigenic Escherichia coli Lineage in Diseased Swine in Japan. Journal of Clinical Microbiology, 2016, 54, 1074-1081.	3.9	43
20	Distribution and Relationships of Antimicrobial Resistance Determinants among Extended-Spectrum-Cephalosporin-Resistant or Carbapenem-Resistant Escherichia coli Isolates from Rivers and Sewage Treatment Plants in India. Antimicrobial Agents and Chemotherapy, 2016, 60, 2972-2980.	3.2	87
21	Source-Related Effects of Wastewater on Transcription Factor (AhR, CAR and PXR)-Mediated Induction of Gene Expression in Cultured Rat Hepatocytes and Their Association with the Prevalence of Antimicrobial-Resistant Escherichia coli. PLoS ONE, 2015, 10, e0138391.	2.5	5
22	Impact of wastewater from different sources on the prevalence of antimicrobial-resistant Escherichia coli in sewage treatment plants in South India. Ecotoxicology and Environmental Safety, 2015, 115, 203-208.	6.0	65
23	Characteristics of Salmonella enterica Serovar 4,[5],12:i:- as a Monophasic Variant of Serovar Typhimurium. PLoS ONE, 2014, 9, e104380.	2.5	41
24	Whole-Genome Sequence of CMY-2 Î ² -Lactamase-Producing Salmonella enterica Serovar Typhimurium Strain L-3553. Genome Announcements, 2014, 2, .	0.8	1
25	Lineage-Specific Distribution of Insertion Sequence Excision Enhancer in Enterotoxigenic Escherichia coli Isolated from Swine. Applied and Environmental Microbiology, 2014, 80, 1394-1402.	3.1	15
26	Effects of Lipooligosaccharide Inner Core Truncation on Bile Resistance and Chick Colonization by Campylobacter jejuni. PLoS ONE, 2013, 8, e56900.	2.5	21
27	Complete Nucleotide Sequences of Virulence-Resistance Plasmids Carried by Emerging Multidrug-Resistant Salmonella enterica Serovar Typhimurium Isolated from Cattle in Hokkaido, Japan. PLoS ONE, 2013, 8, e77644.	2.5	12
28	Molecular typing of Salmonella enterica serotype Typhimurium and serotype 4,5,12:i:- isolates from cattle by multiple-locus variable-number tandem-repeats analysis. Veterinary Microbiology, 2012, 160, 264-268.	1.9	22
29	Insertion sequence-excision enhancer removes transposable elements from bacterial genomes and induces various genomic deletions. Nature Communications, 2011, 2, 152.	12.8	45
30	Rapid identification of Salmonella enterica serovars, Typhimurium, Choleraesuis, Infantis, Hadar, Enteritidis, Dublin and Gallinarum, by multiplex PCR. Journal of Microbiological Methods, 2011, 85, 9-15.	1.6	79
31	Molecular and Phenotypic Characteristics of Salmonella enterica Serovar 4,5,12:i:-Isolated from Cattle and Humans in Iwate Prefecture, Japan. Journal of Veterinary Medical Science, 2011, 73, 241-244.	0.9	17
32	Molecular and Phenotypic Characteristics of CMY-2 .BETALactamase-Producing Salmonella enterica Serovar Typhimurium Isolated from Cattle in Japan. Journal of Veterinary Medical Science, 2011, 73, 345-349.	0.9	13
33	Characterization of Salmonella enterica Serovar Typhimurium Isolates Harboring a Chromosomally Encoded CMY-2 β-Lactamase Gene Located on a Multidrug Resistance Genomic Island. Antimicrobial Agents and Chemotherapy, 2011, 55, 4114-4121.	3.2	37
34	Molecular Epidemiology of <i>Salmonella enterica</i> Serovar Typhimurium Isolates from Cattle in Hokkaido, Japan: Evidence of Clonal Replacement and Characterization of the Disseminated Clone. Applied and Environmental Microbiology, 2011, 77, 1739-1750.	3.1	18
35	Salmonella enterica serotype Typhimurium DT104 ArtA-dependent modification of pertussis toxin-sensitive G proteins in the presence of [32P]NAD. Microbiology (United Kingdom), 2009, 155, 3710-3718.	1.8	25
36	Antimicrobial resistance of <i>Salmonella enterica</i> serovar Typhimurium isolated from cattle in Japan. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2008, 25, 1076-1079.	2.3	1

MASATO AKIBA

#	Article	IF	CITATIONS
37	Changes in antimicrobial susceptibility in a population of Salmonella enterica serovar Dublin isolated from cattle in Japan from 1976 to 2005. Journal of Antimicrobial Chemotherapy, 2007, 60, 1235-1242.	3.0	13
38	Detection and characterization of variant Salmonella genomic island 1s from Salmonella Derby isolates. Japanese Journal of Infectious Diseases, 2006, 59, 341-5.	1.2	11
39	The Importance of a 95-kb Virulence Plasmid in the Pathogenicity of Salmonella Abortusequi in Horses. Journal of Equine Science, 2005, 16, 111-116.	0.8	3
40	The artAB genes encode a putative ADP-ribosyltransferase toxin homologue associated with Salmonella enterica serovar Typhimurium DT104. Microbiology (United Kingdom), 2005, 151, 3089-3096.	1.8	49
41	Comparison of Salmonella enterica serovar Abortusequi isolates of equine origin by pulsed-field gel electrophoresis and fluorescent amplified-fragment length polymorphism fingerprinting. Veterinary Microbiology, 2003, 92, 379-388.	1.9	22
42	Molecular Typing and Epidemiological Study of Salmonella enterica Serotype Typhimurium Isolates from Cattle by Fluorescent Amplified-Fragment Length Polymorphism Fingerprinting and Pulsed-Field Gel Electrophoresis. Journal of Clinical Microbiology, 2001, 39, 1057-1066.	3.9	56