

Natalia Nv Yudina

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5927459/natalia-nv-yudina-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

261
citations

7
h-index

12
g-index

88
ext. papers

319
ext. citations

0.9
avg, IF

3.24
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 86 | Water-in-Oil Emulsions in Paraffinic and Resinous Oils. <i>Petroleum Chemistry</i> , 2022 , 62, 183 | 1.1 | 0 |
| 85 | Study of the Antioxidant Properties of Oils by the Voltammetric Method. <i>Petroleum Chemistry</i> , 2022 , 62, 250-257 | 1.1 | |
| 84 | Changes in the Structural Characteristics and Composition of Oxidized Coal Because of Mechanochemical Action. <i>Solid Fuel Chemistry</i> , 2022 , 56, 145-151 | 0.7 | 0 |
| 83 | Physical Treatment for the Regulation of the Physicochemical Properties of a Petrolatum-Based Composition. <i>Solid Fuel Chemistry</i> , 2022 , 56, 152-156 | 0.7 | |
| 82 | Role of Humic Acids in the Detoxification of Petroleum Hydrocarbons in Soil. <i>Solid Fuel Chemistry</i> , 2021 , 55, 332-337 | 0.7 | |
| 81 | Biochemical Factors Controlling the Composition of Bog Water and Migration of Substances in the System of Geochemically Linked Mire Landscapes. <i>Eurasian Soil Science</i> , 2021 , 54, 499-506 | 1.5 | |
| 80 | Composition of the Resin-Asphaltene Components in the Interfacial Layers of Water-in-Oil Emulsions. <i>Petroleum Chemistry</i> , 2021 , 61, 568-575 | 1.1 | 1 |
| 79 | Effect of Inhibiting Additive on the Structural-Mechanical Characteristics of Various Water-Oil Emulsions. <i>Chemistry for Sustainable Development</i> , 2021 , 29, 177-184 | 1 | |
| 78 | Physicochemical Treatment of Oil Sediments in Oil Sludge Utilization. <i>Solid Fuel Chemistry</i> , 2021 , 55, 266-271 | 0.7 | 1 |
| 77 | Changes in the Composition and Properties of Humic Substances upon the Mechanical Treatment of Coals with Mineral Salts. <i>Solid Fuel Chemistry</i> , 2021 , 55, 229-235 | 0.7 | |
| 76 | Study of the optical properties of asphaltenes of wax deposits of oil-water emulsions. <i>Journal of Physics: Conference Series</i> , 2020 , 1611, 012016 | 0.3 | |
| 75 | Formation of Humic Colloids in Aqueous Solutions at Different pH Values. <i>Russian Journal of Physical Chemistry A</i> , 2020 , 94, 742-747 | 0.7 | 0 |
| 74 | Formation of Organic Deposits in Model Petroleum Systems. <i>Petroleum Chemistry</i> , 2020 , 60, 693-698 | 1.1 | 2 |
| 73 | Characteristics of Humic Acids in a System of Geochemically Linked Bog Landscapes. <i>Solid Fuel Chemistry</i> , 2020 , 54, 253-259 | 0.7 | 1 |
| 72 | Effect of Phase Transitions in High-Wax Crude Oil and Emulsions on Structural-and-Rheological Properties. <i>Petroleum Chemistry</i> , 2020 , 60, 794-801 | 1.1 | 2 |
| 71 | Changes in the Composition of Humic Acids with Mechanochemical Impact on Peat and Coal. <i>Solid Fuel Chemistry</i> , 2019 , 53, 29-35 | 0.7 | 2 |
| 70 | Structural and Mechanical Properties of Water Oil Emulsions of Highly Viscous Oils. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 696, 012014 | 0.4 | |

| | | | |
|----|--|-----|----|
| 69 | Detoxification of oil-contaminated soils by using humic acids. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 597, 012020 | 0.4 | |
| 68 | Characterization of the Organic Matter of Humic Acids by Pyrolytic Gas Chromatography/Mass Spectrometry. <i>Solid Fuel Chemistry</i> , 2018 , 52, 116-120 | 0.7 | |
| 67 | Effect of resin-asphaltene substances on the stability of inverted emulsions 2018 , | | 1 |
| 66 | Effect of natural surface-active substances on the rheological properties of emulsions 2018 , | | 1 |
| 65 | Physicochemical and spectroluminescent properties of the humic acids of coals. <i>Solid Fuel Chemistry</i> , 2017 , 51, 1-5 | 0.7 | 4 |
| 64 | Composition of the water-soluble humic preparations of mechanically activated brown coals. <i>Solid Fuel Chemistry</i> , 2017 , 51, 51-56 | 0.7 | 5 |
| 63 | Effect of mechanochemical modification on the surfactant and structural properties of humic and himatomelanic acids. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 1273-1278 | 0.7 | 5 |
| 62 | Aggregation of asphaltenes in the presence of dispersant S5A. <i>Petroleum Chemistry</i> , 2017 , 57, 48-53 | 1.1 | |
| 61 | Composition of fulvic acids after the mechanical activation of peats. <i>Solid Fuel Chemistry</i> , 2016 , 50, 7-11 | 0.7 | 3 |
| 60 | Dependence of composition of asphaltene-resin-wax deposits on the water cut value. <i>Petroleum Chemistry</i> , 2016 , 56, 765-770 | 1.1 | 3 |
| 59 | Effect of ultrasonic treatment on the composition and properties of waxy high-resin oil. <i>Petroleum Chemistry</i> , 2016 , 56, 683-689 | 1.1 | 12 |
| 58 | Mechanochemical solid-phase reactions of humic acids with metal ions. <i>Solid Fuel Chemistry</i> , 2016 , 50, 76-80 | 0.7 | 5 |
| 57 | Investigation of the Pour Point Depression Ability of Polyalkyl Acrylate Additives After Sonication. <i>Russian Physics Journal</i> , 2016 , 59, 1289-1294 | 0.7 | 1 |
| 56 | Interaction of Humic Acids with Organic Toxicants. <i>Russian Physics Journal</i> , 2016 , 59, 597-603 | 0.7 | 2 |
| 55 | Quenching of fluorescence of phenolic compounds and modified humic acids by cadmium ions. <i>Luminescence</i> , 2016 , 31, 1098-102 | 2.5 | 6 |
| 54 | Colloid-chemical properties and physiological activity of water-soluble humic preparations. <i>Russian Journal of Applied Chemistry</i> , 2016 , 89, 969-974 | 0.8 | 1 |
| 53 | Effect of ammonium-containing polyalkyl acrylate on the rheological properties of crude oils with different ratio of resins and waxes. <i>Journal of Petroleum Science and Engineering</i> , 2016 , 146, 96-102 | 4.4 | 17 |
| 52 | Transformations of humic acids on the mechanical activation of peat under redox conditions. <i>Solid Fuel Chemistry</i> , 2015 , 49, 123-127 | 0.7 | 2 |

| | | | |
|----|---|-----|---|
| 51 | Composition and properties of humic acids from natural and mechanochemically oxidized brown coal. <i>Solid Fuel Chemistry</i> , 2015 , 49, 201-205 | 0.7 | 9 |
| 50 | The Influence of Processing Conditions on the Sedimentation Kinetics of Highly Waxy Crude Oil. <i>Procedia Chemistry</i> , 2015 , 15, 49-53 | | 1 |
| 49 | Effect of mechanical activation on the composition of mineral components in humic acids isolated from carbons. <i>Russian Journal of Applied Chemistry</i> , 2015 , 88, 1311-1315 | 0.8 | 1 |
| 48 | Prediction of the Effectiveness of Pour-Point Depressant Additives from Data on the Antioxidant Properties of Crude Oil. <i>Chemistry and Technology of Fuels and Oils</i> , 2015 , 50, 483-488 | 0.4 | |
| 47 | Sorption of humic acids by quartz sands. <i>Solid Fuel Chemistry</i> , 2014 , 48, 239-244 | 0.7 | 3 |
| 46 | Study of Viscosity-temperature Properties of Oil and Gas-condensate Mixtures in Critical Temperature Ranges of Phase Transitions. <i>Procedia Chemistry</i> , 2014 , 10, 343-348 | | 6 |
| 45 | Mechanochemical modification of peat humic acids. <i>Solid Fuel Chemistry</i> , 2014 , 48, 328-331 | 0.7 | 3 |
| 44 | Comparative study of the fragment composition of humic acids isolated from caustobioliths and soil by the mechanochemical method. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 1070-1076 | 0.8 | 2 |
| 43 | Paraffin Blockage Specifics in Model Petroliferous Systems. <i>Procedia Chemistry</i> , 2014 , 10, 229-235 | | 6 |
| 42 | Antioxidants in peat lipids. <i>Solid Fuel Chemistry</i> , 2013 , 47, 139-146 | 0.7 | 0 |
| 41 | Effect of simulated solar radiation on the interaction of humic acids with naphthalene. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 510-514 | 0.8 | 4 |
| 40 | Influence of the conditions of mechanical activation of lignite on the composition and sorption properties of humic acids isolated from it. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 552-557 | 0.8 | 6 |
| 39 | Influence of aggregation of asphaltenes on the rheological properties of oil. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 1370-1375 | 0.8 | 6 |
| 38 | Adsorption properties of modified peat toward organic compounds and heavy metals. <i>Solid Fuel Chemistry</i> , 2013 , 47, 288-291 | 0.7 | 2 |
| 37 | Effect of the mechanochemical treatment of peat on the composition of aromatic hydrocarbons separated from peat lipids. <i>Solid Fuel Chemistry</i> , 2013 , 47, 258-262 | 0.7 | |
| 36 | Application of the low-frequency vibratory method for determining the paraffin crystallization onset in dispersed petroleum systems. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 751-754 | 0.8 | |
| 35 | Effect of the nature of an extractant on the composition and properties of lipids extracted from peat. <i>Solid Fuel Chemistry</i> , 2012 , 46, 212-216 | 0.7 | 2 |
| 34 | Activation of the biochemical processes in an oil-contaminated soil using a light-correcting film and humic acids. <i>Eurasian Soil Science</i> , 2011 , 44, 204-210 | 1.5 | 3 |

| | | | |
|----|---|-----|----|
| 33 | Redox properties and antiradical activity of humic acids under exposure to UV and visible light. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 820-825 | 0.8 | 1 |
| 32 | Electrochemical reduction of oxygen in the presence of humic acids. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1257-1260 | 0.7 | 2 |
| 31 | Association constants of modified humic acids with biocides of the triazole series: Cyproconazole and tebuconazole. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1558-1561 | 0.7 | 5 |
| 30 | Role of modified humic acids from peat in the detoxification of tebuconazole. <i>Solid Fuel Chemistry</i> , 2011 , 45, 62-67 | 0.7 | 3 |
| 29 | Sorption properties of modified peat with respect to petroleum and heavy metals. <i>Solid Fuel Chemistry</i> , 2011 , 45, 404-407 | 0.7 | 3 |
| 28 | Improving the structural-rheological properties of high-paraffin crude oil using chemical reagents and vibrational treatment. <i>Chemistry and Technology of Fuels and Oils</i> , 2011 , 47, 358-361 | 0.4 | 6 |
| 27 | The influence of natural surfactants on the stabilization of oil-water emulsions. <i>Petroleum Chemistry</i> , 2010 , 50, 158-163 | 1.1 | 7 |
| 26 | Humic substances in the sapropelic deposits of Western Siberia. <i>Solid Fuel Chemistry</i> , 2010 , 44, 1-4 | 0.7 | |
| 25 | Conversion of lipids upon the mechanical degradation of lacustrine sediments. <i>Solid Fuel Chemistry</i> , 2010 , 44, 243-246 | 0.7 | |
| 24 | Composition of humic acids in peats with various degrees of humification. <i>Solid Fuel Chemistry</i> , 2010 , 44, 305-309 | 0.7 | 6 |
| 23 | Stimulation of the activity of microorganisms by humin preparations in oil-polluted soils. <i>Eurasian Soil Science</i> , 2010 , 43, 210-215 | 1.5 | 7 |
| 22 | Antihypoxic and hemostimulating actions of a nettle extract prepared by a nanotechnological approach. <i>Pharmaceutical Chemistry Journal</i> , 2010 , 44, 141-143 | 0.9 | |
| 21 | Hydrocarbons in peat-forming plants at eutrophic bogs in Western Siberia 2010 , 46, 77 | | |
| 20 | Effect of magnetic field on the paramagnetic, antioxidant, and viscosity characteristics of some crude oils 2010 , 48, 51 | | 1 |
| 19 | Adsorption interactions of humic acids with biocides. <i>Russian Journal of Physical Chemistry A</i> , 2009 , 83, 1981-1985 | 0.7 | 2 |
| 18 | Hydrocarbons in peat-forming plants at eutrophic bogs in Western Siberia. <i>Geochemistry International</i> , 2008 , 46, 77-84 | 0.8 | 3 |
| 17 | Effect of humic acids on phototransformation of methylphenols in water. <i>Journal of Applied Spectroscopy</i> , 2008 , 75, 597-602 | 0.7 | 6 |
| 16 | Effect of magnetic field on the paramagnetic, antioxidant, and viscosity characteristics of some crude oils. <i>Petroleum Chemistry</i> , 2008 , 48, 51-55 | 1.1 | 18 |

| | | | |
|----|--|-----|----|
| 15 | Antioxidants in the water-soluble carbohydrate fractions of the moss <i>Sphagnum fuscum</i> and sphagnum peat. <i>Solid Fuel Chemistry</i> , 2008 , 42, 68-73 | 0.7 | 7 |
| 14 | Biotechnological testing of the regulator activity of products of mechanochemical treatment of peat and wood waste. <i>Russian Agricultural Sciences</i> , 2008 , 34, 156-159 | 0.3 | |
| 13 | Changes in the composition and coagulation ability of humic acids after mechanochemical activation of peat. <i>Colloid Journal</i> , 2007 , 69, 604-608 | 1.1 | 1 |
| 12 | Microbial transformation of the organic matter of valley peat. <i>Solid Fuel Chemistry</i> , 2007 , 41, 71-74 | 0.7 | 1 |
| 11 | Interrelationship between the physical properties and the humus content of chernozems in the south of European Russia. <i>Eurasian Soil Science</i> , 2006 , 39, 187-194 | 1.5 | 10 |
| 10 | Rheological behavior of oils in a magnetic field. <i>Journal of Engineering Physics and Thermophysics</i> , 2006 , 79, 105-113 | 0.6 | 2 |
| 9 | Fluorescence analysis of photoinduced degradation of ecotoxicants in the presence of humic acids. <i>Luminescence</i> , 2005 , 20, 187-91 | 2.5 | 10 |
| 8 | Change in the Rheological Properties of Oil Disperse Systems upon a Vibrational Treatment. <i>Colloid Journal</i> , 2005 , 67, 602-605 | 1.1 | 5 |
| 7 | Evolution of Composition and Properties of Lipids of Peat in Mechanochemical Treatment. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 506-510 | 0.8 | 2 |
| 6 | An IR and GC-MS Study of Substances Extracted from Peat. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1364-1369 | 0.8 | 1 |
| 5 | Change in the Rheological Properties of High-Paraffin Petroleums under the Action of Vibrojet Magnetic Activation. <i>Journal of Engineering Physics and Thermophysics</i> , 2004 , 77, 1034-1039 | 0.6 | 4 |
| 4 | Catalytic Properties of Mechanically Activated Humic Substances in Electroreduction of Oxygen. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 46-50 | 0.8 | 2 |
| 3 | Effect of Constant Magnetic Field on the Rheological Properties of High-Paraffinicity Oils. <i>Colloid Journal</i> , 2003 , 65, 469-474 | 1.1 | 8 |
| 2 | Determination of Antioxidant Ionol (2,6-Di-tert-Butyl-4-Methylphenol) in Transformer Oils by a Kinetic Method and IR Spectrometry. <i>Journal of Analytical Chemistry</i> , 2001 , 56, 971-974 | 1.1 | 6 |
| 1 | Thermochemical study of behavior of petroleum resins. <i>Chemistry and Technology of Fuels and Oils</i> , 1988 , 24, 360-362 | 0.4 | |