

# Mikolaj Przydacz,, PGDip

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5927984/publications.pdf>

Version: 2024-02-01

43  
papers

402  
citations

1040056  
9  
h-index

839539  
18  
g-index

43  
all docs

43  
docs citations

43  
times ranked

455  
citing authors

#	ARTICLE	IF	CITATIONS
1	CUA guideline on adult overactive bladder. Canadian Urological Association Journal, 2017, 11, 142.	0.6	105
2	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. Psychiatria Polska, 2016, 50, 417-430.	0.5	40
3	Prevalence and bother of lower urinary tract symptoms and overactive bladder in Poland, an Eastern European Study. Scientific Reports, 2020, 10, 19819.	3.3	37
4	Recommendations for urological follow-up of patients with neurogenic bladder secondary to spinal cord injury. International Urology and Nephrology, 2018, 50, 1005-1016.	1.4	25
5	What do we know about neurogenic bladder prevalence and management in developing countries and emerging regions of the world?. Annals of Physical and Rehabilitation Medicine, 2017, 60, 341-346.	2.3	24
6	Current interventional management of male stress urinary incontinence following urological procedures. Central European Journal of Urology, 2015, 68, 340-7.	0.3	22
7	Does asymptomatic bacteriuria increase the risk of adverse events or modify the efficacy of intradetrusor onabotulinumtoxinA injections?. Neurourology and Urodynamics, 2020, 39, 203-210.	1.5	11
8	Revisiting Ureterosigmoidostomy, a Useful Technique of Urinary Diversion in Functional Urology. Urology, 2018, 115, 14-20.	1.0	10
9	Neurogenic bladder symptom score: Polish translation, adaptation and validation of urinary disorder-specific instrument for patients with neurogenic lower urinary tract dysfunction. International Journal of Clinical Practice, 2020, 74, e13582.	1.7	10
10	Polish versions of the Qualiveen and the SF-Qualiveen: Translation and validation of urinary disorder-specific instruments in patients with multiple sclerosis. Neurourology and Urodynamics, 2020, 39, 1764-1770.	1.5	9
11	Coexistence of lower urinary tract symptoms (LUTS) with depressive symptoms in patients suffering from depressive disorders. Psychiatria Polska, 2019, 53, 939-953.	0.5	9
12	Overactive Bladder Symptoms Negatively Affect Sleep Quality of Patients With Depression. International Neurourology Journal, 2021, 25, 59-68.	1.2	8
13	Changing patterns of urologic emergency visits and admissions during the COVID-19 pandemic: a retrospective, multicenter, nationwide study. Archives of Medical Science, 2020, 17, 1262-1276.	0.9	7
14	The urinary disorder-specific quality of life in patients after spinal cord injury: Polish translation, adaptation and validation of the Qualiveen and SF-Qualiveen. Spinal Cord, 2021, 59, 105-111.	1.9	7
15	Association between Lower Urinary Tract Symptoms and Sleep Quality of Patients with Depression. Medicina (Lithuania), 2021, 57, 394.	2.0	7
16	Relationship between Lower Urinary Tract Symptoms and Treatment-Related Behavior in an Eastern European Country: Findings from the LUTS POLAND Study. International Journal of Environmental Research and Public Health, 2021, 18, 785.	2.6	7
17	Nocturia has no impact on depression severity in patients suffering from depression but correlates with sleep quality. Psychiatria Polska, 2018, 52, 835-842.	0.5	7
18	How to assess and predict success or failure of intra-detrusor injections with onabotulinumtoxinA. Advances in Clinical and Experimental Medicine, 2019, 28, 555-567.	1.4	7

#	ARTICLE	IF	CITATIONS
19	Early Fesoterodine Fumarate Administration Prevents Neurogenic Detrusor Overactivity in a Spinal Cord Transected Rat Model. PLoS ONE, 2017, 12, e0169694.	2.5	6
20	Perception of Lower Urinary Tract Symptoms by psychiatrists in mentally affected patients. Psychiatria Polska, 2017, 51, 963-978.	0.5	6
21	Modified technique of cavoatrial tumor thrombectomy without cardiopulmonary by-pass and hypothermic circulatory arrest: a preliminary report. Central European Journal of Urology, 2015, 68, 311-7.	0.3	6
22	Population-Level Prevalence, Bother, and Treatment Behavior for Urinary Incontinence in an Eastern European Country: Findings from the LUTS POLAND Study. Journal of Clinical Medicine, 2021, 10, 2314.	2.4	5
23	How long do we have to treat overactive bladder syndrome? A questionnaire survey of Canadian urologists and gynecologists. Canadian Urological Association Journal, 2018, 12, E378-83.	0.6	4
24	The Multiple Sclerosis Intimacy and Sexuality Questionnaire (MSISQ-15): translation, adaptation and validation of the Polish version for patients with multiple sclerosis and spinal cord injury. BMC Neurology, 2021, 21, 103.	1.8	4
25	Prevalence, Bother and Treatment Behavior Related to Lower Urinary Tract Symptoms and Overactive Bladder among Cardiology Patients. Journal of Clinical Medicine, 2020, 9, 4102.	2.4	2
26	Van Velthoven single-knot running suture versus Chlosta™s running suture versus single barbed suture V-Loc for vesicourethral anastomosis in laparoscopic radical prostatectomy: a retrospective comparative study. Wideochirurgia i Inne Techniki Maloinwazyjne, 2022, 17, 214-225.	0.7	2
27	Polish versions of the ICIQ-FLUTS and the ICIQ-FLUTS LF: translation, adaptation, and validation of female-specific instruments for evaluation of lower urinary tract symptoms. International Urogynecology Journal, 2021, 32, 3259-3265.	1.4	2
28	Population-Based Study of Prevalence, Bother and Behavior Related to Treatment for Lower Urinary Tract Symptoms and Overactive Bladder among Polish Neurogenic Patients. Brain Sciences, 2021, 11, 712.	2.3	2
29	Optimizing the formation of vesicourethral anastomosis and reduction of procedure time. A two-year experience with a modified technique for endoscopic running vesicourethral anastomosis. Central European Journal of Urology, 2015, 68, 296-301.	0.3	2
30	Implementation of neoadjuvant chemotherapy in muscle invasive bladder cancer treatment in Poland: a single institution retrospective study. Central European Journal of Urology, 2019, 72, 100-105.	0.3	2
31	Preliminary outcomes of the European multicenter experience with the ZSI 375 artificial urinary sphincter for treatment of stress urinary incontinence in men. Central European Journal of Urology, 2019, 72, 263-269.	0.3	2
32	Onset of medication efficacy in patients with overactive bladder: What should we tell them?. Neurourology and Urodynamics, 2017, 36, 1429-1430.	1.5	1
33	Appendix: Executive summary of CLIA guideline on adult overactive bladder. Canadian Urological Association Journal, 2017, 11, 248.	0.6	1
34	Effects of overactive bladder on treatment-related behaviour and quality of life in an Eastern European country: findings from the LUTS POLAND Study. Archives of Medical Science, 2021, , .	0.9	1
35	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. Central European Journal of Urology, 2020, 73, 498-505.	0.3	1
36	Correlation of urinary incontinence with depression severity of patients treated for depression. Central European Journal of Urology, 2020, 73, 321-327.	0.3	1

#	ARTICLE	IF	CITATIONS
37	Response to the Letter to the editor. International Urology and Nephrology, 2018, 50, 1629-1629.	1.4	0
38	Lower urinary tract symptoms and sexual functioning in patients with depression. Psychiatria Polska, 2021, , 1-13.	0.5	0
39	Nocturia at the Population Level in Poland: Prevalence, Bother, Quality of Life, and Treatment-Related Behavior. Healthcare (Switzerland), 2021, 9, 555.	2.0	0
40	Structural differences and architectural features of two different polypropylene slings (TVT-O and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2017, 70, 154-162.	0.3	0
41	Dermatologist and urologist? A neglected relationship in neurogenic voiding dysfunctions. Central European Journal of Urology, 2018, 71, 148-149.	0.3	0
42	Prognostic effect of renal collecting system invasion on survival of patients with renal cell carcinoma and tumor thrombus. Central European Journal of Urology, 2020, 73, 280-286.	0.3	0
43	Elastic modulus for long-term evaluation of the tensile properties of polypropylene meshes in an in vivo rat model. Acta of Bioengineering and Biomechanics, 2017, 19, 153-160.	0.4	0