Mikolaj Przydacz,, PGDip

List of Publications by Citations

Source: https://exaly.com/author-pdf/5927984/mikolaj-przydacz-pgdip-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39 232 7 14 g-index

43 306 2.1 3.53 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
39	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E142-E17	3 _{1.2}	58
38	Recommendations for urological follow-up of patients with neurogenic bladder secondary to spinal cord injury. <i>International Urology and Nephrology</i> , 2018 , 50, 1005-1016	2.3	22
37	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. <i>Psychiatria Polska</i> , 2016 , 50, 417-30	1.3	20
36	Current interventional management of male stress urinary incontinence following urological procedures. <i>Central European Journal of Urology</i> , 2015 , 68, 340-7	0.9	18
35	What do we know about neurogenic bladder prevalence and management in developing countries and emerging regions of the world?. <i>Annals of Physical and Rehabilitation Medicine</i> , 2017 , 60, 341-346	3.8	14
34	Prevalence and bother of lower urinary tract symptoms and overactive bladder in Poland, an Eastern European Study. <i>Scientific Reports</i> , 2020 , 10, 19819	4.9	14
33	Does asymptomatic bacteriuria increase the risk of adverse events or modify the efficacy of intradetrusor onabotulinumtoxinA injections?. <i>Neurourology and Urodynamics</i> , 2020 , 39, 203-210	2.3	9
32	Neurogenic bladder symptom score: Polish translation, adaptation and validation of urinary disorder-specific instrument for patients with neurogenic lower urinary tract dysfunction. <i>International Journal of Clinical Practice</i> , 2020 , 74, e13582	2.9	7
31	Nocturia has no impact on depression severity in patients suffering from depression but correlates with sleep quality. <i>Psychiatria Polska</i> , 2018 , 52, 835-842	1.3	6
30	How to assess and predict success or failure of intra-detrusor injections with onabotulinumtoxinA. <i>Advances in Clinical and Experimental Medicine</i> , 2019 , 28, 555-567	1.8	6
29	Modified technique of cavoatrial tumor thrombectomy without cardiopulmonary by-pass and hypothermic circulatory arrest: a preliminary report. <i>Central European Journal of Urology</i> , 2015 , 68, 311	- 7 ^{0.9}	6
28	Polish versions of the Qualiveen and the SF-Qualiveen: Translation and validation of urinary disorder-specific instruments in patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1764-1770	2.3	5
27	Revisiting Ureterosigmoidostomy, a Useful Technique of Urinary Diversion in Functional Urology. <i>Urology</i> , 2018 , 115, 14-20	1.6	5
26	Perception of Lower Urinary Tract Symptoms by psychiatrists in mentally affected patients. <i>Psychiatria Polska</i> , 2017 , 51, 963-978	1.3	5
25	Coexistence of lower urinary tract symptoms (LUTS) with depressive symptoms in patients suffering from depressive disorders. <i>Psychiatria Polska</i> , 2019 , 53, 939-953	1.3	5
24	The urinary disorder-specific quality of life in patients after spinal cord injury: Polish translation, adaptation and validation of the Qualiveen and SF-Qualiveen. <i>Spinal Cord</i> , 2021 , 59, 105-111	2.7	4
23	Relationship between Lower Urinary Tract Symptoms and Treatment-Related Behavior in an Eastern European Country: Findings from the LUTS POLAND Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4

22	Changing patterns of urologic emergency visits and admissions during the COVID-19 pandemic: a retrospective, multicenter, nationwide study. <i>Archives of Medical Science</i> , 2021 , 17, 1262-1276	2.9	3
21	Overactive Bladder Symptoms Negatively Affect Sleep Quality of Patients With Depression. International Neurourology Journal, 2021 , 25, 59-68	2.6	3
20	Association between Lower Urinary Tract Symptoms and Sleep Quality of Patients with Depression. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	3
19	How long do we have to treat overactive bladder syndrome (OAB)? A questionnaire survey of Canadian urologists and gynecologists. <i>Canadian Urological Association Journal</i> , 2018 ,	1.2	3
18	Prevalence, Bother and Treatment Behavior Related to Lower Urinary Tract Symptoms and Overactive Bladder among Cardiology Patients. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
17	Early Fesoterodine Fumarate Administration Prevents Neurogenic Detrusor Overactivity in a Spinal Cord Transected Rat Model. <i>PLoS ONE</i> , 2017 , 12, e0169694	3.7	2
16	Optimizing the formation of vesicourethral anastomosis and reduction of procedure time. A two-year experience with a modified technique for endoscopic running vesicourethral anastomosis. <i>Central European Journal of Urology</i> , 2015 , 68, 296-301	0.9	2
15	Implementation of neoadjuvant chemotherapy in muscle invasive bladder cancer treatment in Poland: a single institution retrospective study. <i>Central European Journal of Urology</i> , 2019 , 72, 100-105	0.9	2
14	Preliminary outcomes of the European multicentre experience with the ZSI 375 artificial urinary sphincter for treatment of stress urinary incontinence in men. <i>Central European Journal of Urology</i> , 2019 , 72, 263-269	0.9	2
13	Onset of medication efficacy in patients with overactive bladder: What should we tell them?. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1429-1430	2.3	1
12	Population-Based Study of Prevalence, Bother and Behavior Related to Treatment for Lower Urinary Tract Symptoms and Overactive Bladder among Polish Neurogenic Patients. <i>Brain Sciences</i> , 2021 , 11,	3.4	1
11	Appendix: Executive summary of CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , 2017 , 11, E248-E249	1.2	O
10	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. <i>Central European Journal of Urology</i> , 2020 , 73, 498-505	0.9	O
9	Correlation of urinary incontinence with depression severity of patients treated for depression. <i>Central European Journal of Urology</i> , 2020 , 73, 321-327	0.9	O
8	Polish versions of the ICIQ-FLUTS and the ICIQ-FLUTS LF: translation, adaptation, and validation of female-specific instruments for evaluation of lower urinary tract symptoms. <i>International Urogynecology Journal</i> , 2021 , 32, 3259-3265	2	О
7	Dermatologist and urologist? A neglected relationship in neurogenic voiding dysfunctions. <i>Central European Journal of Urology</i> , 2018 , 71, 148-149	0.9	
6	Prognostic effect of renal collecting system invasion on survival of patients with renal cell carcinoma and tumor thrombus. <i>Central European Journal of Urology</i> , 2020 , 73, 280-286	0.9	
5	Structural differences and architectural features of two different polypropylene slings (TVT-O and I-STOP) have no impact on biocompatibility and tissue reactions. <i>Central European Journal of Urology</i> , 2017 , 70, 154-162	0.9	

4	The Multiple Sclerosis Intimacy and Sexuality Questionnaire (MSISQ-15): translation, adaptation and validation of the Polish version for patients with multiple sclerosis and spinal cord injury. <i>BMC Neurology</i> , 2021 , 21, 103	3.1
3	Van Velthoven single-knot running suture versus Chlosta\strunning suture versus single barbed suture V-Loc for vesicourethral anastomosis in laparoscopic radical prostatectomy: a retrospective comparative study Wideochirurgia I Inne Techniki Maloinwazyjne, 2022, 17, 214-225	1.4
2	Response to the Letter to the editor. <i>International Urology and Nephrology</i> , 2018 , 50, 1629	2.3
1	Elastic modulus for long-term evaluation of the tensile properties of polypropylene meshes in an in vivo rat model. <i>Acta of Bioengineering and Biomechanics</i> , 2017 , 19, 153-160	0.6