

# Mikolaj Przydacz,, PGDip

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5927984/mikolaj-przydacz-pgdip-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39  
papers

232  
citations

7  
h-index

14  
g-index

43  
ext. papers

306  
ext. citations

2.1  
avg, IF

3.53  
L-index

#	Paper	IF	Citations
39	Van Velthoven single-knot running suture versus ChlostaWrunning suture versus single barbed suture V-Loc for vesicourethral anastomosis in laparoscopic radical prostatectomy: a retrospective comparative study.. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , <b>2022</b> , 17, 214-225	1.4	
38	Changing patterns of urologic emergency visits and admissions during the COVID-19 pandemic: a retrospective, multicenter, nationwide study. <i>Archives of Medical Science</i> , <b>2021</b> , 17, 1262-1276	2.9	3
37	Overactive Bladder Symptoms Negatively Affect Sleep Quality of Patients With Depression. <i>International Neurourology Journal</i> , <b>2021</b> , 25, 59-68	2.6	3
36	The Multiple Sclerosis Intimacy and Sexuality Questionnaire (MSISQ-15): translation, adaptation and validation of the Polish version for patients with multiple sclerosis and spinal cord injury. <i>BMC Neurology</i> , <b>2021</b> , 21, 103	3.1	
35	Polish versions of the ICIQ-FLUTS and the ICIQ-FLUTS LF: translation, adaptation, and validation of female-specific instruments for evaluation of lower urinary tract symptoms. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 3259-3265	2	0
34	Association between Lower Urinary Tract Symptoms and Sleep Quality of Patients with Depression. <i>Medicina (Lithuania)</i> , <b>2021</b> , 57,	3.1	3
33	Population-Based Study of Prevalence, Bother and Behavior Related to Treatment for Lower Urinary Tract Symptoms and Overactive Bladder among Polish Neurogenic Patients. <i>Brain Sciences</i> , <b>2021</b> , 11,	3.4	1
32	The urinary disorder-specific quality of life in patients after spinal cord injury: Polish translation, adaptation and validation of the Qualiveen and SF-Qualiveen. <i>Spinal Cord</i> , <b>2021</b> , 59, 105-111	2.7	4
31	Relationship between Lower Urinary Tract Symptoms and Treatment-Related Behavior in an Eastern European Country: Findings from the LUTS POLAND Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	4
30	Prevalence, Bother and Treatment Behavior Related to Lower Urinary Tract Symptoms and Overactive Bladder among Cardiology Patients. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	2
29	Neurogenic bladder symptom score: Polish translation, adaptation and validation of urinary disorder-specific instrument for patients with neurogenic lower urinary tract dysfunction. <i>International Journal of Clinical Practice</i> , <b>2020</b> , 74, e13582	2.9	7
28	Polish versions of the Qualiveen and the SF-Qualiveen: Translation and validation of urinary disorder-specific instruments in patients with multiple sclerosis. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 1764-1770	2.3	5
27	Prognostic effect of renal collecting system invasion on survival of patients with renal cell carcinoma and tumor thrombus. <i>Central European Journal of Urology</i> , <b>2020</b> , 73, 280-286	0.9	
26	Desmopressin treatment for nocturia caused by nocturnal polyuria: practical guidelines. <i>Central European Journal of Urology</i> , <b>2020</b> , 73, 498-505	0.9	0
25	Correlation of urinary incontinence with depression severity of patients treated for depression. <i>Central European Journal of Urology</i> , <b>2020</b> , 73, 321-327	0.9	0
24	Does asymptomatic bacteriuria increase the risk of adverse events or modify the efficacy of intradetrusor onabotulinumtoxinA injections?. <i>Neurourology and Urodynamics</i> , <b>2020</b> , 39, 203-210	2.3	9
23	Prevalence and bother of lower urinary tract symptoms and overactive bladder in Poland, an Eastern European Study. <i>Scientific Reports</i> , <b>2020</b> , 10, 19819	4.9	14

22	Coexistence of lower urinary tract symptoms (LUTS) with depressive symptoms in patients suffering from depressive disorders. <i>Psychiatria Polska</i> , <b>2019</b> , 53, 939-953	1.3	5
21	How to assess and predict success or failure of intra-detrusor injections with onabotulinumtoxinA. <i>Advances in Clinical and Experimental Medicine</i> , <b>2019</b> , 28, 555-567	1.8	6
20	Implementation of neoadjuvant chemotherapy in muscle invasive bladder cancer treatment in Poland: a single institution retrospective study. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 100-105	0.9	2
19	Preliminary outcomes of the European multicentre experience with the ZSI 375 artificial urinary sphincter for treatment of stress urinary incontinence in men. <i>Central European Journal of Urology</i> , <b>2019</b> , 72, 263-269	0.9	2
18	Revisiting Ureterosigmoidostomy, a Useful Technique of Urinary Diversion in Functional Urology. <i>Urology</i> , <b>2018</b> , 115, 14-20	1.6	5
17	Recommendations for urological follow-up of patients with neurogenic bladder secondary to spinal cord injury. <i>International Urology and Nephrology</i> , <b>2018</b> , 50, 1005-1016	2.3	22
16	Nocturia has no impact on depression severity in patients suffering from depression but correlates with sleep quality. <i>Psychiatria Polska</i> , <b>2018</b> , 52, 835-842	1.3	6
15	Dermatologist and urologist? A neglected relationship in neurogenic voiding dysfunctions. <i>Central European Journal of Urology</i> , <b>2018</b> , 71, 148-149	0.9	
14	Response to the Letter to the editor. <i>International Urology and Nephrology</i> , <b>2018</b> , 50, 1629	2.3	
13	How long do we have to treat overactive bladder syndrome (OAB)? A questionnaire survey of Canadian urologists and gynecologists. <i>Canadian Urological Association Journal</i> , <b>2018</b> ,	1.2	3
12	What do we know about neurogenic bladder prevalence and management in developing countries and emerging regions of the world?. <i>Annals of Physical and Rehabilitation Medicine</i> , <b>2017</b> , 60, 341-346	3.8	14
11	Early Fesoterodine Fumarate Administration Prevents Neurogenic Detrusor Overactivity in a Spinal Cord Transected Rat Model. <i>PLoS ONE</i> , <b>2017</b> , 12, e0169694	3.7	2
10	Appendix: Executive summary of CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , <b>2017</b> , 11, E248-E249	1.2	0
9	Onset of medication efficacy in patients with overactive bladder: What should we tell them?. <i>Neurourology and Urodynamics</i> , <b>2017</b> , 36, 1429-1430	2.3	1
8	CUA guideline on adult overactive bladder. <i>Canadian Urological Association Journal</i> , <b>2017</b> , 11, E142-E173	1.2	58
7	Perception of Lower Urinary Tract Symptoms by psychiatrists in mentally affected patients. <i>Psychiatria Polska</i> , <b>2017</b> , 51, 963-978	1.3	5
6	Structural differences and architectural features of two different polypropylene slings (TVT-O and I-STOP) have no impact on biocompatibility and tissue reactions. <i>Central European Journal of Urology</i> , <b>2017</b> , 70, 154-162	0.9	
5	Elastic modulus for long-term evaluation of the tensile properties of polypropylene meshes in an in vivo rat model. <i>Acta of Bioengineering and Biomechanics</i> , <b>2017</b> , 19, 153-160	0.6	

4	Lower urinary tract symptoms, nocturia and overactive bladder in patients with depression and anxiety. <i>Psychiatria Polska</i> , <b>2016</b> , 50, 417-30	1.3	20
3	Modified technique of cavoatrial tumor thrombectomy without cardiopulmonary by-pass and hypothermic circulatory arrest: a preliminary report. <i>Central European Journal of Urology</i> , <b>2015</b> , 68, 311-7	0.9	6
2	Current interventional management of male stress urinary incontinence following urological procedures. <i>Central European Journal of Urology</i> , <b>2015</b> , 68, 340-7	0.9	18
1	Optimizing the formation of vesicourethral anastomosis and reduction of procedure time. A two-year experience with a modified technique for endoscopic running vesicourethral anastomosis. <i>Central European Journal of Urology</i> , <b>2015</b> , 68, 296-301	0.9	2