Alessandro Ciresi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5928976/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Higher doses of cabergoline further improve metabolic parameters in patients with prolactinoma regardless of the degree of reduction in prolactin levels. Clinical Endocrinology, 2013, 79, 845-852.	2.4	69
2	Diabetes Secondary to Acromegaly: Physiopathology, Clinical Features and Effects of Treatment. Frontiers in Endocrinology, 2018, 9, 358.	3.5	68
3	Metabolic parameters and adipokine profile during GH replacement therapy in children with GH deficiency. European Journal of Endocrinology, 2007, 156, 353-360.	3.7	67
4	Is diabetes in Cushing's syndrome only a consequence of hypercortisolism?. European Journal of Endocrinology, 2014, 170, 311-319.	3.7	60
5	Hyperinsulinism and polycystic ovary syndrome (PCOS): role of insulin clearance. Journal of Endocrinological Investigation, 2015, 38, 1319-1326.	3.3	59
6	Insulin resistance and hyperandrogenism drive steatosis and fibrosis risk in young females with PCOS. PLoS ONE, 2017, 12, e0186136.	2.5	59
7	The Metabolic Profile in Active Acromegaly is Gender-Specific. Journal of Clinical Endocrinology and Metabolism, 2013, 98, E51-E59.	3.6	54
8	Visceral Adiposity Index Is Associated with Insulin Sensitivity and Adipocytokine Levels in Newly Diagnosed Acromegalic Patients. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2907-2915.	3.6	51
9	Clinical and metabolic effects of first-line treatment with somatostatin analogues or surgery in acromegaly: a retrospective and comparative study. Pituitary, 2012, 15, 539-551.	2.9	34
10	Corneainacromegalic patientsasapossible target of growth hormone action. Journal of Endocrinological Investigation, 2011, 34, e30-e35.	3.3	33
11	The degree of urinary hypercortisolism is not correlated with the severity of cushing's syndrome. Endocrine, 2017, 55, 564-572.	2.3	32
12	Vitamin D across growth hormone (GH) disorders: From GH deficiency to GH excess. Growth Hormone and IGF Research, 2017, 33, 35-42.	1.1	31
13	No Phenotypic Differences for Polycystic Ovary Syndrome (PCOS) Between Women With and Without Type 1 Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 203-211.	3.6	27
14	Lacrimal gland herniation in Graves ophthalmopathy: a simple and useful MRI biomarker of disease activity. European Radiology, 2020, 30, 2138-2141.	4.5	24
15	High prevalence of hypovitaminosis D in Sicilian children affected by growth hormone deficiency and its improvement after 12Âmonths of replacement treatment. Journal of Endocrinological Investigation, 2014, 37, 631-638.	3.3	23
16	Improved insulin sensitivity and secretion in prediabetic patients with adrenal insufficiency on dualâ€release hydrocortisone treatment: a 36â€month retrospective analysis. Clinical Endocrinology, 2018, 88, 665-672.	2.4	23
17	Dual-release hydrocortisone vs conventional glucocorticoids in adrenal insufficiency. Endocrine Connections, 2019, 8, 853-862.	1.9	23
18	Reduction in insulin sensitivity and inadequate β-cell capacity to counteract the increase in insulin resistance in children with idiopathic growth hormone deficiency during 12Âmonths of growth hormone treatment. Journal of Endocrinological Investigation, 2015, 38, 351-359.	3.3	21

ALESSANDRO CIRESI

#	Article	IF	CITATIONS
19	Predictors of microvascular complications in type 1 diabetic patients at onset: The role of metabolic memory. European Journal of Internal Medicine, 2011, 22, 266-274.	2.2	19
20	Resistin, visfatin, leptin and omentin are differently related to hormonal and metabolic parameters in growth hormone-deficient children. Journal of Endocrinological Investigation, 2016, 39, 1023-1030.	3.3	17
21	Serum visfatin levels in acromegaly: Correlation with disease activity and metabolic alterations. Growth Hormone and IGF Research, 2015, 25, 240-246.	1.1	16
22	Pasireotide treatment reduces cardiometabolic risk in Cushing's disease patients: an Italian, multicenter study. Endocrine, 2018, 61, 118-124.	2.3	16
23	Glycometabolic control in acromegalic patients with diabetes: a study of the effects of different treatments for growth hormone excess and for hyperglycemia. Journal of Endocrinological Investigation, 2012, 35, 154-9.	3.3	16
24	OCT is not useful for detection of minimal diabetic retinopathy in type 1 diabetes. Acta Diabetologica, 2010, 47, 259-263.	2.5	15
25	Revaluation of the clinical and metabolic behavior of children with isolated growth hormone deficiency during CH treatment according to newly proposed note 39 of the Italian Medicines Agency (AIFA). Journal of Endocrinological Investigation, 2015, 38, 1301-1307.	3.3	15
26	Alteration of the growth hormone axis, visceral fat dysfunction, and early cardiometabolic risk in adults: the role of the visceral adiposity index. Endocrine, 2015, 49, 492-502.	2.3	14
27	Effects of pasireotide treatment on coagulative profile: a prospective study in patients with Cushing's disease. Endocrine, 2018, 62, 207-214.	2.3	14
28	The visceral adiposity index is associated with insulin sensitivity and IGF-I levels in adults with growth hormone deficiency. Endocrine, 2017, 56, 579-588.	2.3	13
29	Hepatic Steatosis Index in Acromegaly: Correlation with Insulin Resistance Regardless of the Disease Control. International Journal of Endocrinology, 2018, 2018, 1-7.	1.5	13
30	Adrenal morphology and function in acromegalic patients in relation to disease activity. Endocrine, 2009, 36, 346-354.	2.3	10
31	Growth hormone and hematopoiesis: A retrospective analysis on a large cohort of children with growth hormone deficiency. Growth Hormone and IGF Research, 2018, 42-43, 8-13.	1.1	10
32	Corneal thickness in children with growth hormone deficiency: The effect of GH treatment. Growth Hormone and IGF Research, 2014, 24, 150-154.	1.1	9
33	Early Lung Function Abnormalities in Acromegaly. Lung, 2015, 193, 393-399.	3.3	9
34	Glucose Metabolism in Children With Growth Hormone Deficiency. Frontiers in Endocrinology, 2018, 9, 321.	3.5	9
35	Efficacy of combined treatment with pasireotide, pegvisomant and cabergoline in an acromegalic patient resistant to other treatments: a case report. BMC Endocrine Disorders, 2018, 18, 2.	2.2	9
36	Circulating Irisin Levels in Children With GH Deficiency Before and After 1 Year of GH Treatment. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 801-808.	3.6	9

#	Article	IF	CITATIONS
37	The Daily Consumption of Cola Can Determine Hypocalcemia: A Case Report of Postsurgical Hypoparathyroidism-Related Hypocalcemia Refractory to Supplemental Therapy with High Doses of Oral Calcium. Frontiers in Endocrinology, 2017, 8, 7.	3.5	8
38	Insulin sensitivity and secretion and adipokine profile in patients with Cushing's disease treated with pasireotide. Journal of Endocrinological Investigation, 2018, 41, 1137-1147.	3.3	8
39	Utility of C-peptide for a reliable estimate of insulin secretion in children with growth hormone deficiency. Growth Hormone and IGF Research, 2016, 29, 71-77.	1.1	7
40	Comparison between euglycemic hyperinsulinemic clamp and surrogate indices of insulin sensitivity in children with growth hormone deficiency. Growth Hormone and IGF Research, 2018, 39, 40-44.	1.1	7
41	Higher cardiometabolic risk in idiopathic versus autoimmune type 1 diabetes: a retrospective analysis. Diabetology and Metabolic Syndrome, 2018, 10, 40.	2.7	7
42	More Favorable Metabolic Impact of Three-Times-Weekly versus Daily Growth Hormone Treatment in NaÃ⁻ve GH-Deficient Children. International Journal of Endocrinology, 2017, 2017, 1-8.	1.5	5
43	Pasireotide versus pituitary surgery: a retrospective analysis of 12 months of treatment in patients with Cushing's disease. Endocrine, 2018, 59, 454-457.	2.3	5
44	Liraglutide Improves Cardiovascular Risk as an Add-on to Metformin and Not to Insulin Secretagogues in Type 2 Diabetic Patients: A Real-life 48-Month Retrospective Study. Diabetes Therapy, 2018, 9, 363-371.	2.5	5
45	Correlation between Severity of Growth Hormone Deficiency and Thyroid Metabolism and Effects of Long-Term Growth Hormone Treatment on Thyroid Function in Children with Idiopathic Growth Hormone Deficiency. Hormone Research in Paediatrics, 2014, 81, 379-385.	1.8	3
46	Direct and indirect effects of Growth Hormone Deficiency (GHD) on lung function in children: A mediation analysis. Respiratory Medicine, 2018, 137, 61-69.	2.9	3
47	One-hour post-load plasma glucose level is associated with a worse metabolic profile in children with GH deficiency. Journal of Endocrinological Investigation, 2018, 41, 789-797.	3.3	3
48	Correlation between adrenal function, growth hormone secretion, and insulin sensitivity in children with idiopathic growth hormone deficiency. Journal of Endocrinological Investigation, 2018, 41, 333-342.	3.3	3
49	The metabolic outcomes of growth hormone treatment in children are gender specific. Endocrine Connections, 2018, 7, 879-887.	1.9	3
50	Improved Cardiovascular and Cardiometabolic Risk in Patients With Type 1 Diabetes and Autoimmune Polyglandular Syndrome Switched From Glargine to Degludec Due to Hypoglycaemic Variability. Frontiers in Endocrinology, 2018, 9, 428.	3.5	2
51	Relative Hypoleptinemia in Poorly Controlled Patients with Type 1 Diabetes. Hormone and Metabolic Research, 2007, 39, 398-399.	1.5	1
52	Janus kinase (JAK) 2 V617F mutation as the cause of primary thrombocythemia in acromegaly with severe visceromegaly and divergence between growth hormone and insulin-like growth factor-1 concentrations during the follow-up: causal or casual association?. Growth Hormone and IGF Research, 2012, 22, 92-96.	1.1	1