

Jeff Yarger

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5929807/jeff-yarger-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

5,246
citations

42
h-index

68
g-index

144
ext. papers

5,788
ext. citations

6.9
avg, IF

5.57
L-index

#	Paper	IF	Citations
135	Hard x-ray methods for studying the structure of amorphous thin films and bulk glassy oxides. <i>Journal of Physics Condensed Matter</i> , 2021 , 33,	1.8	1
134	Synthesis, Postsynthetic Modifications, and Applications of the First Quinoxaline-Based Covalent Organic Framework. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 37494-37499	9.5	5
133	Reorientation Times for Solid-State Electrolyte Solvents and Electrolytes from NMR Spin-Lattice Relaxation Studies. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3301-3304	6.4	3
132	Relation of Ionic Conductivity to Solvent Rotation Times in Dinitrile Plastic Crystal Solvents. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 070553	3.9	3
131	Thermodynamic interference with bile acid demicelleization reduces systemic entry and injury during cholestasis. <i>Scientific Reports</i> , 2020 , 10, 8462	4.9	2
130	Extended range X-ray pair distribution functions. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 955, 163318	1.2	7
129	Water soluble gold-polyaniline nanocomposite: A substrate for surface enhanced Raman scattering and catalyst for dye degradation. <i>Arabian Journal of Chemistry</i> , 2020 , 13, 4009-4018	5.9	10
128	Proton Transfer and Ionicity: An N NMR Study of Pyridine Base Protonation. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 1815-1821	3.4	8
127	Colorimetric Dual Sensors of Metal Ions Based on 1,2,3-Triazole-4,5-Dicarboxylic Acid-Functionalized Gold Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 20459-20467	3.8	11
126	Hierarchical Spidroin Micellar Nanoparticles as the Precursors of Spider Silks. <i>Microscopy and Microanalysis</i> , 2019 , 25, 1346-1347	0.5	
125	Chapter 18:NMR Characterization of Silk. <i>New Developments in NMR</i> , 2019 , 420-456	0.9	1
124	Uncovering the structure-function relationship in spider silk. <i>Nature Reviews Materials</i> , 2018 , 3,	73.3	127
123	Structural Comparison of Various Silkworm Silks: An Insight into the Structure-Property Relationship. <i>Biomacromolecules</i> , 2018 , 19, 906-917	6.9	68
122	Hierarchical spidroin micellar nanoparticles as the fundamental precursors of spider silks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 11507-11512	11.5	30
121	A New Version of the Lithium Ion Conducting Plastic Crystal Solid Electrolyte. <i>Advanced Energy Materials</i> , 2018 , 8, 1801324	21.8	15
120	Rapid Soft Tissue Approximation and Repair Using Laser-Activated Silk Nanosealants. <i>Advanced Functional Materials</i> , 2018 , 28, 1802874	15.6	16
119	Characterizing gold nanoparticles by NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2018 , 56, 1074-1082	2.1	28

118	Using containerless methods to develop amorphous pharmaceuticals. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 3686-3692	4	6
117	Silicon hydrogensulfates: solid acids with exceptional 25 °C conductivities and possible electrochemical device applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 14092-14100	13	1
116	Understanding iridium oxide nanoparticle surface sites by their interaction with catechol. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 16151-16158	3.6	6
115	Hydrogen mobility in the lightest reversible metal hydride, LiBeH. <i>Scientific Reports</i> , 2017 , 7, 16244	4.9	6
114	Highly Efficient Fumed Silica Nanoparticles for Peptide Bond Formation: Converting Alanine to Alanine Anhydride. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17653-17661	9.5	20
113	Microscale Mechanism of Age Dependent Wetting Properties of Prickly Pear Cacti (Opuntia). <i>Langmuir</i> , 2016 , 32, 9335-41	4	15
112	Structure and Properties in Synthetic MSUM and the Corresponding Biomaterial. <i>MRS Advances</i> , 2016 , 1, 2551-2556	0.7	0
111	A flexible all-inorganic fuel cell membrane with conductivity above Nafion, and durable operation at 150 °C. <i>Journal of Power Sources</i> , 2016 , 303, 142-149	8.9	18
110	Secondary Structure Adopted by the Gly-Gly-X Repetitive Regions of Dragline Spider Silk. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	22
109	Characterizing mixed phosphonic acid ligand capping on CdSe/ZnS quantum dots using ligand exchange and NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2016 , 54, 234-8	2.1	9
108	Lysine-Capped Silica Nanoparticles: A Solid-State NMR Spectroscopy Study. <i>MRS Advances</i> , 2016 , 1, 2261-2266	2.66	5
107	Surface and Wetting Properties of Embiopteran (Webspinner) Nanofiber Silk. <i>Langmuir</i> , 2016 , 32, 4681-74		21
106	NMR Characterization of Ionicity and Transport Properties for a Series of Diethylmethylamine Based Protic Ionic Liquids. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 4279-85	3.4	49
105	Direct Evidence of Chelated Geometry of Catechol on TiO ₂ by a Combined Solid-State NMR and DFT Study. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 23625-23630	3.8	41
104	A SAXS-WAXS study of the endothermic transitions in amorphous or supercooled liquid itraconazole. <i>Thermochimica Acta</i> , 2016 , 644, 1-5	2.9	9
103	On the Use of a Protic Ionic Liquid with a Novel Cation To Study Anion Basicity. <i>Chemistry - A European Journal</i> , 2016 , 22, 13312-9	4.8	22
102	Protein secondary structure of Green Lynx spider dragline silk investigated by solid-state NMR and X-ray diffraction. <i>International Journal of Biological Macromolecules</i> , 2015 , 81, 171-9	7.9	11
101	X-ray Intermolecular Structure Factor(XISF): separation of intra- and intermolecular interactions from total X-ray scattering data. <i>Journal of Applied Crystallography</i> , 2015 , 48, 950-952	3.8	10

100	Adsorption and release of surfactant into and from multifunctional zwitterionic poly(NIPAm-co-DMAPMA-co-AAc) microgel particles. <i>Journal of Colloid and Interface Science</i> , 2015 , 449, 332-40	9.3	10
99	Enhanced electrochemical performance of $\text{LiFe}_0.4\text{Mn}_0.6(\text{PO}_4)_{1-x}(\text{BO}_3)_x$ as cathode material for lithium ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2015 , 756, 56-60	4.1	6
98	Gold nanoparticle-doped silk film as biocompatible SERS substrate. <i>RSC Advances</i> , 2015 , 5, 1937-1942	3.7	19
97	Type I Clathrates as Novel Silicon Anodes: An Electrochemical and Structural Investigation. <i>Advanced Science</i> , 2015 , 2, 1500057	13.6	27
96	Structural hysteresis in dragline spider silks induced by supercontraction: An x-ray fiber micro-diffraction study. <i>RSC Advances</i> , 2015 , 5, 1462-1473	3.7	16
95	Molecular dynamics of spider dragline silk fiber investigated by ^2H MAS NMR. <i>Biomacromolecules</i> , 2015 , 16, 852-9	6.9	22
94	Elucidating proline dynamics in spider dragline silk fibre using ^2H - ^{13}C HETCOR MAS NMR. <i>Chemical Communications</i> , 2014 , 50, 4856-9	5.8	16
93	Structural characterization of nanofiber silk produced by embiopterans (webspinners). <i>RSC Advances</i> , 2014 , 4, 41301-41313	3.7	18
92	Probing the Nature of Charge Transfer at Nano-Bio Interfaces: Peptides on Metal Oxide Nanoparticles. <i>Journal of Physical Chemistry Letters</i> , 2014 , 5, 3555-9	6.4	10
91	Reversible assembly of β -sheet nanocrystals within caddisfly silk. <i>Biomacromolecules</i> , 2014 , 15, 1269-75	6.9	27
90	Exploring the backbone dynamics of native spider silk proteins in Black Widow silk glands with solution-state NMR spectroscopy. <i>Polymer</i> , 2014 , 55, 3879-3885	3.9	19
89	Mechanical and physical properties of recombinant spider silk films using organic and aqueous solvents. <i>Biomacromolecules</i> , 2014 , 15, 3158-70	6.9	54
88	Reversible elastic deformation of functionalized sp^2 carbon at pressures of up to 33 GPa. <i>Applied Physics Letters</i> , 2014 , 105, 141901	3.4	
87	Effects of different post-spin stretching conditions on the mechanical properties of synthetic spider silk fibers. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014 , 29, 225-34	4.1	44
86	Probing site-specific $^{13}\text{C}/^{15}\text{N}$ -isotope enrichment of spider silk with liquid-state NMR spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3997-4008	4.4	8
85	Measurement of conductivity and permittivity on samples sealed in nuclear magnetic resonance tubes. <i>Review of Scientific Instruments</i> , 2013 , 84, 073906	1.7	5
84	Silk structure studied with nuclear magnetic resonance. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2013 , 69, 23-68	10.4	73
83	Amino acid analysis of spider dragline silk using ^1H NMR. <i>Analytical Biochemistry</i> , 2013 , 440, 150-7	3.1	8

82	Characterizing the secondary protein structure of black widow dragline silk using solid-state NMR and X-ray diffraction. <i>Biomacromolecules</i> , 2013 , 14, 3472-83	6.9	54
81	Elucidating silk structure using solid-state NMR. <i>Soft Matter</i> , 2013 , 9, 11440	3.6	57
80	Determining hydrogen-bond interactions in spider silk with 1H-13C HETCOR fast MAS solid-state NMR and DFT proton chemical shift calculations. <i>Chemical Communications</i> , 2013 , 49, 6680-2	5.8	13
79	Non-invasive determination of the complete elastic moduli of spider silks. <i>Nature Materials</i> , 2013 , 12, 262-7	27	112
78	A neutron-X-ray, NMR and calorimetric study of glassy Probulcol synthesized using containerless techniques. <i>Chemical Physics</i> , 2013 , 424, 89-92	2.3	12
77	Nephila clavipes Flagelliform silk-like GGX motifs contribute to extensibility and spacer motifs contribute to strength in synthetic spider silk fibers. <i>Biomacromolecules</i> , 2013 , 14, 1751-60	6.9	51
76	Sheet nanocrystalline domains formed from phosphorylated serine-rich motifs in caddisfly larval silk: a solid state NMR and XRD study. <i>Biomacromolecules</i> , 2013 , 14, 1140-8	6.9	57
75	2H-13C HETCOR MAS NMR for indirect detection of 2H quadrupole patterns and spin-lattice relaxation rates. <i>Journal of Magnetic Resonance</i> , 2013 , 226, 1-12	3	10
74	Structural characterization and aging of glassy pharmaceuticals made using acoustic levitation. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 1290-300	3.9	38
73	Pressure-induced crystallization of amorphous red phosphorus. <i>Solid State Communications</i> , 2012 , 152, 390-394	1.6	50
72	Combining flagelliform and dragline spider silk motifs to produce tunable synthetic biopolymer fibers. <i>Biopolymers</i> , 2012 , 97, 418-31	2.2	57
71	Reproducing natural spider silks copolymer behavior in synthetic silk mimics. <i>Biomacromolecules</i> , 2012 , 13, 3938-48	6.9	40
70	High resolution magic angle spinning NMR investigation of silk protein structure within major ampullate glands of orb weaving spiders. <i>Soft Matter</i> , 2012 , 8, 1947-1954	3.6	31
69	Conserved C-terminal domain of spider tubuliform spidroin 1 contributes to extensibility in synthetic fibers. <i>Biomacromolecules</i> , 2012 , 13, 304-12	6.9	48
68	Structural Changes in Vitreous GeSe4 under Pressure. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 2212-2217	2.17	24
67	Investigating Hydrogen-Bonded Phosphonic Acids with Proton Ultrafast MAS NMR and DFT Calculations. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 18824-18830	3.8	14
66	Shear-induced rigidity in spider silk glands. <i>Applied Physics Letters</i> , 2012 , 101, 103701	3.4	3
65	X-ray diffraction study of nanocrystalline and amorphous structure within major and minor ampullate dragline spider silks. <i>Soft Matter</i> , 2012 , 8, 6713-6722	3.6	77

64	Characterizing Pressure-Induced Coordination Changes in CaAl ₂ O ₄ Glass Using ²⁷ Al NMR. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 2068-2073	3.8	14
63	Determining the equation of state of amorphous solids at high pressure using optical microscopy. <i>Review of Scientific Instruments</i> , 2012 , 83, 033702	1.7	9
62	Total x-ray scattering of spider dragline silk. <i>Physical Review Letters</i> , 2012 , 108, 178102	7.4	16
61	NMR Determination of the Diffusion Mechanisms in Triethylamine-Based Protic Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2011 , 2, 1077-1081	6.4	36
60	High pressure x-ray diffraction measurements on Mg ₂ SiO ₄ glass. <i>Journal of Non-Crystalline Solids</i> , 2011 , 357, 2632-2636	3.9	20
59	Inducing β-sheets formation in synthetic spider silk fibers by aqueous post-spin stretching. <i>Biomacromolecules</i> , 2011 , 12, 2375-81	6.9	60
58	Abundant ammonia in primitive asteroids and the case for a possible exobiology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 4303-6	11.5	68
57	A perforated diamond anvil cell for high-energy x-ray diffraction of liquids and amorphous solids at high pressure. <i>Review of Scientific Instruments</i> , 2010 , 81, 035110	1.7	29
56	Quantitative Correlation between the protein primary sequences and secondary structures in spider dragline silks. <i>Biomacromolecules</i> , 2010 , 11, 192-200	6.9	97
55	Structure and dynamics of aromatic residues in spider silk: 2D carbon correlation NMR of dragline fibers. <i>Biomacromolecules</i> , 2010 , 11, 168-74	6.9	32
54	Solid-state NMR comparison of various spiders' dragline silk fiber. <i>Biomacromolecules</i> , 2010 , 11, 2039-436.9		54
53	Structural and topological changes in silica glass at pressure. <i>Physical Review B</i> , 2010 , 81,	3.3	135
52	Correlation between structure and physical properties of chalcogenide glasses in the As _x Se _{100-x} system. <i>Physical Review B</i> , 2010 , 82,	3.3	102
51	Solid-state NMR evidence for elastin-like beta-turn structure in spider dragline silk. <i>Chemical Communications</i> , 2010 , 46, 6714-6	5.8	80
50	Proton-detected heteronuclear single quantum correlation NMR spectroscopy in rigid solids with ultra-fast MAS. <i>Journal of Magnetic Resonance</i> , 2010 , 202, 64-71	3	40
49	Bimodal phase percolation model for the structure of Ge-Se glasses and the existence of the intermediate phase. <i>Physical Review B</i> , 2009 , 80,	3.3	64
48	Thermal decomposition of ammonia borane at high pressures. <i>Journal of Chemical Physics</i> , 2009 , 131, 104506	3.9	52
47	Pressure-induced transformations in crystalline and vitreous. <i>Solid State Communications</i> , 2009 , 149, 1940-1943	1.6	

46	NMR Characterization of Ligand Binding and Exchange Dynamics in Triphenylphosphine-Capped Gold Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 16387-16393	3.8	59
45	High-pressure behavior of As ₂ O ₃ : Amorphous-amorphous and crystalline-amorphous transitions. <i>Physical Review B</i> , 2008 , 77,	3.3	36
44	Quantifying the fraction of glycine and alanine in beta-sheet and helical conformations in spider dragline silk using solid-state NMR. <i>Chemical Communications</i> , 2008 , 5568-70	5.8	61
43	Solid-state NMR investigation of major and minor ampullate spider silk in the native and hydrated states. <i>Biomacromolecules</i> , 2008 , 9, 651-7	6.9	83
42	Determining secondary structure in spider dragline silk by carbon-carbon correlation solid-state NMR spectroscopy. <i>Journal of the American Chemical Society</i> , 2008 , 130, 9871-7	16.4	125
41	Vibrational dynamics of amorphous beryllium hydride and lithium beryllium hydrides. <i>Journal of Chemical Physics</i> , 2008 , 128, 134512	3.9	13
40	Intermediate range order in vitreous silica from a partial structure factor analysis. <i>Physical Review B</i> , 2008 , 78,	3.3	92
39	NMR Characterization of Phosphonic Acid Capped SnO ₂ Nanoparticles. <i>Chemistry of Materials</i> , 2007 , 19, 2519-2526	9.6	82
38	On the structure of liquid antimony pentafluoride. <i>Journal of Molecular Liquids</i> , 2007 , 131-132, 239-245	6	3
37	Vitrification of a monatomic metallic liquid. <i>Nature</i> , 2007 , 448, 787-90	50.4	178
36	Comment on Microscopic structural evolution during the liquid-liquid transition in triphenyl phosphite by R Kurita, Y Shinohara, Y Amemiya and H Tanaka. <i>J. Phys.: Condens. Matter</i> 19 (2007) 152101. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 408001	1.8	3
35	Analysis of high-energy x-ray diffraction data at high pressure: the case of vitreous AsO at 32 GPa. <i>Journal of Physics Condensed Matter</i> , 2007 , 19, 415103	1.8	11
34	The structure of densified As ₂ O ₃ glasses. <i>Journal of Non-Crystalline Solids</i> , 2007 , 353, 1755-1758	3.9	12
33	Topological changes in glassy GeSe ₂ at pressures up to 9.3GPa determined by high-energy x-ray and neutron diffraction measurements. <i>Physical Review B</i> , 2006 , 74,	3.3	62
32	High-pressure Brillouin scattering of amorphous BeH ₂ . <i>Journal of Chemical Physics</i> , 2006 , 124, 14502	3.9	25
31	Orientalional correlations in the glacial state of triphenyl phosphite. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 9747-50	3.4	13
30	Brillouin spectroscopy of relaxor ferroelectrics and metal hydrides. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 442, 519-522	5.3	0
29	The structure of permanently densified CaAl ₂ O ₄ glass. <i>Journal of Physics and Chemistry of Solids</i> , 2006 , 67, 2106-2110	3.9	11

28	Brillouin imaging. <i>Applied Physics Letters</i> , 2005 , 87, 061903	3.4	85
27	Intermediate range chemical ordering in amorphous and liquid water, Si, and Ge. <i>Physical Review B</i> , 2005 , 72,	3.3	41
26	Studies on TMPD:TCNB; a donor-acceptor with room temperature paramagnetism and n-pi interaction. <i>Molecules</i> , 2004 , 9, 808-14	4.8	6
25	Chemistry. Polymorphism in liquids. <i>Science</i> , 2004 , 306, 820-1	33.3	48
24	WISE NMR characterization of nanoscale heterogeneity and mobility in supercontracted Nephila clavipes spider dragline silk. <i>Journal of the American Chemical Society</i> , 2004 , 126, 5867-72	16.4	98
23	Formation and structure of a dense octahedral glass. <i>Physical Review Letters</i> , 2004 , 93, 115502	7.4	143
22	The Local Structure of Triphenyl Phosphite Studied Using Spallation Neutron and High-Energy X-ray Diffraction. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 20076-20082	3.4	18
21	Intermediate-range order in permanently densified GeO ₂ glass. <i>Physical Review Letters</i> , 2003 , 90, 115502	7.4	77
20	Structural quantum isotope effects in amorphous beryllium hydride. <i>Journal of Chemical Physics</i> , 2003 , 119, 12499-12502	3.9	22
19	Solid-State NMR Study of Ion-Exchange Processes in V ₂ O ₅ Xerogel, Polyaniline/V ₂ O ₅ , and Sulfonated Polyaniline/V ₂ O ₅ Nanocomposites. <i>Journal of the Electrochemical Society</i> , 2003 , 150, A1718	3.9	15
18	High pressure angle-dispersive Brillouin spectroscopy: A technique for determining acoustic velocities and attenuations in liquids and solids. <i>Review of Scientific Instruments</i> , 2002 , 73, 1235-1241	1.7	12
17	⁷ Li NMR Studies of Electrochemically Lithiated V ₂ O ₅ Xerogels. <i>Chemistry of Materials</i> , 2002 , 14, 3875-3886	3.6	14
16	Early stages of glacial clustering in supercooled triphenyl phosphite. <i>Physical Review B</i> , 2001 , 64,	3.3	20
15	Electron spin density distribution in the polymer phase of CsC ₆₀ : assignment of the NMR spectrum. <i>Physical Review Letters</i> , 2000 , 84, 717-20	7.4	23
14	NMR study of InP quantum dots: Surface structure and size effects. <i>Journal of Chemical Physics</i> , 1999 , 110, 8861-8864	3.9	70
13	Synthesis, Crystal Structure, NMR Studies, and Thermal Stability of Mixed Iron-Indium Phosphates with Quasi-One-Dimensional Frameworks. <i>Inorganic Chemistry</i> , 1999 , 38, 6032-6038	5.1	9
12	C ₃₆ , a new carbon solid. <i>Nature</i> , 1998 , 393, 771-774	50.4	378
11	Low field magnetic resonance images of polarized noble gases obtained with a dc superconducting quantum interference device. <i>Applied Physics Letters</i> , 1998 , 72, 1908-1910	3.4	38

10	Scalar and anisotropic J interactions in undoped InP: A triple-resonance NMR study. <i>Physical Review B</i> , 1998 , 58, 8627-8633	3-3	32
9	Diffusivity and Nuclear Spin Relaxation Measurements at High Pressure in Methanol. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 499, 295		
8	NMR Titration Used to Observe Specific Proton Dissociation in Polyprotic Tripeptides: An Undergraduate Biochemistry Lab. <i>Journal of Chemical Education</i> , 1997 , 74, 243	2-4	7
7	Polyamorphic Transitions in Network-Forming Liquids and Glasses. <i>ACS Symposium Series</i> , 1997 , 214-223	0-4	9
6	Silicon and Oxygen Self-Diffusivities in Silicate Liquids Measured to 15 Gigapascals and 2800 Kelvin. <i>Science</i> , 1997 , 276, 1245-1248	33-3	165
5	Raman spectroscopy of C-S-H, tobermorite, and jennite. <i>Advanced Cement Based Materials</i> , 1997 , 5, 93-99		172
4	Using Java to Animate the Vibrations of Molecules: Calculation and Visualization of Molecular Vibrations in (NSF)3. <i>The Chemical Educator</i> , 1996 , 1, 1-8		
3	New High-Pressure Phase and Pressure-Induced Amorphization of Ca(OH) ₂ : Grain Size Effect. <i>Journal of Solid State Chemistry</i> , 1996 , 126, 300-307	3-3	37
2	Al Coordination Changes in High-Pressure Aluminosilicate Liquids. <i>Science</i> , 1995 , 270, 1964-1967	33-3	172
1	High-Pressure ¹ H and ¹³ C Nuclear Magnetic Resonance in a Diamond Anvil Cell. <i>Journal of Magnetic Resonance Series A</i> , 1995 , 114, 255-257		18