

# Helen Giamarellou

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5930743/helen-giamarellou-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

301  
papers

12,026  
citations

61  
h-index

94  
g-index

306  
ext. papers

13,583  
ext. citations

7.5  
avg, IF

6.33  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 301 | Evolution of epidemiological characteristics of infective endocarditis in Greece. <i>International Journal of Infectious Diseases</i> , <b>2021</b> , 106, 213-220   | 10.5 | 2         |
| 300 | Multidrug-resistant : mechanisms of resistance including updated data for novel $\beta$ -lactam- $\beta$ -lactamase inhibitor combinations. <i>Expert Review of Anti-Infective Therapy</i> , <b>2021</b> , 19, 1457-1468   | 5.5  | 7         |
| 299 | Carbapenemase producing : implication on future therapeutic strategies. <i>Expert Review of Anti-Infective Therapy</i> , <b>2021</b> , 1-17  | 5.5  | 10        |
| 298 | Emergence of ceftazidime-avibactam resistance through distinct genomic adaptations in KPC-2-producing <i>Klebsiella pneumoniae</i> of sequence type 39 during treatment. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2021</b> , 40, 219-224  | 5.3  | 16        |
| 297 | Polymyxin Triple Combinations against Polymyxin-Resistant, Multidrug-Resistant, KPC-Producing <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2020</b> , 64,  | 5.9  | 7         |
| 296 | Carbapenem-Sparing Strategies for ESBL Producers: When and How. <i>Antibiotics</i> , <b>2020</b> , 9,  | 4.9  | 33        |
| 295 | The Greek study in the effects of colchicine in COvid-19 complications prevention (GRECCO-19 study): Rationale and study design. <i>Hellenic Journal of Cardiology</i> , <b>2020</b> , 61, 42-45   | 2.1  | 90        |
| 294 | Outbreak of KPC-2-producing endowed with ceftazidime-avibactam resistance mediated through a VEB-1-mutant (VEB-25), Greece, September to October 2019. <i>Eurosurveillance</i> , <b>2020</b> , 25,   | 19.8 | 17        |
| 293 | In vitro activity of ceftolozane/tazobactam alone and in combination with amikacin against MDR/XDR <i>Pseudomonas aeruginosa</i> isolates from Greece. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 2164-2172  | 5.1  | 4         |
| 292 | Antimicrobial de-escalation in critically ill patients: a position statement from a task force of the European Society of Intensive Care Medicine (ESICM) and European Society of Clinical Microbiology and Infectious Diseases (ESCMID) Critically Ill Patients Study Group (ESGIP). <i>Intensive Care Medicine</i> , <b>2020</b> , 46, 245-265   | 14.5 | 45        |
| 291 | Lipid A profiling and metabolomics analysis of paired polymyxin-susceptible and -resistant MDR <i>Klebsiella pneumoniae</i> clinical isolates from the same patients before and after colistin treatment. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 2852-2863   | 5.1  | 4         |
| 290 | De-escalation of antimicrobial therapy in ICU settings with high prevalence of multidrug-resistant bacteria: a multicentre prospective observational cohort study in patients with sepsis or septic shock. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 3665-3674  | 5.1  | 9         |
| 289 | Evaluation of in vitro methods for testing tigecycline combinations against carbapenemase-producing <i>Klebsiella pneumoniae</i> isolates. <i>Journal of Global Antimicrobial Resistance</i> , <b>2020</b> , 20, 98-104  | 3.4  | 1         |
| 288 | International Consensus Guidelines for the Optimal Use of the Polymyxins: Endorsed by the American College of Clinical Pharmacy (ACCP), European Society of Clinical Microbiology and Infectious Diseases (ESCMID), Infectious Diseases Society of America (IDSA), International Society for Anti-infective Pharmacology (ISAP), Society of Critical Care Medicine (SCCM), and Society of Infectious Diseases Pharmacists (SIDP). <i>Antimicrobial Agents and Chemotherapy</i> , <b>2020</b> , 64, | 5.8  | 280       |
| 287 | Nationwide epidemiology of carbapenem resistant <i>Klebsiella pneumoniae</i> isolates from Greek hospitals, with regards to plazomicin and aminoglycoside resistance. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 167   | 4    | 48        |
| 286 | Multifaceted mechanisms of colistin resistance revealed by genomic analysis of multidrug-resistant <i>Klebsiella pneumoniae</i> isolates from individual patients before and after colistin treatment. <i>Journal of Infection</i> , <b>2019</b> , 79, 312-321   | 18.9 | 14        |
| 285 | In vitro activity of imipenem-relebactam against non-MBL carbapenemase-producing <i>Klebsiella pneumoniae</i> isolated in Greek hospitals in 2015-2016. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2019</b> , 38, 1143-1150   | 5.3  | 21        |

|     |  |      |    |
|-----|--|------|----|
| 284 | Novel $\beta$ -lactam- $\beta$ -lactamase inhibitor combinations: expectations for the treatment of carbapenem-resistant Gram-negative pathogens. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2019</b> , 15, 133-149  | 5.5  | 49 |
| 283 | Evaluation of ComASP $\beta$ -Colistin (formerly SensiTest $\beta$ -Colistin), a commercial broth microdilution-based method to evaluate the colistin minimum inhibitory concentration for carbapenem-resistant <i>Klebsiella pneumoniae</i> isolates. <i>Journal of Global Antimicrobial Resistance</i> , <b>2018</b> , 15, 123-126 | 3.4  | 6  |
| 282 | Epidemiology and resistance phenotypes of carbapenemase-producing in Greece, 2014 to 2016. <i>Eurosurveillance</i> , <b>2018</b> , 23,   | 19.8 | 39 |
| 281 | Multifactorial chromosomal variants regulate polymyxin resistance in extensively drug-resistant <i>Klebsiella pneumoniae</i> . <i>Microbial Genomics</i> , <b>2018</b> , 4,  | 4.4  | 28 |
| 280 | Optimizing therapy in carbapenem-resistant Enterobacteriaceae infections. <i>Current Opinion in Infectious Diseases</i> , <b>2018</b> , 31, 566-577  | 5.4  | 31 |
| 279 | Development and validation of the INCREMENT-ESBL predictive score for mortality in patients with bloodstream infections due to extended-spectrum- $\beta$ -lactamase-producing Enterobacteriaceae. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2017</b> , 72, 906-913  | 5.1  | 36 |
| 278 | Is there a place for corticosteroids in the therapy of infective endocarditis? Report of a case and review. <i>Hellenic Journal of Cardiology</i> , <b>2017</b> , 58, 93-95  | 2.1  | 3  |
| 277 | Mechanisms responsible for imipenem resistance among <i>Pseudomonas aeruginosa</i> clinical isolates exposed to imipenem concentrations within the mutant selection window. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2017</b> , 88, 276-281  | 2.9  | 8  |
| 276 | "Salvage treatment" for infections by extensively- and pan-drug-resistant pathogens is common and often sub-optimal. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 1164-1166  | 14.5 | 6  |
| 275 | Reduction of Environmental Contamination With Multidrug-Resistant Bacteria by Copper-Alloy Coating of Surfaces in a Highly Endemic Setting. <i>Infection Control and Hospital Epidemiology</i> , <b>2017</b> , 38, 765-771   | 2    | 18 |
| 274 | Point-prevalence survey of healthcare facility-onset healthcare-associated <i>Clostridium difficile</i> infection in Greek hospitals outside the intensive care unit: The C. DEFINE study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182799  | 3.7  | 5  |
| 273 | The defining a model for antimicrobial stewardship-results from an international cross-sectional survey. <i>World Journal of Emergency Surgery</i> , <b>2017</b> , 12, 34  | 9.2  | 35 |
| 272 | Geographical variation in therapy for bloodstream infections due to multidrug-resistant Enterobacteriaceae: a post-hoc analysis of the INCREMENT study. <i>International Journal of Antimicrobial Agents</i> , <b>2017</b> , 50, 664-672   | 14.3 | 8  |
| 271 | Combination therapy for extensively-drug resistant gram-negative bacteria. <i>Expert Review of Anti-Infective Therapy</i> , <b>2017</b> , 15, 1123-1140  | 5.5  | 26 |
| 270 | Forgotten antibiotics: a follow-up inventory study in Europe, the USA, Canada and Australia. <i>International Journal of Antimicrobial Agents</i> , <b>2017</b> , 49, 98-101   | 14.3 | 21 |
| 269 | Colistin: still a lifesaver for the 21st century?. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2017</b> , 13, 59-71   | 5.5  | 66 |
| 268 | Empiric Therapy With Carbapenem-Sparing Regimens for Bloodstream Infections due to Extended-Spectrum $\beta$ -Lactamase-Producing Enterobacteriaceae: Results From the INCREMENT Cohort. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 1615-1623   | 11.6 | 33 |
| 267 | Molecular epidemiology of MRSA in 13 ICUs from eight European countries. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 45-52  | 5.1  | 36 |

|     |   |      |    |
|-----|---|------|----|
| 266 | Challenge for higher colistin dosage in critically ill patients receiving continuous venovenous haemodiafiltration. <i>International Journal of Antimicrobial Agents</i> , <b>2016</b> , 48, 337-41   | 14.3 | 21 |
| 265 | Antimicrobials: a global alliance for optimizing their rational use in intra-abdominal infections (AGORA). <i>World Journal of Emergency Surgery</i> , <b>2016</b> , 11, 33   | 9.2  | 95 |
| 264 | Epidemiology of infections caused by polymyxin-resistant pathogens. <i>International Journal of Antimicrobial Agents</i> , <b>2016</b> , 48, 614-621  | 14.3 | 82 |
| 263 | Impact of patients' professional and educational status on perception of an antibiotic policy campaign: a pilot study at a university hospital. <i>Journal of Global Antimicrobial Resistance</i> , <b>2016</b> , 6, 123-127  | 3.4  | 7  |
| 262 | Ertapenem for the treatment of bloodstream infections due to ESBL-producing Enterobacteriaceae: a multinational pre-registered cohort study. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 1672-80   | 5.1  | 33 |
| 261 | Nationwide surveillance of resistance rates of Staphylococcus aureus clinical isolates from Greek hospitals, 2012-2013. <i>Infectious Diseases</i> , <b>2016</b> , 48, 287-292  | 3.1  | 9  |
| 260 | Validated Risk Score for Predicting 6-Month Mortality in Infective Endocarditis. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5, e003016  | 6    | 64 |
| 259 | A Multinational, Preregistered Cohort Study of $\beta$ -Lactam/ $\beta$ -Lactamase Inhibitor Combinations for Treatment of Bloodstream Infections Due to Extended-Spectrum- $\beta$ -Lactamase-Producing Enterobacteriaceae. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2016</b> , 60, 4159-69 | 5.9  | 96 |
| 258 | Managing skin and soft-tissue infection and nosocomial pneumonia caused by MRSA: a 2014 follow-up survey. <i>International Journal of Antimicrobial Agents</i> , <b>2015</b> , 45 Suppl 1, S1-14  | 14.3 | 17 |
| 257 | Survey of metallo- $\beta$ -lactamase-producing Enterobacteriaceae colonizing patients in European ICUs and rehabilitation units, 2008-11. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2015</b> , 70, 1981-8  | 5.1  | 35 |
| 256 | Population Pharmacokinetics of Fosfomycin in Critically Ill Patients. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 6471-6   | 5.9  | 48 |
| 255 | Plazomicin: an investigational therapy for the treatment of urinary tract infections. <i>Expert Opinion on Investigational Drugs</i> , <b>2015</b> , 24, 1501-11  | 5.9  | 30 |
| 254 | Phylogenetic lineages, clones and $\beta$ -lactamases in an international collection of Klebsiella oxytoca isolates non-susceptible to expanded-spectrum cephalosporins. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2015</b> , 70, 3230-7  | 5.1  | 14 |
| 253 | Colistin Population Pharmacokinetics after Application of a Loading Dose of 9 MU Colistin Methanesulfonate in Critically Ill Patients. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 7240-8  | 5.9  | 76 |
| 252 | MLST reveals potentially high-risk international clones of Enterobacter cloacae. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2015</b> , 70, 48-56   | 5.1  | 86 |
| 251 | The association between colonization with carbapenemase-producing enterobacteriaceae and overall ICU mortality: an observational cohort study. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 1170-7   | 1.4  | 57 |
| 250 | Antibacterial Agents <b>2015</b> , 1345-1359  |      | 1  |
| 249 | Comparative efficacy of tigecycline VERSUS vancomycin in an experimental model of soft tissue infection by methicillin-resistant Staphylococcus aureus producing Panton-Valentine leukocidin. <i>Journal of Chemotherapy</i> , <b>2015</b> , 27, 80-6   | 2.3  | 2  |

|     |   |      |     |
|-----|---|------|-----|
| 248 | High-dose tigecycline-associated alterations in coagulation parameters in critically ill patients with severe infections. <i>International Journal of Antimicrobial Agents</i> , <b>2015</b> , 45, 90-3   | 14.3 | 34  |
| 247 | Interventions to reduce colonisation and transmission of antimicrobial-resistant bacteria in intensive care units: an interrupted time series study and cluster randomised trial. <i>Lancet Infectious Diseases, The</i> , <b>2014</b> , 14, 31-39  | 25.5 | 245 |
| 246 | Outcomes of critically ill intensive care unit patients treated with fosfomycin for infections due to pandrug-resistant and extensively drug-resistant carbapenemase-producing Gram-negative bacteria. <i>International Journal of Antimicrobial Agents</i> , <b>2014</b> , 43, 52-9                                | 14.3 | 155 |
| 245 | Large vessel vasculitis in a patient with acute Q-fever: A case report. <i>IDCases</i> , <b>2014</b> , 1, 56-9  | 2    | 9   |
| 244 | Promoting prudent use of antibiotics: the experience from a multifaceted regional campaign in Greece. <i>BMC Public Health</i> , <b>2014</b> , 14, 866  | 4.1  | 15  |
| 243 | Multidrug-resistant and extensively drug-resistant Gram-negative pathogens: current and emerging therapeutic approaches. <i>Expert Opinion on Pharmacotherapy</i> , <b>2014</b> , 15, 1351-70   | 4    | 189 |
| 242 | Infections caused by carbapenem-resistant <i>Klebsiella pneumoniae</i> among patients in intensive care units in Greece: a multi-centre study on clinical outcome and therapeutic options. <i>Clinical Microbiology and Infection</i> , <b>2014</b> , 20, O117-23   | 9.5  | 115 |
| 241 | In vivo transmission of a plasmid containing the KPC-2 gene in a single patient. <i>Journal of Global Antimicrobial Resistance</i> , <b>2013</b> , 1, 35-38   | 3.4  | 0   |
| 240 | Impact of a hospital-wide antibiotic restriction policy program on the resistance rates of nosocomial Gram-negative bacteria. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2013</b> , 45, 438-45   |      | 14  |
| 239 | Nosocomial dissemination of <i>Providencia stuartii</i> isolates producing extended-spectrum $\beta$ -lactamases VEB-1 and SHV-5, metallo- $\beta$ -lactamase VIM-1, and RNA methylase RmtB. <i>Journal of Global Antimicrobial Resistance</i> , <b>2013</b> , 1, 115-116   | 3.4  | 8   |
| 238 | Polymicrobial bloodstream infections: Epidemiology and impact on mortality. <i>Journal of Global Antimicrobial Resistance</i> , <b>2013</b> , 1, 207-212  | 3.4  | 28  |
| 237 | Effectiveness of a double-carbapenem regimen for infections in humans due to carbapenemase-producing pandrug-resistant <i>Klebsiella pneumoniae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2013</b> , 57, 2388-90  | 5.9  | 92  |
| 236 | Successful treatment of extensively drug-resistant <i>Acinetobacter baumannii</i> ventriculitis and meningitis with intraventricular colistin after application of a loading dose: a case series. <i>International Journal of Antimicrobial Agents</i> , <b>2013</b> , 41, 480-3                                    | 14.3 | 39  |
| 235 | Intraventricular and intrathecal colistin as the last therapeutic resort for the treatment of multidrug-resistant and extensively drug-resistant <i>Acinetobacter baumannii</i> ventriculitis and meningitis: a literature review. <i>International Journal of Antimicrobial Agents</i> , <b>2013</b> , 41, 499-508 | 14.3 | 102 |
| 234 | The impact of an antimicrobial cycling strategy for febrile neutropenia in a haematology unit. <i>Journal of Chemotherapy</i> , <b>2013</b> , 25, 279-85  | 2.3  | 5   |
| 233 | Antimicrobial activity of copper surfaces against carbapenemase-producing contemporary Gram-negative clinical isolates. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2013</b> , 68, 852-7  | 5.1  | 35  |
| 232 | Efficacy of tigecycline alone and in combination with gentamicin in the treatment of experimental endocarditis due to linezolid-resistant <i>Enterococcus faecium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2013</b> , 57, 3392-4   | 5.9  | 10  |
| 231 | Colistin methanesulfonate and colistin pharmacokinetics in critically ill patients receiving continuous venovenous hemodiafiltration. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2013</b> , 57, 668-71   | 5.9  | 65  |

|     |   |      |     |
|-----|---|------|-----|
| 230 | Prevalence of 16S rRNA methylase genes in Enterobacteriaceae isolates from a Greek university hospital. <i>Clinical Microbiology and Infection</i> , <b>2012</b> , 18, E52-4  | 9.5  | 33  |
| 229 | Cefditoren: Comparative efficacy with other antimicrobials and risk factors for resistance in clinical isolates causing UTIs in outpatients. <i>BMC Infectious Diseases</i> , <b>2012</b> , 12, 228   | 4    | 8   |
| 228 | Long-term triple-antibiotic treatment against brucellar vertebral osteomyelitis. <i>International Journal of Antimicrobial Agents</i> , <b>2012</b> , 40, 91-3  | 14.3 | 3   |
| 227 | Application of a loading dose of colistin methanesulfonate in critically ill patients: population pharmacokinetics, protein binding, and prediction of bacterial kill. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2012</b> , 56, 4241-9  | 5.9  | 171 |
| 226 | Mecillinam/clavulanate combination: a possible option for the treatment of community-acquired uncomplicated urinary tract infections caused by extended-spectrum $\beta$ -lactamase-producing <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , <b>2012</b> , 67, 2424-8 | 5.1  | 31  |
| 225 | Activity of plazomicin (ACHN-490) against MDR clinical isolates of <i>Klebsiella pneumoniae</i> , <i>Escherichia coli</i> , and <i>Enterobacter</i> spp. from Athens, Greece. <i>Journal of Chemotherapy</i> , <b>2012</b> , 24, 191-4  | 2.3  | 76  |
| 224 | Evaluation of CHROMagarKPC for the detection of carbapenemase-producing Enterobacteriaceae in rectal surveillance cultures. <i>International Journal of Antimicrobial Agents</i> , <b>2011</b> , 37, 124-8  | 14.3 | 42  |
| 223 | Comparison of direct antimicrobial susceptibility testing methods for rapid analysis of bronchial secretion samples in ventilator-associated pneumonia. <i>International Journal of Antimicrobial Agents</i> , <b>2011</b> , 38, 130-4  | 14.3 | 13  |
| 222 | Glycopeptide and daptomycin susceptibility and vancomycin heteroresistance of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) clinical isolates from a Greek university hospital. <i>International Journal of Antimicrobial Agents</i> , <b>2011</b> , 38, 451-2                      | 14.3 | 2   |
| 221 | Epidemiology and molecular characterisation of metallo- $\beta$ -lactamase-producing Enterobacteriaceae in a university hospital Intensive Care Unit in Greece. <i>International Journal of Antimicrobial Agents</i> , <b>2011</b> , 38, 390-7  | 14.3 | 19  |
| 220 | Pharmacokinetic and pharmacodynamic evaluation of tigecycline. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2011</b> , 7, 1459-70   | 5.5  | 52  |
| 219 | Metallo- $\beta$ -lactamases: a last frontier for $\beta$ -lactams?. <i>Lancet Infectious Diseases</i> , <b>2011</b> , 11, 381-93   | 25.5 | 495 |
| 218 | The value of successive Infecton scans in assessing the presence of chronic bone and joint infection and in predicting its evolution after treatment and after a prolonged follow-up. <i>Nuclear Medicine Communications</i> , <b>2011</b> , 32, 1060-9   | 1.6  | 7   |
| 217 | Colonization and infection by colistin-resistant Gram-negative bacteria in a cohort of critically ill patients. <i>Clinical Microbiology and Infection</i> , <b>2011</b> , 17, E9-E11   | 9.5  | 70  |
| 216 | Early changes of procalcitonin may advise about prognosis and appropriateness of antimicrobial therapy in sepsis. <i>Journal of Critical Care</i> , <b>2011</b> , 26, 331.e1-7  | 4    | 37  |
| 215 | When and how to cover for resistant gram-negative bacilli in severe sepsis and septic shock. <i>Current Infectious Disease Reports</i> , <b>2011</b> , 13, 416-25   | 3.9  | 7   |
| 214 | European Surveillance of Antimicrobial Consumption (ESAC): systemic antiviral use in Europe. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2011</b> , 66, 1897-905  | 5.1  | 78  |
| 213 | Efficacy of carbapenems against a metallo- $\beta$ -lactamase-producing <i>Escherichia coli</i> clinical isolate in a rabbit intra-abdominal abscess model. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2011</b> , 66, 611-7  | 5.1  | 20  |

|     |  |      |     |
|-----|--|------|-----|
| 212 | In vitro interactions of antimicrobial combinations with fosfomycin against KPC-2-producing <i>Klebsiella pneumoniae</i> and protection of resistance development. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2011</b> , 55, 2395-7   | 5.9  | 87  |
| 211 | Controlling the spread of carbapenemase-producing Gram-negatives: therapeutic approach and infection control. <i>Clinical Microbiology and Infection</i> , <b>2010</b> , 16, 102-11  | 9.5  | 182 |
| 210 | Microcirculatory vascular dysfunction in HIV-1 infected patients receiving highly active antiretroviral therapy. <i>Microcirculation</i> , <b>2010</b> , 17, 303-10  | 2.9  | 7   |
| 209 | Development of standardized methods for analysis of changes in antibacterial use in hospitals from 18 European countries: the European Surveillance of Antimicrobial Consumption (ESAC) longitudinal survey, 2000-06. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2010</b> , 65, 2685-91 | 5.1  | 20  |
| 208 | Acute uncomplicated cystitis: from surveillance data to a rationale for empirical treatment. <i>International Journal of Antimicrobial Agents</i> , <b>2010</b> , 35, 62-7   | 14.3 | 28  |
| 207 | Contemporary trends in susceptibilities to older and new antimicrobial agents of clinical <i>Staphylococcus aureus</i> isolates from a Greek University Hospital. <i>International Journal of Antimicrobial Agents</i> , <b>2010</b> , 36, 187-9   | 14.3 | 3   |
| 206 | Presence of plasmid-mediated quinolone resistance in <i>Klebsiella pneumoniae</i> and <i>Escherichia coli</i> isolates possessing blaVIM-1 in Greece. <i>International Journal of Antimicrobial Agents</i> , <b>2010</b> , 36, 252-4   | 14.3 | 17  |
| 205 | Multidrug-resistant Gram-negative bacteria: how to treat and for how long. <i>International Journal of Antimicrobial Agents</i> , <b>2010</b> , 36 Suppl 2, S50-4  | 14.3 | 97  |
| 204 | Early alterations of the innate and adaptive immune statuses in sepsis according to the type of underlying infection. <i>Critical Care</i> , <b>2010</b> , 14, R96   | 10.8 | 84  |
| 203 | An outbreak of infection due to beta-Lactamase <i>Klebsiella pneumoniae</i> Carbapenemase 2-producing <i>K. pneumoniae</i> in a Greek University Hospital: molecular characterization, epidemiology, and outcomes. <i>Clinical Infectious Diseases</i> , <b>2010</b> , 50, 364-73              | 11.6 | 218 |
| 202 | Successful virological outcome in an HIV-infected individual with a three-class resistant variant and an insertion in the protease genome with a Tipranavir based regimen. <i>Irish Journal of Medical Science</i> , <b>2010</b> , 179, 305-7  | 1.9  |     |
| 201 | Carbapenem-resistant versus carbapenem-susceptible <i>Acinetobacter baumannii</i> bacteremia in a Greek intensive care unit: risk factors, clinical features and outcomes. <i>Infection</i> , <b>2010</b> , 38, 173-80   | 5.8  | 52  |
| 200 | In vitro elution of moxifloxacin from cancellous bone allografts. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2010</b> , 92, 52-5  | 5.4  | 4   |
| 199 | Diagnostic value of triggering receptor expressed on myeloid cells-1 and C-reactive protein for patients with lung infiltrates: an observational study. <i>BMC Infectious Diseases</i> , <b>2010</b> , 10, 286   | 4    | 20  |
| 198 | Ampicillin/sulbactam versus cefuroxime as antimicrobial prophylaxis for cesarean delivery: a randomized study. <i>BMC Infectious Diseases</i> , <b>2010</b> , 10, 341  | 4    | 12  |
| 197 | Discrepancies between various methods in susceptibility testing and epidemiological analysis of <i>Stenotrophomonas maltophilia</i> clinical isolates. <i>Central European Journal of Public Health</i> , <b>2010</b> , 18, 119-23   | 1.2  | 5   |
| 196 | Comment on: Redefining extended-spectrum beta-lactamases: balancing science and clinical need. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2009</b> , 64, 212-3; author reply 213-5  | 5.1  | 14  |
| 195 | Does the activity of the combination of imipenem and colistin in vitro exceed the problem of resistance in metallo-beta-lactamase-producing <i>Klebsiella pneumoniae</i> isolates?. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2009</b> , 53, 2133-5                                    | 5.9  | 52  |

|     |   |      |     |
|-----|---|------|-----|
| 194 | Association of highly active antiretroviral therapy with increased arterial stiffness in patients infected with human immunodeficiency virus. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 828-34  | 2.3  | 41  |
| 193 | Bacterial flora in residents of long-term care facilities: a point prevalence study. <i>Journal of Hospital Infection</i> , <b>2009</b> , 71, 385-7   | 6.9  | 4   |
| 192 | Risk factors for nasopharyngeal carriage of drug-resistant <i>Streptococcus pneumoniae</i> : data from a nation-wide surveillance study in Greece. <i>BMC Infectious Diseases</i> , <b>2009</b> , 9, 120  | 4    | 27  |
| 191 | Diagnostic and prognostic value of procalcitonin among febrile critically ill patients with prolonged ICU stay. <i>BMC Infectious Diseases</i> , <b>2009</b> , 9, 213   | 4    | 42  |
| 190 | Tigecycline in the treatment of infections from multi-drug resistant gram-negative pathogens. <i>Journal of Infection</i> , <b>2009</b> , 58, 273-84  | 18.9 | 82  |
| 189 | Population pharmacokinetic analysis of colistin methanesulfonate and colistin after intravenous administration in critically ill patients with infections caused by gram-negative bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2009</b> , 53, 3430-6 | 5.9  | 396 |
| 188 | Decrease of CD4-lymphocytes and apoptosis of CD14-monocytes are characteristic alterations in sepsis caused by ventilator-associated pneumonia: results from an observational study. <i>Critical Care</i> , <b>2009</b> , 13, R172                                  | 10.8 | 27  |
| 187 | Does a bed rail system of alcohol-based handrub antiseptic improve compliance of health care workers with hand hygiene? Results from a pilot study. <i>American Journal of Infection Control</i> , <b>2009</b> , 37, 160-3  | 3.8  | 14  |
| 186 | Successful treatment with moxifloxacin of experimental aortic valve endocarditis due to methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). <i>International Journal of Antimicrobial Agents</i> , <b>2009</b> , 33, 65-9                                    | 14.3 | 4   |
| 185 | Colonisation with vancomycin- and linezolid-resistant <i>Enterococcus faecium</i> in a university hospital: molecular epidemiology and risk factor analysis. <i>International Journal of Antimicrobial Agents</i> , <b>2009</b> , 33, 137-42                        | 14.3 | 21  |
| 184 | Treatment of experimental osteomyelitis caused by methicillin-resistant <i>Staphylococcus aureus</i> with a synthetic carrier of calcium sulphate (Stimulan) releasing moxifloxacin. <i>International Journal of Antimicrobial Agents</i> , <b>2009</b> , 33, 354-9 | 14.3 | 51  |
| 183 | Efficacy of teicoplanin for the prevention of surgical site infections after total hip or knee arthroplasty: a prospective, open-label study. <i>International Journal of Antimicrobial Agents</i> , <b>2009</b> , 33, 437-40                                       | 14.3 | 22  |
| 182 | Multidrug-resistant Gram-negative infections: what are the treatment options?. <i>Drugs</i> , <b>2009</b> , 69, 1879-90   | 11.1 | 203 |
| 181 | Health care-associated native valve endocarditis: importance of non-nosocomial acquisition. <i>Annals of Internal Medicine</i> , <b>2009</b> , 150, 586-94  | 8    | 175 |
| 180 | Effect of the novel influenza A (H1N1) virus in the human immune system. <i>PLoS ONE</i> , <b>2009</b> , 4, e8393   | 3.7  | 53  |
| 179 | Risk-factors and predictors of mortality in patients colonised with vancomycin-resistant enterococci. <i>Clinical Microbiology and Infection</i> , <b>2008</b> , 14, 14-21  | 9.5  | 49  |
| 178 | Current therapies for <i>Pseudomonas aeruginosa</i> . <i>Critical Care Clinics</i> , <b>2008</b> , 24, 261-78, viii   | 4.5  | 35  |
| 177 | Doripenem: an expected arrival in the treatment of infections caused by multidrug-resistant Gram-negative pathogens. <i>Expert Opinion on Investigational Drugs</i> , <b>2008</b> , 17, 749-71  | 5.9  | 14  |



|     |   |      |     |
|-----|---|------|-----|
| 176 | Colistin susceptibility testing by Etest and disk diffusion methods. <i>International Journal of Antimicrobial Agents</i> , <b>2008</b> , 31, 434-9   | 14.3 | 94  |
| 175 | Pharmacokinetics of levofloxacin after single and multiple oral doses in patients undergoing intermittent haemodialysis. <i>International Journal of Antimicrobial Agents</i> , <b>2008</b> , 32, 46-9  | 14.3 | 12  |
| 174 | <i>Acinetobacter baumannii</i> : a universal threat to public health?. <i>International Journal of Antimicrobial Agents</i> , <b>2008</b> , 32, 106-19  | 14.3 | 149 |
| 173 | In vitro synergism of beta-lactams with ciprofloxacin and moxifloxacin against genetically distinct multidrug-resistant isolates of <i>Pseudomonas aeruginosa</i> . <i>International Journal of Antimicrobial Agents</i> , <b>2008</b> , 32, 33-9         | 14.3 | 15  |
| 172 | In vitro elution of moxifloxacin and fusidic acid by a synthetic crystallic semihydrate form of calcium sulphate (Stimulan). <i>International Journal of Antimicrobial Agents</i> , <b>2008</b> , 32, 485-7   | 14.3 | 14  |
| 171 | Pharmacokinetics of moxifloxacin in non-inflamed cerebrospinal fluid of humans: implication for a bactericidal effect. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2008</b> , 61, 1328-31   | 5.1  | 41  |
| 170 | Efficacy and pharmacodynamics of linezolid, alone and in combination with rifampicin, in an experimental model of methicillin-resistant <i>Staphylococcus aureus</i> endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2008</b> , 62, 381-3 | 5.1  | 27  |
| 169 | Oritavancin: a new promising agent in the treatment of infections due to Gram-positive pathogens. <i>Expert Opinion on Investigational Drugs</i> , <b>2008</b> , 17, 225-43   | 5.9  | 35  |
| 168 | Evaluation of different laboratory tests for the detection of metallo-beta-lactamase production in Enterobacteriaceae. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2008</b> , 61, 548-53  | 5.1  | 86  |
| 167 | Local treatment of experimental <i>Pseudomonas aeruginosa</i> osteomyelitis with a biodegradable dilactide polymer releasing ciprofloxacin. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2008</b> , 52, 2335-9                                       | 5.9  | 16  |
| 166 | Effect of clarithromycin in patients with sepsis and ventilator-associated pneumonia. <i>Clinical Infectious Diseases</i> , <b>2008</b> , 46, 1157-64   | 11.6 | 187 |
| 165 | Clinical experience of serious infections caused by Enterobacteriaceae producing VIM-1 metallo-beta-lactamase in a Greek University Hospital. <i>Clinical Infectious Diseases</i> , <b>2008</b> , 46, 847-54  | 11.6 | 89  |
| 164 | Evaluation of a rapid antigen detection test in the diagnosis of streptococcal pharyngitis in children and its impact on antibiotic prescription. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2008</b> , 62, 1407-12                                | 5.1  | 46  |
| 163 | The impact on community acquired pneumonia empirical therapy of diagnostic bronchoscopic techniques. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2008</b> , 40, 286-92  |      | 9   |
| 162 | HIV-positive patients treated with protease inhibitors have vascular changes resembling those observed in atherosclerotic cardiovascular disease. <i>Clinical Science</i> , <b>2008</b> , 115, 189-96   | 6.5  | 36  |
| 161 | An open-label phase II study of the safety and efficacy of etanercept for the therapy of hidradenitis suppurativa. <i>British Journal of Dermatology</i> , <b>2008</b> , 158, 567-72  | 4    | 86  |
| 160 | Screening for resistant gram-negative microorganisms to guide empiric therapy of subsequent infection. <i>Intensive Care Medicine</i> , <b>2008</b> , 34, 2169-75   | 14.5 | 44  |
| 159 | Colistin offers prolonged survival in experimental infection by multidrug-resistant <i>Acinetobacter baumannii</i> : the significance of co-administration of rifampicin. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 29, 51-5   | 14.3 | 68  |

|     |   |      |     |
|-----|---|------|-----|
| 158 | Metallo-beta-lactamases as emerging resistance determinants in Gram-negative pathogens: open issues. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 29, 380-8   | 14.3 | 121 |
| 157 | Detection of CTX-M-15 and CTX-M-33, a novel variant of CTX-M-15, in clinical Escherichia coli isolates in Greece. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 29, 598-600  | 14.3 | 9   |
| 156 | The significance of compliance for the success of antimicrobial prophylaxis in recurrent lower urinary tract infections: the Greek experience. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 30, 40-3  | 14.3 | 10  |
| 155 | Nationwide surveillance of Streptococcus pneumoniae in Greece: patterns of resistance and serotype epidemiology. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 30, 87-92   | 14.3 | 23  |
| 154 | Impact of an antibiotic restriction policy on the antibiotic resistance patterns of Gram-negative microorganisms in an Intensive Care Unit in Greece. <i>International Journal of Antimicrobial Agents</i> , <b>2007</b> , 30, 360-5  | 14.3 | 44  |
| 153 | Altered innate and adaptive immune responses in patients with hidradenitis suppurativa. <i>British Journal of Dermatology</i> , <b>2007</b> , 156, 51-6   | 4    | 106 |
| 152 | Early apoptosis of blood monocytes is a determinant of survival in experimental sepsis by multi-drug-resistant Pseudomonas aeruginosa. <i>Clinical and Experimental Immunology</i> , <b>2007</b> , 149, 103-8   | 6.2  | 9   |
| 151 | Characterisation of macrolide-non-susceptible Streptococcus pneumoniae colonising children attending day-care centres in Athens, Greece during 2000 and 2003. <i>Clinical Microbiology and Infection</i> , <b>2007</b> , 13, 70-7   | 9.5  | 4   |
| 150 | Nosocomial vs. community-acquired infective endocarditis in Greece: changing epidemiological profile and mortality risk. <i>Clinical Microbiology and Infection</i> , <b>2007</b> , 13, 763-9   | 9.5  | 46  |
| 149 | Can soluble triggering receptor expressed on myeloid cells (sTREM-1) be considered an anti-inflammatory mediator in the pathogenesis of peptic ulcer disease?. <i>Digestive Diseases and Sciences</i> , <b>2007</b> , 52, 2166-9  | 4    | 8   |
| 148 | Emerging bacterial pathogens: Escherichia coli, Enterobacter aerogenes and Proteus mirabilis clinical isolates harbouring the same transferable plasmid coding for metallo-beta-lactamase VIM-1 in Greece. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2007</b> , 59, 578-9 | 5.1  | 24  |
| 147 | Hospital-acquired pneumonia guidelines in Europe: a review of their status and future development. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2007</b> , 60, 206-13  | 5.1  | 30  |
| 146 | Investigational treatments for postoperative surgical site infections. <i>Expert Opinion on Investigational Drugs</i> , <b>2007</b> , 16, 137-55  | 5.9  | 19  |
| 145 | Colistin-resistant isolates of Klebsiella pneumoniae emerging in intensive care unit patients: first report of a multiclonal cluster. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2007</b> , 59, 786-90   | 5.1  | 185 |
| 144 | Dexamethasone as adjuvant therapy to moxifloxacin attenuates valve destruction in experimental aortic valve endocarditis due to Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2007</b> , 51, 2848-54   | 5.9  | 6   |
| 143 | In vitro postantibiotic effect of colistin on multidrug-resistant Acinetobacter baumannii. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2007</b> , 57, 419-22   | 2.9  | 26  |
| 142 | Fever of unknown origin in febrile leukopenia. <i>Infectious Disease Clinics of North America</i> , <b>2007</b> , 21, 1055-90, x  | 6.5  | 27  |
| 141 | Evidence for the role of gastric mucosa at the secretion of soluble triggering receptor expressed on myeloid cells (strem-1) in peptic ulcer disease. <i>World Journal of Gastroenterology</i> , <b>2007</b> , 13, 4610-4   | 5.6  | 4   |

140 Fever of Unknown Origin in Febrile Leukopenia. *Infectious Disease and Therapy*, **2007**, 35-58

- |     |   |      |     |
|-----|---|------|-----|
| 139 | Linezolid in prophylaxis against experimental aortic valve endocarditis due to <i>Streptococcus oralis</i> or <i>Enterococcus faecalis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2006</b> , 50, 654-7   | 5.9  | 6   |
| 138 | In vitro activity of tigecycline against multiple-drug-resistant, including pan-resistant, gram-negative and gram-positive clinical isolates from Greek hospitals. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2006</b> , 50, 3166-9  | 5.9  | 81  |
| 137 | Molecular characterization of an <i>Escherichia coli</i> clinical isolate that produces both metallo-beta-lactamase VIM-2 and extended-spectrum beta-lactamase GES-7: identification of the In8 integron carrying the blaVIM-2 gene. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2006</b> , 58, 432-3 | 5.1  | 9   |
| 136 | Clarithromycin is an effective immunomodulator in experimental pyelonephritis caused by pan-resistant <i>Klebsiella pneumoniae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , <b>2006</b> , 57, 937-44  | 5.1  | 40  |
| 135 | Monocytes as a site of production of soluble triggering receptor expressed on myeloid cells-1 (sTREM-1) in the septic host. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2006</b> , 38, 909-15   |      | 3   |
| 134 | Treatment options for multidrug-resistant bacteria. <i>Expert Review of Anti-Infective Therapy</i> , <b>2006</b> , 4, 601-18  | 5.1  | 62  |
| 133 | Factors affecting the increased prevalence of erectile dysfunction in Greek hypertensive compared with normotensive subjects. <i>Journal of Andrology</i> , <b>2006</b> , 27, 469-77  |      | 92  |
| 132 | Community-acquired methicillin-resistant <i>Staphylococcus aureus</i> infections. <i>International Journal of Antimicrobial Agents</i> , <b>2006</b> , 27, 87-96  | 14.3 | 116 |
| 131 | Multidrug resistance to antimicrobials as a predominant factor influencing patient survival. <i>International Journal of Antimicrobial Agents</i> , <b>2006</b> , 27, 476-81  | 14.3 | 37  |
| 130 | Comparative elution of moxifloxacin from Norian skeletal repair system and acrylic bone cement: an in vitro study. <i>International Journal of Antimicrobial Agents</i> , <b>2006</b> , 28, 217-20  | 14.3 | 13  |
| 129 | Evolution of resistance patterns and identification of risk factors for <i>Streptococcus pneumoniae</i> colonisation in daycare centre attendees in Athens, Greece. <i>International Journal of Antimicrobial Agents</i> , <b>2006</b> , 28, 297-301  | 14.3 | 9   |
| 128 | Early apoptosis of blood monocytes in the septic host: is it a mechanism of protection in the event of septic shock?. <i>Critical Care</i> , <b>2006</b> , 10, R76  | 10.8 | 41  |
| 127 | Early changes of CD4-positive lymphocytes and NK cells in patients with severe Gram-negative sepsis. <i>Critical Care</i> , <b>2006</b> , 10, R166  | 10.8 | 48  |
| 126 | An update on the etiology and diagnostic evaluation of a leukemoid reaction. <i>European Journal of Internal Medicine</i> , <b>2006</b> , 17, 394-8   | 3.9  | 74  |
| 125 | Portal and systemic endotoxemia in abdominal operations: the significance of acute abdomen. <i>Journal of Surgical Research</i> , <b>2006</b> , 134, 133-7  | 2.5  | 6   |
| 124 | Role of soluble triggering receptor expressed on myeloid cells in inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , <b>2006</b> , 12, 3416-9   | 5.6  | 60  |
| 123 | Is There Any Role for Innate Immunity in the Pathogenesis of Bacterial and Abacterial Meningitis?. <i>Infectious Diseases in Clinical Practice</i> , <b>2006</b> , 14, 17-22  | 0.2  |     |

|     |  |      |     |
|-----|--|------|-----|
| 122 | Soluble triggering receptor expressed on myeloid cells (sTREM-1): a new mediator involved in the pathogenesis of peptic ulcer disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2006</b> , 18, 375-9                              | 2.2  | 34  |
| 121 | The value of chemoprophylaxis against <i>Enterococcus</i> species in elective cholecystectomy: a randomized study of cefuroxime vs ampicillin-sulbactam. <i>Archives of Surgery</i> , <b>2006</b> , 141, 1162-7  |      | 24  |
| 120 | Female sexual dysfunction in essential hypertension: a common problem being uncovered. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2387-92  | 1.9  | 107 |
| 119 | Oleuropein: a novel immunomodulator conferring prolonged survival in experimental sepsis by <i>Pseudomonas aeruginosa</i> . <i>Shock</i> , <b>2006</b> , 26, 410-6   | 3.4  | 32  |
| 118 | Kinetics of progenitor hemopoietic stem cells in sepsis: correlation with patients survival?. <i>BMC Infectious Diseases</i> , <b>2006</b> , 6, 142  | 4    | 13  |
| 117 | Clarithromycin is an effective immunomodulator when administered late in experimental pyelonephritis by multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>BMC Infectious Diseases</i> , <b>2006</b> , 6, 31   | 4    | 22  |
| 116 | Efficacy and safety of an anti-retroviral combination regimen including either efavirenz or lopinavir-ritonavir with a backbone of two nucleoside reverse transcriptase inhibitors. <i>Clinical Microbiology and Infection</i> , <b>2006</b> , 12, 486-9 | 9.5  | 7   |
| 115 | <i>Mycoplasma pneumoniae</i> -associated myelitis: a comprehensive review. <i>European Journal of Neurology</i> , <b>2006</b> , 13, 112-24   | 6    | 64  |
| 114 | Beneficial effects of switching from beta-blockers to nebivolol on the erectile function of hypertensive patients. <i>Asian Journal of Andrology</i> , <b>2006</b> , 8, 177-82   | 2.8  | 75  |
| 113 | Early apoptosis of monocytes contributes to the pathogenesis of systemic inflammatory response and of bacterial translocation in an experimental model of multiple trauma. <i>Clinical and Experimental Immunology</i> , <b>2006</b> , 145, 139-46       | 6.2  | 15  |
| 112 | Soluble triggering receptor expressed on myeloid cells 1 as an anti-inflammatory mediator in sepsis. <i>Intensive Care Medicine</i> , <b>2006</b> , 32, 237-243  | 14.5 | 65  |
| 111 | Clarithromycin: immunomodulatory therapy of experimental sepsis and acute pyelonephritis by <i>Escherichia coli</i> . <i>Scandinavian Journal of Infectious Diseases</i> , <b>2005</b> , 37, 48-54   |      | 21  |
| 110 | Cholestatic liver injury after glimepiride therapy. <i>Journal of Hepatology</i> , <b>2005</b> , 42, 944-6   | 13.4 | 24  |
| 109 | Postantibiotic effect of antimicrobial combinations on multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2005</b> , 51, 113-7   | 2.9  | 20  |
| 108 | The significance of oxidant/antioxidant balance for the pathogenesis of experimental sepsis by multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2005</b> , 72, 41-7                 | 2.8  | 4   |
| 107 | Clarithromycin co-administered with amikacin attenuates systemic inflammation in experimental sepsis with <i>Escherichia coli</i> . <i>International Journal of Antimicrobial Agents</i> , <b>2005</b> , 25, 168-72                                      | 14.3 | 29  |
| 106 | Central nervous system manifestations of <i>Mycoplasma pneumoniae</i> infections. <i>Journal of Infection</i> , <b>2005</b> , 51, 343-54   | 18.9 | 126 |
| 105 | Does soluble triggering receptor expressed on myeloid cells-1 play any role in the pathogenesis of septic shock?. <i>Clinical and Experimental Immunology</i> , <b>2005</b> , 142, 62-7  | 6.2  | 45  |

|     |   |      |    |
|-----|---|------|----|
| 104 | Immunomodulatory intervention in sepsis by multidrug-resistant <i>Pseudomonas aeruginosa</i> with thalidomide: an experimental study. <i>BMC Infectious Diseases</i> , <b>2005</b> , 5, 51  | 4    | 14 |
| 103 | Penetration of moxifloxacin into the human aqueous humour after oral administration. <i>British Journal of Ophthalmology</i> , <b>2005</b> , 89, 628-31   | 5.5  | 33 |
| 102 | Characterization of a new integron containing bla(VIM-1) and aac(6)-IIc in an <i>Enterobacter cloacae</i> clinical isolate from Greece. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2005</b> , 55, 634-8                                  | 5.1  | 45 |
| 101 | Septic arthritis due to <i>Salmonella enteritidis</i> associated with infliximab use. <i>Scandinavian Journal of Infectious Diseases</i> , <b>2005</b> , 37, 304-306  |      | 41 |
| 100 | Successful moxifloxacin prophylaxis against experimental streptococcal aortic valve endocarditis. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2005</b> , 56, 1160-2   | 5.1  | 3  |
| 99  | Immunomodulatory clarithromycin treatment of experimental sepsis and acute pyelonephritis caused by multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2004</b> , 48, 93-9                   | 5.9  | 71 |
| 98  | n-6 polyunsaturated fatty acids enhance the activities of ceftazidime and amikacin in experimental sepsis caused by multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>Antimicrobial Agents and Chemotherapy</i> , <b>2004</b> , 48, 4713-7 | 5.9  | 17 |
| 97  | Stimulation of innate immunity by susceptible and multidrug-resistant <i>Pseudomonas aeruginosa</i> : an in vitro and in vivo study. <i>Clinical and Experimental Immunology</i> , <b>2004</b> , 135, 240-6                                     | 6.2  | 35 |
| 96  | Potential use of procalcitonin as a diagnostic criterion in febrile neutropenia: experience from a multicentre study. <i>Clinical Microbiology and Infection</i> , <b>2004</b> , 10, 628-33   | 9.5  | 63 |
| 95  | First identification of an <i>Escherichia coli</i> clinical isolate producing both metallo-beta-lactamase VIM-2 and extended-spectrum beta-lactamase IBC-1. <i>Clinical Microbiology and Infection</i> , <b>2004</b> , 10, 757-60               | 9.5  | 31 |
| 94  | Should procalcitonin be introduced in the diagnostic criteria for the systemic inflammatory response syndrome and sepsis?. <i>Journal of Critical Care</i> , <b>2004</b> , 19, 152-7  | 4    | 38 |
| 93  | Pharmacokinetic interactions of ceftazidime, imipenem and aztreonam with amikacin in healthy volunteers. <i>International Journal of Antimicrobial Agents</i> , <b>2004</b> , 23, 144-9   | 14.3 | 19 |
| 92  | The influence of indomethacin co-administration on ofloxacin levels in plasma and cerebrospinal fluid in rats. <i>International Journal of Antimicrobial Agents</i> , <b>2004</b> , 23, 371-6   | 14.3 | 2  |
| 91  | Experimental sepsis using <i>Pseudomonas aeruginosa</i> : the significance of multi-drug resistance. <i>International Journal of Antimicrobial Agents</i> , <b>2004</b> , 24, 357-61  | 14.3 | 11 |
| 90  | Rapid alterations of serum fatty acids with the intravenous administration of an arachidonate solution. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2004</b> , 70, 465-8  | 2.8  | 2  |
| 89  | Lipid peroxidation and inguinal hernia repair. Tension-free vs. Andrews technique. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2004</b> , 71, 221-5   | 2.8  | 3  |
| 88  | Cefpodoxime-proxetil versus trimethoprim-sulfamethoxazole for short-term therapy of uncomplicated acute cystitis in women. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2003</b> , 47, 897-900   | 5.9  | 44 |
| 87  | Pharmacokinetics of Teicoplanin in Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , <b>2003</b> , 23, 127-131  | 2.8  | 14 |

|    |   |      |     |
|----|---|------|-----|
| 86 | Infecton: a <sup>99m</sup> Tc-ciprofloxacin radiopharmaceutical for the detection of bone infection. <i>Clinical Microbiology and Infection</i> , <b>2003</b> , 9, 101-9  | 9.5  | 38  |
| 85 | Are there regional variations in the diagnosis, surveillance, and control of methicillin-resistant <i>Staphylococcus aureus</i> ?. <i>Infection Control and Hospital Epidemiology</i> , <b>2003</b> , 24, 334-41        | 2    | 28  |
| 84 | Systemic endotoxaemia following obstructive jaundice: the role of lactulose. <i>Journal of Surgical Research</i> , <b>2003</b> , 113, 243-7   | 2.5  | 23  |
| 83 | Ex vivo synergy of arachidonate-enriched serum with ceftazidime and amikacin on multidrug-resistant <i>Pseudomonas aeruginosa</i> . <i>Journal of Antimicrobial Chemotherapy</i> , <b>2003</b> , 51, 423-6              | 5.1  | 4   |
| 82 | Effective immunomodulatory treatment of <i>Escherichia coli</i> experimental sepsis with thalidomide. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2003</b> , 47, 2445-9   | 5.9  | 13  |
| 81 | Influence of population density on antibiotic resistance. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2003</b> , 51, 385-90   | 5.1  | 56  |
| 80 | The role of fluoroquinolones in the therapy and prophylaxis of neutropenic patients with cancer. <i>Milestones in Drug Therapy</i> , <b>2003</b> , 219-238  |      |     |
| 79 | Pharmacokinetics of teicoplanin in patients undergoing continuous ambulatory peritoneal dialysis. <i>Peritoneal Dialysis International</i> , <b>2003</b> , 23, 127-31   | 2.8  | 5   |
| 78 | Transferable plasmid mediating resistance to multiple antimicrobial agents in <i>Klebsiella pneumoniae</i> isolates in Greece. <i>Clinical Microbiology and Infection</i> , <b>2002</b> , 8, 579-88                     | 9.5  | 18  |
| 77 | Procalcitonin: a marker to clearly differentiate systemic inflammatory response syndrome and sepsis in the critically ill patient?. <i>Intensive Care Medicine</i> , <b>2002</b> , 28, 1351-6                           | 14.5 | 115 |
| 76 | In vitro killing effect of moxifloxacin on clinical isolates of <i>Stenotrophomonas maltophilia</i> resistant to trimethoprim-sulfamethoxazole. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2002</b> , 46, 3997-9 | 5.9  | 17  |
| 75 | Prescribing guidelines for severe <i>Pseudomonas</i> infections. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2002</b> , 49, 229-33  | 5.1  | 62  |
| 74 | Pharmacokinetics of teicoplanin in patients undergoing chronic haemodialysis. <i>International Journal of Antimicrobial Agents</i> , <b>2002</b> , 19, 233-6  | 14.3 | 10  |
| 73 | Bacterial translocation following intrabdominal surgery. Any influence of antimicrobial prophylaxis?. <i>International Journal of Antimicrobial Agents</i> , <b>2002</b> , 20, 457-60                                   | 14.3 | 17  |
| 72 | Nosocomial cardiac infections. <i>Journal of Hospital Infection</i> , <b>2002</b> , 50, 91-105  | 6.9  | 80  |
| 71 | Routine surface disinfection in health care facilities: should we do it?. <i>American Journal of Infection Control</i> , <b>2002</b> , 30, 318-9  | 3.8  | 22  |
| 70 | Synergy of colistin with rifampin and trimethoprim/sulfamethoxazole on multidrug-resistant <i>Stenotrophomonas maltophilia</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2002</b> , 44, 259-63       | 2.9  | 48  |
| 69 | The effect of acetazolamide on the kinetics of four newer beta-lactams in the aqueous humor. <i>Clinical Microbiology and Infection</i> , <b>2001</b> , 7, 70-4   | 9.5  | 3   |

|    |   |      |     |
|----|---|------|-----|
| 68 | In vitro activities of ertapenem (MK-0826) against recent clinical bacteria collected in Europe and Australia. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2001</b> , 45, 1860-7  | 5.9  | 113 |
| 67 | Assessment of procalcitonin as a diagnostic marker of underlying infection in patients with febrile neutropenia. <i>Clinical Infectious Diseases</i> , <b>2001</b> , 32, 1718-25  | 11.6 | 83  |
| 66 | Pharmacokinetics of intravenously administered pefloxacin in the prostate; perspectives for its application in surgical prophylaxis. <i>International Journal of Antimicrobial Agents</i> , <b>2001</b> , 17, 221-4   | 14.3 | 2   |
| 65 | Classification of oral cephalosporins. A matter for debate. <i>International Journal of Antimicrobial Agents</i> , <b>2001</b> , 17, 443-50   | 14.3 | 12  |
| 64 | Vancomycin levels in human aqueous humour after intravenous and subconjunctival administration. <i>International Journal of Antimicrobial Agents</i> , <b>2001</b> , 18, 239-43   | 14.3 | 21  |
| 63 | Pharmacokinetics of fluoroquinolones in uncompensated cirrhosis: the significance of penetration in the ascitic fluid. <i>International Journal of Antimicrobial Agents</i> , <b>2001</b> , 18, 441-4   | 14.3 | 13  |
| 62 | Interactions of colistin and rifampin on multidrug-resistant <i>Acinetobacter baumannii</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2001</b> , 40, 117-20  | 2.9  | 108 |
| 61 | Antipseudomonal antibiotics. <i>Medical Clinics of North America</i> , <b>2001</b> , 85, 19-42, v   | 7    | 44  |
| 60 | Infectious complications of febrile leukopenia. <i>Infectious Disease Clinics of North America</i> , <b>2001</b> , 15, 457-825  | 8.5  | 30  |
| 59 | Evidence of less severe aortic valve destruction after treatment of experimental staphylococcal endocarditis with vancomycin and dexamethasone. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2001</b> , 45, 3531-7   | 5.9  | 11  |
| 58 | Successful trovafloxacin prophylaxis against experimental streptococcal aortic valve endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2000</b> , 44, 2564-6  | 5.9  | 3   |
| 57 | Impact of n-6 polyunsaturated fatty acids on growth of multidrug-resistant <i>Pseudomonas aeruginosa</i> : interactions with amikacin and ceftazidime. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2000</b> , 44, 2187-9  | 5.9  | 17  |
| 56 | Treatment of experimental osteomyelitis caused by methicillin-resistant <i>Staphylococcus aureus</i> with a biodegradable system of lactic acid polymer releasing pefloxacin. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2000</b> , 46, 311-4                          | 5.1  | 33  |
| 55 | Single-oral-dose azithromycin prophylaxis against experimental streptococcal or staphylococcal aortic valve endocarditis. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2000</b> , 44, 1754-6   | 5.9  | 5   |
| 54 | Monotherapy with intravenous followed by oral high-dose ciprofloxacin versus combination therapy with ceftazidime plus amikacin as initial empiric therapy for granulocytopenic patients with fever. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2000</b> , 44, 3264-71 | 5.9  | 45  |
| 53 | In-vitro activity of FK 037 (Cefoselis), a novel 4(th) generation cephalosporin, compared to cefepime and ceftiofloxime on nosocomial staphylococci and gram-negative isolates. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2000</b> , 36, 185-91              | 2.9  | 11  |
| 52 | AIDS and the skin: parasitic diseases. <i>Clinics in Dermatology</i> , <b>2000</b> , 18, 433-9  | 3    | 4   |
| 51 | Therapeutic guidelines for <i>Pseudomonas aeruginosa</i> infections. <i>International Journal of Antimicrobial Agents</i> , <b>2000</b> , 16, 103-6   | 14.3 | 41  |

|    |  |      |    |
|----|--|------|----|
| 50 | Anaerobic infection therapy. <i>International Journal of Antimicrobial Agents</i> , <b>2000</b> , 16, 341-6  | 14.3 | 15 |
| 49 | Lactic acid polymers as biodegradable carriers of fluoroquinolones: an in vitro study. <i>Antimicrobial Agents and Chemotherapy</i> , <b>1999</b> , 43, 714-6  | 5.9  | 46 |
| 48 | Visceral leishmaniasis in renal transplant recipients: successful treatment with liposomal amphotericin B (AmBisome). <i>Clinical Infectious Diseases</i> , <b>1999</b> , 28, 1308-9   | 11.6 | 25 |
| 47 | Comparative Postantibiotic Effect of Sitafloxacin and Trovafloxacin on Methicillin-Resistant Staphylococcus aureus. <i>Drugs</i> , <b>1999</b> , 58, 146-148   | 12.1 | 1  |
| 46 | Sitafloxacin (DU-6859a) and trovafloxacin: postantibiotic effect and in vitro interactions with rifampin on methicillin-resistant Staphylococcus aureus. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>1999</b> , 34, 301-7   | 2.9  | 8  |
| 45 | Gatifloxacin. <i>Drugs</i> , <b>1999</b> , 58, 697-698   | 12.1 | 1  |
| 44 | Impact of cefuroxime administration on endotoxin (LPS) and tumour necrosis factor-alpha (TNFalpha) blood levels in patients suffering from acute pyelonephritis: a preliminary report. <i>International Journal of Antimicrobial Agents</i> , <b>1999</b> , 11, 115-9              | 14.3 | 14 |
| 43 | Asymptomatic Bacteriuria in Freely Voiding Elderly Subjects. <i>Clinical Drug Investigation</i> , <b>1998</b> , 15, 187-195  | 5.2  | 7  |
| 42 | Interactions of Ceftazidime and Amikacin on Multiresistant Pseudomonas aeruginosa: Have They Altered in the Six-Year Period from 1988 to 1994?. <i>Clinical Drug Investigation</i> , <b>1998</b> , 16, 167-71  | 3.2  | 1  |
| 41 | In-vitro activity and killing effect of quinupristin/dalfopristin (RP59500) on nosocomial Staphylococcus aureus and interactions with rifampicin and ciprofloxacin against methicillin-resistant isolates. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1998</b> , 41, 349-55 | 5.1  | 24 |
| 40 | Effects of slime produced by clinical isolates of coagulase-negative staphylococci on activities of various antimicrobial agents. <i>Antimicrobial Agents and Chemotherapy</i> , <b>1998</b> , 42, 939-41  | 5.9  | 69 |
| 39 | Chronic osteomyelitis caused by multi-resistant Gram-negative bacteria: evaluation of treatment with newer quinolones after prolonged follow-up. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1997</b> , 39, 241-6  | 5.1  | 46 |
| 38 | Comparative in vitro interactions of ceftazidime, meropenem, and imipenem with amikacin on multiresistant Pseudomonas aeruginosa. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>1997</b> , 29, 81-6   | 2.9  | 20 |
| 37 | Bacteriologic and therapeutic considerations in intra-abdominal surgical infections. <i>Anaerobe</i> , <b>1997</b> , 3, 207-12   | 2.8  | 6  |
| 36 | The effect of monitoring of antibiotic use on decreasing antibiotic resistance in the hospital. <i>Novartis Foundation Symposium</i> , <b>1997</b> , 207, 76-86; discussion 86-92  |      | 4  |
| 35 | Ciprofloxacin and imipenem alone or in combination in experimental aortic valve endocarditis due to a ciprofloxacin borderline susceptible strain of Pseudomonas aeruginosa. <i>International Journal of Antimicrobial Agents</i> , <b>1996</b> , 7, 23-8                          | 14.3 | 1  |
| 34 | Epidemiology, Diagnosis, and Therapy of Fungal Infections in Surgery. <i>Infection Control and Hospital Epidemiology</i> , <b>1996</b> , 17, 558-564   | 2    | 5  |
| 33 | Epidemiology, diagnosis, and therapy of fungal infections in surgery. <i>Infection Control and Hospital Epidemiology</i> , <b>1996</b> , 17, 558-64  | 2    | 18 |



|    |   |      |    |
|----|---|------|----|
| 32 | Pharmacokinetic study of fibrin clot-ciprofloxacin complex: an in vitro and in vivo experimental investigation. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>1995</b> , 114, 295-7  | 3.6  | 25 |
| 31 | Regional intravenous versus systemic intravenous prophylactic administration of third-generation cephalosporins (ceftazidime and ceftriaxone) in elective foot surgery. <i>Foot</i> , <b>1995</b> , 5, 133-136                        | 1.3  | 3  |
| 30 | In-vitro inhibitory activity of gamma-linolenic acid on Escherichia coli strains and its influence on their susceptibilities to various antimicrobial agents. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1995</b> , 36, 327-34 | 5.1  | 13 |
| 29 | In vitro influence of polyunsaturated fatty acids on nosocomial Pseudomonas aeruginosa: a preliminary report. <i>International Journal of Antimicrobial Agents</i> , <b>1995</b> , 6, 47-50   | 14.3 | 5  |
| 28 | Activity of quinolones against gram-positive cocci: clinical features. <i>Drugs</i> , <b>1995</b> , 49 Suppl 2, 58-66   | 12.1 | 10 |
| 27 | Comparative in vitro activity of ciprofloxacin vs 8 antimicrobial agents against nosocomial multiresistant P. aeruginosa strains. <i>Drugs</i> , <b>1995</b> , 49 Suppl 2, 203-4  | 12.1 | 2  |
| 26 | Empiric therapy for infections in the febrile, neutropenic, compromised host. <i>Medical Clinics of North America</i> , <b>1995</b> , 79, 559-80  | 7    | 16 |
| 25 | Periareolar nonpuerperal breast infection: treatment of 38 cases. <i>Clinical Infectious Diseases</i> , <b>1994</b> , 18, 73-6  | 11.6 | 29 |
| 24 | Proposed study design in prostatitis. <i>Infection</i> , <b>1994</b> , 22 Suppl 1, S59-60   | 5.8  | 25 |
| 23 | Controlled ten-day antimicrobial therapy in asymptomatic bacteriuria of old age: relations with localization, mobility and mortality. <i>Geriatric Nephrology and Urology</i> , <b>1994</b> , 4, 137-143                              |      | 5  |
| 22 | Release of Newer Quinolones from Acrylic Bone Cement and Fibrin Clots In Vitro. <i>Drugs</i> , <b>1993</b> , 45, 240-241.1  | 11.1 | 1  |
| 21 | The Influence of Acetazolamide on Ciprofloxacin and Pefloxacin Pharmacokinetics in Human Aqueous Humour. <i>Drugs</i> , <b>1993</b> , 45, 314-315   | 12.1 |    |
| 20 | Oral Pefloxacin and Ofloxadn in the Treatment of Malignant External Otitis. <i>Drugs</i> , <b>1993</b> , 45, 320-321  | 12.1 | 1  |
| 19 | Three-day antibiotic therapy in bacteriuria of old age. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1990</b> , 26, 705-11   | 5.1  | 14 |
| 18 | Enhanced in-vitro bactericidal activity of amikacin combined with latamoxef, cefotaxime and aztreonam against multi-resistant Enterobacter cloacae. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1989</b> , 23, 537-45           | 5.1  | 2  |
| 17 | Preoperative therapeutic considerations in chronic suppurative otitis media. <i>Laryngoscope</i> , <b>1989</b> , 99, 655-9  | 3.6  | 22 |
| 16 | Pharmacokinetics of three newer quinolones in pregnant and lactating women. <i>American Journal of Medicine</i> , <b>1989</b> , 87, 49S-51S   | 2.4  | 97 |
| 15 | Poor efficacy of teicoplanin in treatment of deep-seated staphylococcal infections. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>1988</b> , 7, 130-4   | 5.3  | 24 |

|    |  |      |     |
|----|--|------|-----|
| 14 | Surveillance study of resistance in Haemophilus species in Greece. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>1988</b> , 7, 186-8                               | 5.3  | 7   |
| 13 | Efficacy and tolerance of oral ofloxacin in treating various infections. <i>Drugs</i> , <b>1987</b> , 34 Suppl 1, 119-23   | 12.1 | 1   |
| 12 | Efficacy of sulbactam plus ampicillin in gynecologic infections. <i>Clinical Infectious Diseases</i> , <b>1986</b> , 8 Suppl 5, S579-82  | 11.6 | 10  |
| 11 | Aminoglycosides plus beta-lactams against gram-negative organisms. Evaluation of in vitro synergy and chemical interactions. <i>American Journal of Medicine</i> , <b>1986</b> , 80, 126-37        | 2.4  | 119 |
| 10 | Antibody-coated bacteria in urine: when, where and why?. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1984</b> , 13, 95-9   | 5.1  | 7   |
| 9  | A comparison of the Api-10M commercial microdilution system with the tube dilution and standard microdilution methods. <i>Infection</i> , <b>1984</b> , 12, 68-71                                  | 5.8  |     |
| 8  | Rifaprim in urinary tract infection: a comparison with co-trimoxazole. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1983</b> , 11, 239-44   | 5.1  | 1   |
| 7  | A study of cefoxitin, moxalactam, and ceftazidime kinetics in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , <b>1983</b> , 147, 914-9   | 6.4  | 18  |
| 6  | Ornidazole as a single drug in the treatment of mixed aerobic-anaerobic infections. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1981</b> , 7, 569-74   | 5.1  | 4   |
| 5  | Methicillin resistant Staphylococcus aureus infections during 1978-79: clinical and bacteriologic observations. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1981</b> , 7, 649-55             | 5.1  | 25  |
| 4  | Prospective comparative evaluation of gentamicin or gentamicin plus cephalothin in the production of nephrotoxicity in man. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1979</b> , 5, 581-90 | 5.1  | 12  |
| 3  | Cefuroxime: antimicrobial activity, human pharmacokinetics and therapeutic efficacy. <i>Journal of Antimicrobial Chemotherapy</i> , <b>1977</b> , 3, 555-62  | 5.1  | 21  |
| 2  | Antibacterial activity of cinoxacin in vitro. <i>Antimicrobial Agents and Chemotherapy</i> , <b>1975</b> , 7, 688-92   | 5.9  | 35  |
| 1  | Amyloidosis complicating Still's disease. <i>Lancet, The</i> , <b>1971</b> , 1, 348  | 4.0  | 1   |