

PÃ¥l Ã~ian

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5932676/publications.pdf>

Version: 2024-02-01

57
papers

1,571
citations

304368

22
h-index

301761

39
g-index

60
all docs

60
docs citations

60
times ranked

1576
citing authors

#	ARTICLE	IF	CITATIONS
1	Associations between cervical dilatation on admission and mode of delivery, a cohort study of Norwegian nulliparous women. <i>Sexual and Reproductive Healthcare</i> , 2022, 31, 100691.	0.5	1
2	The effect of Zhang's guideline vs the WHO partograph on childbirth experience measured by the Childbirth Experience Questionnaire in the Labor Progression Study (LaPS): A cluster randomized trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2022, 101, 193-199.	1.3	6
3	Association between one-to-one midwifery care in the active phase of labour and use of pain relief and birth outcomes: A cohort of nulliparous women. <i>Midwifery</i> , 2022, 110, 103341.	1.0	3
4	How common is substandard obstetric care in adverse events of birth asphyxia, shoulder dystocia and postpartum hemorrhage? Findings from an external inspection of Norwegian maternity units. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 139-146.	1.3	16
5	Maternal body mass index and risk of obstetric, maternal and neonatal outcomes: A cohort study of nulliparous women with spontaneous onset of labor. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 521-530.	1.3	17
6	Female genital mutilation/cutting, timing of deinfibulation, and risk of cesarean section. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 587-595.	1.3	6
7	Adverse events reporting by obstetric units in Norway as part of their quality assurance and patient safety work: an analysis of practice. <i>BMC Health Services Research</i> , 2021, 21, 931.	0.9	4
8	Associations between duration of active second stage of labour and adverse maternal and neonatal outcomes: A cohort study of nulliparous women with spontaneous onset of labour. <i>Sexual and Reproductive Healthcare</i> , 2021, 30, 100657.	0.5	4
9	The Labour Progression Study (LaPS): Duration of labour following Zhang's guideline and the WHO partograph – A cluster randomised trial. <i>Midwifery</i> , 2020, 81, 102578.	1.0	14
10	Group-based multimodal physical therapy in women with chronic pelvic pain: A randomized controlled trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020, 99, 1320-1329.	1.3	6
11	Baseline pain characteristics predict pain reduction after physical therapy in women with chronic pelvic pain. Secondary analysis of data from a randomized controlled trial. <i>Scandinavian Journal of Pain</i> , 2020, 20, 793-800.	0.5	1
12	Zhang's guidelines vs WHO guidelines for diagnosing labour dystocia – Authors' reply. <i>Lancet</i> , The, 2019, 394, e11.	6.3	1
13	Characteristics of women with chronic pelvic pain referred to physiotherapy treatment after multidisciplinary assessment: a cross-sectional study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 355-364.	0.5	10
14	The Labor Progression Study: The use of oxytocin augmentation during labor following Zhang's guideline and the WHO partograph in a cluster randomized trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019, 98, 1187-1194.	1.3	11
15	The frequency of intrapartum caesarean section use with the WHO partograph versus Zhang's guideline in the Labour Progression Study (LaPS): a multicentre, cluster-randomised controlled trial. <i>Lancet</i> , The, 2019, 393, 340-348.	6.3	55
16	Routines for intrapartum fetal monitoring are important, but why and, more importantly, how are they used?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019, 98, 396-396.	1.3	1
17	Maternal deaths from hypertensive disorders: lessons learnt. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018, 97, 976-987.	1.3	22
18	An evaluation by the Norwegian Health Care Supervision Authorities of events involving death or injuries in maternity care. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018, 97, 1206-1211.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Changes in self-efficacy, collective efficacy and patient outcome following interprofessional simulation training on postpartum haemorrhage. <i>Journal of Clinical Nursing</i> , 2017, 26, 3174-3187.	1.4	45
20	Impact of multi-professional, scenario-based training on postpartum hemorrhage in Tanzania: a quasi-experimental, pre- vs. post-intervention study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 287.	0.9	36
21	Study protocol: the Labor Progression Study, LAPS - does the use of a dynamic progression guideline in labor reduce the rate of intrapartum cesarean sections in nulliparous women? A multicenter, cluster randomized trial in Norway. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 370.	0.9	9
22	Statistical significance is not necessarily equal to clinical significance. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 1192-1192.	1.3	2
23	Transfers to hospital in planned home birth in four Nordic countries – a prospective cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 420-428.	1.3	29
24	Evaluation of satisfaction with care in a midwifery unit and an obstetric unit: a randomized controlled trial of low-risk women. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 143.	0.9	25
25	ST waveform analysis versus cardiotocography alone for intrapartum fetal monitoring: a systematic review and meta-analysis of randomized trials. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 16-27.	1.3	58
26	<sc>STAN</sc> technology, surrogate outcomes and possible sources of bias. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 608-609.	1.3	4
27	Anal incontinence, urinary incontinence and sexual problems in primiparous women – a comparison between women with episiotomy only and women with episiotomy and obstetric anal sphincter injury. <i>BMC Women's Health</i> , 2014, 14, 157.	0.8	19
28	Oxytocin and dystocia as risk factors for adverse birth outcomes: A cohort of low-risk nulliparous women. <i>Midwifery</i> , 2014, 30, 364-370.	1.0	51
29	Scarce scientific evidence for the use of cardiotocography plus fetal <sc>ECG ST</sc> interval analysis (<sc>STAN</sc>). <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014, 93, 570-570.	1.3	7
30	Giving Birth with Rape in One's Past: A Qualitative Study. <i>Birth</i> , 2013, 40, 182-191.	1.1	32
31	Change in risk status during labor in a large Norwegian obstetric department: a prospective study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2013, 92, 671-678.	1.3	2
32	A nationwide descriptive study of obstetric claims for compensation in Norway. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2012, 91, 1191-1195.	1.3	24
33	Barn som dÅr eller fÅr alvorlig skade under fÅdselen. <i>Tidsskrift for Den Norske Laegeforening</i> , 2011, 131, 2465-2468.	0.2	3
34	Norwegian obstetricians' opinions about cesarean section on maternal request: should women pay themselves?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 1582-1588.	1.3	6
35	Genome profiles in maternal blood during early onset preeclampsia and towards term. <i>Journal of Perinatal Medicine</i> , 2010, 38, 601-8.	0.6	12
36	Transcapillary forces in normal pregnant women. <i>Acta Medica Scandinavica</i> , 2009, 217, 19-22.	0.0	1

#	ARTICLE	IF	CITATIONS
37	Circulating Sex Steroids, Sex Hormone-Binding Globulin, and Longitudinal Changes in Forearm Bone Mineral Density in Postmenopausal Women and Men: The TromsÅ, Study. <i>Calcified Tissue International</i> , 2007, 81, 65-72.	1.5	51
38	Maternal Request for Cesarean Section due to Fear of Birth: Can It Be Changed Through Crisis-Oriented Counseling?. <i>Birth</i> , 2006, 33, 221-228.	1.1	169
39	Changes in the prevalence of pre-eclampsia in Akershus County and the rest of Norway during the past 35 years. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 916-921.	1.3	32
40	Predictions for the decisionâ€toâ€delivery interval for emergency cesarean sections in Norway. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 561-566.	1.3	27
41	Eclampsia in Scandinavia: incidence, substandard care, and potentially preventable cases. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2006, 85, 929-936.	1.3	72
42	Breech birth at term: vaginal delivery or elective cesarean section? A systematic review of the literature by a Norwegian review team. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2004, 83, 126-130.	1.3	21
43	Complications of cesarean deliveries: Rates and risk factors. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 428-434.	0.7	203
44	Indications for cesarean deliveries in Norway. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 864-870.	0.7	151
45	Labor admission test: an assessment of the testâ€™s value as screening for fetal distress in labor. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001, 80, 738-743.	1.3	17
46	Late onset postpartum thrombocytosis in preeclampsia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1999, 78, 866-870.	1.3	4
47	Prenatal diagnosis of osteogenesis imperfecta. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1995, 74, 321-323.	1.3	24
48	First- and second-trimester hemoglobin levels:Relation to birth weight and gestational age. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1993, 72, 246-251.	1.3	34
49	Evidence for altered transcapillary fluid balance in women with the premenstrual syndrome. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1993, 72, 238-242.	1.3	28
50	Effects Of Two Triphasic Oral Contraceptives Containing Ethinylestradiol Plus Levonorgestrel Or Gestodene On Blood Coagulation And Fibrinolysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1989, 68, 27-30.	1.3	27
51	Serum Uric Acid Correlates with Î²2-Microglobulin in Pre-Eclampsia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1986, 65, 103-106.	1.3	11
52	Increased Arterial Catecholamines in Pre-Eclampsia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1986, 65, 613-617.	1.3	59
53	Transcapillary fluid balance in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1986, 93, 235-239.	1.1	46
54	Enhanced platelet release reaction related to arterial plasma adrenaline and blood pressure in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1986, 93, 548-553.	1.1	16

#	ARTICLE	IF	CITATIONS
55	EVIDENCE OF ALTERED CAPILLARY PRESSURE DURING PREGNANCY. Acta Medica Scandinavica, 1986, 220, 55-58.	0.0	1
56	Menstrual Dysfunction in Norwegian Top Athletes. Acta Obstetricia Et Gynecologica Scandinavica, 1984, 63, 693-697.	1.3	15
57	Hellp Syndrome A Serious Complication of Hypertension in Pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 1984, 63, 727-729.	1.3	9