Joan O Grimalt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5932694/publications.pdf

Version: 2024-02-01

552 papers 30,502 citations

87 h-index 9553 142 g-index

581 all docs

581 docs citations

times ranked

581

22918 citing authors

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | East Asian monsoon climate during the Late Pleistocene: high-resolution sediment records from the South China Sea. Marine Geology, 1999, 156, 245-284. | 0.9 | 636 |
| 2 | Aliphatic and aromatic hydrocarbons in different sized aerosols over the Mediterranean Sea: Occurrence and origin. Atmospheric Environment, 1987, 21, 2247-2259. | 1.1 | 561 |
| 3 | Four Climate Cycles of Recurring Deep and Surface Water Destabilizations on the Iberian Margin. Science, 2007, 317, 502-507. | 6.0 | 551 |
| 4 | Global Distribution and Budget of PCBs and HCB in Background Surface Soils:Â Implications for Sources and Environmental Processes. Environmental Science & Environmental Science & 2003, 37, 667-672. | 4. 6 | 541 |
| 5 | Dansgaard-Oeschger and Heinrich event imprints in Alboran Sea paleotemperatures. Paleoceanography, 1999, 14, 698-705. | 3.0 | 527 |
| 6 | Cohort Profile: The INMAâ€"INfancia y Medio Ambienteâ€"(Environment and Childhood) Project. International Journal of Epidemiology, 2012, 41, 930-940. | 0.9 | 492 |
| 7 | Bladder Cancer and Exposure to Water Disinfection By-Products through Ingestion, Bathing, Showering, and Swimming in Pools. American Journal of Epidemiology, 2006, 165, 148-156. | 1.6 | 471 |
| 8 | Variability of the western Mediterranean Sea surface temperature during the last 25,000 years and its connection with the Northern Hemisphere climatic changes. Paleoceanography, 2001, 16, 40-52. | 3.0 | 430 |
| 9 | Abrupt Temperature Changes in the Western Mediterranean over the Past 250,000 Years. Science, 2004, 306, 1762-1765. | 6.0 | 410 |
| 10 | Synchroneity between marine and terrestrial responses to millennial scale climatic variability during the last glacial period in the Mediterranean region. Climate Dynamics, 2002, 19, 95-105. | 1.7 | 381 |
| 11 | The mine tailing accident in Aznalcollar. Science of the Total Environment, 1999, 242, 3-11. | 3.9 | 378 |
| 12 | Assessment of fecal sterols and ketones as indicators of urban sewage inputs to coastal waters. Environmental Science & Enviro | 4.6 | 372 |
| 13 | Interglacials of the last 800,000 years. Reviews of Geophysics, 2016, 54, 162-219. | 9.0 | 359 |
| 14 | Cyclic terpenoids of contemporary resinous plant detritus and of fossil woods, ambers and coals. Organic Geochemistry, 1986, 10, 877-889. | 0.9 | 300 |
| 15 | What's in the Pool? A Comprehensive Identification of Disinfection By-products and Assessment of Mutagenicity of Chlorinated and Brominated Swimming Pool Water. Environmental Health Perspectives, 2010, 118, 1523-1530. | 2.8 | 269 |
| 16 | Evidence for enhanced Mediterranean thermohaline circulation during rapid climatic coolings. Earth and Planetary Science Letters, 2000, 183, 417-429. | 1.8 | 261 |
| 17 | Selective Trapping of Organochlorine Compounds in Mountain Lakes of Temperate Areas. Environmental Science & Environmental Sci | 4.6 | 235 |
| 18 | The Historical Record of Atmospheric Pyrolytic Pollution over Europe Registered in the Sedimentary PAH from Remote Mountain Lakes. Environmental Science & Environmental Science & 1906, 2000, 34, 1906-1913. | 4.6 | 224 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Apparent long-term cooling of the sea surface in the northeast Atlantic and Mediterranean during the Holocene. Quaternary Science Reviews, 2002, 21, 455-483. | 1.4 | 212 |
| 20 | The Medieval Climate Anomaly in the Iberian Peninsula reconstructed from marine and lake records. Quaternary Science Reviews, 2012, 43, 16-32. | 1.4 | 210 |
| 21 | Sources and occurrence of C12î—,C22n-alkane distributions with even carbon-number preference in sedimentary environments. Geochimica Et Cosmochimica Acta, 1987, 51, 1379-1384. | 1.6 | 202 |
| 22 | Prenatal Concentrations of Polychlorinated Biphenyls, DDE, and DDT and Overweight in Children: A Prospective Birth Cohort Study. Environmental Health Perspectives, 2012, 120, 451-457. | 2.8 | 199 |
| 23 | Effects of pre and postnatal exposure to low levels of polybromodiphenyl ethers on neurodevelopment and thyroid hormone levels at 4 years of age. Environment International, 2011, 37, 605-611. | 4.8 | 198 |
| 24 | Transport of persistent organic pollutants across the human placenta. Environment International, 2014, 65, 107-115. | 4.8 | 192 |
| 25 | Saharan Dust Transport and High-Latitude Glacial Climatic Variability: The Alboran Sea Record. Quaternary Research, 2002, 58, 318-328. | 1.0 | 184 |
| 26 | High resolution U37K sea surface temperature reconstruction in the Norwegian Sea during the Holocene. Quaternary Science Reviews, 2002, 21, 1385-1394. | 1.4 | 181 |
| 27 | Impact of iceberg melting on Mediterranean thermohaline circulation during Heinrich events. Paleoceanography, 2005, 20, n/a-n/a. | 3.0 | 180 |
| 28 | High-resolution UK37temperature reconstructions in the South China Sea over the past 220 kyr. Paleoceanography, 1999, 14, 224-231. | 3.0 | 174 |
| 29 | Persistent organic pollutants in snow from European high mountain areas. Atmospheric Environment, 2001, 35, 245-254. | 1.9 | 168 |
| 30 | Links between marine and atmospheric processes oscillating on a millennial time-scale. A multi-proxy study of the last 50,000yr from the Alboran Sea (Western Mediterranean Sea). Quaternary Science Reviews, 2005, 24, 1623-1636. | 1.4 | 168 |
| 31 | Breastfeeding, Exposure to Organochlorine Compounds, and Neurodevelopment in Infants. Pediatrics, 2003, 111, e580-e585. | 1.0 | 167 |
| 32 | Similarities and dissimilarities between the last two deglaciations and interglaciations in the North Atlantic region. Quaternary Science Reviews, 2014, 99, 122-134. | 1.4 | 167 |
| 33 | Serum concentrations of organochlorine compounds and K-ras mutations in exocrine pancreatic cancer. Lancet, The, 1999, 354, 2125-2129. | 6.3 | 166 |
| 34 | In Utero Exposure to Background Concentrations of DDT and Cognitive Functioning among Preschoolers. American Journal of Epidemiology, 2006, 164, 955-962. | 1.6 | 164 |
| 35 | Seasonally dependent size distributions of aliphatic and polycyclic aromatic hydrocarbons in urban aerosols from densely populated areas. Environmental Science & Environmenta | 4.6 | 162 |
| 36 | Sediment Fluxes of Polycyclic Aromatic Hydrocarbons in European High Altitude Mountain Lakes. Environmental Science & Environm | 4.6 | 160 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Atmospheric Gas-Particle Partitioning of Polycyclic Aromatic Hydrocarbons in High Mountain Regions of Europe. Environmental Science & Environmental Sc | 4.6 | 158 |
| 38 | Holocene climate variability in the western Mediterranean region from a deepwater sediment record. Paleoceanography, 2007, 22, . | 3.0 | 155 |
| 39 | Salt-induced changes in lipid composition and membrane fluidity of halophilic yeast-like melanized fungi. Extremophiles, 2004, 8, 53-61. | 0.9 | 151 |
| 40 | Levels of hexachlorobenzene and other organochlorine compounds in cord blood: exposure across placenta. Chemosphere, 2001, 43, 895-901. | 4.2 | 143 |
| 41 | Mass budget and dynamics of polycyclic aromatic hydrocarbons in the Mediterranean Sea. Deep-Sea Research Part II: Topical Studies in Oceanography, 1997, 44, 881-905. | 0.6 | 142 |
| 42 | Meta-analysis of studies on individual consumption of chlorinated drinking water and bladder cancer. Journal of Epidemiology and Community Health, 2003, 57, 166-173. | 2.0 | 142 |
| 43 | Influence of soil cover on reducing the environmental impact of spontaneous coal combustion in coal waste gobs: A review and new experimental data. International Journal of Coal Geology, 2011, 85, 2-22. | 1.9 | 142 |
| 44 | Response of the Western Mediterranean Sea to rapid climatic variability during the last 50,000 years: a molecular biomarker approach. Journal of Marine Systems, 2002, 33-34, 253-272. | 0.9 | 141 |
| 45 | Exposure to hexachlorobenzene during pregnancy increases the risk of overweight in children aged 6 years. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 1465-1469. | 0.7 | 141 |
| 46 | Ocean surface water response to short-term climate changes revealed by coccolithophores from the Gulf of Cadiz (NE Atlantic) and Alboran Sea (W Mediterranean). Palaeogeography, Palaeoclimatology, Palaeoecology, 2004, 205, 317-336. | 1.0 | 138 |
| 47 | Atmospheric Deposition of Organochlorine Compounds to Remote High Mountain Lakes of Europe. Environmental Science & Technology, 2002, 36, 2581-2588. | 4.6 | 137 |
| 48 | Persistent organochlorine compounds in soils and sediments of European high altitude mountain lakes. Chemosphere, 2004, 54, 1549-1561. | 4.2 | 134 |
| 49 | A NEW FOSSIL RESIN WITH BIOLOGICAL INCLUSIONS IN LOWER CRETACEOUS DEPOSITS FROM ÃŁAVA (NORTHERN SPAIN, BASQUE-CANTABRIAN BASIN). Journal of Paleontology, 2000, 74, 158-178. | 0.5 | 128 |
| 50 | Genotoxic Effects in Swimmers Exposed to Disinfection By-products in Indoor Swimming Pools. Environmental Health Perspectives, 2010, 118, 1531-1537. | 2.8 | 126 |
| 51 | Polybrominated Diphenyl Ethers (PBDEs) in Breast Milk and Neuropsychological Development in Infants. Environmental Health Perspectives, 2012, 120, 1760-1765. | 2.8 | 126 |
| 52 | Western Mediterranean planktonic foraminifera events and millennial climatic variability during the last 70 kyr. Marine Micropaleontology, 2003, 48, 49-70. | 0.5 | 124 |
| 53 | Lipid biogeochemistry of Phormidium and Microcoleus mats. Organic Geochemistry, 1992, 19, 509-530. | 0.9 | 122 |
| 54 | Evidence of abrupt changes in Western Mediterranean Deep Water circulation during the last 50kyr: A high-resolution marine record from the Balearic Sea. Quaternary International, 2008, 181, 88-104. | 0.7 | 122 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | On the Global Distribution of Persistent Organic Pollutants. Chimia, 2003, 57, 514-521. | 0.3 | 120 |
| 56 | Characterization of functional bacterial groups in a hypersaline microbial mat community (Salins-de-Giraud, Camargue, France). FEMS Microbiology Ecology, 2004, 51, 55-70. | 1.3 | 120 |
| 57 | Shallow-marine sediment cores record climate variability and earthquake activity off Lisbon (Portugal) for the last 2000 years. Quaternary Science Reviews, 2005, 24, 2477-2494. | 1.4 | 120 |
| 58 | The correlation between the 37k index and sea surface temperatures in the warm boundary: The South China Sea. Geochimica Et Cosmochimica Acta, 1997, 61, 4789-4797. | 1.6 | 118 |
| 59 | Polycyclic aromatic hydrocarbon composition in soils and sediments of high altitude lakes. Environmental Pollution, 2004, 131, 13-24. | 3.7 | 118 |
| 60 | Risk excess of soft-tissue sarcoma and thyroid cancer in a community exposed to airborne organochlorinated compound mixtures with a high hexachlorobenzene content. International Journal of Cancer, 1994, 56, 200-203. | 2.3 | 116 |
| 61 | Ergosterol biosynthesis pathway in Aspergillus fumigatus. Steroids, 2008, 73, 339-347. | 0.8 | 115 |
| 62 | Mevalonate governs interdependency of ergosterol and siderophore biosyntheses in the fungal pathogen Aspergillus fumigatus. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E497-E504. | 3.3 | 111 |
| 63 | The molecular composition of ambers. Organic Geochemistry, 1988, 13, 677-690. | 0.9 | 110 |
| 64 | Glacial rapid variability in deep-water temperature and \hat{l} 180 from the Western Mediterranean Sea. Quaternary Science Reviews, 2006, 25, 3294-3311. | 1.4 | 110 |
| 65 | Biological turnover of DMS, DMSP and DMSO in contrasting open-sea waters. Marine Ecology - Progress Series, 2000, 203, 1-11. | 0.9 | 109 |
| 66 | Prenatal Dichlorodiphenyldichloroethylene (DDE) and Asthma in Children. Environmental Health Perspectives, 2005 , 113 , $1787-1790$. | 2.8 | 108 |
| 67 | Polybromodiphenyl Ether Flame Retardants in Fish from Lakes in European High Mountains and Greenland. Environmental Science & Eamp; Technology, 2004, 38, 2338-2344. | 4.6 | 107 |
| 68 | Child health and the environment: the INMA Spanish Study. Paediatric and Perinatal Epidemiology, 2006, 20, 403-410. | 0.8 | 106 |
| 69 | Effect of exposure to polycyclic aromatic hydrocarbons on basal ganglia and attention-deficit hyperactivity disorder symptoms in primary school children. Environment International, 2017, 105, 12-19. | 4.8 | 106 |
| 70 | Loss of Unburned-Fuel Hydrocarbons from Combustion Aerosols during Atmospheric Transport. Environmental Science & Environmenta | 4.6 | 105 |
| 71 | Clean-up procedures for the unbiased estimation of C37 alkenone sea surface temperatures and terrigenous n-alkane inputs in paleoceanography. Journal of Chromatography A, 1997, 757, 145-151. | 1.8 | 105 |
| 72 | Transfer of perfluoroalkyl substances from mother to fetus in a Spanish birth cohort. Environmental Research, 2015, 142, 471-478. | 3.7 | 105 |

| # | Article | lF | CITATIONS |
|----|--|------------------|-------------------|
| 73 | Palaeoclimatic signals recognized by chemometric treatment of molecular stratigraphic data. Organic Geochemistry, 1986, 10, 649-660. | 0.9 | 103 |
| 74 | Variations in mid-latitude North Atlantic surface water properties during the mid-Brunhes (MIS 9–14) and their implications for the thermohaline circulation. Climate of the Past, 2010, 6, 531-552. | 1.3 | 101 |
| 75 | Temperature and Organic Matter Dependence of the Distribution of Organochlorine Compounds in Mountain Soils from the Subtropical Atlantic (Teide, Tenerife Island). Environmental Science & Eamp; Technology, 2002, 36, 1879-1885. | 4.6 | 100 |
| 76 | Haloacetic acids and trihalomethanes in finished drinking waters from heterogeneous sources. Water Research, 2003, 37, 953-958. | 5.3 | 99 |
| 77 | A reference time scale for Site U1385 (Shackleton Site) on the SW Iberian Margin. Global and Planetary Change, 2015, 133, 49-64. | 1.6 | 99 |
| 78 | DNA Hypomethylation atALOX12Is Associated with Persistent Wheezing in Childhood. American Journal of Respiratory and Critical Care Medicine, 2012, 185, 937-943. | 2.5 | 97 |
| 79 | Contaminant accumulation and multi-biomarker responses in field collected zebra mussels (Dreissena) Tj ETQq1 i hazardous dumps in the Ebro river (NE Spain). Chemosphere, 2010, 78, 232-240. | 1 0.78431 4.2 | 4 rgBT /Ove 96 |
| 80 | Candida tropicalis Antifungal Cross-Resistance Is Related to Different Azole Target (Erg11p) Modifications. Antimicrobial Agents and Chemotherapy, 2013, 57, 4769-4781. | 1.4 | 96 |
| 81 | lberian Margin sea surface temperature during MIS 15 to 9 (580–300 ka): Glacial suborbital variability versus interglacial stability. Paleoceanography, 2011, 26, . | 3.0 | 95 |
| 82 | SALINITY TOLERANCE OF DIATOMS FROM THALASSIC HYPERSALINE ENVIRONMENTS. Journal of Phycology, 2000, 36, 1021-1034. | 1.0 | 94 |
| 83 | Short-Term Changes in Respiratory Biomarkers after Swimming in a Chlorinated Pool. Environmental Health Perspectives, 2010, 118, 1538-1544. | 2.8 | 94 |
| 84 | Enhanced climate instability in the North Atlantic and southern Europe during the Last Interglacial. Nature Communications, 2018, 9, 4235. | 5.8 | 94 |
| 85 | Holocene variations in Asian monsoon moisture: A bidecadal sediment record from the South China Sea. Geophysical Research Letters, 1999, 26, 2889-2892. | 1.5 | 92 |
| 86 | Exposure to Hexachlorobenzene during Pregnancy and Children's Social Behavior at 4 Years of Age. Environmental Health Perspectives, 2007, 115, 447-450. | 2.8 | 91 |
| 87 | Sulfur-binding in recent environments: II. Speciation of sulfur and iron and implications for the occurrence of organo-sulfur compounds. Geochimica Et Cosmochimica Acta, 1997, 61, 4769-4788. | 1.6 | 90 |
| 88 | Factors Governing the Atmospheric Deposition of Polycyclic Aromatic Hydrocarbons to Remote Areas. Environmental Science & Envi | 4.6 | 90 |
| 89 | Distribution of blood concentrations of persistent organic pollutants in a representative sample of the population of Catalonia. Environment International, 2010, 36, 655-664. | 4.8 | 90 |
| 90 | Characterization of the depositional environments of the Ebro Delta (western Mediterranean) by the study of sedimentary lipid markers. Marine Geology, 1990, 95, 207-224. | 0.9 | 89 |

| # | Article | IF | CITATIONS |
|-----|--|------------------------------|----------------|
| 91 | Dissolved dimethylsulphide, dimethylsulphoniopropionate and dimethylsulphoxide in western Mediterranean waters. Deep-Sea Research Part II: Topical Studies in Oceanography, 1997, 44, 929-950. | 0.6 | 89 |
| 92 | Association between serum concentrations of hexachlorobenzene and polychlorobiphenyls with thyroid hormone and liver enzymes in a sample of the general population. Occupational and Environmental Medicine, 2001, 58, 172-177. | 1.3 | 89 |
| 93 | The flooding of Sundaland during the last deglaciation: imprints in hemipelagic sediments from the southern South China Sea. Earth and Planetary Science Letters, 1999, 171, 661-671. | 1.8 | 88 |
| 94 | Estimated strength of the Atlantic overturning circulation during the last deglaciation. Nature Geoscience, 2013, 6, 208-212. | 5.4 | 88 |
| 95 | Influence of Soot Carbon on the Soilâ^'Air Partitioning of Polycyclic Aromatic Hydrocarbons. Environmental Science & Environme | 4.6 | 87 |
| 96 | A biomarker approach to the organic matter deposited in the North Atlantic during the last climatic cycle. Geochimica Et Cosmochimica Acta, 1997, 61, 4633-4646. | 1.6 | 86 |
| 97 | Age dependence of the accumulation of organochlorine pollutants in brown trout (Salmo trutta) from a remote high mountain lake (Red \tilde{A}^3 , Pyrenees). Environmental Pollution, 2005, 133, 343-350. | 3.7 | 86 |
| 98 | Influence of Breastfeeding in the Accumulation of Polybromodiphenyl Ethers during the First Years of Child Growth. Environmental Science & Environment | 4.6 | 86 |
| 99 | Sedimentary lipid biogeochemistry of an hypereutrophic alkaline lagoon. Geochimica Et Cosmochimica Acta, 1991, 55, 2555-2577. | 1.6 | 85 |
| 100 | Atmospheric Semivolatile Organochlorine Compounds in European High-Mountain Areas (Central) Tj ETQq0 0 0 | rgBT/Over | rlogk 10 Tf 50 |
| 101 | Prenatal exposure to persistent organic pollutants and rapid weight gain and overweight in infancy. Obesity, 2014, 22, 488-496. | 1.5 | 85 |
| 102 | Sedimentary and diagenetic markers of the restriction in a marine basin: the Lorca Basin (SE Spain) during the Messinian. Sedimentary Geology, 1998, 121, 23-55. | 1.0 | 83 |
| 103 | Influence of Altitude and Age in the Accumulation of Organochlorine Compounds in Fish from High Mountain Lakes. Environmental Science & Environmental | 4.6 | 83 |
| 104 | Differential Estrogenic Effects of the Persistent Organochlorine Pesticides Dieldrin, Endosulfan, and Lindane in Primary Neuronal Cultures. Toxicological Sciences, 2011, 120, 413-427. | 1.4 | 83 |
| 105 | A rapid method for the chromatographic analysis of volatile organic compounds in exhaled breath of tobacco cigarette and electronic cigarette smokers. Journal of Chromatography A, 2015, 1410, 51-59. | 1.8 | 83 |
| 106 | Prenatal exposure to PCB-153, p,p′-DDE and birth outcomes in 9000 mother–child pairs: Exposure–response relationship and effect modifiers. Environment International, 2015, 74, 23-31. | 4.8 | 83 |
| 107 | Polycyclic aromatic hydrocarbons in fish from remote and high mountain lakes in Europe and Greenland. Science of the Total Environment, 2004, 324, 67-77. | 3.9 | 82 |
| 108 | Climate change and coastal hydrographic response along the Atlantic Iberian margin (Tagus Prodelta) Tj ETQq0 (| O O _J ggBT /O | Overlock 10 Tf |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | The Pregnancy Exposome: Multiple Environmental Exposures in the INMA-Sabadell Birth Cohort. Environmental Science & Technology, 2015, 49, 10632-10641. | 4.6 | 81 |
| 110 | Bacterial reworking of sedimentary lipids during sample storage. Organic Geochemistry, 1988, 13, 741-746. | 0.9 | 80 |
| 111 | Association of Hexachlorobenzene and Other Organochlorine Compounds with Anthropometric Measures at Birth. Pediatric Research, 2002, 52, 163-167. | 1.1 | 80 |
| 112 | Analysis of hydrocarbons in aquatic sediments. Journal of Chromatography A, 1988, 436, 503-509. | 1.8 | 77 |
| 113 | Trihalomethanes in chlorine and bromine disinfected swimming pools: Air-water distributions and human exposure. Environment International, 2012, 45, 59-67. | 4.8 | 77 |
| 114 | Phase relationship between sea level and abrupt climate change. Quaternary Science Reviews, 2009, 28, 2867-2881. | 1.4 | 74 |
| 115 | Pyrethroid use-malaria control and individual applications by households for other pests and home garden use. Environment International, 2012, 38, 67-72. | 4.8 | 74 |
| 116 | Early exposure to dichlorodiphenyldichloroethylene, breastfeeding and asthma at age six. Clinical and Experimental Allergy, 2006, 36, 1236-1241. | 1.4 | 73 |
| 117 | Application of the Mussel Watch concept in studies of the distribution of hydrocarbons in the coastal zone of the Ebro Delta. Marine Pollution Bulletin, 1983, 14, 181-187. | 2.3 | 72 |
| 118 | New insights into the glacial latitudinal temperature gradients in the North Atlantic. Results from UK′37 sea surface temperatures and terrigenous inputs. Earth and Planetary Science Letters, 2001, 188, 509-519. | 1.8 | 72 |
| 119 | Assessment of exposure to trace metals in a cohort of pregnant women from an urban center by urine analysis in the first and third trimesters of pregnancy. Environmental Science and Pollution Research, 2014, 21, 9234-9241. | 2.7 | 72 |
| 120 | Intercomparison study of liquid-liquid extraction and adsorption on polyurethane and Amberlite XAD-2 for the analysis of hydrocarbons, polychlorobiphenyls, and fatty acids dissolved in seawater. Environmental Science & Env | 4.6 | 71 |
| 121 | Molecular biomarker record of sea surface temperature and climatic change in the South China Sea during the last 140,000 years. Marine Geology, 1999, 156, 109-121. | 0.9 | 71 |
| 122 | Exposure to metals during pregnancy and neuropsychological development at the age of 4 years. NeuroToxicology, 2014, 40, 16-22. | 1.4 | 71 |
| 123 | Microbial Mats on the Orkney Islands Revisited: Microenvironment and Microbial Community Composition. Microbial Ecology, 2003, 46, 371-390. | 1.4 | 70 |
| 124 | n-Alkane distributions in surface sediments from the Arabian Gulf. Die Naturwissenschaften, 1985, 72, 35-37. | 0.6 | 69 |
| 125 | Long chain n -alkyl diols, hydroxy ketones and sterols in a marine eustigmatophyte, Nannochloropsis gaditana, and in Brachionus plicatilis feeding on the algae. Organic Geochemistry, 2003, 34, 527-538. | 0.9 | 69 |
| 126 | Organochlorine Exposure and Colorectal Cancer Risk. Environmental Health Perspectives, 2004, 112, 1460-1466. | 2.8 | 69 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|-------------|
| 127 | Effects of PCBs, p,p'-DDT, p,p'-DDE, HCB and Â-HCH on thyroid function in preschool children. Occupational and Environmental Medicine, 2008, 65, 452-457. | 1.3 | 69 |
| 128 | Distribution of blood concentrations of persistent organic pollutants in a representative sample of the population of Barcelona in 2006, and comparison with levels in 2002. Science of the Total Environment, 2012, 423, 151-161. | 3.9 | 69 |
| 129 | Organochlorine compounds in soils and sediments of the mountain Andean Lakes. Environmental Pollution, 2005, 136, 253-266. | 3.7 | 68 |
| 130 | Source apportionment of indoor, outdoor and personal PM2.5 exposure of pregnant women in Barcelona, Spain. Atmospheric Environment, 2012, 59, 426-436. | 1.9 | 68 |
| 131 | A new fossil resin with biological inclusions in Lower Cretaceous deposits from Ãlava (northern) Tj ETQq1 1 0.784: | 814 rgBT / 0.5 | Overlock 10 |
| 132 | Semivolatile Organochlorine Compounds in the Free Troposphere of the Northeastern Atlantic. Environmental Science & Environmen | 4.6 | 66 |
| 133 | Organochlorine pollutants in soils and mosses from Victoria Land (Antarctica). Chemosphere, 2005, 58, 271-278. | 4.2 | 66 |
| 134 | Effects of exposure to water disinfection by-products in a swimming pool: A metabolome-wide association study. Environment International, 2018, 111, 60-70. | 4.8 | 66 |
| 135 | Polycyclic aromatic hydrocarbons in remote mountain lake waters. Water Research, 2001, 35, 3916-3926. | 5.3 | 65 |
| 136 | Organochlorine Pollutants in Remote Mountain Lake Waters. Journal of Environmental Quality, 2001, 30, 1286-1295. | 1.0 | 65 |
| 137 | Millennial-scale variability in the productivity signal from the Alboran Sea record, Western Mediterranean Sea. Palaeogeography, Palaeoclimatology, Palaeoecology, 2004, 211, 205-219. | 1.0 | 65 |
| 138 | Altitudinal Gradients of PBDEs and PCBs in Fish from European High Mountain Lakes. Environmental Science & Environmental Scien | 4.6 | 65 |
| 139 | Association between thyroid hormone levels and 4,4′-DDE concentrations in pregnant women (Valencia, Spain). Environmental Research, 2009, 109, 479-485. | 3.7 | 65 |
| 140 | Land-ocean changes on orbital and millennial time scales and the penultimate glaciation. Geology, 2014, 42, 183-186. | 2.0 | 65 |
| 141 | Long-Range Transported Atmospheric Pollutants in Snowpacks Accumulated at Different Altitudes in the Tatra Mountains (Slovakia). Environmental Science & Environmental Science | 4.6 | 64 |
| 142 | Prenatal Exposure to Organochlorine Compounds and Birth Size. Pediatrics, 2011, 128, e127-e134. | 1.0 | 64 |
| 143 | Toxic assessment of urban atmospheric particle-bound PAHs: Relevance of composition and particle size in Barcelona (Spain). Environmental Pollution, 2014, 184, 555-562. | 3.7 | 64 |
| 144 | Occurrence and transformation of phyllocladanes in brown coals from Nograd Basin, Hungary. Geochimica Et Cosmochimica Acta, 1987, 51, 2065-2073. | 1.6 | 63 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 145 | Modifications of the C37alkenone and alkenoate composition in the water column and sediment: Possible implications for sea surface temperature estimates in paleoceanography. Geochemistry, Geophysics, Geosystems, 2000, 1 , n/a - n/a . | 1.0 | 63 |
| 146 | Physical-chemical and Maternal Determinants of the Accumulation of Organochlorine Compounds in Four-Year-Old Children. Environmental Science & Environ | 4.6 | 62 |
| 147 | Concentrations and determinants of organochlorine levels among pregnant women in Eastern Spain. Science of the Total Environment, 2010, 408, 5758-5767. | 3.9 | 62 |
| 148 | The last 3000 years in the RÃa de Vigo (NW Iberian Margin): climatic and hydrographic signals. Holocene, 2002, 12, 459-468. | 0.9 | 61 |
| 149 | A 1-Ma record of sea surface temperature and extreme cooling events in the North Atlantic: A perspective from the Iberian Margin. Quaternary Science Reviews, 2017, 172, 118-130. | 1.4 | 61 |
| 150 | Isopranylglycerol diethers in non-alkaline evaporitic environments. Geochimica Et Cosmochimica Acta, 1993, 57, 4479-4489. | 1.6 | 60 |
| 151 | Temperature Dependence of the Distribution of Organochlorine Compounds in the Mosses of the Andean Mountains. Environmental Science & Environmental Sc | 4.6 | 60 |
| 152 | The last glacial–interglacial transition (LGIT) in the western mid-latitudes of the North Atlantic: Abrupt sea surface temperature change and sea level implications. Quaternary Science Reviews, 2010, 29, 1853-1862. | 1.4 | 60 |
| 153 | Source apportionment of submicron organic aerosol at an urban background and a road site in Barcelona (Spain) during SAPUSS. Atmospheric Chemistry and Physics, 2013, 13, 10353-10371. | 1.9 | 60 |
| 154 | Biomarkers of exposure in environment-wide association studies $\hat{a} \in$ Opportunities to decode the exposome using human biomonitoring data. Environmental Research, 2018, 164, 597-624. | 3.7 | 60 |
| 155 | Prenatal exposure to endocrine disrupting chemicals and risk of being born small for gestational age: Pooled analysis of seven European birth cohorts. Environment International, 2018, 115, 267-278. | 4.8 | 60 |
| 156 | Increasing the donor pool using en bloc pediatric kidneys for transplant. Transplantation, 2003, 76, 1180-1184. | 0.5 | 59 |
| 157 | Assessment of lifetime exposure to trihalomethanes through different routes. Occupational and Environmental Medicine, 2006, 63, 273-277. | 1.3 | 59 |
| 158 | We need a global science-policy body on chemicals and waste. Science, 2021, 371, 774-776. | 6.0 | 59 |
| 159 | Characterization of model evaporitic environments through the study of lipid components. Organic Geochemistry, 1990, 16, 815-828. | 0.9 | 58 |
| 160 | Sequential Method for the Field Determination of Nanomolar Concentrations of Dimethyl Sulfoxide in Natural Waters. Analytical Chemistry, 1996, 68, 1493-1498. | 3.2 | 58 |
| 161 | Holocene interdependences of changes in sea surface temperature, productivity, and fluvial inputs in the Iberian continental shelf (Tagus mud patch). Geochemistry, Geophysics, Geosystems, 2009, 10, . | 1.0 | 57 |
| 162 | Aliphatic and Aromatic Hydrocarbons in the Mediterranean Aerosol. International Journal of Environmental Analytical Chemistry, 1987, 29, 73-94. | 1.8 | 56 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|--------------------|
| 163 | Polybromodiphenyl ethers in mothers and their newborns from a non-occupationally exposed population (Valencia, Spain). Environment International, 2011, 37, 152-157. | 4.8 | 56 |
| 164 | Prediction of daily ozone concentration maxima in the urban atmosphere. Chemometrics and Intelligent Laboratory Systems, 2006, 80, 67-76. | 1.8 | 55 |
| 165 | Atmospheric polycyclic aromatic hydrocarbons in remote European and Atlantic sites located above the boundary mixing layer. Environmental Science and Pollution Research, 2010, 17, 1207-1216. | 2.7 | 55 |
| 166 | Background levels of atmospheric hydrocarbons, sulphate and nitrate over the western Mediterranean. Atmospheric Environment Part A General Topics, 1991, 25, 1463-1471. | 1.3 | 54 |
| 167 | A molecular isotopic study of 13C-enriched organic matter in evaporitic deposits: recognition of CO2-limited ecosystems. Organic Geochemistry, 2001, 32, 277-286. | 0.9 | 54 |
| 168 | Use of vitellogenin mRNA as a biomarker for endocrine disruption in feral and cultured fish. Analytical and Bioanalytical Chemistry, 2004, 378, 670-675. | 1.9 | 54 |
| 169 | Thyroid disruption at birth due to prenatal exposure to \hat{l}^2 -hexachlorocyclohexane. Environment International, 2008, 34, 737-740. | 4.8 | 54 |
| 170 | Low temperature hydrothermal maturation of organic matter in sediments from the Atlantis II Deep, Red Sea. Geochimica Et Cosmochimica Acta, 1987, 51, 879-894. | 1.6 | 53 |
| 171 | Gas Chromatographic Tuning of theUkâ€~37Paleothermometer. Analytical Chemistry, 1997, 69, 3329-3332. | 3.2 | 53 |
| 172 | Analysis of trace polycyclic aromatic hydrocarbons and organochlorine compounds in atmospheric residues by solid-phase disk extraction. Journal of Chromatography A, 1998, 823, 189-196. | 1.8 | 53 |
| 173 | Precessional forcing of productivity in the North Atlantic Ocean. Paleoceanography, 1998, 13, 561-571. | 3.0 | 53 |
| 174 | A critical review of marine sedimentary $\hat{1}3$ Corg-pCO2 estimates: New palaeorecords from the South China Sea and a revisit of other low-latitude $\hat{1}3$ Corg-pCO2 records. Global Biogeochemical Cycles, 2001, 15, 113-127. | 1.9 | 53 |
| 175 | The Roles of Food and Water in the Bioaccumulation of Organochlorine Compounds in High Mountain Lake Fish. Environmental Science & Eamp; Technology, 2004, 38, 4269-4275. | 4.6 | 53 |
| 176 | Primary productivity variability on the Atlantic Iberian Margin over the last 70,000 years: Evidence from coccolithophores and fossil organic compounds. Paleoceanography, 2010, 25, . | 3.0 | 53 |
| 177 | Traffic-Related Air Pollution, <i>APOE</i> \hat{l} µ4 Status, and Neurodevelopmental Outcomes among School Children Enrolled in the BREATHE Project (Catalonia, Spain). Environmental Health Perspectives, 2018, 126, 087001. | 2.8 | 53 |
| 178 | Gas chromatographic-mass spectrometric characterization of polycyclic aromatic hydrocarbon mixtures in polluted coastal sediments. Journal of Chromatography A, 1992, 607, 279-286. | 1.8 | 52 |
| 179 | Paleoproductivity variations related to climatic conditions in the Alboran Sea (western) Tj ETQq1 1 0.784314 rgBT Palaeoclimatology, Palaeoecology, 2001, 167, 337-357. | /Overlock 1.0 | 2 10 Tf 50 1 52 |
| 180 | Organochlorine compounds and concentrations of thyroid stimulating hormone in newborns. Occupational and Environmental Medicine, 2003, 60, 301-303. | 1.3 | 52 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Gulf Stream variability during marine isotope stage 3. Paleoceanography, 2004, 19, n/a-n/a. | 3.0 | 52 |
| 182 | Exposure to Trihalomethanes through Different Water Uses and Birth Weight, Small for Gestational Age, and Preterm Delivery in Spain. Environmental Health Perspectives, 2011, 119, 1824-1830. | 2.8 | 52 |
| 183 | Contrasting paleoceanographic conditions off Morocco during Heinrich events (1 and 2) and the Last Glacial Maximum. Quaternary Science Reviews, 2010, 29, 1923-1939. | 1.4 | 51 |
| 184 | Evaluating the neurotoxic effects of lactational exposure to persistent organic pollutants (POPs) in Spanish children. NeuroToxicology, 2013, 34, 9-15. | 1.4 | 51 |
| 185 | Chemical and carbon isotopic evolution of hydrocarbons during prograde metamorphism from 100°C to 550°C: Case study in the Liassic black shale formation of Central Swiss Alps. Geochimica Et Cosmochimica Acta, 2005, 69, 1825-1840. | 1.6 | 50 |
| 186 | Chlorophyll and carotenoid pigments in solar saltern microbial mats. Geochimica Et Cosmochimica Acta, 1994, 58, 4703-4715. | 1.6 | 49 |
| 187 | Sources and transformations of chlorophylls and carotenoids in a monomictic sulphate-rich karstic lake environment. Organic Geochemistry, 1994, 22, 739-757. | 0.9 | 49 |
| 188 | Assessment of the sample handling procedures in a labor-saving method for the analysis of organochlorine compounds in a large number of fish samples. Journal of Chromatography A, 1998, 823, 373-380. | 1.8 | 49 |
| 189 | Identification of water soluble and particle bound compounds causing sublethal toxic effects. A field study on sediments affected by a chlor-alkali industry. Aquatic Toxicology, 2009, 94, 16-27. | 1.9 | 49 |
| 190 | Maternal Origin and Other Determinants of Cord Serum Organochlorine Compound Concentrations in Infants from the General Population. Environmental Science & Environmental Science & 2010, 44, 6488-6495. | 4.6 | 49 |
| 191 | The C37 alkenone record of seawater temperature during seasonal thermocline stratification. Marine Chemistry, 1999, 64, 301-313. | 0.9 | 48 |
| 192 | Persistent organic pollutants in remote freshwater ecosystems. Aquatic Sciences, 2005, 67, 263-273. | 0.6 | 48 |
| 193 | Breastfeeding and concentrations of HCB and p,p′-DDE at the age of 1 year. Environmental Research, 2005, 98, 8-13. | 3.7 | 48 |
| 194 | Millennial surface water dynamics in the RÃa de Vigo during the last 3000 years as revealed by coccoliths and molecular biomarkers. Palaeogeography, Palaeoclimatology, Palaeoecology, 2005, 218, 1-13. | 1.0 | 48 |
| 195 | Molecular marker characterization of the organic composition of submicron aerosols from Mediterranean urban and rural environments under contrasting meteorological conditions. Atmospheric Environment, 2012, 61, 482-489. | 1.9 | 47 |
| 196 | Particle-related exposure, dose and lung cancer risk of primary school children in two European countries. Science of the Total Environment, 2018, 616-617, 720-729. | 3.9 | 47 |
| 197 | Polychlorinated biphenyls (PCBs) as sentinels for the elucidation of Arctic environmental change processes: a comprehensive review combined with ArcRisk project results. Environmental Science and Pollution Research, 2018, 25, 22499-22528. | 2.7 | 47 |
| 198 | Health Effects of Chronic High Exposure to Hexachlorobenzene in a General Population Sample. Archives of Environmental Health, 1999, 54, 102-109. | 0.4 | 46 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Sea surface temperature variability in the central-western Mediterranean Sea during the last 2700 years: a multi-proxy and multi-record approach. Climate of the Past, 2016, 12, 849-869. | 1.3 | 46 |
| 200 | Vehicle interior air quality conditions when travelling by taxi. Environmental Research, 2019, 172, 529-542. | 3.7 | 46 |
| 201 | C37 alkenone measurements of sea surface temperature in the Gulf of Lions (NW Mediterranean). Organic Geochemistry, 1999, 30, 557-566. | 0.9 | 45 |
| 202 | Modelling the dynamic air–water–sediment coupled fluxes and occurrence of polychlorinated biphenyls in a high altitude lake. Environmental Pollution, 2006, 140, 546-560. | 3.7 | 45 |
| 203 | Aspergillus fumigatus C-5 Sterol Desaturases Erg3A and Erg3B: Role in Sterol Biosynthesis and Antifungal Drug Susceptibility. Antimicrobial Agents and Chemotherapy, 2006, 50, 453-460. | 1.4 | 45 |
| 204 | PCBs and PBDEs in wild Chinook salmon (Oncorhynchus tshawytscha) in the Northern Patagonia, Chile. Chemosphere, 2010, 78, 1193-1199. | 4.2 | 45 |
| 205 | Prenatal exposure to organochlorine compounds and neuropsychological development up to two years of life. Environment International, 2012, 45, 72-77. | 4.8 | 45 |
| 206 | Assessment of petroleum pollution in a Mexican river by molecular markers and carbon isotope ratios. Marine Pollution Bulletin, 1987, 18, 284-289. | 2.3 | 44 |
| 207 | The decoupling of hydrocarbons and fatty acids in the dissolved and particulate water phases of a deltaic environment. Marine Chemistry, 1988, 25, 325-348. | 0.9 | 44 |
| 208 | Sea surface paleotemperature errors in UK′37estimation due to alkenone measurements near the limit of detection. Paleoceanography, 2001, 16, 226-232. | 3.0 | 44 |
| 209 | Pre-natal exposure to dichlorodiphenyldichloroethylene and infant lower respiratory tract infections and wheeze. European Respiratory Journal, 2012, 39, 1188-1196. | 3.1 | 44 |
| 210 | Prenatal Exposure to Polybrominated Flame Retardants and Fetal Growth in the INMA Cohort (Spain). Environmental Science & Envi | 4.6 | 44 |
| 211 | Petroleum geocghemistry of the Tarragona Basin (Spanish mediterranean off-shore). Organic Geochemistry, 1986, 10, 441-450. | 0.9 | 43 |
| 212 | Transformation of PBDE mixtures during sediment transport and resuspension in marine environments (Gulf of Lion, NW Mediterranean Sea). Environmental Pollution, 2012, 168, 87-95. | 3.7 | 43 |
| 213 | Analysis of metabolites of organophosphate and pyrethroid pesticides in human urine from urban and agricultural populations (Catalonia and Galicia). Science of the Total Environment, 2018, 622-623, 526-533. | 3.9 | 43 |
| 214 | Assessment of sea surface temperature variations in the central North Atlantic using the alkenone unsaturation index (U37k′). Geochimica Et Cosmochimica Acta, 1998, 62, 2421-2427. | 1.6 | 42 |
| 215 | Gestational Weight Gain and Exposure of Newborns to Persistent Organic Pollutants. Environmental Health Perspectives, 2014, 122, 873-879. | 2.8 | 42 |
| 216 | Mediterranean circulation perturbations over the last five centuries: Relevance to past Eastern Mediterranean Transient-type events. Scientific Reports, 2016, 6, 29623. | 1.6 | 42 |

| # | Article | IF | CITATIONS |
|-----|---|------------|-----------------|
| 217 | Aerosol transport of polynuclear aromatic hydrocarbons over the mediterranean sea. Die Naturwissenschaften, 1988, 75, 39-42. | 0.6 | 41 |
| 218 | Coccolithophore productivity and surface water dynamics in the Alboran Sea during the last 25 kyr. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 418, 126-140. | 1.0 | 41 |
| 219 | First report on organochlorine pesticides in water in a highly productive agro-industrial basin of the Central Valley, Chile. Chemosphere, 2017, 174, 148-156. | 4.2 | 41 |
| 220 | Occurrence and transformation of dissolved dimethyl sulfur species in stratified seawater (western) Tj ETQq0 0 | 0 rgBT /O\ | verlock 10 Tf 5 |
| 221 | Enhanced sensitivity in the analysis of trace organochlorine compounds by negative-ion mass spectrometry with ammonia as reagent gas. Journal of Chromatography A, 1998, 823, 73-79. | 1.8 | 40 |
| 222 | A detailed comparison of the Uk′37 and coccolith records over the past 290 kyears: implications to the alkenone paleotemperature method. Organic Geochemistry, 2002, 33, 897-905. | 0.9 | 40 |
| 223 | Method for integrated analysis of polycyclic aromatic hydrocarbons and organochlorine compounds in fish liver. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 768, 247-254. | 1.2 | 40 |
| 224 | Hydrous pyrolysis of cholesterol under various conditions. Organic Geochemistry, 2003, 34, 799-812. | 0.9 | 40 |
| 225 | Prenatal exposure to organochlorine compounds and neonatal thyroid stimulating hormone levels. Journal of Exposure Science and Environmental Epidemiology, 2010, 20, 579-588. | 1.8 | 40 |
| 226 | Toxicity assessment of polycyclic aromatic hydrocarbons in sediments from European high mountain lakes. Ecotoxicology and Environmental Safety, 2010, 73, 559-564. | 2.9 | 40 |
| 227 | Secondary organic aerosol origin in an urban environment: influence of biogenic and fuel combustion precursors. Faraday Discussions, 2016, 189, 337-359. | 1.6 | 40 |
| 228 | Mercury concentrations in lean fish from the Western Mediterranean Sea: Dietary exposure and risk assessment in the population of the Balearic Islands. Environmental Research, 2017, 158, 16-23. | 3.7 | 40 |
| 229 | Volatile organic compounds in two polluted rivers in Barcelona (Catalonia, Spain). Water Research, 1991, 25, 577-589. | 5.3 | 39 |
| 230 | Differences in serum concentrations of organochlorine compounds by occupational social class in pancreatic cancer. Environmental Research, 2008, 108, 370-379. | 3.7 | 39 |
| 231 | Massive accumulation of highly polluted sedimentary deposits by river damming. Science of the Total Environment, 2014, 497-498, 369-381. | 3.9 | 39 |
| 232 | Environmental and personal determinants of the uptake of disinfection by-products during swimming. Environmental Research, 2016, 149, 206-215. | 3.7 | 39 |
| 233 | Identification of soybean dust as an epidemic asthma agent in urban areas by molecular marker and RAST analysis of aerosols. Journal of Allergy and Clinical Immunology, 1991, 88, 124-134. | 1.5 | 38 |
| 234 | Analysis of whole congener mixtures of polybromodiphenyl ethers by gas chromatography–mass spectrometry in both environmental and biological samples at femtogram levels. Journal of Chromatography A, 2009, 1216, 5045-5051. | 1.8 | 38 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Longitudinal association between early life socio-environmental factors and attention function at the age 11 years. Environmental Research, 2012, 117, 54-59. | 3.7 | 38 |
| 236 | Field sampling and analysis of volatile reduced sulphur compounds in air, water and wet sediments by cryogenic trapping and gas chromatography. Journal of Chromatography A, 1993, 655, 301-307. | 1.8 | 37 |
| 237 | Differences in lipid and organic salt constituents of aerosols from eastern and western mediterranean coastal cities. Atmospheric Environment, 1994, 28, 1301-1310. | 1.9 | 37 |
| 238 | Ergosterol biosynthesis in novel melanized fungi from hypersaline environments. Journal of Lipid Research, 2001, 42, 352-358. | 2.0 | 37 |
| 239 | Bacterial and algal markers in sedimentary organic matter deposited under natural sulphurization conditions (Lorca Basin, Murcia, Spain). Organic Geochemistry, 1997, 26, 605-625. | 0.9 | 36 |
| 240 | Polychlorinated biphenyl partitioning in the waters of a remote mountain lake. Science of the Total Environment, 2001, 279, 51-62. | 3.9 | 36 |
| 241 | Climate fluctuations during the Holocene in NW Iberia: High and low latitude linkages. Continental Shelf Research, 2010, 30, 1487-1496. | 0.9 | 36 |
| 242 | Particle size-resolved source apportionment of primary and secondary organic tracer compounds at urban and rural locations in Spain. Atmospheric Chemistry and Physics, 2015, 15, 7735-7752. | 1.9 | 36 |
| 243 | The resolution of chromatograms with overlapping peaks by means of different statistical functions. Analytica Chimica Acta, 1982, 139, 155-166. | 2.6 | 35 |
| 244 | Correcting serum concentrations of organochlorine compounds by lipids: Alternatives to the organochlorine/total lipids ratio. Environment International, 2009, 35, 1080-1085. | 4.8 | 35 |
| 245 | Integrated analysis of halogenated organic pollutants in sub-millilitre volumes of venous and umbilical cord blood sera. Analytical and Bioanalytical Chemistry, 2010, 396, 2265-2272. | 1.9 | 35 |
| 246 | Blood biomarkers and contaminant levels in feathers and eggs to assess environmental hazards in heron nestlings from impacted sites in Ebro basin (NE Spain). Environmental Pollution, 2010, 158, 704-710. | 3.7 | 35 |
| 247 | 13 C-contents of sedimentary bacterial lipids in a shallow sulfidic monomictic lake (Lake Cisó, Spain). Organic Geochemistry, 2000, 31, 777-786. | 0.9 | 34 |
| 248 | Fingerprinting of Cretaceous higher plant resins by infrared spectroscopy and gas chromatography coupled to mass spectrometry. Phytochemical Analysis, 2005, 16, 446-450. | 1.2 | 34 |
| 249 | Polychlorinated biphenyls in mountain pine (Pinus uncinata) needles from Central Pyrenean high mountains (Catalonia, Spain). Ecotoxicology and Environmental Safety, 2006, 63, 61-67. | 2.9 | 34 |
| 250 | Coherent millennialâ€scale patterns in U ₃₇ ^{k′} and TEX ₈₆ ^H temperature records during the penultimate interglacialâ€toâ€glacial cycle in the western Mediterranean. Paleoceanography, 2011, 26, . | 3.0 | 34 |
| 251 | Enantiomeric fraction and isomeric composition to assess sources of DDT residues in soils. Chemosphere, 2015, 138, 40-46. | 4.2 | 34 |
| 252 | A Children's Health Perspective on Nano- and Microplastics. Environmental Health Perspectives, 2022, 130, 15001. | 2.8 | 34 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | Predominance of even carbon-numbered n-alkanes in coal seam samples of Nograd Basin (Hungary). Die Naturwissenschaften, 1986, 73, 729-731. | 0.6 | 33 |
| 254 | Microbial degradation of marine evaporitic crude oils. Geochimica Et Cosmochimica Acta, 1991, 55, 1903-1913. | 1.6 | 33 |
| 255 | Volatile and semi-volatile organochlorine compounds in tap and riverine waters in the area of influence of a chlorinated organic solvent factory. Water Research, 1996, 30, 1876-1884. | 5.3 | 33 |
| 256 | Pitfalls in the chromatographic determination of the alkenone U37k index for paleotemperature estimation. Journal of Chromatography A, 1996, 723, 285-291. | 1.8 | 33 |
| 257 | Estrogenic Activity in Sediments from European Mountain Lakes. Environmental Science & Emp; Technology, 2005, 39, 1427-1435. | 4.6 | 33 |
| 258 | Differential embryotoxicity of the organic pollutants in rural andÂurban air particles. Environmental Pollution, 2015, 206, 535-542. | 3.7 | 33 |
| 259 | Organochlorine Compounds and Ultrasound Measurements of Fetal Growth in the INMA Cohort (Spain). Environmental Health Perspectives, 2016, 124, 157-163. | 2.8 | 33 |
| 260 | Ascending and descending fluxes of lipid compounds in North Atlantic and North Pacific abyssal waters. Nature, 1990, 345, 147-150. | 13.7 | 32 |
| 261 | Meconium and neurotoxicants: searching for a prenatal exposure timing. Archives of Disease in Childhood, 2006, 91, 642-646. | 1.0 | 32 |
| 262 | Influence of Glutathione S -Transferase Polymorphisms on Cognitive Functioning Effects Induced by p,p $\hat{a}\in^2$ -DDT among Preschoolers. Environmental Health Perspectives, 2008, 116, 1581-1585. | 2.8 | 32 |
| 263 | Inverse age-dependent accumulation of decabromodiphenyl ether and other PBDEs in serum from a general adult population. Environment International, 2013, 54, 119-127. | 4.8 | 32 |
| 264 | Acute changes in serum immune markers due to swimming in a chlorinated pool. Environment International, $2017, 105, 1-11$. | 4.8 | 32 |
| 265 | The composition of volatile and particulate hydrocarbons in urban air. Fresenius' Journal of Analytical Chemistry, 1991, 339, 689-698. | 1.5 | 31 |
| 266 | Geochemical correlation of oil from the Ayoluengo field to Liassic black shale units in the southwestern Basque-Cantabrian Basin (northern Spain). Organic Geochemistry, 1997, 27, 25-40. | 0.9 | 31 |
| 267 | Beneficial Effects of Breastfeeding on Cognition Regardless of DDT Concentrations at Birth. American Journal of Epidemiology, 2007, 166, 1198-1202. | 1.6 | 31 |
| 268 | Concentration Changes of Organochlorine Compounds and Polybromodiphenyl Ethers during Metamorphosis of Aquatic Insects. Environmental Science & Enviro | 4.6 | 31 |
| 269 | Pentachlorobenzene, hexachlorobenzene, and pentachlorophenol in children's serum from industrial and rural populations after restricted use. Ecotoxicology and Environmental Safety, 2008, 71, 260-266. | 2.9 | 31 |
| 270 | A latitudinal productivity band in the central North Atlantic over the last 270 kyr: An alkenone perspective. Paleoceanography, 2001, 16, 617-626. | 3.0 | 30 |

| # | Article | IF | Citations |
|-----|--|----------|--------------|
| 271 | Polycyclic Aromatic Hydrocarbons in Soils from European High Mountain Areas. Water, Air, and Soil Pollution, 2011, 215, 655-666. | 1.1 | 30 |
| 272 | A 500 kyr record of global sea-level oscillations in the Gulf of Lion, Mediterranean Sea: new insights into MIS 3 sea-level variability. Climate of the Past, 2012, 8, 1067-1077. | 1.3 | 30 |
| 273 | Prenatal exposure to polychlorinated biphenyls and child neuropsychological development in 4-year-olds: An analysis per congener and specific cognitive domain. Science of the Total Environment, 2012, 432, 338-343. | 3.9 | 30 |
| 274 | Langmuir-derived equations for the prediction of solid adsorbent breakthrough volumes of volatile organic compounds in atmospheric emission effluents. Analytical Chemistry, 1993, 65, 1048-1053. | 3.2 | 29 |
| 275 | Remote mountain lakes as indicators of diffuse acidic and organic pollution in the Iberian peninsula (AL:PE 2 studies). Water, Air, and Soil Pollution, 1995, 85, 487-492. | 1.1 | 29 |
| 276 | PAH Distributions in Sediments from High Mountain Lakes. Polycyclic Aromatic Compounds, 1996, 9, 121-128. | 1.4 | 29 |
| 277 | GC and GC–MS characterization of crude oil transformation in sediments and microbial mat samples after the 1991 oil spill in the Saudi Arabian Gulf coast. Environmental Pollution, 2006, 139, 523-531. | 3.7 | 29 |
| 278 | Polycyclic aromatic hydrocarbons in lake sediments from the High Tatras. Environmental Pollution, 2011, 159, 1234-1240. | 3.7 | 29 |
| 279 | Atmospheric patterns driving Holocene productivity in the Alboran Sea (Western Mediterranean): A multiproxy approach. Holocene, 2015, 25, 583-595. | 0.9 | 29 |
| 280 | DOUBLE RENAL TRANSPLANT FROM INFANT DONORS. Transplantation, 1996, 61, 37-40. | 0.5 | 29 |
| 281 | Origin and diagenesis of the organic matter in Miocene freshwater lacustrine phosphates (Cerdanya) Tj ETQq1 1 | 0.784314 | rgBT /Overlo |
| 282 | Source input elucidation in aquatic systems by factor and principal component analysis of molecular marker data. Analytica Chimica Acta, 1993, 278, 159-176. | 2.6 | 28 |
| 283 | Large and small particle size screening of organic compounds in urban air. Atmospheric Environment Part B Urban Atmosphere, 1993, 27, 251-263. | 0.5 | 28 |
| 284 | Deposition of Semi-Volatile Organochlorine Compounds in the Free Troposphere of the Eastern North Atlantic Ocean. Marine Pollution Bulletin, 2001, 42, 628-634. | 2.3 | 28 |
| 285 | Altitudinal distributions of BDE-209 and other polybromodiphenyl ethers in high mountain lakes. Environmental Pollution, 2011, 159, 1816-1822. | 3.7 | 28 |
| 286 | Role of Dense Shelf Water Cascading in the Transfer of Organochlorine Compounds to Open Marine Waters. Environmental Science & | 4.6 | 28 |
| 287 | Hexachlorocyclohexanes in human blood serum. Journal of Chromatography A, 1997, 778, 87-94. | 1.8 | 27 |
| 288 | Sterols of melanized fungi from hypersaline environments. Organic Geochemistry, 2000, 31, 1031-1040. | 0.9 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Serum organochlorines and urinary porphyrin pattern in a population highly exposed to hexachlorobenzene. Environmental Health, 2002, $1,1.$ | 1.7 | 27 |
| 290 | DISTRIBUTION OF POLYCYCLIC AROMATIC HYDROCARBONS IN THE FOOD WEB OF A HIGH MOUNTAIN LAKE, PYRENEES, CATALONIA, SPAIN. Environmental Toxicology and Chemistry, 2005, 24, 1344. | 2.2 | 27 |
| 291 | Distribution of organochlorine compounds in superficial sediments from the Gulf of Lion, northwestern Mediterranean Sea. Progress in Oceanography, 2013, 118, 235-248. | 1.5 | 27 |
| 292 | Associations between blood persistent organic pollutants and 25-hydroxyvitamin D3 in pregnancy. Environment International, 2013, 57-58, 34-41. | 4.8 | 27 |
| 293 | Presenting SAPUSS: Solving Aerosol Problem by Using Synergistic Strategies in Barcelona, Spain. Atmospheric Chemistry and Physics, 2013, 13, 8991-9019. | 1.9 | 27 |
| 294 | Evaluation of atmospheric inputs as possible sources of antimony in pregnant women from urban areas. Science of the Total Environment, 2016, 544, 391-399. | 3.9 | 27 |
| 295 | Changes in the composition of polar and apolar crude oil fractions under the action of Microcoleus consortia. Applied Microbiology and Biotechnology, 2004, 66, 226-232. | 1.7 | 26 |
| 296 | Input of organochlorine compounds by snow to European high mountain lakes. Freshwater Biology, 2009, 54, 2533-2542. | 1.2 | 26 |
| 297 | An evaluation of the sexual differences in the accumulation of organochlorine compounds in children at birth and at the age of 4 years. Environmental Research, 2010, 110, 244-250. | 3.7 | 26 |
| 298 | Pollutant Dehalogenation Capability May Depend on the Trophic Evolutionary History of the Organism: PBDEs in Freshwater Food Webs. PLoS ONE, 2012, 7, e41829. | 1.1 | 26 |
| 299 | Seasonal and spatial variation of organic tracers for biomass burning in PM1 aerosols from highly insolated urban areas. Environmental Science and Pollution Research, 2014, 21, 11661-11670. | 2.7 | 26 |
| 300 | Broad spectrum analysis of polar and apolar organic compounds in submicron atmospheric particles. Journal of Chromatography A, 2015, 1404, 28-38. | 1.8 | 26 |
| 301 | Integrated assessment of infant exposure to persistent organic pollutants and mercury via dietary intake in a central western Mediterranean site (Menorca Island). Environmental Research, 2017, 156, 714-724. | 3.7 | 26 |
| 302 | Exposure to disinfection by-products in swimming pools and biomarkers of genotoxicity and respiratory damage – The PISCINA2 Study. Environment International, 2019, 131, 104988. | 4.8 | 26 |
| 303 | Mother/child organophosphate and pyrethroid distributions. Environment International, 2020, 134, 105264. | 4.8 | 26 |
| 304 | Dietary and Household Sources of Prenatal Exposure to Polybrominated Diphenyl Ethers (PBDEs) in the INMA Birth Cohort (Spain). Environmental Science & Eamp; Technology, 2016, 50, 5935-5944. | 4.6 | 25 |
| 305 | Exposure to metals and metalloids among pregnant women from Spain: Levels and associated factors. Chemosphere, 2022, 286, 131809. | 4.2 | 25 |
| 306 | Amino acid composition of sediments from a deltaic environment. Marine Chemistry, 1983, 14, 61-71. | 0.9 | 24 |

| # | Article | IF | Citations |
|-----|---|---------------------|-------------|
| 307 | Insolation dependence of the southeastern subtropical Pacific sea surface temperature over the last 400 kyrs. Geophysical Research Letters, 2001, 28, 2481-2484. | 1.5 | 24 |
| 308 | Abrupt wind regime changes in the North Atlantic Ocean during the past 30,000-60,000 years. Paleoceanography, 2006, 21, . | 3.0 | 24 |
| 309 | Influence of tumor stage, symptoms, and time of blood draw on serum concentrations of organochlorine compounds in exocrine pancreatic cancer. Cancer Causes and Control, 2009, 20, 1893-1906. | 0.8 | 24 |
| 310 | New method for determination of trihalomethanes in exhaled breath: Applications to swimming pool and bath environments. Analytica Chimica Acta, 2010, 662, 23-30. | 2.6 | 24 |
| 311 | Patterns of water use and exposure to trihalomethanes among children in Spain. Environmental Research, 2010, 110, 571-579. | 3.7 | 24 |
| 312 | Blood transcriptional and microRNA responses to short-term exposure to disinfection by-products in a swimming pool. Environment International, 2018, 110, 42-50. | 4.8 | 24 |
| 313 | Drivers of maternal accumulation of organohalogen pollutants in Arctic areas (Chukotka, Russia) and 4,4′-DDT effects on the newborns. Environment International, 2019, 124, 541-552. | 4.8 | 24 |
| 314 | Urinary metabolites of organophosphate and pyrethroid pesticides in children from an Italian cohort (PHIME, Trieste). Environmental Research, 2019, 176, 108508. | 3.7 | 24 |
| 315 | Organic geochemistry of Cuban oils—l. The northern geological province. Organic Geochemistry, 1996, 25, 475-488. | 0.9 | 23 |
| 316 | Title is missing!. Water, Air and Soil Pollution, 2002, 2, 261-274. | 0.8 | 23 |
| 317 | Climatic dependence of the organic matter contributions in the north eastern Norwegian Sea over the last 15,000 years. Organic Geochemistry, 2003, 34, 1057-1070. | 0.9 | 23 |
| 318 | Oil-contamination effects on a hypersaline microbial mat community (Camargue, France) as studied with microsensors and geochemical analysis. Ophelia, 2004, 58, 135-150. | 0.3 | 23 |
| 319 | Global climate change, widening health inequalities, and epidemiology. International Journal of Epidemiology, 2006, 35, 213-216. | 0.9 | 23 |
| 320 | Physiological Response to Persistent Organic Pollutants in Fish from Mountain Lakes:Â Analysis of Cyp1A Gene Expression in Natural Populations of Salmo trutta. Environmental Science & Emp; Technology, 2007, 41, 5154-5160. | 4.6 | 23 |
| 321 | Assessment of the environmental and physiological processes determining the accumulation of organochlorine compounds in European mountain lake fish through multivariate analysis (PCA and) Tj ETQq $1\ 1\ 0$ | .7 8.4 314 r | gBI3/Overlo |
| 322 | Background fish feminization effects in European remote sites. Scientific Reports, 2015, 5, 11292. | 1.6 | 23 |
| 323 | Interdependence between urinary cobalt concentrations and hemoglobin levels in pregnant women. Environmental Research, 2015, 136, 148-154. | 3.7 | 23 |
| 324 | Influence of electronic cigarette vaping on the composition of indoor organic pollutants, particles, and exhaled breath of bystanders. Environmental Science and Pollution Research, 2019, 26, 4654-4666. | 2.7 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Sulphur-binding in recent environments. I. Lipid by-products from Ni2B desulphurization. Organic Geochemistry, 1996, 25, 353-365. | 0.9 | 22 |
| 326 | Response to the Comment on "Influence of Soot Carbon on the Soilâ^'Air Partitioning of Polycyclic Aromatic Hydrocarbons― Environmental Science & Environmental Science & Robert 100, 2004, 38, 1624-1625. | 4.6 | 22 |
| 327 | Passive sampling of atmospheric organochlorine compounds by SPMDs in a remote high mountain area. Atmospheric Environment, 2005, 39, 5195-5204. | 1.9 | 22 |
| 328 | Long chain alkenones in hypersaline and marine coastal microbial mats. Organic Geochemistry, 2005, 36, 861-872. | 0.9 | 22 |
| 329 | Role of cyanobacteria in oil biodegradation by microbial mats. International Biodeterioration and Biodegradation, 2006, 58, 186-195. | 1.9 | 22 |
| 330 | Seasonal fluxes and temperature-dependent accumulation of persistent organic pollutants in lakes: The role of internal biogeochemical cycling. Environmental Pollution, 2009, 157, 1815-1822. | 3.7 | 22 |
| 331 | Human Health Risk Assessment of Environmental Exposure to Organochlorine Compounds in the Catalan Stretch of the Ebro River, Spain. Bulletin of Environmental Contamination and Toxicology, 2009, 83, 662-667. | 1.3 | 22 |
| 332 | Integrated biological and chemical analysis of organochlorine compound pollution and of its biological effects in a riverine system downstream the discharge point. Science of the Total Environment, 2010, 408, 5592-5599. | 3.9 | 22 |
| 333 | Influence of socio-demographic and diet determinants on the levels of mercury in preschool children from a Mediterranean island. Environmental Pollution, 2013, 182, 291-298. | 3.7 | 22 |
| 334 | Persistent organic pollutant accumulation in seasonal snow along an altitudinal gradient in the Tyrolean Alps. Environmental Science and Pollution Research, 2014, 21, 12638-12650. | 2.7 | 22 |
| 335 | Size-distribution of airborne polycyclic aromatic hydrocarbons and other organic source markers in the surroundings of a cement plant powered with alternative fuels. Science of the Total Environment, 2016, 550, 1057-1064. | 3.9 | 22 |
| 336 | Unexpected weak seasonal climate in the western Mediterranean region during MIS 31, a high-insolation forced interglacial. Quaternary Science Reviews, 2017, 161, 1-17. | 1.4 | 22 |
| 337 | Influence of maternal and sociodemographic characteristics on the accumulation of organohalogen compounds in Argentinian women. The EMASAR study. Environmental Research, 2017, 158, 759-767. | 3.7 | 22 |
| 338 | Prenatal Exposure to Persistent Organic Pollutants and Anogenital Distance in Children at 18 Months. Hormone Research in Paediatrics, 2018, 90, 116-122. | 0.8 | 22 |
| 339 | Assessment of Organic Source Contributions in Coastal Waters by Principal Component and Factor Analysis of the Dissolved and Particulate Hydrocarbon and Fatty Acid Contents. International Journal of Environmental Analytical Chemistry, 1990, 38, 305-320. | 1.8 | 21 |
| 340 | Climatic cycles as expressed in sediments of the PROMESS1 borehole PRAD1â€2, central Adriatic, for the last 370 ka: 2. Paleoenvironmental evolution. Geochemistry, Geophysics, Geosystems, 2008, 9, . | 1.0 | 21 |
| 341 | Optimization of a heart-cutting multidimensional gas chromatography-based method for the assessment of enantiomeric fractions of o,p′-DDT in environmental samples. Journal of Chromatography A, 2009, 1216, 6141-6145. | 1.8 | 21 |
| 342 | Atmospheric deposition of polybromodiphenyl ethers in remote mountain regions of Europe. Atmospheric Chemistry and Physics, 2014, 14, 4441-4457. | 1.9 | 21 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 343 | Novel C-ring cleaved triterpenoid-derived aromatic hydrocarbons in Tertiary brown coals. Geochimica Et Cosmochimica Acta, 1991, 55, 3379-3385. | 1.6 | 20 |
| 344 | Spatial and temporal variance of hydrocarbon pollution data in a coastal river-influenced sedimentary system. Environmental Science & Environmental Sc | 4.6 | 20 |
| 345 | Gas chromatographic screening of organic compounds in urban aerosols. Journal of Chromatography A, 1992, 607, 261-270. | 1.8 | 20 |
| 346 | Urinary Porphyrin Excretion in a Human Population Highly Exposed to Hexachlorobenzene. Archives of Dermatology, 1999, 135, 400-4. | 1.7 | 20 |
| 347 | Phenyl- and cyclopentylimino derivatization for double bond location in unsaturated C37-C40 alkenones by GC-MS. Journal of the American Society for Mass Spectrometry, 2004, 15, 1161-1172. | 1.2 | 20 |
| 348 | Polycyclic aromatic hydrocarbons in pine needles (Pinus halepensis) along a spatial gradient between a traffic intensive urban area (Barcelona) and a nearby natural park. Atmospheric Pollution Research, 2014, 5, 398-403. | 1.8 | 20 |
| 349 | Temporal trends in concentrations and total serum burdens of organochlorine compounds from birth until adolescence and the role of breastfeeding. Environment International, 2015, 74, 144-151. | 4.8 | 20 |
| 350 | Upward and downward flux of particulate organic material in abyssal waters of the Pacific Ocean. Die Naturwissenschaften, 1986, 73, 322-325. | 0.6 | 19 |
| 351 | Chemical affinities between the solvent extractable and the bulk organic matter of fossil resin associated with an extinct podocarpaceae. Phytochemistry, 1989, 28, 1167-1171. | 1.4 | 19 |
| 352 | Lipids of soil humic acids. I. The hymatomelanic acid fraction. Science of the Total Environment, 1989, 81-82, 409-420. | 3.9 | 19 |
| 353 | The lipid composition of the Western Mediterranean aerosol. Fresenius' Journal of Analytical Chemistry, 1991, 339, 757-764. | 1.5 | 19 |
| 354 | Free and sulphurized hopanoids and highly branched isoprenoids in immature lacustrine oil shales. Organic Geochemistry, 1997, 27, 41-63. | 0.9 | 19 |
| 355 | Bile acids and sterols in urban sewage treatment plants. Journal of Chromatography A, 2001, 927, 155-160. | 1.8 | 19 |
| 356 | The influence of lipid and lifestyle factors upon correlations between highly prevalent organochlorine compounds in patients with exocrine pancreatic cancer. Environment International, 2007, 33, 946-954. | 4.8 | 19 |
| 357 | Microcosm experiments of oil degradation by microbial mats. II. The changes in microbial species. Science of the Total Environment, 2008, 393, 39-49. | 3.9 | 19 |
| 358 | Developmental effects of aerosols and coal burning particles in zebrafish embryos. Environmental Pollution, 2013, 178, 72-79. | 3.7 | 19 |
| 359 | Association between exposure to organochlorine compounds and maternal thyroid status: Role of the iodothyronine deiodinase 1 gene. Environment International, 2017, 104, 83-90. | 4.8 | 19 |
| 360 | Drivers of the accumulation of mercury and organochlorine pollutants in Mediterranean lean fish and dietary significance. Science of the Total Environment, 2018, 634, 170-180. | 3.9 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|--------------|
| 361 | Recent contributions of high resolution gas chromatography to the analysis of environmental hydrocarbons. Journal of High Resolution Chromatography, 1983, 6, 605-611. | 2.0 | 18 |
| 362 | An experimental study of the efficiency of different statistical functions for the resolution of chromatograms with overlapping peaks. Analytica Chimica Acta, 1987, 201, 193-205. | 2.6 | 18 |
| 363 | Water-Phase distribution of hexachlorobenzene in a deltaic environment (Ebre Delta, Western) Tj ETQq1 1 0.784 | 1314 rgBT 4.2 | /Oyerlock 10 |
| 364 | Vapor-particle partitioning of hydrocarbons in Western Mediterranean urban and marine atmospheres. Mikrochimica Acta, 1991, 104, 13-27. | 2.5 | 18 |
| 365 | Rapid and simplified method for the analysis of polychloronaphthalene congener distributions in environmental and human samples by gas chromatography coupled to negative ion chemical ionization mass spectrometry. Journal of Chromatography A, 2006, 1118, 271-277. | 1.8 | 18 |
| 366 | Microcosm experiments of oil degradation by microbial mats. Science of the Total Environment, 2006, 357, 12-24. | 3.9 | 18 |
| 367 | The relative influence of diet and serum concentrations of organochlorine compounds on K-ras mutations in exocrine pancreatic cancer. Chemosphere, 2010, 79, 686-697. | 4.2 | 18 |
| 368 | Prenatal exposure to hexachlorobenzene (HCB) and reproductive effects in a multicentre birth cohort in Spain. Science of the Total Environment, 2014, 466-467, 770-776. | 3.9 | 18 |
| 369 | Influence of physical activity in the intake of trihalomethanes in indoor swimming pools. Environmental Research, 2015, 140, 292-299. | 3.7 | 18 |
| 370 | Svalbard ice-sheet decay after the Last Glacial Maximum: New insights from micropalaeontological and organic biomarker paleoceanographical reconstructions. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 465, 225-236. | 1.0 | 18 |
| 371 | Drivers of atmospheric deposition of polycyclic aromatic hydrocarbons at European high-altitude sites. Atmospheric Chemistry and Physics, 2018, 18, 16081-16097. | 1.9 | 18 |
| 372 | Origin of polycyclic aromatic hydrocarbons and other organic pollutants in the air particles of subway stations in Barcelona. Science of the Total Environment, 2018, 642, 148-154. | 3.9 | 18 |
| 373 | Spread of SARS-CoV-2 in hospital areas. Environmental Research, 2022, 204, 112074. | 3.7 | 18 |
| 374 | Parallelisms between sea surface temperature changes in the western tropical Atlantic (Guiana Basin) and high latitude climate signals over the last 140 000 years. Climate of the Past, 2015, 11, 1297-1311. | 1.3 | 18 |
| 375 | Combined fatty acids and amino acids in the dissolved + colloidal and particulate fractions of the waters from a dystrophic lake. Organic Geochemistry, 1995, 23, 343-353. | 0.9 | 17 |
| 376 | The response of SST to insolation and ice sheet variability from MIS 3 to MIS 11 in the northwestern Mediterranean Sea (Gulf of Lions). Geophysical Research Letters, 2015, 42, 10,366. | 1.5 | 17 |
| 377 | Particle sources and downward fluxes in the eastern Fram strait under the influence of the west Spitsbergen current. Deep-Sea Research Part I: Oceanographic Research Papers, 2015, 103, 49-63. | 0.6 | 17 |
| 378 | Comparative toxicity and endocrine disruption potential of urban and rural atmospheric organic PM 1 in JEG-3 human placental cells. Environmental Pollution, 2017, 230, 378-386. | 3.7 | 17 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 379 | Changes of organochlorine compound concentrations in maternal serum during pregnancy and comparison to serum cord blood composition. Environmental Research, 2020, 182, 108994. | 3.7 | 17 |
| 380 | Gas chromatographic determination of isoprenoid alkylglycerol diethers in archaebacterial cultures and environmental samples. Journal of Chromatography A, 1992, 607, 253-259. | 1.8 | 16 |
| 381 | On-Line LCâ^'MS Analysis of Urinary Porphyrins. Analytical Chemistry, 2000, 72, 4874-4877. | 3.2 | 16 |
| 382 | Organic geochemistry of the oils from the southern geological Province of Cuba. Applied Geochemistry, 2002, 17, 1-10. | 1.4 | 16 |
| 383 | Characterization of an oil-degrading Microcoleus consortium by means of confocal scanning microscopy, scanning electron microscopy and transmission electron microscopy. Scanning, 2005, 27, 176-180. | 0.7 | 16 |
| 384 | Estrogenic activity associated with organochlorine compounds in fish extracts from European mountain lakes. Environmental Pollution, 2007, 145, 745-752. | 3.7 | 16 |
| 385 | Brown Trout in Lochnagar: Population and Contamination by Metals and Organic Micropollutants. , 2007, , 253-285. | | 16 |
| 386 | The Spanish Environment and Childhood Research Network (INMA study). International Journal of Hygiene and Environmental Health, 2007, 210, 491-493. | 2.1 | 16 |
| 387 | Assessment of prenatal exposure to persistent organohalogen compounds from cord blood serum analysis in two Mediterranean populations (Valencia and Menorca). Journal of Environmental Monitoring, 2011, 13, 422-432. | 2.1 | 16 |
| 388 | Assessment of dioxin-like activity in ambient air particulate matter using recombinant yeast assays. Atmospheric Environment, 2011, 45, 271-274. | 1.9 | 16 |
| 389 | Concentration of DDT compounds in breast milk from African women (Manhiça, Mozambique) at the early stages of domestic indoor spraying with this insecticide. Chemosphere, 2011, 85, 307-314. | 4.2 | 16 |
| 390 | Increasing and decreasing trends of the atmospheric deposition of organochlorine compounds in European remote areas during the last decade. Atmospheric Chemistry and Physics, 2015, 15, 6069-6085. | 1.9 | 16 |
| 391 | Association between pre/perinatal exposure to POPs and children's anogenital distance at age 4 years: A study from the INMA-Asturias cohort. International Journal of Hygiene and Environmental Health, 2020, 229, 113563. | 2.1 | 16 |
| 392 | Distribution of aliphatic, aromatic and chlorinated hydrocarbons in mussels from the Spanish Atlantic coast (Galicia). An assessment of pollution parameters. Chemosphere, 1989, 19, 1489-1498. | 4.2 | 15 |
| 393 | In pancreatic ductal adenocarcinoma blood concentrations of some organochlorine compounds and coffee intake are independently associated with KRAS mutations. Mutagenesis, 2009, 24, 513-521. | 1.0 | 15 |
| 394 | Proxy calibration to instrumental data set: Implications for paleoceanographic reconstructions. Geochemistry, Geophysics, Geosystems, 2009, 10, . | 1.0 | 15 |
| 395 | Source apportionment of urban PM1 in Barcelona during SAPUSS using organic and inorganic components. Environmental Science and Pollution Research, 2019, 26, 32114-32127. | 2.7 | 15 |
| 396 | Source Apportionment of Inorganic and Organic PM in the Ambient Air around a Cement Plant: Assessment of Complementary Tools. Aerosol and Air Quality Research, 2016, 16, 3230-3242. | 0.9 | 15 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 397 | Resolution of overlapping peaks in gas and liquid chromatography. Analytica Chimica Acta, 1989, 219, 257-272. | 2.6 | 14 |
| 398 | Dissimilar microbial hydrocarbon transformation processes in the sediment and water column of a tropical bay (Havana Bay, Cuba). Marine Pollution Bulletin, 1989, 20, 262-268. | 2.3 | 14 |
| 399 | Lipid and mineralogical composition of the Cretaceous black shale deposits of the Fardes Formation (southern Iberian Paleomargin, Betic Cordillera, south Spain). Chemical Geology, 1990, 82, 341-363. | 1.4 | 14 |
| 400 | Monitoring of hazardous waste dumps by the study of metals and solvent-soluble organic chemicals. Chemosphere, 1991, 22, 913-928. | 4.2 | 14 |
| 401 | Carbon isotope ratio monitoring-gas chromatography mass spectrometric measurements in the marine environment: biomarker sources and paleoclimate applications. Science of the Total Environment, 1999, 237-238, 473-481. | 3.9 | 14 |
| 402 | Identification and quantification of n-octyl esters of alkanoic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areasâ~†. Journal of Chromatography A, 2004, 1046, 203-210. | 1.8 | 14 |
| 403 | Reassessment of the structural composition of the alkenone distributions in natural environments using an improved method for double bond location based on GC-MS analysis of cyclopropylimines. Journal of the American Society for Mass Spectrometry, 2006, 17, 710-720. | 1.2 | 14 |
| 404 | In utero and post-natal accumulation of organochlorine compounds in children under different environmental conditions. Journal of Environmental Monitoring, 2007, 9, 523. | 2.1 | 14 |
| 405 | Urinary Porphyrin Excretion in Children is Associated with Exposure to Organochlorine Compounds. Environmental Health Perspectives, 2008, 116, 1407-1410. | 2.8 | 14 |
| 406 | Gas chromatographic–mass spectrometric analysis of polychlorostyrene congener mixtures in sediments, human sera and cord sera. Journal of Chromatography A, 2009, 1216, 5723-5729. | 1.8 | 14 |
| 407 | Altitudinal and thermal gradients of hepatic Cyp1A gene expression in natural populations of Salmo trutta from high mountain lakes and their correlation with organohalogen loads. Environmental Pollution, 2010, 158, 1392-1398. | 3.7 | 14 |
| 408 | Dietary Exposure to Organochlorine Compounds in Tarragona Province (Catalonia, Spain): Health Risks. Human and Ecological Risk Assessment (HERA), 2010, 16, 588-602. | 1.7 | 14 |
| 409 | Food sources of arsenic in pregnant Mediterranean women with high urine concentrations of this metalloid. Environmental Science and Pollution Research, 2014, 21, 11689-11698. | 2.7 | 14 |
| 410 | Organic molecular tracers in atmospheric PM1 at urban intensive traffic and background sites in two high-insolation European cities. Atmospheric Environment, 2018, 188, 71-81. | 1.9 | 14 |
| 411 | Distributions of river-transported halogenated biphenyls and terphenyls in coastal environments. Chemosphere, 1991, 23, 327-341. | 4.2 | 13 |
| 412 | Analysis of polybrominated diphenyl ethers in atmospheric deposition and snow samples by solid-phase disk extraction. Journal of Chromatography A, 2008, 1192, 147-151. | 1.8 | 13 |
| 413 | Influence of prenatal exposure to environmental pollutants on human cord blood levels of glutamate. NeuroToxicology, 2014, 40, 102-110. | 1.4 | 13 |
| 414 | Millennial-scale vegetation changes in the tropical Andes using ecological grouping and ordination methods. Climate of the Past, 2016, 12, 697-711. | 1.3 | 13 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 415 | Organochlorine compounds in European catfish (Silurus glanis) living in river areas under the influence of a chlor-alkali plant (Ebro River basin). Science of the Total Environment, 2016, 540, 221-230. | 3.9 | 13 |
| 416 | A new perspective of the Alboran Upwelling System reconstruction during the Marine Isotope Stage 11: A high-resolution coccolithophore record. Quaternary Science Reviews, 2020, 245, 106520. | 1.4 | 13 |
| 417 | Field comparison of passive polyurethane foam and active air sampling techniques for analysis of gas-phase semi-volatile organic compounds at a remote high-mountain site. Science of the Total Environment, 2022, 803, 149738. | 3.9 | 13 |
| 418 | Monitoring temporal trends of dioxins, organochlorine pesticides and chlorinated paraffins in pooled serum samples collected from Northern Norwegian women: The MISA cohort study. Environmental Research, 2022, 204, 111980. | 3.7 | 13 |
| 419 | Evaluation of urinary porphyrin excretion in neonates born to mothers exposed to airborne hexachlorobenzene Environmental Health Perspectives, 2002, 110, 205-209. | 2.8 | 12 |
| 420 | Distributions of C22–C30 even-carbon-number n-alkanes in Ocean Anoxic Event 1 samples from the Basque-Cantabrian Basin. Die Naturwissenschaften, 2005, 92, 221-225. | 0.6 | 12 |
| 421 | Use of proficiency testing materials for the calculation of detection and quantification limits in the analysis of organochlorine compounds in human serum. Analytical and Bioanalytical Chemistry, 2010, 397, 1383-1387. | 1.9 | 12 |
| 422 | Influences of natural emission sources (wildfires and Saharan dust) on the urban organic aerosol in Barcelona (Western Mediterranean Basis) during a PM event. Environmental Science and Pollution Research, 2012, 19, 4159-4167. | 2.7 | 12 |
| 423 | Impacts of atmospheric chlor-alkali factory emissions in surrounding populations. Environment International, 2014, 65, 1-8. | 4.8 | 12 |
| 424 | The impact of ice-sheet dynamics in western Mediterranean environmental conditions during Terminations. An approach based on terrestrial long chain n-alkanes deposited in the upper slope of the Gulf of Lions. Chemical Geology, 2016, 430, 21-33. | 1.4 | 12 |
| 425 | Detection and simulation of wildfire smoke impacting a Mediterranean urban atmosphere. Atmospheric Pollution Research, 2016, 7, 494-502. | 1.8 | 12 |
| 426 | A rapid method for the analysis of methyl dihydrojasmonate and galaxolide in indoor and outdoor air particulate matter. Journal of Chromatography A, 2016, 1447, 135-140. | 1.8 | 12 |
| 427 | Atmospheric deposition of semivolatile organic pollutants in European high mountains: Sources, settling and chemical degradation. Science of the Total Environment, 2021, 784, 147099. | 3.9 | 12 |
| 428 | Langmuirian behaviour of smelly volatile organic compounds on air sampling with solid adsorbents. Journal of Chromatography A, 1996, 723, 293-299. | 1.8 | 11 |
| 429 | Quantitation of volatile sulphur compounds in polluted waters. Journal of Chromatography A, 1997, 778, 329-335. | 1.8 | 11 |
| 430 | Identification and geochemical significance of sulphurized fatty acids in sedimentary organic matter from the Lorca Basin, SE Spain. Geochimica Et Cosmochimica Acta, 2000, 64, 3711-3723. | 1.6 | 11 |
| 431 | Sensitivity Effects inUkâ€~37Paleotemperature Estimation by Chemical Ionization Mass Spectrometry. Analytical Chemistry, 2000, 72, 5892-5897. | 3.2 | 11 |
| 432 | Assessment of exposure to DDT and metabolites after indoor residual spraying through the analysis of thatch material from rural African dwellings. Environmental Science and Pollution Research, 2012, 19, 756-762. | 2.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | Influence of deep water formation by open-sea convection on the transport of low hydrophobicity organic pollutants in the NW Mediterranean Sea. Science of the Total Environment, 2019, 647, 597-605. | 3.9 | 11 |
| 434 | Atmospheric contamination and ecological changes inferred from the sediment record of Lacul Negru in the Retezat National Park, Romania. Advances in Limnology, 2009, 62, 319-350. | 0.4 | 11 |
| 435 | Lipids of soil humic acids. II. Residual components after hymatomelanic acid extraction. Science of the Total Environment, 1989, 81-82, 421-428. | 3.9 | 10 |
| 436 | Chemical characterization of polycyclic aromatic hydrocarbon mixtures in uncontrolled hazardous waste dumps. Chemosphere, 1991, 22, 317-326. | 4.2 | 10 |
| 437 | Log-normal derived equations for the determination of chromatographic peak parameters from graphical measurements. Analytica Chimica Acta, 1991, 248, 59-70. | 2.6 | 10 |
| 438 | Source input elucidation in polluted coastal systems by factor analysis of sedimentary hydrocarbon data. Chemometrics and Intelligent Laboratory Systems, 1993, 18, 93-109. | 1.8 | 10 |
| 439 | An evaluation of mass, number concentration, chemical composition and types of particles in a cafeteria before and after the passage of an antismoking law. Particuology, 2013, 11, 527-532. | 2.0 | 10 |
| 440 | Toxic potential of organic constituents of submicron particulate matter (PM1) in an urban road site (Barcelona). Environmental Science and Pollution Research, 2017, 24, 15406-15415. | 2.7 | 10 |
| 441 | Transfer of lipid molecules and polycyclic aromatic hydrocarbons to open marine waters by dense water cascading events. Progress in Oceanography, 2017, 159, 178-194. | 1.5 | 10 |
| 442 | Prenatal exposure to organochlorine compounds and lung function during childhood. Environment International, 2019, 131, 105049. | 4.8 | 10 |
| 443 | Mother-child transfer rates of organohalogen compounds up to four years of age. Environment International, 2019, 133, 105241. | 4.8 | 10 |
| 444 | Fast and slow components of interstadial warming in the North Atlantic during the last glacial. Communications Earth & Environment, 2020, 1 , . | 2.6 | 10 |
| 445 | Organic Air Quality Markers of Indoor and Outdoor PM2.5 Aerosols in Primary Schools from Barcelona. International Journal of Environmental Research and Public Health, 2020, 17, 3685. | 1.2 | 10 |
| 446 | Qualitative and quantitative changes in traffic and waste incineration PCDD/Fs in urban air and soils under different seasonal conditions (Metropolitan Area of Barcelona). Science of the Total Environment, 2021, 753, 142149. | 3.9 | 10 |
| 447 | Changes in Urban Gas-Phase Persistent Organic Pollutants During the COVID-19 Lockdown in Barcelona. Frontiers in Environmental Science, 2021, 9, . | 1.5 | 10 |
| 448 | Source Apportionment and Toxicity of PM in Urban, Sub-Urban, and Rural Air Quality Network Stations in Catalonia. Atmosphere, 2021, 12, 744. | 1.0 | 10 |
| 449 | Exposure to metal mixture and growth indicators at $4\hat{a}\in$ 5 years. A study in the INMA-Asturias cohort. Environmental Research, 2022, 204, 112375. | 3.7 | 10 |
| 450 | Primary and secondary organic winter aerosols in Mediterranean cities under different mixing layer conditions (Barcelona and Granada). Environmental Science and Pollution Research, 2022, 29, 36255-36272. | 2.7 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | Analysis and persistence of tributyl phosphates in riverine and marine coastal waters. Chemosphere, 1988, 17, 2189-2197. | 4.2 | 9 |
| 452 | Gas chromatographicâ€"mass spectrometric analysis of urban-related aquatic and airborne volatile organic compounds. Biomedical Applications, 1991, 562, 493-506. | 1.7 | 9 |
| 453 | Triterpane distributions in diapir-related asphalts. Fuel, 1994, 73, 83-91. | 3.4 | 9 |
| 454 | Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments. Journal of Chromatography A, 1994, 675, 177-187. | 1.8 | 9 |
| 455 | Hydrocarbons, alcohols and strols in the dissolved + colloidal and particulate phases of the waters from a dystrophic lake, Skjervatjern Lake (Norway). Water Research, 1995, 29, 2017-2030. | 5.3 | 9 |
| 456 | Determination of volatile sulphur species in soil samples of interest for prospecting for metal sulphide deposits. Journal of Chromatography A, 1996, 726, 161-166. | 1.8 | 9 |
| 457 | sp. nov. (Bacillariophyceae); a new species from hypersaline environments. Cryptogamie, Algologie, 1999, 20, 223-234. | 0.3 | 9 |
| 458 | Non-linear effects in the determination of paleotemperature Uk′37 alkenone ratios by chemical ionization mass spectrometry. Journal of Chromatography A, 2003, 1012, 87-93. | 1.8 | 9 |
| 459 | Fatty acids, hydrocarbons, sterols and alkenones of microbial mats from coastal ecosystems of the ebro delta. Ophelia, 2004, 58, 189-194. | 0.3 | 9 |
| 460 | Polychlorinated biphenyls in farmed and wild Onchorhynchus kisutch and Onchorhynchus mykiss from the Chilean Patagonia. Environmental Science and Pollution Research, 2011, 18, 629-637. | 2.7 | 9 |
| 461 | Organochlorine compounds in Purple Heron eggs (Ardea purpurea) nesting in sites located around a chlor-alkali plant (Ebro River). Science of the Total Environment, 2016, 540, 211-220. | 3.9 | 9 |
| 462 | Atmospheric pattern of volatile organochlorine compounds and hexachlorobenzene in the surroundings of a chlor-alkali plant. Science of the Total Environment, 2018, 628-629, 782-790. | 3.9 | 9 |
| 463 | Organophosphate metabolite concentrations in maternal urine during pregnancy. Environmental Research, 2020, 182, 109003. | 3.7 | 9 |
| 464 | Non-occupational exposure to pesticides and health markers in general population in Northern Finland: Differences between sexes. Environment International, 2021, 156, 106766. | 4.8 | 9 |
| 465 | Oil spill identification by high-speed HPLC. Journal of High Resolution Chromatography, 1982, 5, 255-260. | 2.0 | 8 |
| 466 | A Quality Assurance Study for the Analysis of Hydrocarbons in Sediments. International Journal of Environmental Analytical Chemistry, 1987, 31, 281-293. | 1.8 | 8 |
| 467 | Gram-Charlier and Edgeworth-Cramér series in the characterization of chromatographic peaks. Analytica Chimica Acta, 1991, 249, 337-348. | 2.6 | 8 |
| 468 | Gas chromatographic screening of organic compounds in urban aerosols. Journal of Chromatography A, 1993, 655, 133-140. | 1.8 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|------------|
| 469 | Refrigerated multibed adsorption in sampling and analysis of atmospheric light hydrocarbons at ppb (v/v) and sub-ppb (v/v) concentrations. Journal of Chromatography A, 1997, 778, 269-277. | 1.8 | 8 |
| 470 | Field uptake rates of hydrophobic organic contaminants by semipermeable membrane devices: environmental monitoring considerations. Journal of Environmental Monitoring, 2004, 6, 919. | 2.1 | 8 |
| 471 | Biological activity of aryl hydrocarbon receptor ligands in sediments from remote European lakes. Freshwater Biology, 2009, 54, 2543-2554. | 1.2 | 8 |
| 472 | Polybrominated diphenyl ether levels in wild and farmed Chilean salmon and preliminary flow data for commercial transport. Journal of Environmental Sciences, 2012, 24, 221-227. | 3.2 | 8 |
| 473 | Population characteristics of young African women influencing prenatal exposure to DDT (Manhiça,) Tj ETQq1 1 | 0 <u>7</u> 84314 | rgBT /Over |
| 474 | Analysis of hepatic deiodinase 2 mRNA levels in natural fish lake populations exposed to different levels of putative thyroid disrupters. Environmental Pollution, 2014, 187, 210-213. | 3.7 | 8 |
| 475 | Influence of diet in the accumulation of organochlorine compounds in herons breeding in remote riverine environments. Chemosphere, 2016, 145, 438-444. | 4.2 | 8 |
| 476 | Anomalous SST warming during MIS 13 in the Gulf of Lions (northwestern Mediterranean Sea). Organic Geochemistry, 2016, 92, 16-23. | 0.9 | 8 |
| 477 | Chemistry and sources of PM2.5 and volatile organic compounds breathed inside urban commuting and tourist buses. Atmospheric Environment, 2020, 223, 117234. | 1.9 | 8 |
| 478 | Pilot study of exposure of the male population to organophosphate and pyrethroid pesticides in a region of high agricultural activity (Córdoba, Argentina). Environmental Science and Pollution Research, 2021, 28, 53908-53916. | 2.7 | 8 |
| 479 | High Mountain Lakes and Atmospherically Transported Pollutants. Advances in Global Change Research, 2005, , 113-121. | 1.6 | 8 |
| 480 | Occurrence and temperature dependence of atmospheric gas-phase organophosphate esters in high-mountain areas (Pyrenees). Chemosphere, 2022, 292, 133467. | 4.2 | 8 |
| 481 | Langmuirian parameters for Tenax GC adsorption of airborne hydrocarbons and oxygenated compounds. Journal of Chromatography A, 1998, 816, 195-200. | 1.8 | 7 |
| 482 | Spring–summer Emission of Dimethyl Sulphide from the North-western Mediterranean Sea. Estuarine, Coastal and Shelf Science, 1998, 47, 671-677. | 0.9 | 7 |
| 483 | Identification and quantification of n-octyl esters of alkanoic and hexanedioic acids and phthalates as urban wastewater markers in biota and sediments from estuarine areas. Journal of Chromatography A, 2004, 1046, 203-210. | 1.8 | 7 |
| 484 | Sensitivity of a Remote Alpine System to the Stockholm and LRTAP Regulations in POP Emissions. Atmosphere, 2014, 5, 198-210. | 1.0 | 7 |
| 485 | On the origin of water-soluble organic tracer compounds in fine aerosols in two cities: the case of Los Angeles and Barcelona. Environmental Science and Pollution Research, 2014, 21, 11649-11660. | 2.7 | 7 |
| 486 | Extraction of climatic signals from fossil organic compounds in marine sediments up to 11.7Ma old (IODP-U1318). Analytica Chimica Acta, 2015, 879, 1-9. | 2.6 | 7 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 487 | Combination of insolation and ice-sheet forcing drive enhanced humidity in northern subtropical regions during MIS 13. Quaternary Science Reviews, 2020, 247, 106573. | 1.4 | 7 |
| 488 | Biotransport of persistent organic pollutants in the southern Hemisphere by invasive Chinook salmon (Oncorhynchus tshawytscha) in the rivers of northern Chilean Patagonia, a UNESCO biosphere reserve. Environment International, 2020, 142, 105803. | 4.8 | 7 |
| 489 | Meltwater flux from northern ice-sheets to the mediterranean during MIS 12. Quaternary Science Reviews, 2021, 268, 107108. | 1.4 | 7 |
| 490 | Still Worrying with Trace Chemical Pollution. Marine Pollution Bulletin, 2001, 42, 621-622. | 2.3 | 6 |
| 491 | Spatial distribution of polychlorinated biphenyls in High Tatras lake sediments. Environmental Science and Pollution Research, 2013, 20, 6594-6600. | 2.7 | 6 |
| 492 | Mountain Waters as Witnesses of Global Pollution. , 2013, , 31-67. | | 6 |
| 493 | Reconstruction of organochlorine compound inputs in the Tagus Prodelta. Science of the Total Environment, 2016, 540, 231-240. | 3.9 | 6 |
| 494 | Variations in serum concentrations of selected organochlorines among delivering women in Argentina. The EMASAR study. Environmental Sciences: Processes and Impacts, 2017, 19, 1542-1553. | 1.7 | 6 |
| 495 | Removal of bias in C37 alkenone-based sea surface temperature measurements by high-performance liquid chromatography fractionation. Journal of Chromatography A, 2018, 1567, 90-98. | 1.8 | 6 |
| 496 | Urinary cobalt and ferritin in four-years-old children. Environmental Research, 2020, 183, 109147. | 3.7 | 6 |
| 497 | Effects of flushing flows on the transport of mercury-polluted particulate matter from the Flix Reservoir to the Ebro Estuary. Journal of Environmental Management, 2020, 260, 110028. | 3.8 | 6 |
| 498 | Structure of the sediment at depositional saline environments. , 1994, , 91-96. | | 6 |
| 499 | Novel cyclohexyl isoprenoid hydrocarbons in carbonate-evaporite crude oils. Die Naturwissenschaften, 1988, 75, 624-625. | 0.6 | 5 |
| 500 | Vertical distribution of aliphatic and aromatic hydrocarbons in mussels from the Amposta offshore oil production platform (Western Mediterranean). Chemosphere, 1989, 18, 1809-1819. | 4.2 | 5 |
| 501 | Title is missing!. Environmental Monitoring and Assessment, 2000, 62, 1-14. | 1.3 | 5 |
| 502 | BLADDER CANCER AND EXPOSURE TO DISINFECTION BYPRODUCTS IN WATER THROUGH INGESTION, BATHING, SHOWERING AND SWIMMING IN POOLS: FINDINGS FROM THE SPANISH BLADDER CANCER STUDY. Epidemiology, 2004, 15, S105. | 1.2 | 5 |
| 503 | Rapid and simplified method for the quantitative analysis of polycyclic aromatic hydrocarbons, lipid biomarkers and organochlorine compounds in marine settling particles. Mikrochimica Acta, 2012, 179, 131-139. | 2.5 | 5 |
| 504 | Brown and brook trout populations in the Tatra Mountain lakes (Slovakia, Poland) and contamination by long-range transported pollutants. Biologia (Poland), 2015, 70, 516-529. | 0.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|------------------|--------------|
| 505 | Gene expression changes in blood RNA after swimming in a chlorinated pool. Journal of Environmental Sciences, 2017, 58, 250-261. | 3.2 | 5 |
| 506 | Gas chromatographic—mass spectrometric study of α-phyl-locladane dehydrogenation. Journal of Chromatography A, 1988, 446, 87-102. | 1.8 | 4 |
| 507 | Organochlorine compounds in foodstuffs produced near a chlorinated organic solvent factory. Toxicological and Environmental Chemistry, 1994, 46, 61-72. | 0.6 | 4 |
| 508 | Molecular composition of the gas chromatography amenable fractions of maya crude oil. a reference oil for microbial degradation experiments. Ophelia, 2004, 58, 233-242. | 0.3 | 4 |
| 509 | Assessment of analytical methods to determine pyrethroids content of bednets. Tropical Medicine and International Health, 2017, 22, 41-51. | 1.0 | 4 |
| 510 | Steps forward reduction of environmental impact on children's health. Environmental Research, 2018, 164, 184-185. | 3.7 | 4 |
| 511 | Seabird-mediated transport of organohalogen compounds to remote sites (North West Greenland) Tj ETQq $1\ 1\ 0.7$ | 784314 rg 3.9 | gBŢ /Overloc |
| 512 | Changes and distribution of gas-phase polycyclic aromatic hydrocarbons and organochlorine compounds in a high-mountain gradient over a three-year period (Pyrenees, 2017–2020). Science of the Total Environment, 2022, 829, 154602. | 3.9 | 4 |
| 513 | Langmuirian parameters for Tenax GC adsorption of airborne organohalogen compounds. Journal of Chromatography A, 1998, 823, 171-177. | 1.8 | 3 |
| 514 | Title is missing!. Environmental Monitoring and Assessment, 1998, 52, 97-106. | 1.3 | 3 |
| 515 | Marine sedimentary lipidomics of the glacial-interglacial changes during the lower Pleistocene (SW) Tj ETQq1 1 0. | 784314 rş | gBJT /Overlo |
| 516 | Persistent organic pollutants in remote freshwater ecosystems. Aquatic Sciences, 2005, 67, 263-273. | 0.6 | 3 |
| 517 | Influence of gestational weight gain on the organochlorine pollution content of breast milk. Environmental Research, 2022, 209, 112783. | 3.7 | 3 |
| 518 | Serum concentrations of persistent organic pollutants mixture during pregnancy and anogenital distance in 8-year-old children from the INMA-Asturias cohort. Environmental Research, 2022, 213, 113607. | 3.7 | 3 |
| 519 | Environmental and dietary determinants of metal exposure in four-year-old children from a cohort located in an industrial area (Asturias, Northern Spain). Environmental Research, 2022, 214, 113862. | 3.7 | 3 |
| 520 | The isomerization and aromatization of 16?(H)-phyllocladane in sedimentary environments. Die Naturwissenschaften, 1990, 77, 534-536. | 0.6 | 2 |
| 521 | Retention time repeatability as a function of the injection automatism in the analysis of trace organochlorinated compounds with high-resolution gas chromatography. Journal of Chromatography A, 1997, 778, 23-29. | 1.8 | 2 |
| 522 | Trapping of Organochlorine Compounds in High Mountain Lakes. Scientific World Journal, The, 2001, 1, 609-611. | 0.8 | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 523 | Diversity shifts and crude oil transformation in polluted microbial mat microcosms. Ophelia, 2004, 58, 205-216. | 0.3 | 2 |
| 524 | Climate-driven changes in sedimentation rate influence phosphorus burial along continental margins of the northwestern Mediterranean. Palaeogeography, Palaeoclimatology, Palaeoecology, 2018, 500, 106-116. | 1.0 | 2 |
| 525 | Impacts of Use and Abuse of Nature in Catalonia with Proposals for Sustainable Management. Land, 2021, 10, 144. | 1.2 | 2 |
| 526 | Morphological and chemical transformations of Microcoleus chthonoplastes during early diagenesis in hypersaline microbial mats. , 1994, , 69-76. | | 2 |
| 527 | Pilot study on the concentrations of organochlorine compounds and potentially toxic elements in pregnant women and local food items from the Finnish Lapland. Environmental Research, 2022, 211, 113122. | 3.7 | 2 |
| 528 | Selectivity effects m semi-polar columns. II. Journal of Chromatography A, 1994, 688, 363-367. | 1.8 | 1 |
| 529 | A low cost, open and flexible on-line data acquisition system for instrumental chromatography. Analytica Chimica Acta, 1995, 306, 285-295. | 2.6 | 1 |
| 530 | Trihalomethane Exposure at Pregnancy, Birth Weight, and Duration of Gestation: Results From a Cohort Study in Spain. Epidemiology, 2011, 22, S57-S58. | 1.2 | 1 |
| 531 | Persistent Organic Pollutants in the European Atmosphere. Handbook of Environmental Chemistry, 2012, , 75-100. | 0.2 | 1 |
| 532 | Northern Hemisphere atmospheric pattern enhancing Eastern Mediterranean Transient-type events during the past 1000 years. Climate of the Past, 2021, 17, 1523-1532. | 1.3 | 1 |
| 533 | Prenatal exposure to organochlorine compounds and lung function until early adulthood., 2018,,. | | 1 |
| 534 | La huella de las oscilaciones globales del nivel del mar durante los últimos 530 000 años en el Golfo de León y su variabilidad durante el estadio isotópico marino 3. Cuadernos De Investigacion Geografica, 2013, 39, 7. | 0.6 | 1 |
| 535 | Levels of PCB118 are Associated With Thyroid Hormone Concentrations in Children From General Population. Epidemiology, 2006, 17, S102. | 1.2 | 1 |
| 536 | <title>Monitoring the atmospheric levels of H<formula><inf><roman>2</roman></inf></formula>S caused by sulphatoreduction phenomena produced in the Besos River (Catalonia, Spain) and efficiency of the correcting measures adopted</title> ., 1998, 3493, 200. | | 0 |
| 537 | Corrigendum to: The C37 alkenone record of seawater temperature during seasonal thermocline stratification [Marine Chemistry 64 (1999) 301–313]. Marine Chemistry, 1999, 67, 145. | 0.9 | 0 |
| 538 | GROWTH IN INFANTS EXPOSED TO DICHLORODIPHENYL DICHLOROETHENE AND HEXACHLOROBENZENE DURING THE FIRST YEAR OF LIFE. Epidemiology, 2004, 15, S90-S91. | 1.2 | 0 |
| 539 | PRE-NATAL DDE AND ASTHMA IN CHILDREN. Epidemiology, 2005, 16, S26. | 1.2 | 0 |
| 540 | Environment and Child's Health: the INMA Spanish Study. Epidemiology, 2006, 17, S21. | 1.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 541 | Citation for presentation of the 2006 Alfred Treibs Award to Bernd R.T. Simoneit. Geochimica Et Cosmochimica Acta, 2008, 72, S1-S2. | 1.6 | 0 |
| 542 | Focus on analytical science in Spain (JAI 2008). Analytical and Bioanalytical Chemistry, 2009, 394, 1515-1516. | 1.9 | 0 |
| 543 | Chromatographic party in Valencia (ISC 2010). Analytical and Bioanalytical Chemistry, 2011, 400, 1197-1198. | 1.9 | 0 |
| 544 | The Valencian celebration of the International Symposium on Chromatography (ISC 2010). Journal of Chromatography A, 2011, 1218, 4789. | 1.8 | 0 |
| 545 | Effects on pregnancy and breastfeeding on DDT residues warrant further attention. Chemosphere, 2014, 114, 348. | 4.2 | 0 |
| 546 | EXPOSURE TO ORGANOCHLORINE COMPOUNDS THROUGH BREASTFEEDING IN A POPULATION EXPOSED TO AIRBORNE HEXACHLOROBENZENE. Epidemiology, 2003, 14, S40. | 1.2 | 0 |
| 547 | Exposure to Air Pollution During Pregnancy and Foetal Development: Research Protocol in a Birth Cohort in Spain. Epidemiology, 2006, 17, S247-S248. | 1.2 | 0 |
| 548 | Measurement of Drinking Water Contaminants and Water Use Activities During Pregnancy in a Cohort Study in Spain. Epidemiology, 2006, 17, S326. | 1.2 | 0 |
| 549 | In Utero Exposure to Background Concentrations of DDT and Cognitive Functioning Among Preschoolers. Epidemiology, 2006, 17, S103. | 1.2 | 0 |
| 550 | Early Exposure to DDE and Asthma. Epidemiology, 2006, 17, S281-S282. | 1.2 | 0 |
| 551 | Changes in Markers of Genotoxicity in Relation to Exposure to Disinfection By-Products in Swimming Pools. Epidemiology, 2009, 20, S52-S53. | 1.2 | 0 |
| 552 | Musical Signification: A Systematic, Analytical and Pedagogical Approach. Numanities - Arts and Humanities in Progress, 2017, , 229-240. | 0.1 | 0 |