

Jinping Ou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5933635/jinping-ou-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184
papers

3,814
citations

34
h-index

52
g-index

194
ext. papers

4,466
ext. citations

2.9
avg, IF

5.76
L-index

#	Paper	IF	Citations
184	Review: optical fiber sensors for civil engineering applications. <i>Materials and Structures/Materiaux Et Constructions</i> , 2015 , 48, 871-906	3.4	214
183	Smart concretes and structures: A review. <i>Journal of Intelligent Material Systems and Structures</i> , 2015 , 26, 1303-1345	2.3	138
182	A novel type of angle steel buckling-restrained brace: Cyclic behavior and failure mechanism. <i>Earthquake Engineering and Structural Dynamics</i> , 2011 , 40, 1083-1102	4	114
181	Effect of water content on the piezoresistivity of MWNT/cement composites. <i>Journal of Materials Science</i> , 2010 , 45, 3714-3719	4.3	100
180	Effects of CNT concentration level and water/cement ratio on the piezoresistivity of CNT/cement composites. <i>Journal of Composite Materials</i> , 2012 , 46, 19-25	2.7	94
179	SMC structural health monitoring benchmark problem using monitored data from an actual cable-stayed bridge. <i>Structural Control and Health Monitoring</i> , 2014 , 21, 156-172	4.5	92
178	Compressive sampling-based data loss recovery for wireless sensor networks used in civil structural health monitoring. <i>Structural Health Monitoring</i> , 2013 , 12, 78-95	4.4	89
177	Structural Health Monitoring System for the Shandong Binzhou Yellow River Highway Bridge. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2006 , 21, 306-317	8.4	89
176	Response Surface Method Based on Radial Basis Functions for Modeling Large-Scale Structures in Model Updating. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2013 , 28, 210-226	8.4	82
175	Recent progress and future trends on damage identification methods for bridge structures. <i>Structural Control and Health Monitoring</i> , 2019 , 26, e2416	4.5	75
174	Vibration Control of Stay Cables of the Shandong Binzhou Yellow River Highway Bridge Using Magnetorheological Fluid Dampers. <i>Journal of Bridge Engineering</i> , 2007 , 12, 401-409	2.7	75
173	Experimental and analytical study on pounding reduction of base-isolated highway bridges using MR dampers. <i>Earthquake Engineering and Structural Dynamics</i> , 2009 , 38, 1307-1333	4	74
172	Negative stiffness characteristics of active and semi-active control systems for stay cables. <i>Structural Control and Health Monitoring</i> , 2008 , 15, 120-142	4.5	70
171	Fabrication of Piezoresistive CNT/CNF Cementitious Composites with Superplasticizer as Dispersant. <i>Journal of Materials in Civil Engineering</i> , 2012 , 24, 658-665	3	67
170	Fractal Dimension-Based Damage Detection Method for Beams with a Uniform Cross-Section. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2011 , 26, 190-206	8.4	64
169	Study on the reinforcing mechanisms of nano silica to cement-based materials with theoretical calculation and experimental evidence. <i>Journal of Composite Materials</i> , 2016 , 50, 4135-4146	2.7	59
168	Equivalent force control method for generalized real-time substructure testing with implicit integration. <i>Earthquake Engineering and Structural Dynamics</i> , 2007 , 36, 1127-1149	4	56

167	Vibration mitigation of a stay cable with one shape memory alloy damper. <i>Structural Control and Health Monitoring</i> , 2004 , 11, 21-36	4.5	56
166	Development of Wireless MEMS Inclination Sensor System for Swing Monitoring of Large-Scale Hook Structures. <i>IEEE Transactions on Industrial Electronics</i> , 2009 , 56, 1072-1078	8.9	55
165	Graphene-engineered cementitious composites: Small makes a big impact. <i>Nanomaterials and Nanotechnology</i> , 2017 , 7, 184798041774230	2.9	49
164	A stereovision-based crack width detection approach for concrete surface assessment. <i>KSCCE Journal of Civil Engineering</i> , 2016 , 20, 803-812	1.9	47
163	Real-time hybrid simulation approach for performance validation of structural active control systems: a linear motor actuator based active mass driver case study. <i>Structural Control and Health Monitoring</i> , 2014 , 21, 574-589	4.5	46
162	Development and sensing properties study of FRP-BBG smart stay cable for bridge health monitoring applications. <i>Measurement: Journal of the International Measurement Confederation</i> , 2011 , 44, 722-729	4.6	45
161	A Test Method for Damage Diagnosis of Suspension Bridge Suspender Cables. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2015 , 30, 771-784	8.4	43
160	Monitoring of structural prestress loss in RC beams by inner distributed Brillouin and fiber Bragg grating sensors on a single optical fiber. <i>Structural Control and Health Monitoring</i> , 2014 , 21, 317-330	4.5	43
159	Damage detection in ambient vibration using proportional flexibility matrix with incomplete measured DOFs. <i>Structural Control and Health Monitoring</i> , 2007 , 14, 186-196	4.5	43
158	Sensing properties of CNT-filled cement-based stress sensors. <i>Journal of Civil Structural Health Monitoring</i> , 2011 , 1, 17-24	2.9	42
157	Initial Validation of Mobile-Structural Health Monitoring Method Using Smartphones. <i>International Journal of Distributed Sensor Networks</i> , 2015 , 11, 274391	1.7	41
156	Experimental and numerical studies on model updating method of damage severity identification utilizing four cost functions. <i>Structural Control and Health Monitoring</i> , 2013 , 20, 107-120	4.5	40
155	Compressive sensing-based lost data recovery of fast-moving wireless sensing for structural health monitoring. <i>Structural Control and Health Monitoring</i> , 2015 , 22, 433-448	4.5	39
154	Seismic response control of a cable-stayed bridge using negative stiffness dampers. <i>Structural Control and Health Monitoring</i> , 2011 , 18, 265-288	4.5	37
153	Hybrid active mass damper (AMD) vibration suppression of nonlinear high-rise structure using fuzzy logic control algorithm under earthquake excitations. <i>Structural Control and Health Monitoring</i> , 2011 , 18, 698-709	4.5	35
152	Dempster-Shafer evidence theory approach to structural damage detection. <i>Structural Health Monitoring</i> , 2012 , 11, 13-26	4.4	35
151	A design approach for semi-active and smart base-isolated buildings. <i>Structural Control and Health Monitoring</i> , 2006 , 13, 660-681	4.5	35
150	A study on PVDF sensor using wireless experimental system for bridge structural local monitoring. <i>Telecommunication Systems</i> , 2013 , 52, 2357-2366	2.3	34

149	Traffic load modelling based on structural health monitoring data. <i>Structure and Infrastructure Engineering</i> , 2011 , 7, 379-386	2.9	34
148	Modal identification of bridges under varying environmental conditions: Temperature and wind effects. <i>Structural Control and Health Monitoring</i> , 2009 , 17, n/a-n/a	4.5	34
147	Review of Benchmark Studies and Guidelines for Structural Health Monitoring. <i>Advances in Structural Engineering</i> , 2013 , 16, 1187-1206	1.9	32
146	Self-sensing cementitious composites incorporated with botryoid hybrid nano-carbon materials for smart infrastructures. <i>Journal of Intelligent Material Systems and Structures</i> , 2017 , 28, 699-727	2.3	31
145	A substructure isolation method for local structural health monitoring. <i>Structural Control and Health Monitoring</i> , 2011 , 18, 601-618	4.5	29
144	Seismic performance of structures incorporating magnetorheological dampers with pseudo-NEGATIVE STIFFNESS. <i>Structural Control and Health Monitoring</i> , 2013 , 20, 405-421	4.5	27
143	Influence of water content on conductivity and piezoresistivity of cement-based material with both carbon fiber and carbon black. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2010 , 25, 147-151	1	27
142	Analysis of capability for semi-active or passive damping systems to achieve the performance of active control systems. <i>Structural Control and Health Monitoring</i> , 2010 , 17, 778-794	4.5	27
141	Performance of an offshore platform with MR dampers subjected to ice and earthquake. <i>Structural Control and Health Monitoring</i> , 2011 , 18, 682-697	4.5	26
140	Emerging data technology in structural health monitoring: compressive sensing technology. <i>Journal of Civil Structural Health Monitoring</i> , 2014 , 4, 77-90	2.9	25
139	Reliability assessment of cable-stayed bridges based on structural health monitoring techniques. <i>Structure and Infrastructure Engineering</i> , 2012 , 8, 829-845	2.9	25
138	Application of support vector machine for pattern classification of active thermometry-based pipeline scour monitoring. <i>Structural Control and Health Monitoring</i> , 2015 , 22, 903-918	4.5	24
137	Dynamic behavior monitoring and damage evaluation for arch bridge suspender using GFRP optical fiber Bragg grating sensors. <i>Optics and Laser Technology</i> , 2012 , 44, 1031-1038	4.2	24
136	Properties of cobalt nanofiber-based magnetorheological fluids. <i>RSC Advances</i> , 2015 , 5, 13958-13963	3.7	21
135	Optimization Design of Coupling Beam Metal Damper in Shear Wall Structures. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 137	2.6	20
134	Structural Health Monitoring and Model Updating of Aizhai Suspension Bridge. <i>Journal of Aerospace Engineering</i> , 2017 , 30,	1.4	20
133	Experimental study of the substructure isolation method for local health monitoring. <i>Structural Control and Health Monitoring</i> , 2012 , 19, 491-510	4.5	20
132	Self-Powered Wireless Corrosion Monitoring Sensors and Networks. <i>IEEE Sensors Journal</i> , 2010 , 10, 1901-1902	2.0	20

131	Experimental Research on Quick Structural Health Monitoring Technique for Bridges Using Smartphone. <i>Advances in Materials Science and Engineering</i> , 2016 , 2016, 1-14	1.5	20
130	Axial Strain Accelerations Approach for Damage Localization in Statically Determinate Truss Structures. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2017 , 32, 304-318	8.4	19
129	Structural Damage Localization and Quantification Based on Additional Virtual Masses and Bayesian Theory. <i>Journal of Engineering Mechanics - ASCE</i> , 2018 , 144, 04018097	2.4	19
128	Smartphone-Based Mobile Testing Technique for Quick Bridge Cable Force Measurement. <i>Journal of Bridge Engineering</i> , 2017 , 22, 06016012	2.7	19
127	Innovative approach to design truncated mooring system based on static and damping equivalent. <i>Ships and Offshore Structures</i> , 2014 , 9, 557-568	1.4	18
126	An Optical Fiber Bragg Grating Sensing System for Scour Monitoring. <i>Advances in Structural Engineering</i> , 2011 , 14, 67-78	1.9	18
125	Smart aggregate-based seismic stress monitoring system using a specially designed charge amplifier. <i>Journal of Intelligent Material Systems and Structures</i> , 2016 , 27, 418-426	2.3	17
124	Stress corrosion damage evolution analysis and mechanism identification for prestressed steel strands using acoustic emission technique. <i>Structural Control and Health Monitoring</i> , 2018 , 25, e2189	4.5	17
123	Coupled wind-wave time domain analysis of floating offshore wind turbine based on Computational Fluid Dynamics method. <i>Journal of Renewable and Sustainable Energy</i> , 2014 , 6, 023106	2.5	17
122	Frequency-Domain Substructure Isolation for Local Damage Identification. <i>Advances in Structural Engineering</i> , 2015 , 18, 137-153	1.9	17
121	Structural damage identification by adding virtual masses. <i>Structural and Multidisciplinary Optimization</i> , 2013 , 48, 59-72	3.6	17
120	Optimization Design of a Corrosion Monitoring Sensor by FEM for RC Structures. <i>IEEE Sensors Journal</i> , 2011 , 11, 2111-2112	4	17
119	Pressure sensitivity of multiscale carbon-admixtures enhanced cement-based composites. <i>Nanomaterials and Nanotechnology</i> , 2018 , 8, 184798041879352	2.9	17
118	Nonlinear finite element modeling and response analysis of the collapsed Alto Rio building in the 2010 Chile Maule earthquake. <i>Structural Design of Tall and Special Buildings</i> , 2017 , 26, e1364	1.8	16
117	Improved Performance-Based Plastic Design for RC Moment Resisting Frames: Development and a Comparative Case Study. <i>International Journal of Structural Stability and Dynamics</i> , 2018 , 18, 1850050	1.9	16
116	A degree of dispersion-based damage localization method. <i>Structural Control and Health Monitoring</i> , 2016 , 23, 176-192	4.5	16
115	Global responses analysis of a semi-submersible platform with different mooring models in South China Sea. <i>Ships and Offshore Structures</i> , 2013 , 8, 441-456	1.4	16
114	Spectral Element Model Updating for Damage Identification Using Clonal Selection Algorithm. <i>Advances in Structural Engineering</i> , 2011 , 14, 837-856	1.9	16

113	Feasibility of SA-based concrete seismic stress monitoring for high-strength concrete. <i>Journal of Intelligent Material Systems and Structures</i> , 2017 , 28, 2428-2436	2.3	15
112	Thermodynamic modeling of the essential physicochemical interactions between the pore solution and the cement hydrates in chloride-contaminated cement-based materials. <i>Journal of Colloid and Interface Science</i> , 2018 , 531, 56-63	9.3	15
111	Physical modeling and design method of the hysteretic behavior of magnetorheological dampers. <i>Journal of Intelligent Material Systems and Structures</i> , 2014 , 25, 680-696	2.3	15
110	The wind-wave tunnel test of a tension-leg platform type floating offshore wind turbine. <i>Journal of Renewable and Sustainable Energy</i> , 2012 , 4, 063117	2.5	15
109	The Effect of Additional Mooring Chains on the Motion Performance of a Floating Wind Turbine with a Tension Leg Platform. <i>Energies</i> , 2012 , 5, 1135-1149	3.1	15
108	Structural finite element model updating by using response surfaces and radial basis functions. <i>Advances in Structural Engineering</i> , 2016 , 19, 1446-1462	1.9	15
107	Experimental Study of the Hydrodynamic Responses of a Bridge Tower to Waves and Wave Currents. <i>Journal of Waterway, Port, Coastal and Ocean Engineering</i> , 2017 , 143, 04017002	1.7	14
106	Conceptual design of a deep draft semi-submersible platform with a moveable heave-plate. <i>Journal of Ocean University of China</i> , 2012 , 11, 7-12	1	14
105	Experimental and numerical study of the effects of heave plate on the motion of a new deep draft multi-spar platform. <i>Journal of Marine Science and Technology</i> , 2013 , 18, 229-246	1.7	14
104	Mechanical Behavior of BFRP-Steel Composite Plate under Axial Tension. <i>Polymers</i> , 2014 , 6, 1862-1876	4.5	14
103	Active Thermometry Based DS18B20 Temperature Sensor Network for Offshore Pipeline Scour Monitoring Using K-Means Clustering Algorithm. <i>International Journal of Distributed Sensor Networks</i> , 2013 , 9, 852090	1.7	14
102	Swinging motion control of suspended structures: Principles and applications. <i>Structural Control and Health Monitoring</i> , 2009 , 17, n/a-n/a	4.5	14
101	Investigation of Temperature Effects on Modal Parameters of the China National Aquatics Center. <i>Advances in Structural Engineering</i> , 2012 , 15, 1139-1153	1.9	14
100	INVESTIGATION OF SEISMIC DAMAGE OF CABLE-STAYED BRIDGES WITH DIFFERENT CONNECTION CONFIGURATION. <i>Journal of Earthquake and Tsunami</i> , 2009 , 03, 227-247	1.1	14
99	Vibration Mitigation of Suspension Bridge Suspender Cables Using a Ring-Shaped Tuned Liquid Damper. <i>Journal of Bridge Engineering</i> , 2019 , 24, 04019020	2.7	14
98	Assessing and quantifying the earthquake response of reinforced concrete buckling-restrained brace frame structures. <i>Bulletin of Earthquake Engineering</i> , 2019 , 17, 3847-3871	3.7	13
97	A macro-level global seismic damage model considering higher modes. <i>Earthquake Engineering and Engineering Vibration</i> , 2014 , 13, 425-436	2	13
96	Optimal sensor placement in health monitoring of suspension bridge. <i>Science China Technological Sciences</i> , 2012 , 55, 2039-2047	3.5	13

95	Control strategies and experimental verifications of the electromagnetic mass damper system for structural vibration control. <i>Earthquake Engineering and Engineering Vibration</i> , 2008 , 7, 181-192	2	13
94	Fatigue damage characterization of carbon fiber reinforced polymer bridge cables: Wavelet transform analysis for clustering acoustic emission data. <i>Science China Technological Sciences</i> , 2011 , 54, 379-387	3.5	12
93	A new idea: Mobile structural health monitoring using Smart phones 2012 ,		12
92	Numerical Investigation of a Tuned Heave Plate Energy-Harvesting System of a Semi-Submersible Platform. <i>Energies</i> , 2016 , 9, 82	3.1	12
91	Rank-revealing QR decomposition applied to damage localization in truss structures. <i>Structural Control and Health Monitoring</i> , 2017 , 24, e1849	4.5	11
90	Linear-elastic lateral load analysis and seismic design of pin-supported wall-frame structures with yielding dampers. <i>Earthquake Engineering and Structural Dynamics</i> , 2018 , 47, 988-1013	4	11
89	Hydrodynamic comparison of a semi-submersible, TLP, and Spar: Numerical study in the South China Sea environment. <i>Journal of Marine Science and Application</i> , 2011 , 10, 306-314	1.2	11
88	Strain transfer mechanism of quadrate-packaged FBG sensors embedded in rectangular structures. <i>Journal of Civil Structural Health Monitoring</i> , 2015 , 5, 469-480	2.9	10
87	Numerical and experimental analysis of hydroelastic response on a very large floating structure edged with a pair of submerged horizontal plates. <i>Journal of Marine Science and Technology</i> , 2015 , 20, 127-141	1.7	10
86	Analytical Model for Initial Rotational Stiffness of Steel Beam to Concrete-Filled Steel Tube Column Connections with Bidirectional Bolts. <i>Journal of Structural Engineering</i> , 2018 , 144, 04018199	3	10
85	Design of Wireless Logging Instrument System for Monitoring Oil Drilling Platform. <i>IEEE Sensors Journal</i> , 2015 , 15, 3453-3458	4	10
84	A wireless fatigue monitoring system utilizing a bio-inspired tree ring data tracking technique. <i>Sensors</i> , 2014 , 14, 4364-83	3.8	10
83	Performance and Application of Equivalent Force Control Method for Real-Time Substructure Testing. <i>Journal of Engineering Mechanics - ASCE</i> , 2012 , 138, 1303-1316	2.4	10
82	DNN Based Fault Tolerant Control of Nonlinear Structural Vibration with Actuator Faults. <i>Advances in Structural Engineering</i> , 2011 , 14, 871-879	1.9	10
81	Interface transferring mechanism and error modification of embedded FBG strain sensors. <i>Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities</i> , 2007 , 2, 92-98		10
80	Enhanced Impact Properties of Concrete Modified with Nanofiller Inclusions. <i>Journal of Materials in Civil Engineering</i> , 2019 , 31, 04019030	3	10
79	Realization of the global yield mechanism of RC frame structures by redesigning the columns using column tree method. <i>Science China Technological Sciences</i> , 2015 , 58, 1627-1637	3.5	9
78	Optimal design and hydrodynamic response analysis of deep water mooring system with submerged buoys. <i>Ships and Offshore Structures</i> , 2018 , 13, 476-487	1.4	9

77	Seismic failure mode improvement of RC frame structure based on multiple lateral load patterns of pushover analyses. <i>Science China Technological Sciences</i> , 2011 , 54, 2825-2833	3.5	9
76	Dynamic performance of a semi-submersible platform subject to wind and waves. <i>Journal of Ocean University of China</i> , 2011 , 10, 127-134	1	9
75	Adaptive fuzzy sliding mode based active vibration control of a smart beam with mass uncertainty. <i>Structural Control and Health Monitoring</i> , 2009 , 18, n/a-n/a	4.5	9
74	Fatigue Damage Evolution and Monitoring of Carbon Fiber Reinforced Polymer Bridge Cable by Acoustic Emission Technique. <i>International Journal of Distributed Sensor Networks</i> , 2012 , 8, 282139	1.7	9
73	Dispersion Analysis of Multiscale Wavelet Finite Element for 2D Elastic Wave Propagation. <i>Journal of Engineering Mechanics - ASCE</i> , 2020 , 146, 04020022	2.4	7
72	A novel tuned heave plate system for heave motion suppression and energy harvesting on semi-submersible platforms. <i>Science China Technological Sciences</i> , 2016 , 59, 897-912	3.5	7
71	Fatigue Analysis of Deepwater Hybrid Mooring Line Under Corrosion Effect. <i>Polish Maritime Research</i> , 2014 , 21, 68-76	1.7	7
70	Thin Fe-C Alloy Solid Film Based Fiber Optic Corrosion Sensor 2006 ,		7
69	Seismic optimization design for uniform damage of reinforced concrete moment-resisting frames using consecutive modal pushover analysis. <i>Advances in Structural Engineering</i> , 2016 , 19, 1313-1327	1.9	7
68	Numerical analysis on design and application of cement-based sensor for structural health monitoring. <i>Journal of Intelligent Material Systems and Structures</i> , 2017 , 28, 2579-2602	2.3	6
67	Numerical Simulation to Optimize Impressed Current Cathodic Protection Systems for RC Structures. <i>Journal of Materials in Civil Engineering</i> , 2017 , 29, 04017005	3	6
66	Effect of Circumferentially Nonuniform Lateral Tension on Bond Behavior between Plain Round Bars and Concrete: Analytical Study. <i>Journal of Structural Engineering</i> , 2017 , 143, 04017170	3	6
65	Fully coupled time-domain simulation of dynamic positioning semi-submersible platform using dynamic surface control. <i>Journal of Ocean University of China</i> , 2014 , 13, 407-414	1	6
64	A practical numerical substructure method for seismic nonlinear analysis of tall building structures. <i>Structural Design of Tall and Special Buildings</i> , 2017 , 26, e1377	1.8	6
63	Experimental and numerical studies on a test method for damage diagnosis of stay cables. <i>Advances in Structural Engineering</i> , 2017 , 20, 245-256	1.9	6
62	Design approaches for active, semi-active and passive control systems based on analysis of characteristics of active control force. <i>Earthquake Engineering and Engineering Vibration</i> , 2009 , 8, 493-506	2	6
61	Coupled control of the horizontal and vertical plane motions of a semi-submersible platform by a dynamic positioning system. <i>Journal of Marine Science and Technology</i> , 2015 , 20, 776-786	1.7	5
60	Steady suction for controlling across-wind loading of high-rise buildings. <i>Structural Design of Tall and Special Buildings</i> , 2016 , 25, 785-800	1.8	5

59	BP-PSO-based intelligent case retrieval method for high-rise structural form selection. <i>Science China Technological Sciences</i> , 2013 , 56, 940-944	3.5	5
58	A novel durable intelligent fiber reinforced polymer anchor with embedded optical fiber Bragg grating sensors. <i>Science China Technological Sciences</i> , 2012 , 55, 1455-1462	3.5	5
57	Experimental Study of Rain Effects on Vortex Shedding of Long Span Bridge Girders. <i>Advances in Structural Engineering</i> , 2012 , 15, 1793-1799	1.9	5
56	Stability of average acceleration method for structures with nonlinear damping. <i>Earthquake Engineering and Engineering Vibration</i> , 2006 , 5, 87-92	2	5
55	The pseudo-viscous frictional energy dissipator: a new device for mitigating seismic effects. <i>Earthquake Engineering and Structural Dynamics</i> , 2003 , 32, 31-48	4	5
54	Integrated Optical Fiber Sensing System by Combing Large-Scale Distributed BOTDA/R and Localized FBGs. <i>International Journal of Distributed Sensor Networks</i> , 2012 , 8, 804394	1.7	5
53	Design and Implementation of a Multiple Traffic Parameter Detection Sensor Developed With Quantum Tunneling Composites. <i>IEEE Sensors Journal</i> , 2015 , 15, 4845-4852	4	4
52	Structural Health Monitoring Based on Combined Structural Global and Local Frequencies. <i>Mathematical Problems in Engineering</i> , 2014 , 2014, 1-13	1.1	4
51	PERFORMANCES OF CONCRETE-FILLED GFRP OR GFRP-STEEL CIRCULAR TUBES SUBJECTED TO FREEZE-THAW CYCLES. <i>International Journal of Structural Stability and Dynamics</i> , 2012 , 12, 95-108	1.9	4
50	Seismic Damage Detection for a Masonry Building Using Aftershock Monitoring Data. <i>Advances in Structural Engineering</i> , 2013 , 16, 605-618	1.9	4
49	Dynamic numerical simulation for ship-OWT collision 2009 ,		4
48	Self-Healing Key-Distribution Scheme with Collusion Attack Resistance Based on One-Way Key Chains and Secret Sharing in Wireless Sensor Networks. <i>International Journal of Distributed Sensor Networks</i> , 2012 , 8, 821486	1.7	4
47	Pushover analysis procedure for systems considering SSI effects based on capacity spectrum method. <i>Earthquake Engineering and Engineering Vibration</i> , 2007 , 6, 269-279	2	4
46	Semiactive variable stiffness control for parametric vibration of cables. <i>Earthquake Engineering and Engineering Vibration</i> , 2006 , 5, 215-222	2	4
45	Control of Vortex-Induced Vibration of a Long-Span Bridge by Inclined Railings. <i>Journal of Bridge Engineering</i> , 2021 , 26,	2.7	4
44	Hydrodynamic analysis of a novel modular floating structure system with central tension-leg platforms. <i>Ships and Offshore Structures</i> , 2020 , 15, 1011-1022	1.4	4
43	An efficient method for optimizing the seismic resistance of reinforced concrete frame structures. <i>Advances in Structural Engineering</i> , 2020 , 23, 670-686	1.9	4
42	Semi-Active Control for Benchmark Building Using Innovative TMD with MRE Isolators. <i>International Journal of Structural Stability and Dynamics</i> , 2020 , 20, 2040009	1.9	4

41	Level 2 safety evaluation of concrete-filled steel tubular arch bridges incorporating structural health monitoring and inspection information based on China bridge standards. <i>Structural Control and Health Monitoring</i> , 2018 , 26, e2303	4.5	4
40	A feedback latching controller for two-body wave energy converters under irregular wave conditions. <i>Science China Technological Sciences</i> , 2018 , 61, 1114-1126	3.5	4
39	Experimental verification of a semi-submersible platform with truncated mooring system based on static and damping equivalence. <i>Ships and Offshore Structures</i> , 2017 , 12, 1145-1153	1.4	3
38	OFBG-Based Smart Double-Skin Tubular Confined-Concrete Column with Basalt FRP-Steel Composite. <i>Sensors</i> , 2019 , 19,	3.8	3
37	Use of different mooring models on global response analysis of an innovative deep draft platform. <i>Journal of Ocean University of China</i> , 2014 , 13, 215-222	1	3
36	Substructure isolation and damage identification using free responses. <i>Science China Technological Sciences</i> , 2014 , 57, 1698-1706	3.5	3
35	Experimental study on flutter stability of a long-span bridge subject to wind-rain actions. <i>Science China Technological Sciences</i> , 2013 , 56, 2089-2098	3.5	3
34	Pressure distributions on prism-shaped buildings in experimentally simulated downburst. <i>Science China Technological Sciences</i> , 2014 , 57, 2070-2081	3.5	3
33	Windborne debris damage prediction analysis. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2010 , 4, 326-330		3
32	Numerical simulation of aerodynamic derivatives and critical wind speed for long-span bridges based on simplified steady wind field. <i>Earthquake Engineering and Engineering Vibration</i> , 2007 , 6, 197-203		3
31	Wave and wave-current actions on a bridge tower: An experimental study. <i>Advances in Structural Engineering</i> , 2019 , 22, 1467-1478	1.9	3
30	Non-baseline method for damage detection in truss structures using displacement and strain measurements. <i>Advances in Structural Engineering</i> , 2019 , 22, 818-830	1.9	3
29	Seismic Behavior of Steel Moment Frames with Mechanical Hinge Beam-to-Column Connections. <i>International Journal of Structural Stability and Dynamics</i> , 2020 , 20, 2040005	1.9	3
28	Data-based models for fatigue reliability assessment and life prediction of orthotropic steel deck details considering pavement temperature and traffic loads. <i>Journal of Civil Structural Health Monitoring</i> , 2019 , 9, 579-596	2.9	2
27	Calculation Method of Wave Forces on Large Round-Ended Caisson Foundation. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2019 , 24, 184-189	0.6	2
26	Prior and post peaks compressive behavior of concrete-filled double-skin tubular columns with BFRP-punched-in outer steel and BFRP-circular inner steel. <i>Advances in Structural Engineering</i> , 2020 , 23, 2911-2927	1.9	2
25	Numerical Simulation of Coherent Structures in the Turbulent Boundary Layer under Different Stability Conditions. <i>Energies</i> , 2020 , 13, 1068	3.1	2
24	Suction-based active aerodynamic control of wind loads on super high-rise buildings. <i>Advances in Structural Engineering</i> , 2016 , 19, 1092-1102	1.9	2

23	Mooring line damping estimation for a floating wind turbine. <i>Scientific World Journal, The</i> , 2014 , 2014, 840283	2.2	2
22	Deflection measurement using wireless inclination sensors for bridge 2010 ,		2
21	Numerical study on damage identification using fractal theory and curvature method 2011 ,		2
20	Load-Deflection Response of Concrete Beams Reinforced with FRP Bars. <i>Advances in Structural Engineering</i> , 2004 , 7, 427-436	1.9	2
19	Experimental Study on Inverse Model-Based Force Tracking Control of MR Damper. <i>Shock and Vibration</i> , 2020 , 2020, 1-14	1.1	2
18	Collapse safety margin-oriented seismic retrofit strategy for corroded reinforced concrete frames using fibre reinforced plastics. <i>Structure and Infrastructure Engineering</i> , 2019 , 15, 1025-1035	2.9	1
17	Hydroelastic analysis of a very large floating structure edged with a pair of submerged horizontal plates. <i>Journal of Ocean University of China</i> , 2015 , 14, 228-236	1	1
16	PERFORMANCE VARIATIONS OF A CABLE-STAYED BRIDGE WITH DAMAGED CABLES. <i>International Journal of Structural Stability and Dynamics</i> , 2013 , 13, 1250083	1.9	1
15	Traceable, group-oriented, signature scheme with multiple signing policies in group-based trust management. <i>IET Information Security</i> , 2013 , 7, 343-348	1.4	1
14	Numerical study on global motion of Truss Spar in frequency and time domains for the Liwan 3-1 area. <i>Journal of Ocean University of China</i> , 2011 , 10, 113-121	1	1
13	Numerical Simulation of Surface Roughness Effect on Wind Turbine Thick Airfoils 2009 ,		1
12	Model Updating of Laboratorial Long-Span Cable-Stayed Bridge 2009 ,		1
11	BP-based intelligent case retrieval method of high-rise structure form selection 2006 ,		1
10	Data Mining and Its Applications for High-rise Structure Intelligent Form-optimization Based on Genetic Algorithm 2006 ,		1
9	Mechanical properties of a novel buckling restrained shear panel damper with octagon restraining plates. <i>Earthquake Engineering and Structural Dynamics</i> , 2022 , 51, 259	4	1
8	Hydrodynamic Analysis of a Modular Floating Structure with Tension-Leg Platforms and Wave Energy Converters. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 424	2.4	1
7	Integrated Fatigue Life Evaluation Method for Members in Riveted Steel Truss Bridges. <i>Journal of Performance of Constructed Facilities</i> , 2021 , 35,	2	1
6	Behavior of high water-cement ratio concrete under biaxial compression after freeze-thaw cycles. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008 , 23, 589-594	1	0

5	Long-Term Monitoring Reliability and Life Prediction of Fiber Bragg Grating-Based Self-Sensing Steel Strands. <i>Advances in Civil Engineering</i> , 2020 , 2020, 1-12	1.3	○
4	Efficient Simulation of RC Shear Walls in High-Rise Buildings Using a Practical Multi-Cross-Line-Model. <i>Journal of Earthquake Engineering</i> , 2021 , 25, 1732-1761	1.8	○
3	Wave Forces and Moments on a Gravity Pier Foundation. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2019 , 24, 305-312	0.6	
2	Investigation of the structural form optimization methods of high-rise buildings. <i>Frontiers of Architecture and Civil Engineering in China</i> , 2007 , 1, 182-187		
1	Theoretical models of key parameters for performance-based seismic design of new partially connected steel plate shear wall with vertical square tube stiffeners. <i>Earthquake Engineering and Structural Dynamics</i> , 2022 , 51, 1267-1291	4	