

Georgios Papadogianakis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5933791/publications.pdf>

Version: 2024-02-01

30
papers

1,228
citations

361413

20
h-index

377865

34
g-index

39
all docs

39
docs citations

39
times ranked

861
citing authors

#	ARTICLE	IF	CITATIONS
1	Hydrogenation of the pivotal biorefinery platform molecule levulinic acid into renewable fuel $\hat{\Gamma}^3$ -valerolactone catalyzed by unprecedented highly active and stable ruthenium nanoparticles in aqueous media. <i>Renewable Energy</i> , 2022, 192, 35-45.	8.9	4
2	Recent Advances in Ruthenium-Catalyzed Hydrogenation Reactions of Renewable Biomass-Derived Levulinic Acid in Aqueous Media. <i>Frontiers in Chemistry</i> , 2020, 8, 221.	3.6	61
3	Editorial: Aqueous-Phase Catalytic Conversions of Renewable Feedstocks for Sustainable Biorefineries. <i>Frontiers in Chemistry</i> , 2020, 8, 629578.	3.6	3
4	Novel Full Hydrogenation Reaction of Methyl Esters of Palm Kernel and Sunflower Oils Into Methyl Stearate Catalyzed by Rhodium, Ruthenium and Nickel Complexes of Bidentate Hexasulfonated o-Phenylendiphosphite Ligands. <i>Catalysis Letters</i> , 2019, 149, 580-590.	2.6	4
5	A Remarkable Effect of Aluminum on the Novel and Efficient Aqueous-Phase Hydrogenation of Levulinic Acid into $\hat{\Gamma}^3$ -Valerolactone Using Water-Soluble Platinum Catalysts Modified with Nitrogen-Containing Ligands. <i>Catalysis Letters</i> , 2019, 149, 1250-1265.	2.6	6
6	Novel aqueous-phase hydrogenation reaction of the key biorefinery platform chemical levulinic acid into $\hat{\Gamma}^3$ -valerolactone employing highly active, selective and stable water-soluble ruthenium catalysts modified with nitrogen-containing ligands. <i>Applied Catalysis B: Environmental</i> , 2018, 238, 82-92.	20.2	33
7	Low trans -isomers formation in the aqueous-phase Pt/TPPTS-catalyzed partial hydrogenation of methyl esters of linseed oil. <i>Applied Catalysis B: Environmental</i> , 2017, 209, 579-590.	20.2	20
8	Catalytic conversions in green aqueous media. Part 8: Partial and full hydrogenation of renewable methyl esters of vegetable oils. <i>Catalysis Today</i> , 2015, 247, 20-32.	4.4	18
9	Aqueous-phase catalytic hydrogenation of methyl esters of <i>Cynara cardunculus</i> alternative low-cost non-edible oil: A useful concept to resolve the food, fuel and environment issue of sustainable biodiesel. <i>Industrial Crops and Products</i> , 2014, 52, 205-210.	5.2	24
10	Superior aqueous-phase catalytic hydrogenation activity of palladium modified with nitrogen-containing ligands compared with the TPPTS benchmark modifier in micellar nanoreactors. <i>Applied Catalysis B: Environmental</i> , 2014, 150-151, 345-353.	20.2	12
11	Production of hydrogenated methyl esters of palm kernel and sunflower oils by employing rhodium and ruthenium catalytic complexes of hydrolysis stable monodentate sulfonated triphenylphosphite ligands. <i>Applied Catalysis B: Environmental</i> , 2014, 158-159, 373-381.	20.2	15
12	Catalytic conversions in green aqueous media: Highly efficient biphasic hydrogenation of benzene to cyclohexane catalyzed by Rh/TPPTS complexes. <i>Journal of Catalysis</i> , 2010, 274, 21-28.	6.2	30
13	Catalytic conversions in green aqueous media: Part 4. Selective hydrogenation of polyunsaturated methyl esters of vegetable oils for upgrading biodiesel. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 327-337.	1.8	38
14	Catalytic conversions in aqueous media: Part 3. Biphasic hydrogenation of polybutadiene catalyzed by Rh/TPPTS complexes in micellar systems. <i>Journal of Molecular Catalysis A</i> , 2009, 304, 95-100.	4.8	21
15	Hydrogenation of a hydroformylated naphtha model (mixture of specific aldehydes) catalysed by Ru/TPPTS complex in aqueous media. <i>Applied Catalysis A: General</i> , 2009, 363, 129-134.	4.3	14
16	Partial hydrogenation of methyl esters of sunflower oil catalyzed by highly active rhodium sulfonated triphenylphosphite complexes. <i>Catalysis Communications</i> , 2009, 10, 451-455.	3.3	32
17	Catalytic Conversions in Aqueous Media. Part 2. A Novel and Highly Efficient Biphasic Hydrogenation of Renewable Methyl Esters of Linseed and Sunflower Oils to High Quality Biodiesel Employing Rh/TPPTS Complexes. <i>Catalysis Letters</i> , 2008, 121, 158-164.	2.6	36
18	Catalytic conversions in aqueous media: a novel and efficient hydrogenation of polybutadiene-1,4-block-poly(ethylene oxide) catalyzed by Rh/TPPTS complexes in mixed micellar nanoreactors. <i>Journal of Molecular Catalysis A</i> , 2005, 231, 93-101.	4.8	39

#	ARTICLE	IF	CITATIONS
19	Catalytic conversions in water. <i>Journal of Organometallic Chemistry</i> , 2001, 621, 337-343.	1.8	17
20	Catalytic conversions in water. <i>Applied Catalysis A: General</i> , 2000, 194-195, 435-442.	4.3	50
21	Factors effecting the hydrogenation of fructose with a water soluble Ru ^{II} -TPPTS complex. A comparison between homogeneous and heterogeneous catalysis. <i>Journal of Molecular Catalysis A</i> , 1999, 142, 17-26.	4.8	38
22	Catalytic conversions in water. <i>Journal of Molecular Catalysis A</i> , 1999, 146, 299-307.	4.8	53
23	Catalytic conversions in water, part 8: carbonylation and hydrocarboxylation reactions catalyzed by palladium trisulfonated triphenylphosphine complexes ¹ Manuscript for the proceedings of the congress 'Phase separable Homogeneous Catalysis' to be held in Las Vegas, September 11th 1997.1. <i>Catalysis Today</i> , 1998, 42, 449-458.	4.4	47
24	Catalytic conversions in water. Part 10. Aerobic oxidation of terminal olefins to methyl ketones catalysed by water soluble palladium complexes. <i>Chemical Communications</i> , 1998, , 2359-2360.	4.1	88
25	Title is missing!. <i>Catalysis Letters</i> , 1997, 47, 43-46.	2.6	74
26	Catalytic conversions in water. Part 411For part 3 of this series see Ref. [18].: Carbonylation of 5-hydroxymethylfurfural (HMF) and benzyl alcohol catalysed by palladium trisulfonated triphenylphosphine complexes. <i>Journal of Molecular Catalysis A</i> , 1997, 116, 179-190.	4.8	45
27	Catalytic conversions in water. part 5: carbonylation of 1-(4-isobutylphenyl)ethanol to ibuprofen catalysed by water-soluble palladium-phosphine complexes in a two-phase system. <i>Journal of Chemical Technology and Biotechnology</i> , 1997, 70, 83-91.	3.2	56
28	Catalytic conversions in water: ¹⁷ O, ¹ H/ ³¹ P and ³⁵ Cl NMR study of a novel stoichiometric redox reaction between PdCl ₂ , tppts and H ₂ O [tppts = P(C ₆ H ₄ -m-SO ₃ Na) ₃]. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1105.	2.0	39
29	Catalytic conversions in water: a novel carbonylation reaction catalysed by palladium trisulfonated triphenylphosphine complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2659.	2.0	43
30	Catalytic conversions in water. An environmentally benign concept for heterogenization of homogeneous catalysis. <i>Catalysis</i> , 0, , 114-194.	1.0	31