

Stephen G Ellis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/593386/stephen-g-ellis-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

17,529
citations

53
h-index

132
g-index

168
ext. papers

19,396
ext. citations

8.3
avg, IF

5.7
L-index

#	Paper	IF	Citations
149	A polymer-based, paclitaxel-eluting stent in patients with coronary artery disease. <i>New England Journal of Medicine</i> , 2004 , 350, 221-31	59.2	2301
148	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , 2011 , 58, e44-122	15.1	1703
147	Safety and efficacy of sirolimus- and paclitaxel-eluting coronary stents. <i>New England Journal of Medicine</i> , 2007 , 356, 998-1008	59.2	1555
146	Effect of stromal-cell-derived factor 1 on stem-cell homing and tissue regeneration in ischaemic cardiomyopathy. <i>Lancet, The</i> , 2003 , 362, 697-703	40	1080
145	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Circulation</i> , 2011 , 124, e574-651	16.7	1039
144	Marked inflammatory sequelae to implantation of biodegradable and nonbiodegradable polymers in porcine coronary arteries. <i>Circulation</i> , 1996 , 94, 1690-7	16.7	618
143	Localized intracoronary gamma-radiation therapy to inhibit the recurrence of restenosis after stenting. <i>New England Journal of Medicine</i> , 2001 , 344, 250-6	59.2	539
142	Facilitated PCI in patients with ST-elevation myocardial infarction. <i>New England Journal of Medicine</i> , 2008 , 358, 2205-17	59.2	497
141	Relationship between delay in performing direct coronary angioplasty and early clinical outcome in patients with acute myocardial infarction: results from the global use of strategies to open occluded arteries in Acute Coronary Syndromes (GUSTO-IIb) trial. <i>Circulation</i> , 1999 , 100, 14-20	16.7	462
140	Everolimus-Eluting Bioresorbable Scaffolds for Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2015 , 373, 1905-15	59.2	441
139	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Circulation</i> , 2011 , 124, 2574-609	16.7	389
138	Bare metal stent restenosis is not a benign clinical entity. <i>American Heart Journal</i> , 2006 , 151, 1260-4	4.9	320
137	Effect of intracoronary delivery of autologous bone marrow mononuclear cells 2 to 3 weeks following acute myocardial infarction on left ventricular function: the LateTIME randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 2110-9	27.4	314
136	Significance of mild transient release of creatine kinase-MB fraction after percutaneous coronary interventions. <i>Circulation</i> , 1996 , 94, 1528-36	16.7	246
135	1-year outcomes with the Absorb bioresorbable scaffold in patients with coronary artery disease: a patient-level, pooled meta-analysis. <i>Lancet, The</i> , 2016 , 387, 1277-89	40	217
134	Paclitaxel-eluting stents vs vascular brachytherapy for in-stent restenosis within bare-metal stents: the TAXUS V ISR randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1253-63	27.4	206
133	Incremental prognostic value of elevated baseline C-reactive protein among established markers of risk in percutaneous coronary intervention. <i>Circulation</i> , 2001 , 104, 992-7	16.7	202

132	Long-term clinical outcomes after unprotected left main trunk percutaneous revascularization in 279 patients. <i>Circulation</i> , 2001 , 104, 1609-14	16.7	191
131	Death following creatine kinase-MB elevation after coronary intervention: identification of an early risk period: importance of creatine kinase-MB level, completeness of revascularization, ventricular function, and probable benefit of statin therapy. <i>Circulation</i> , 2002 , 106, 1205-10	16.7	178
130	Emergency coronary artery bypass surgery in the contemporary percutaneous coronary intervention era. <i>Circulation</i> , 2002 , 106, 2346-50	16.7	154
129	Contemporary percutaneous treatment of unprotected left main coronary stenoses: initial results from a multicenter registry analysis 1994-1996. <i>Circulation</i> , 1997 , 96, 3867-72	16.7	149
128	Relationship between angiographic late loss and target lesion revascularization after coronary stent implantation: analysis from the TAXUS-IV trial. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1193-200	15.1	142
127	Offsetting impact of thrombosis and restenosis on the occurrence of death and myocardial infarction after paclitaxel-eluting and bare metal stent implantation. <i>Circulation</i> , 2007 , 115, 2842-7	16.7	141
126	Immediate results and late outcomes after stent implantation in saphenous vein graft lesions: the multicenter U.S. Palmaz-Schatz stent experience. The Palmaz-Schatz Stent Study Group. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 704-12	15.1	140
125	Angiographic surrogate end points in drug-eluting stent trials: a systematic evaluation based on individual patient data from 11 randomized, controlled trials. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 23-32	15.1	132
124	Identification of four gene variants associated with myocardial infarction. <i>American Journal of Human Genetics</i> , 2005 , 77, 596-605	11	132
123	Correlates and outcomes of retroperitoneal hemorrhage complicating percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 541-5	2.7	126
122	A polymorphism in the protease-like domain of apolipoprotein(a) is associated with severe coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2030-6	9.4	126
121	Impact of routine angiographic follow-up on the clinical benefits of paclitaxel-eluting stents: results from the TAXUS-IV trial. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 32-6	15.1	123
120	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 453-95	2.7	121
119	Low-normal or excessive body mass index: newly identified and powerful risk factors for death and other complications with percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 1996 , 78, 642-6	3	116
118	Safety and efficacy of dual vs. triple antithrombotic therapy in patients with atrial fibrillation following percutaneous coronary intervention: a systematic review and meta-analysis of randomized clinical trials. <i>European Heart Journal</i> , 2018 , 39, 1726-1735a	9.5	112
117	Long-term safety and efficacy with paclitaxel-eluting stents: 5-year final results of the TAXUS IV clinical trial (TAXUS IV-SR: Treatment of De Novo Coronary Disease Using a Single Paclitaxel-Eluting Stent). <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 1248-59	5	107
116	Incidence, timing, and correlates of stent thrombosis with the polymeric paclitaxel drug-eluting stent: a TAXUS II, IV, V, and VI meta-analysis of 3,445 patients followed for up to 3 years. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 1043-51	15.1	106
115	Effect of clopidogrel pretreatment on inflammatory marker expression in patients undergoing percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2004 , 93, 679-84	3	104

114	Impact of mitral regurgitation on long-term survival after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2002 , 89, 315-8	3	104
113	Influence of transcatheter aortic valve replacement strategy and valve design on stroke after transcatheter aortic valve replacement: a meta-analysis and systematic review of literature. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2101-2110	15.1	102
112	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2550-2583	15.1	99
111	Paclitaxel-eluting coronary stents in patients with diabetes mellitus: pooled analysis from 5 randomized trials. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 708-15	15.1	96
110	Comparison of percutaneous versus surgical revascularization of severe unprotected left main coronary stenosis in matched patients. <i>American Journal of Cardiology</i> , 2008 , 101, 169-72	3	89
109	Insights Into Timing, Risk Factors, and Outcomes of Stroke and Transient Ischemic Attack After Transcatheter Aortic Valve Replacement in the PARTNER Trial (Placement of Aortic Transcatheter Valves). <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	89
108	Safety of femoral closure devices after percutaneous coronary interventions in the era of glycoprotein IIb/IIIa platelet blockade. <i>American Journal of Cardiology</i> , 2000 , 86, 780-2, A9	3	83
107	2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 1011-37	2.7	81
106	Polymer-based paclitaxel-eluting stents reduce in-stent neointimal tissue proliferation: a serial volumetric intravascular ultrasound analysis from the TAXUS-IV trial. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1201-5	15.1	81
105	Relation between lesion characteristics and risk with percutaneous intervention in the stent and glycoprotein IIb/IIIa era: An analysis of results from 10,907 lesions and proposal for new classification scheme. <i>Circulation</i> , 1999 , 100, 1971-6	16.7	81
104	Left main coronary artery stenosis: a meta-analysis of drug-eluting stents versus coronary artery bypass grafting. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 1219-30	5	76
103	Blinded outcomes and angina assessment of coronary bioresorbable scaffolds: 30-day and 1-year results from the ABSORB IV randomised trial. <i>Lancet, The</i> , 2018 , 392, 1530-1540	40	71
102	Facilitated percutaneous coronary intervention versus primary percutaneous coronary intervention: design and rationale of the Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events (FINESSE) trial. <i>American Heart Journal</i> , 2004 , 147, E16	4.9	67
101	Characterization of post-operative risk associated with prior drug-eluting stent use. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 542-9	5	66
100	Benefit of facilitated percutaneous coronary intervention in high-risk ST-segment elevation myocardial infarction patients presenting to nonpercutaneous coronary intervention hospitals. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 917-24	5	66
99	4-Step Protocol for Disparities in STEMI Care and Outcomes in Women. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2122-2132	15.1	58
98	Measures to reduce radiation in a modern cardiac catheterization laboratory. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 447-55	6	53
97	Analysis and comparison of operator-specific outcomes in interventional cardiology. From a multicenter database of 4860 quality-controlled procedures. <i>Circulation</i> , 1996 , 93, 431-9	16.7	53

96	Granulocyte colony stimulating factor in patients with large acute myocardial infarction: results of a pilot dose-escalation randomized trial. <i>American Heart Journal</i> , 2006 , 152, 1051.e9-14	4.9	52
95	Pronounced benefit of coronary stenting and adjunctive platelet glycoprotein IIb/IIIa inhibition in complex atherosclerotic lesions. <i>Circulation</i> , 2000 , 102, 28-34	16.7	51
94	Detailed analysis of bone marrow from patients with ischemic heart disease and left ventricular dysfunction: BM CD34, CD11b, and clonogenic capacity as biomarkers for clinical outcomes. <i>Circulation Research</i> , 2014 , 115, 867-74	15.7	50
93	Long-term safety and efficacy of paclitaxel-eluting stents final 5-year analysis from the TAXUS Clinical Trial Program. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 530-42	5	50
92	1-year survival in a randomized trial of facilitated reperfusion: results from the FINESSE (Facilitated Intervention with Enhanced Reperfusion Speed to Stop Events) trial. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 909-16	5	48
91	Is traditionally defined complete revascularization needed for patients with multivessel disease treated by elective coronary angioplasty? Multivessel Angioplasty Prognosis Study (MAPS) Group. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1289-97	15.1	48
90	Long-term outcome of transient, uncomplicated in-laboratory coronary artery closure. <i>Circulation</i> , 1995 , 91, 2733-41	16.7	48
89	Two-year clinical outcomes after paclitaxel-eluting stent or brachytherapy treatment for bare metal stent restenosis: the TAXUS V ISR trial. <i>European Heart Journal</i> , 2008 , 29, 1625-34	9.5	47
88	Cause of death within 30 days of percutaneous coronary intervention in an era of mandatory outcome reporting. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 409-15	15.1	46
87	Importance of Abnormal Chloride Homeostasis in Stable Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2016 , 9, e002453	7.6	45
86	Reduction in myocardial infarct size by basic fibroblast growth factor after temporary coronary occlusion in a canine model. <i>Circulation</i> , 1996 , 94, 1927-33	16.7	45
85	Long-term impact of drug-eluting stents versus bare-metal stents on all-cause mortality. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1041-8	15.1	37
84	Long-Term Mortality in Patients With Radiation-Associated Coronary Artery Disease Treated With Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	36
83	The State of the Absorb Bioresorbable Scaffold: Consensus From an Expert Panel. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2349-2359	5	33
82	Enoxaparin in primary and facilitated percutaneous coronary intervention A formal prospective nonrandomized substudy of the FINESSE trial (Facilitated INTERvention with Enhanced Reperfusion Speed to Stop Events). <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 203-12	5	32
81	Evidence that angiotensin-converting enzyme inhibitor use diminishes the need for coronary revascularization after stenting. <i>American Journal of Cardiology</i> , 2002 , 89, 937-40	3	32
80	beta-blockers before percutaneous coronary intervention do not attenuate postprocedural creatine kinase isoenzyme rise. <i>Circulation</i> , 2001 , 104, 2685-8	16.7	30
79	Mortality benefit of beta-blockade after successful elective percutaneous coronary intervention. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 669-75	15.1	30

78	Characteristics, Predictors, and Mechanisms of Thrombosis in Coronary Bioresorbable Scaffolds: Differences Between Early and Late Events. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2363-2371	5	29
77	Safety of "bridging" with eptifibatid for patients with coronary stents before cardiac and non-cardiac surgery. <i>American Journal of Cardiology</i> , 2012 , 110, 485-90	3	29
76	Immediate sealing of arterial puncture sites after cardiac catheterization and coronary interventions: initial U.S. feasibility trial using the Duett vascular closure device. <i>Catheterization and Cardiovascular Interventions</i> , 2000 , 50, 96-102	2.7	28
75	Predictors of Successful Hybrid-Approach Chronic Total Coronary Artery Occlusion Stenting: An Improved Model With Novel Correlates. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1089-1098	5	27
74	Percutaneous Intervention for Myocardial Infarction After Noncardiac Surgery: Patient Characteristics and Outcomes. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 329-38	15.1	27
73	High-risk coronary atheroma: the interplay between ischemia, plaque burden, and disease progression. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1134-1140	15.1	27
72	Real-world bare metal stenting: identification of patients at low or very low risk of 9-month coronary revascularization. <i>Catheterization and Cardiovascular Interventions</i> , 2004 , 63, 135-40	2.7	27
71	Impact of lean six sigma process improvement methodology on cardiac catheterization laboratory efficiency. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 95-101	1.6	24
70	Evaluation of infarct-related coronary artery patency and microcirculatory function after facilitated percutaneous primary coronary angioplasty: the FINESSE-ANGIO (Facilitated Intervention With Enhanced Reperfusion Speed to Stop Events-Angiographic) study. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 1284-91	5	24
69	Safety of abciximab during percutaneous coronary intervention in patients with chronic renal insufficiency. <i>American Journal of Cardiology</i> , 2002 , 89, 1209-11	3	24
68	Utility of sirolimus-eluting Cypher stents to reduce 12-month target vessel revascularization in saphenous vein graft stenoses: results of a multicenter 350-patient case-control study. <i>Journal of Invasive Cardiology</i> , 2007 , 19, 404-9	0.7	24
67	Drug-eluting versus bare-metal stents for treating saphenous vein grafts. <i>American Heart Journal</i> , 2009 , 158, 637-43	4.9	22
66	Management of drug eluting stent in-stent restenosis: A systematic review and meta-analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 1080-91	2.7	21
65	Utility of Glycated Hemoglobin for Assessment of Glucose Metabolism in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2016 , 117, 749-53	3	21
64	Clinical, Angiographic, and Procedural Correlates of Acute, Subacute, and Late Absorb Scaffold Thrombosis. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 1809-1815	5	20
63	Prognostic value of estimated functional capacity incremental to cardiac biomarkers in stable cardiac patients. <i>Journal of the American Heart Association</i> , 2014 , 3, e000960	6	20
62	Associations Between Cardiac Troponin, Mechanism of Myocardial Injury, and Long-Term Mortality After Noncardiac Vascular Surgery. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	19
61	Association of glycemic control with mortality in patients with diabetes mellitus undergoing percutaneous coronary intervention. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 503-9	6	19

60	Enhanced prediction of mortality after percutaneous coronary intervention by consideration of general and neurological indicators. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 442-8	5	19
59	Comparison of three coronary stents: clinical and angiographic outcome after elective placement in 134 consecutive patients. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994 , 33, 199-204		18
58	Prognostic Significance of Ischemic Mitral Regurgitation on Outcomes in Acute ST-Elevation Myocardial Infarction Managed by Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2017 , 119, 20-26	3	17
57	Drug-eluting stents versus bare-metal stents for treatment of bare-metal in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, 257-62	2.7	16
56	Meta-analysis of angiographic versus intravascular ultrasound parameters of drug-eluting stent efficacy (from TAXUS IV, V, and VI). <i>American Journal of Cardiology</i> , 2007 , 100, 621-6	3	16
55	The interaction of vascular inflammation and chronic kidney disease for the prediction of long-term death after percutaneous coronary intervention. <i>American Heart Journal</i> , 2005 , 150, 1190-7	4.9	15
54	Clinical, Angiographic, and Procedural Correlates of Very Late Absorb Scaffold Thrombosis: Multistudy Registry Results. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 638-644	5	14
53	Recognized Obstructive Sleep Apnea is Associated With Improved In-Hospital Outcomes After ST Elevation Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	14
52	Length of stay and long-term mortality following ST elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86 Suppl 1, S1-7	2.7	14
51	Arteriotomy closure device safety after percutaneous coronary intervention in the direct thrombin inhibitor era: a comparative study. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, 294-300	2.7	13
50	Pilot candidate gene analysis of patients ≥ 60 years old with aortic stenosis involving a tricuspid aortic valve. <i>American Journal of Cardiology</i> , 2012 , 110, 88-92	3	13
49	Relation of polymorphisms in five genes to long-term aortocoronary saphenous vein graft patency. <i>American Journal of Cardiology</i> , 2007 , 99, 1087-9	3	13
48	Excimer Laser Atherectomy in Percutaneous Coronary Intervention: A Contemporary Review. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 25, 75-85	1.6	12
47	Bioresorbable Stents: Is This Where We Are Headed?. <i>Progress in Cardiovascular Diseases</i> , 2015 , 58, 342-55	5.5	11
46	Quantitative evaluation of local drug delivery using the InfusaSleeve catheter. <i>Catheterization and Cardiovascular Diagnosis</i> , 1997 , 42, 102-8		11
45	Bleeding complications of triple antithrombotic therapy after percutaneous coronary interventions. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, E64-E74	2.7	10
44	Genome-Wide Linkage Analysis of Large Multiple Multigenerational Families Identifies Novel Genetic Loci for Coronary Artery Disease. <i>Scientific Reports</i> , 2017 , 7, 5472	4.9	10
43	Impact of platelet glycoprotein IIb/IIIa Inhibition on the paclitaxel-eluting stent in patients with stable or unstable angina pectoris or provokable myocardial ischemia (a TAXUS IV substudy). <i>American Journal of Cardiology</i> , 2005 , 96, 500-5	3	10

42	LightTyper platform for high-throughput clinical genotyping. <i>Expert Review of Molecular Diagnostics</i> , 2005 , 5, 457-71	3.8	9
41	Utilization and outcomes of polytetrafluoroethylene covered stents in patients with coronary artery perforation and coronary artery aneurysm: Single center 15-year experience. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 555-561	2.7	8
40	A critical analysis of clinical outcomes reported in stem cell trials for acute myocardial infarction: some thoughts for design of future trials. <i>Current Atherosclerosis Reports</i> , 2013 , 15, 341	6	8
39	The Weasel Clause: Excluding Patients From Door-to-Balloon Analyses. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1763; author reply 1763-4	15.1	8
38	Eroding the denominator: the incomplete story of door-to-balloon time reporting. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 789-90	15.1	7
37	Renin-Angiotensin System Antagonists in Patients Without Left Ventricular Dysfunction After Percutaneous Intervention for ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015 , 116, 508-14	3	6
36	Analysis of causal effect of APOA5 variants on premature coronary artery disease. <i>Annals of Human Genetics</i> , 2018 , 82, 437-447	2.2	6
35	Survival prediction models for coronary intervention: strategic decision support. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 522-8	2.7	6
34	Genome-wide linkage scan identifies two novel genetic loci for coronary artery disease: in GeneQuest families. <i>PLoS ONE</i> , 2014 , 9, e113935	3.7	6
33	Creation of a large-scale genetic data bank for cardiovascular association studies. <i>American Heart Journal</i> , 2005 , 150, 500-6	4.9	6
32	Effects of long-term prednisone (> or =5 mg) use on outcomes and complications of percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2004 , 93, 1389-90, A6	3	6
31	Readmissions in ST-Elevation Myocardial Infarction and Cardiogenic Shock (from Nationwide Readmission Database). <i>American Journal of Cardiology</i> , 2019 , 124, 1841-1850	3	5
30	Operational Efficiency and Productivity Improvement Initiatives in a Large Cardiac Catheterization Laboratory. <i>JACC: Cardiovascular Interventions</i> , 2018 , 11, 329-338	5	4
29	Preprocedural statin use is associated with a reduced hazard of postprocedural myonecrosis in patients undergoing rotational atherectomy--a propensity-adjusted analysis. <i>American Heart Journal</i> , 2006 , 151, 1031.e1-6	4.9	4
28	Comparison of long-term survival following non-Q-wave creatine kinase elevation after percutaneous coronary intervention in patients discharged on a beta blocker versus those not so treated. <i>American Journal of Cardiology</i> , 2002 , 89, 751-3	3	4
27	Management of coronary chronic total occlusion. <i>Cleveland Clinic Journal of Medicine</i> , 2017 , 84, 27-38	2.8	4
26	Long-Term Outcomes of Patients With Mediastinal Radiation-Associated Coronary Artery Disease Undergoing Coronary Revascularization With Percutaneous Coronary Intervention and Coronary Artery Bypass Grafting. <i>Circulation</i> , 2020 , 142, 1399-1401	16.7	4
25	Association of adoption of transradial access for percutaneous coronary intervention in ST elevation myocardial infarction with door-to-balloon time. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, E165-E173	2.7	3

24	Comparison of Long-Term Clinical Outcomes After Drug-Eluting Stenting in Blacks-vs-Whites. <i>American Journal of Cardiology</i> , 2019 , 124, 1179-1185	3	3
23	Bioresorbable stents: The future of interventional cardiology?. <i>Cleveland Clinic Journal of Medicine</i> , 2016 , 83, S18-S23	2.8	3
22	Angiographic predictors of adverse outcomes after percutaneous coronary intervention in patients with radiation associated coronary artery disease. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, E104-E110	2.7	2
21	Fractional flow reserve guided percutaneous coronary intervention results in reduced ischemic myocardium and improved outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 692-700	2.7	2
20	GuardWire emboli protection device is associated with improved myocardial perfusion grade in saphenous vein graft intervention. <i>American Heart Journal</i> , 2004 , 148, 1003-6	4.9	2
19	The role of ISCHEMIA in stable ischemic heart disease. <i>Cleveland Clinic Journal of Medicine</i> , 2020 , 87, 401-409	2.8	2
18	Abstract 17910: Patients with Newly Diagnosed Diabetes Have Comparable Long Term Mortality with Known Diabetics After ST Segment Elevation Myocardial Infarction. <i>Circulation</i> , 2014 , 130,	16.7	2
17	Outcomes of Early Coronary Angiography or Revascularization After Cardiac Surgery. <i>Annals of Thoracic Surgery</i> , 2021 , 111, 1494-1501	2.7	2
16	Frequency and factors associated with inappropriate for intervention cardiac catheterization laboratory activation. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 219-24	1.6	1
15	Stent choice and the hidden consequences of cost savings. <i>Nature Reviews Cardiology</i> , 2012 , 9, 559-60	14.8	1
14	Restenosis, statistics, and reasonable inferences. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 470-1; author reply 471	15.1	1
13	Unprotected Left Main Coronary Artery Disease: Management in the Post NOBLE and EXCEL Era. <i>Interventional Cardiology Review</i> , 2017 , 12, 92-96	4.2	1
12	Intravascular ultrasound predictors of long-term outcomes following ABSORB bioresorbable scaffold implantation: A pooled analysis of the ABSORB III and ABSORB Japan trials. <i>Journal of Cardiology</i> , 2021 , 78, 224-229	3	1
11	Quantitative evaluation of local drug delivery using the InfusaSleeve catheter 1997 , 42, 102		1
10	Outcomes of Interventional Management of Coronary Artery Disease in Kidney Transplant Recipients.. <i>Transplantation Proceedings</i> , 2022 , 54, 663-663	1.1	1
9	End-stage renal disease as an independent risk factor for in-hospital mortality after coronary drug-eluting stenting: Understanding and modeling the risk. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 246-254	2.7	0
8	Successful modeling of long term outcomes in end-stage renal disease patients undergoing percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 208-214	2.7	0
7	Implementation of a Myocardial Perfusion Imaging Risk Algorithm to Inform Appropriate Downstream Invasive Testing and Treatment. <i>Circulation: Cardiovascular Imaging</i> , 2021 , 14, e011984	3.9	0

- 6 Role of revascularization to improve left ventricular function. *Heart Failure Clinics*, **2015**, 11, 203-14 3.3
- 5 First human randomized trial of G-CSF stem cell mobilization to treat large acute myocardial infarction—preliminary results of a pilot study. *International Congress Series*, **2004**, 1262, 364-367
- 4 Feasibility of transradial primary percutaneous coronary intervention for STEMI complicated by cardiac arrest.. *Catheterization and Cardiovascular Interventions*, **2022**, 99, 1363-1365 2.7
- 3 Prediabetic Patient Outcomes 8 to 15 Years After Drug-Eluting Coronary Stenting. *American Journal of Cardiology*, **2021**, 149, 21-26 3
- 2 Incremental progress? The roles of direct stenting and routine troponin measurement after percutaneous coronary intervention. *Journal of Invasive Cardiology*, **2002**, 14, 171-2 0.7
- 1 Plaque that makes a patient vulnerable. *Journal of Invasive Cardiology*, **2004**, 16, 401 0.7