

Xi Meng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5934776/publications.pdf>

Version: 2024-02-01

67
papers

1,287
citations

377584

21
h-index

466096

32
g-index

67
all docs

67
docs citations

67
times ranked

749
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of copper foam fin (CFF) shapes on thermal performance improvement of the latent heat storage units. <i>Journal of Energy Storage</i> , 2022, 45, 103520.	3.9	26
2	Influence of phase change material (PCM) parameters on the thermal performance of lightweight building walls with different thermal resistances. <i>Case Studies in Thermal Engineering</i> , 2022, 31, 101844.	2.8	29
3	An experimental comparison on regional thermal environment of the high-density enclosed building groups with retro-reflective and high-reflective coatings. <i>Energy and Buildings</i> , 2022, 259, 111864.	3.1	49
4	Comparative analysis between constant and variable solar radiation reflectivity for exterior walls in the hot-summer and cold-winter zone. <i>International Journal of Low-Carbon Technologies</i> , 2022, 17, 571-580.	1.2	1
5	A comprehensive review on the spray cooling system employed to improve the summer thermal environment: Application efficiency, impact factors, and performance improvement. <i>Building and Environment</i> , 2022, 217, 109065.	3.0	59
6	A new method to improve indoor environment: Combining the living wall with air-conditioning. <i>Building and Environment</i> , 2022, 216, 108981.	3.0	44
7	A review on indoor green plants employed to improve indoor environment. <i>Journal of Building Engineering</i> , 2022, 53, 104542.	1.6	22
8	Correlation Analysis of Thermal Comfort and Landscape Characteristics: A Case Study of the Coastal Greenway in Qingdao, China. <i>Buildings</i> , 2022, 12, 541.	1.4	3
9	Energy-saving contribution of the thermochromic coating in exterior walls in hot-summer and cold-winter zone. <i>International Journal of Low-Carbon Technologies</i> , 2022, 17, 710-719.	1.2	2
10	Typical effects of occupants' behaviour on indoor air-conditioned environments in the hot summer and cold winter region of China. <i>Indoor and Built Environment</i> , 2021, 30, 606-620.	1.5	9
11	When artificial intelligence meets building energy efficiency, a review focusing on zero energy building. <i>Artificial Intelligence Review</i> , 2021, 54, 2193-2220.	9.7	31
12	Influence of the Copper Foam Fin (CFF) shapes on thermal performance of Phase-Change Material (PCM) in an enclosed cavity. <i>Case Studies in Thermal Engineering</i> , 2021, 23, 100810.	2.8	35
13	Influence of the copper foam shape on thermal performance of phase-change material. <i>Journal of Energy Storage</i> , 2021, 36, 102416.	3.9	23
14	Inclination angles on the thermal behavior of Phase-Change Material (PCM) in a cavity filled with copper foam partly. <i>Case Studies in Thermal Engineering</i> , 2021, 25, 100944.	2.8	17
15	Outdoor comfort level improvement in the traffic waiting areas by using a mist spray system: An experiment and questionnaire study. <i>Sustainable Cities and Society</i> , 2021, 71, 102973.	5.1	19
16	Effect of the filling position and filling rate of the insulation material on the insulation performance of the hollow block. <i>Case Studies in Thermal Engineering</i> , 2021, 26, 101023.	2.8	12
17	Application of retro-reflective materials in urban buildings: A comprehensive review. <i>Energy and Buildings</i> , 2021, 247, 111137.	3.1	51
18	Impact of Occupant Behavior on Thermal Performance of the Typical-Composite Walls of a Building. <i>Journal of Energy Engineering - ASCE</i> , 2021, 147, 04021039.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Influence of wall thermal performance on the contribution efficiency of the Phase-Change Material (PCM) layer. <i>Case Studies in Thermal Engineering</i> , 2021, 28, 101398.	2.8	18
20	Composite design and thermal comfort evaluation of safety helmet with phase change materials cooling. <i>Thermal Science</i> , 2021, 25, 891-900.	0.5	7
21	A numerical study on the effect of phase-change material (PCM) parameters on the thermal performance of lightweight building walls. <i>Case Studies in Construction Materials</i> , 2021, 15, e00758.	0.8	8
22	Location combination optimization of thermal insulation material and phase-change material in multi-layer walls under air-conditioning continuous and intermittent operation. <i>Journal of Energy Storage</i> , 2021, 44, 103449.	3.9	10
23	Composition of cooling load formed by non-transparent envelopes of a common office building under air-conditioning intermittent operation. <i>Journal of Building Physics</i> , 2020, 43, 528-544.	1.2	6
24	Filling copper foam partly on thermal behavior of phase-change material in a rectangular enclosure. <i>Journal of Energy Storage</i> , 2020, 32, 101867.	3.9	23
25	Effect of porosity and pore density of copper foam on thermal performance of the paraffin-copper foam composite Phase-Change Material. <i>Case Studies in Thermal Engineering</i> , 2020, 22, 100742.	2.8	42
26	Thermal performance analysis of sensible and latent heat thermal energy storage tanks: A contrastive experiment. <i>Journal of Building Engineering</i> , 2020, 32, 101713.	1.6	15
27	Model experiment study for ventilation performance improvement of the Wind Energy Fan system by optimizing wind turbines. <i>Sustainable Cities and Society</i> , 2020, 60, 102212.	5.1	4
28	Thermal behavior analysis of hollow bricks filled with phase-change material (PCM). <i>Journal of Building Engineering</i> , 2020, 31, 101447.	1.6	49
29	Optimization on non-transparent envelopes of the typical office rooms with air-conditioning under intermittent operation. <i>Solar Energy</i> , 2020, 201, 798-809.	2.9	16
30	Effect of inner decoration coating on inner surface temperatures and heat flows under air-conditioning intermittent operation. <i>Case Studies in Thermal Engineering</i> , 2019, 14, 100503.	2.8	4
31	Parametric analysis on the temperature response rules in inner surfaces for the homogeneity walls. <i>Case Studies in Thermal Engineering</i> , 2019, 13, 100353.	2.8	3
32	A study on model experiment and aerodynamic match of Wind Energy Fan (WEF). <i>Sustainable Cities and Society</i> , 2019, 49, 101618.	5.1	3
33	Hydrothermal pretreatment of rice straw at relatively lower temperature to improve biogas production via anaerobic digestion. <i>Chinese Chemical Letters</i> , 2019, 30, 1219-1223.	4.8	52
34	Thermal performance optimization of building floors under air-conditioning intermittent operation by numerical simulation. <i>Journal of Building Physics</i> , 2019, 43, 99-120.	1.2	13
35	Questionnaire survey on the summer air-conditioning use behaviour of occupants in residences and office buildings of China. <i>Indoor and Built Environment</i> , 2019, 28, 711-724.	1.5	7
36	Heat storage and release characteristics of composite phase change wall under different intermittent heating conditions. <i>Science and Technology for the Built Environment</i> , 2019, 25, 336-345.	0.8	18

#	ARTICLE	IF	CITATIONS
37	Experimental study on thermal performance improvement of building envelopes by integrating with phase change material in an intermittently heated room. <i>Sustainable Cities and Society</i> , 2018, 38, 607-615.	5.1	39
38	Effect of the insulation materials filling on the thermal performance of sintered hollow bricks. <i>Case Studies in Thermal Engineering</i> , 2018, 11, 62-70.	2.8	46
39	Effect of the insulation materials filling on the thermal performance of sintered hollow bricks under the air-conditioning intermittent operation. <i>Case Studies in Construction Materials</i> , 2018, 8, 217-225.	0.8	19
40	Comparative analysis on thermal performance of different wall insulation forms under the air-conditioning intermittent operation in summer. <i>Applied Thermal Engineering</i> , 2018, 130, 429-438.	3.0	43
41	Research on urban park design combined with the urban ventilation system. <i>Energy Procedia</i> , 2018, 152, 1133-1138.	1.8	7
42	Numerical optimization on thermal performance characteristics of interior walls based on air-conditioning intermittent running. <i>Case Studies in Thermal Engineering</i> , 2018, 12, 608-619.	2.8	11
43	Optimization of the wall thermal insulation characteristics based on the intermittent heating operation. <i>Case Studies in Construction Materials</i> , 2018, 9, e00188.	0.8	18
44	Effect of retro-reflective materials on temperature environment in tents. <i>Case Studies in Thermal Engineering</i> , 2017, 9, 122-127.	2.8	19
45	Effect of the thermal insulation layer location on wall dynamic thermal response rate under the air-conditioning intermittent operation. <i>Case Studies in Thermal Engineering</i> , 2017, 10, 79-85.	2.8	27
46	A new simple method to measure wall thermal transmittance in situ and its adaptability analysis. <i>Applied Thermal Engineering</i> , 2017, 122, 747-757.	3.0	49
47	Research on thermal performance improvement of lightweight buildings by integrating with phase change material under different climate conditions. <i>Science and Technology for the Built Environment</i> , 2017, 23, 285-295.	0.8	9
48	Numerical simulation of outdoor wind environment of typical traditional village in the northeastern Sichuan Basin. <i>Procedia Engineering</i> , 2017, 205, 923-929.	1.2	4
49	Qualitative analysis of the cooling load in the typical room under continuous and intermittent runnings of air-conditioning. <i>Procedia Engineering</i> , 2017, 205, 405-409.	1.2	12
50	Qualitative Experimental research on thermal response of interior finishing material under air-conditioning intermittent running. <i>Procedia Engineering</i> , 2017, 205, 410-414.	1.2	3
51	Field Research on The Summer Thermal Environment of Traditional Folk Tibetan-style Houses in Northwest Sichuan Plateau. <i>Procedia Engineering</i> , 2017, 205, 438-445.	1.2	5
52	The Testing Research on Prefabricated Building Indoor Thermal Environment of Earthquake Disaster Region. <i>Procedia Engineering</i> , 2017, 205, 453-460.	1.2	3
53	Effect of retro-reflective materials on building indoor temperature conditions and heat flow analysis for walls. <i>Energy and Buildings</i> , 2016, 127, 488-498.	3.1	22
54	EFFECT OF PERIODICALLY ALTERNATING WALL TEMPERATURE ON NATURAL CONVECTION HEAT TRANSFER ENHANCEMENT IN A SQUARE CAVITY FILLED WITH Cu-WATER NANOFUIDS. <i>Heat Transfer Research</i> , 2016, 47, 839-854.	0.9	1

#	ARTICLE	IF	CITATIONS
55	Research on Indoor Thermal Environment Improvement of Lightweight Building Integrated with Phase Change Material under Different Climate Conditions. <i>Procedia Engineering</i> , 2015, 121, 1628-1634.	1.2	12
56	Thermal Performance Improvement of Prefab Houses by Covering Retro-reflective Materials. <i>Procedia Engineering</i> , 2015, 121, 1001-1007.	1.2	11
57	Comparative Study of In-situ Test and Laboratory Test on Material Reflectivity. <i>Procedia Engineering</i> , 2015, 121, 1932-1938.	1.2	0
58	Survey Research on Living Environment and Energy Consumption in the West Rural Areas of China. <i>Procedia Engineering</i> , 2015, 121, 1044-1050.	1.2	9
59	Optimum Analysis on the Thermal Performance of the Small-sized Biogas Fermentation Tank Based on Annual Energy Consumption Simulation. <i>Procedia Engineering</i> , 2015, 121, 309-316.	1.2	1
60	Factors affecting the in situ measurement accuracy of the wall heat transfer coefficient using the heat flow meter method. <i>Energy and Buildings</i> , 2015, 86, 754-765.	3.1	95
61	Buoyancy-driven convection heat transfer of copper-water nanofluid in a square enclosure under the different periodic oscillating boundary temperature waves. <i>Case Studies in Thermal Engineering</i> , 2015, 6, 93-103.	2.8	6
62	Feasibility experiment on the simple hot box-heat flow meter method and the optimization based on simulation reproduction. <i>Applied Thermal Engineering</i> , 2015, 83, 48-56.	3.0	48
63	Dynamic thermal reaction analysis of wall structures in various cooling operation conditions. <i>Energy Conversion and Management</i> , 2015, 105, 872-879.	4.4	9
64	Influence of user behavior on unsatisfactory indoor thermal environment. <i>Energy Conversion and Management</i> , 2014, 86, 1-7.	4.4	18
65	Angle Factor Calculation for the Thermal Radiation Environment of the Human Body. <i>Lecture Notes in Electrical Engineering</i> , 2014, , 447-455.	0.3	7
66	Optimization Research on the Multilayer Wall Integrated with a PCM Layer. <i>Open Construction and Building Technology Journal</i> , 2014, 8, 406-412.	0.3	0
67	Natural Convection Heat Transfer of Copper-Water Nanofluid in an Inclined Square Cavity with Time-Periodic Boundary Conditions. , 0, , .		0