

Kirk Loren Overmyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5935961/publications.pdf>

Version: 2024-02-01

47
papers

3,614
citations

257450

24
h-index

233421

45
g-index

58
all docs

58
docs citations

58
times ranked

4463
citing authors

#	ARTICLE	IF	CITATIONS
1	Reactive oxygen species and hormonal control of cell death. <i>Trends in Plant Science</i> , 2003, 8, 335-342.	8.8	599
2	Ozone-Sensitive Arabidopsis rcd1 Mutant Reveals Opposite Roles for Ethylene and Jasmonate Signaling Pathways in Regulating Superoxide-Dependent Cell Death. <i>Plant Cell</i> , 2000, 12, 1849-1862.	6.6	491
3	Activation of an oxidative burst is a general feature of sensitive plants exposed to the air pollutant ozone. <i>Plant, Cell and Environment</i> , 2002, 25, 717-726.	5.7	273
4	Genome sequencing and population genomic analyses provide insights into the adaptive landscape of silver birch. <i>Nature Genetics</i> , 2017, 49, 904-912.	21.4	221
5	Arabidopsis RADICAL-INDUCED CELL DEATH1 Belongs to the WWE Protein-Protein Interaction Domain Protein Family and Modulates Abscisic Acid, Ethylene, and Methyl Jasmonate Responses. <i>Plant Cell</i> , 2004, 16, 1925-1937.	6.6	217
6	Ozone-Induced Programmed Cell Death in the Arabidopsis radical-induced cell death1 Mutant. <i>Plant Physiology</i> , 2005, 137, 1092-1104.	4.8	178
7	Unequally redundant RCD1 and SRO1 mediate stress and developmental responses and interact with transcription factors. <i>Plant Journal</i> , 2009, 60, 268-279.	5.7	156
8	Apoplastic Reactive Oxygen Species Transiently Decrease Auxin Signaling and Cause Stress-Induced Morphogenic Response in Arabidopsis. <i>Plant Physiology</i> , 2011, 157, 1866-1883.	4.8	154
9	Post mortem function of A _t MC ₉ in xylem vessel elements. <i>New Phytologist</i> , 2013, 200, 498-510.	7.3	117
10	Mutual antagonism of ethylene and jasmonic acid regulates ozone-induced spreading cell death in Arabidopsis. <i>Plant Journal</i> , 2004, 39, 59-69.	5.7	109
11	The RST and PARP-like domain containing SRO protein family: analysis of protein structure, function and conservation in land plants. <i>BMC Genomics</i> , 2010, 11, 170.	2.8	101
12	The Receptor-like Pseudokinase GHR1 Is Required for Stomatal Closure. <i>Plant Cell</i> , 2018, 30, 2813-2837.	6.6	95
13	A Dominant Mutation in the HT1 Kinase Uncovers Roles of MAP Kinases and GHR1 in CO ₂ -Induced Stomatal Closure. <i>Plant Cell</i> , 2016, 28, 2493-2509.	6.6	89
14	Transcriptomics and Functional Genomics of ROS-Induced Cell Death Regulation by RADICAL-INDUCED CELL DEATH1. <i>PLoS Genetics</i> , 2014, 10, e1004112.	3.5	88
15	Genome Sequencing of the Plant Pathogen <i>Taphrina deformans</i> , the Causal Agent of Peach Leaf Curl. <i>MBio</i> , 2013, 4, e00055-13.	4.1	81
16	Dissecting Abscisic Acid Signaling Pathways Involved in Cuticle Formation. <i>Molecular Plant</i> , 2016, 9, 926-938.	8.3	72
17	Regulation of ABA dependent wound induced spreading cell death by MYB ₁₀₈ . <i>New Phytologist</i> , 2013, 200, 634-640.	7.3	70
18	Complex phenotypic profiles leading to ozone sensitivity in Arabidopsis thaliana mutants. <i>Plant, Cell and Environment</i> , 2008, 31, 1237-1249.	5.7	69

#	ARTICLE	IF	CITATIONS
19	Interaction of methyl viologen-induced chloroplast and mitochondrial signalling in Arabidopsis. <i>Free Radical Biology and Medicine</i> , 2019, 134, 555-566.	2.9	51
20	The transcription factor interacting protein RCD1 contains a novel conserved domain. <i>Plant Signaling and Behavior</i> , 2010, 5, 78-80.	2.4	42
21	Differential responses of Gâ€protein Arabidopsis thaliana mutants to ozone. <i>New Phytologist</i> , 2004, 162, 633-641.	7.3	39
22	The isolation and characterization of resident yeasts from the phylloplane of Arabidopsis thaliana. <i>Scientific Reports</i> , 2016, 6, 39403.	3.3	38
23	Cell death regulation but not abscisic acid signaling is required for enhanced immunity to Botrytis in Arabidopsis cuticle-permeable mutants. <i>Journal of Experimental Botany</i> , 2019, 70, 5971-5984.	4.8	38
24	Integration of photosynthesis, development and stress as an opportunity for plant biology. <i>New Phytologist</i> , 2015, 208, 647-655.	7.3	25
25	PROTEIN PHOSPHATASE 2A-â€²³ Controls ³ Botrytis cinerea</sup> Resistance and Developmental Leaf Senescence. <i>Plant Physiology</i> , 2020, 182, 1161-1181.	4.8	25
26	Arabidopsis MLO2 is a negative regulator of sensitivity to extracellular reactive oxygen species. <i>Plant, Cell and Environment</i> , 2018, 41, 782-796.	5.7	24
27	³ modulates foliar ³ methylation capacity and the formation of 4â€methoxyâ€ndolâ€3â€ylâ€methyl glucosinolate in Arabidopsis leaves. <i>Plant Journal</i> , 2017, 89, 112-127.	5.7	23
28	Interaction points in plant stress signaling pathways. <i>Physiologia Plantarum</i> , 2018, 162, 191-204.	5.2	23
29	Image-Based Methods to Score Fungal Pathogen Symptom Progression and Severity in Excised Arabidopsis Leaves. <i>Plants</i> , 2021, 10, 158.	3.5	15
30	A novel Arabidopsis phyllosphere resident Protomyces species and a re-examination of genus Protomyces based on genome sequence data. <i>IMA Fungus</i> , 2021, 12, 8.	3.8	11
31	Stress Signaling III: Reactive Oxygen Species (ROS). , 2009, , 91-102.		10
32	Chromosome-level genome assembly of the diploid blueberry Vaccinium darrowii provides insights into its subtropical adaptation and cuticle synthesis. <i>Plant Communications</i> , 2022, 3, 100307.	7.7	10
33	Generation of a chromosome-22-specific c-DNA library as confirmed by FISH analysis. <i>Human Genetics</i> , 1993, 92, 623-626.	3.8	8
34	Plant ROS and RNS: making plant science more radical than ever. <i>Physiologia Plantarum</i> , 2010, 138, 357-359.	5.2	8
35	Dissecting Contrasts in Cell Death, Hormone, and Defense Signaling in Response to Botrytis cinerea and Reactive Oxygen Species. <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, 75-87.	2.6	7
36	Comparative Genomics Reveals Potential Mechanisms of Plant Beneficial Effects of a Novel Bamboo-Endophytic Bacterial Isolate Paraburkholderia sacchari Suichang626. <i>Frontiers in Microbiology</i> , 2021, 12, 686998.	3.5	5

#	ARTICLE	IF	CITATIONS
37	Reactive Oxygen Species in Ozone Toxicity. Signaling and Communication in Plants, 2009, , 191-207.	0.7	5
38	Reactive Oxygen in Abiotic Stress Perception - From Genes to Proteins. , 0, , .		4
39	Rootâ€type <scp>ferredoxinâ€NADP</scp>⁺ oxidoreductase isoforms in <scp><i>Arabidopsis thaliana</i></scp>: Expression patterns, location and stress responses. Plant, Cell and Environment, 2021, 44, 548-558.	5.7	3
40	Increased transcriptome sequencing efficiency with modified Mint-2 digestionâ€ligation protocol. Analytical Biochemistry, 2015, 477, 38-40.	2.4	2
41	Distinct <i>Taphrina</i> strains from the phyllosphere of birch exhibiting a range of witches' broom disease symptoms. Environmental Microbiology, 2022, 24, 3549-3564.	3.8	2
42	Isolation and localization of transcribed sequences on human chromosome 22. Cytogenetic and Genome Research, 1995, 71, 81-85.	1.1	1
43	Enrichment of chromosome specific hncDNAs by magnetic bead coupled Alu sequences. Molecular Biology Reports, 1996, 22, 53-57.	2.3	1
44	Altered redox processes, defense responses, and flowering time are associated with survival of the temperate <i>Camelina sativa</i> under subtropical conditions. Environmental and Experimental Botany, 2020, 177, 104132.	4.2	1
45	Case study of a rhizosphere microbiome assay on a bamboo rhizome with excessive shoots. Forestry Research, 2021, 1, 1-10.	1.1	1
46	Genetic resistance and tumour morphology in birch infected with <i>Taphrina betulina</i>. Forest Pathology, 2021, 51, e12709.	1.1	1
47	Ozone-Induced Cell Death. Tree Physiology, 2001, , 81-92.	2.5	0