

Brian O'Donoghue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/593737/publications.pdf>

Version: 2024-02-01

121
papers

3,016
citations

236612

25
h-index

197535

49
g-index

124
all docs

124
docs citations

124
times ranked

3959
citing authors

#	ARTICLE	IF	CITATIONS
1	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019, 6, 675-712.	3.7	815
2	The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. <i>Schizophrenia Research</i> , 2020, 222, 79-87.	1.1	272
3	Satisfaction with services following voluntary and involuntary admission. <i>Journal of Mental Health</i> , 2014, 23, 38-45.	1.0	81
4	Neighbourhood level social deprivation and the risk of psychotic disorders: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 941-950.	1.6	75
5	Perceived coercion in voluntary hospital admission. <i>Psychiatry Research</i> , 2014, 215, 120-126.	1.7	74
6	Assessing physical activity in people with mental illness: 23-country reliability and validity of the simple physical activity questionnaire (SIMPAQ). <i>BMC Psychiatry</i> , 2020, 20, 108.	1.1	73
7	Early Intervention – An Implementation Challenge for 21st Century Mental Health Care. <i>JAMA Psychiatry</i> , 2018, 75, 545.	6.0	71
8	Involuntary admission from the patients' perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 631-638.	1.6	67
9	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368.	2.7	67
10	Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. <i>Schizophrenia Research</i> , 2018, 197, 9-18.	1.1	51
11	Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis. <i>Schizophrenia Research</i> , 2018, 195, 231-236.	1.1	49
12	Prevalence of item level negative symptoms in first episode psychosis diagnoses. <i>Schizophrenia Research</i> , 2012, 135, 128-133.	1.1	48
13	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	45
14	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	2.8	44
15	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40
16	Physical coercion, perceived pressures and procedural justice in the involuntary admission and future engagement with mental health services. <i>European Psychiatry</i> , 2011, 26, 208-214.	0.1	36
17	The Therapeutic Relationship After Psychiatric Admission. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 186-192.	0.5	36
18	Delays and barriers to the commencement of clozapine in eligible people with a psychotic disorder: A literature review. <i>Microbial Biotechnology</i> , 2019, 13, 18-23.	0.9	35

#	ARTICLE	IF	CITATIONS
19	Environmental factors and the age at onset in first episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 106-112.	1.1	32
20	The prognostic value of formal thought disorder following first episode psychosis. <i>Schizophrenia Research</i> , 2016, 178, 29-34.	1.1	31
21	Perceptions of involuntary admission and risk of subsequent readmission at one-year follow-up: The influence of insight and recovery style. <i>Journal of Mental Health</i> , 2011, 20, 249-259.	1.0	28
22	The factor structure and clinical utility of formal thought disorder in first episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 92-98.	1.1	28
23	Negative symptoms of psychosis: A life course approach and implications for prevention and treatment. <i>Microbial Biotechnology</i> , 2018, 12, 561-571.	0.9	28
24	Terminology and assessment tools of psychosis: A systematic narrative review. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 226-246.	1.0	27
25	Can we combine symptom scales for collaborative research projects?. <i>Journal of Psychiatric Research</i> , 2012, 46, 233-238.	1.5	26
26	Incidence of treated first episode psychosis from an Australian early intervention service and its association with neighbourhood characteristics. <i>Schizophrenia Research</i> , 2019, 209, 206-211.	1.1	24
27	Characteristics and outcomes of young people with substance induced psychotic disorder. <i>Schizophrenia Research</i> , 2019, 206, 257-262.	1.1	24
28	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. <i>Schizophrenia Research</i> , 2015, 161, 150-155.	1.1	23
29	Clozapine use in early psychosis. <i>Schizophrenia Research</i> , 2018, 199, 374-379.	1.1	23
30	Rates and Predictors of Relapse in First-Episode Psychosis: An Australian Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	0.9	23
31	The rates and determinants of disengagement and subsequent re-engagement in young people with first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 945-953.	1.6	22
32	Sexual functioning and experiences in young people affected by mental health disorders. <i>Psychiatry Research</i> , 2017, 253, 249-255.	1.7	21
33	Risk of psychotic disorders in migrants to Australia. <i>Psychological Medicine</i> , 2021, 51, 1192-1200.	2.7	21
34	Metabolic changes in first-episode early-onset schizophrenia with second-generation antipsychotics. <i>Microbial Biotechnology</i> , 2014, 8, 276-280.	0.9	20
35	Early intervention in psychosis: health economic evaluation using the net benefit approach in a real-world setting. <i>British Journal of Psychiatry</i> , 2020, 217, 484-490.	1.7	20
36	Do psychosis prodrome onset negative symptoms predict first presentation negative symptoms?. <i>European Psychiatry</i> , 2014, 29, 153-159.	0.1	19

#	ARTICLE	IF	CITATIONS
37	Negative symptom domain prevalence across diagnostic boundaries: The relevance of diagnostic shifts. <i>Psychiatry Research</i> , 2015, 228, 347-354.	1.7	19
38	Predictors of favourable outcome in young people with a first episode psychosis without antipsychotic medication. <i>Schizophrenia Research</i> , 2017, 185, 130-136.	1.1	19
39	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	0.9	19
40	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	0.9	19
41	The incidence and admission rate for first-episode psychosis in young people before and during the COVID-19 pandemic in Melbourne, Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 811-817.	1.3	19
42	High-risk sexual behaviour in young people with mental health disorders. <i>Microbial Biotechnology</i> , 2019, 13, 867-873.	0.9	17
43	A descriptive study of "non-cases" and referral rates to an early intervention for psychosis service. <i>Microbial Biotechnology</i> , 2012, 6, 276-282.	0.9	16
44	Rethinking vulnerable groups in clinical research. <i>Irish Journal of Psychological Medicine</i> , 2019, 36, 63-71.	0.7	16
45	Migrant status and identification as ultra-high risk for psychosis and transitioning to a psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 52-59.	2.2	15
46	Five years after implementation: A review of the Irish Mental Health Act 2001. <i>International Journal of Law and Psychiatry</i> , 2013, 36, 83-91.	0.5	14
47	Detection and characteristics of individuals with a very long duration of untreated psychosis in an early intervention for psychosis service. <i>Microbial Biotechnology</i> , 2014, 8, 332-339.	0.9	14
48	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 169, 214-216.	1.1	14
49	Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. <i>Schizophrenia Research</i> , 2020, 216, 310-315.	1.1	14
50	The need for early intervention for psychosis to persist throughout the COVID-19 pandemic and beyond. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 214-219.	0.7	14
51	Service Users' Perceptions About Their Hospital Admission Elicited by Service Users' Researchers or by Clinicians. <i>Psychiatric Services</i> , 2013, 64, 416-422.	1.1	13
52	The effect of Clinical Practice Guidelines on prescribing practice in mental health: A systematic review. <i>Psychiatry Research</i> , 2020, 284, 112671.	1.7	13
53	Comorbid Psychiatric Diagnoses Among Individuals Presenting to an Addiction Treatment Program for Alcohol Dependence. <i>Substance Use and Misuse</i> , 2011, 46, 351-358.	0.7	12
54	Proportion and characteristics of young people in a first-episode psychosis clinic who first attended an at-risk mental state service or other specialist youth mental health service. <i>Schizophrenia Research</i> , 2022, 241, 94-101.	1.1	11

#	ARTICLE	IF	CITATIONS
55	First episode schizophrenia in general practice: a national survey. <i>Irish Journal of Psychological Medicine</i> , 2006, 23, 6-9.	0.7	10
56	Patient attitudes towards compulsory community treatment orders and advance directives. <i>Irish Journal of Psychological Medicine</i> , 2010, 27, 66-71.	0.7	10
57	Rate of community treatment orders and readmission orders following reconfiguration of community mental health services. <i>Australasian Psychiatry</i> , 2016, 24, 278-281.	0.4	10
58	A systematic review of the effectiveness of group-based exercise interventions for individuals with first episode psychosis. <i>Psychiatry Research</i> , 2020, 293, 113402.	1.7	10
59	Concurrent cocaine and alcohol use in individuals presenting to an addiction treatment program. <i>Irish Journal of Medical Science</i> , 2010, 179, 233-237.	0.8	9
60	Social class mobility in first episode psychosis and the association with depression, hopelessness and suicidality. <i>Schizophrenia Research</i> , 2014, 157, 8-11.	1.1	9
61	Caregivers' perceptions of coercion in psychiatric hospital admission. <i>Psychiatry Research</i> , 2015, 228, 380-385.	1.7	9
62	Longer term outcomes of voluntarily admitted service users with high levels of perceived coercion. <i>Psychiatry Research</i> , 2015, 229, 602-605.	1.7	9
63	Defining disengagement from mental health services for individuals experiencing first episode psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1325-1335.	1.6	9
64	Cannabidiol for at risk for psychosis youth: A randomized controlled trial. <i>Microbial Biotechnology</i> , 2022, 16, 419-432.	0.9	9
65	Subjective and objective quality of life at first presentation with psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 401-410.	0.9	8
66	Predictors of change in social networks, support and satisfaction following a first episode psychosis: A cohort study. <i>International Journal of Nursing Studies</i> , 2017, 76, 28-35.	2.5	8
67	The association between community and service level factors and rates of disengagement in individuals with first episode psychosis. <i>Schizophrenia Research</i> , 2019, 210, 122-127.	1.1	8
68	The associations between migrant status and ethnicity and the identification of individuals at ultra-high risk for psychosis and transition to psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1923-1941.	1.6	8
69	Consultant psychiatrists' experiences and attitudes following the introduction of the Mental Health Act 2001: a national survey. <i>Irish Journal of Psychological Medicine</i> , 2009, 26, 23-26.	0.7	7
70	Service users' perspective of their admission: a report of study findings. <i>Irish Journal of Psychological Medicine</i> , 2017, 34, 251-260.	0.7	7
71	Residential social drift in the two years following a first episode of psychosis. <i>Schizophrenia Research</i> , 2019, 210, 323-325.	1.1	7
72	The relationship between early risk-taking behavior and mental health problems among a nationally representative sample of Australian youth. <i>Journal of Affective Disorders</i> , 2020, 272, 239-248.	2.0	7

#	ARTICLE	IF	CITATIONS
73	Outcomes for migrants with a first episode of psychosis: A systematic review. <i>Schizophrenia Research</i> , 2020, 222, 42-48.	1.1	7
74	The association between vitamin D and symptom domains in psychotic disorders: A systematic review. <i>Schizophrenia Research</i> , 2021, 237, 79-92.	1.1	7
75	High-risk sexual behaviours in young people experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2023, 17, 159-166.	0.9	7
76	Prevalence and predictors of restrictive interventions in a youth-specific mental health inpatient unit. <i>Microbial Biotechnology</i> , 2019, 13, 1105-1110.	0.9	6
77	Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis. <i>International Journal of Law and Psychiatry</i> , 2019, 62, 85-89.	0.5	6
78	Physical health assistance in early recovery of psychosis: Study protocol for a randomized controlled trial. <i>Microbial Biotechnology</i> , 2020, 14, 587-593.	0.9	6
79	Tobacco smoking in young people seeking treatment for mental ill-health: what are their attitudes, knowledge and behaviours towards quitting?. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 30-39.	0.7	6
80	Preliminary psychometric properties of a measure of social inclusion for young adults aged 18 to 25 with serious mental illness.. <i>Psychiatric Rehabilitation Journal</i> , 2020, 43, 156-169.	0.8	6
81	Quality of Life and Functioning One Year After Experiencing Accumulated Coercive Events During Psychiatric Admission. <i>Psychiatric Services</i> , 2015, 66, 883-887.	1.1	5
82	Group differences in social inclusion between young adults aged 18 to 25 with serious mental illness and same-aged peers from the general community. <i>International Journal of Social Psychiatry</i> , 2019, 65, 631-642.	1.6	5
83	Evaluation of an exercise physiology service in a youth mental health service. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 56-61.	0.7	5
84	Addressing physical health in mental illness: the urgent need to translate evidence-based interventions into routine clinical practice. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 1-5.	0.7	5
85	A pilot study of a yoga intervention for the treatment of anxiety in young people with early psychosis. <i>Microbial Biotechnology</i> , 2021, , .	0.9	5
86	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	0.7	5
87	Improving the Sexual Health of Young People (under 25) in High-Risk Populations: A Systematic Review of Behavioural and Psychosocial Interventions. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9063.	1.2	5
88	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
89	Reasons for referral and consultation liaison psychiatry diagnoses. <i>Irish Journal of Psychological Medicine</i> , 2010, 27, 123-129.	0.7	4
90	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.		4

#	ARTICLE	IF	CITATIONS
91	Screening for the ultra-high risk state in a youth mental health service. <i>Schizophrenia Research</i> , 2018, 202, 401-403.	1.1	4
92	Is a higher dose of antipsychotic medication required to treat a relapse following discontinuation in first episode psychosis?. <i>Schizophrenia Research</i> , 2019, 204, 407-408.	1.1	4
93	Reduction in the prescription of Olanzapine as a first-line treatment for first episode psychosis following the implementation of clinical practice guidelines. <i>Schizophrenia Research</i> , 2020, 215, 469-470.	1.1	4
94	Symptomatic, functional and service utilization outcomes of migrants with a first episode of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1389-1397.	1.6	4
95	Temporal variation in the incidence of treated psychotic disorders in young people. <i>Schizophrenia Research</i> , 2021, 231, 221-226.	1.1	4
96	Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2022, 240, 214-219.	1.1	4
97	Illness characteristics and symptoms in an Irish early intervention for psychosis service. <i>Irish Journal of Psychological Medicine</i> , 2015, 32, 147-154.	0.7	3
98	Caregiver burden and distress following the patient's discharge from psychiatric hospital. <i>BJPsych Bulletin</i> , 2017, 41, 87-91.	0.7	3
99	Prevalence of subthreshold positive symptoms in young people without psychotic disorders presenting to a youth mental health service. <i>Schizophrenia Research</i> , 2020, 215, 446-448.	1.1	3
100	Physical health trajectories of young people commenced on clozapine. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 49-55.	0.7	3
101	Pathways to care for first-generation migrants with first episode psychosis in northwestern metropolitan Melbourne. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, , 000486742210759.	1.3	3
102	Guidelines reduce time to consultation for a liaison psychiatry service in an Irish teaching hospital. <i>Irish Journal of Medical Science</i> , 2012, 181, 185-188.	0.8	2
103	Social class at birth and risk of psychosis. <i>International Journal of Social Psychiatry</i> , 2015, 61, 768-776.	1.6	2
104	Inpatient care for emerging adults affected by mental health disorders. <i>Microbial Biotechnology</i> , 2018, 12, 771-773.	0.9	2
105	A case of multiple sclerosis presenting as first-episode psychosis in a young person. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 942-942.	1.3	2
106	Risk of first-episode psychosis in migrants to the Republic of Ireland. <i>Psychological Medicine</i> , 2021, , 1-8.	2.7	2
107	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. <i>Biological Psychiatry</i> , 2021, 89, S356.	0.7	2
108	Sedentary behaviour in young people presenting with a first episode of psychosis before and during the covid-19 pandemic restrictions. <i>Schizophrenia Research</i> , 2021, 233, 31-33.	1.1	2

#	ARTICLE	IF	CITATIONS
109	The use of clozapine in a rural and remote region of Australia. <i>Australasian Psychiatry</i> , 2021, 29, 134-138.	0.4	2
110	38.1 MIGRANTS FROM AFRICA TO AUSTRALIA HAVE AN INCREASED RISK OF DEVELOPING A PSYCHOTIC DISORDER BUT ARE UNDER-REPRESENTED IN ULTRA-HIGH RISK FOR PSYCHOSIS CLINICS. <i>Schizophrenia Bulletin</i> , 2019, 45, S149-S149.	2.3	1
111	What impact does illness severity have on the sexual health of young people affected by mental health disorders? A comparison of inpatients and outpatients. <i>Australasian Psychiatry</i> , 2022, 30, 705-711.	0.4	1
112	Socio-demographic and clinical characteristics of migrants to Ireland presenting with a first episode of psychosis. <i>Irish Journal of Psychological Medicine</i> , 2021, , 1-7.	0.7	1
113	Delivery of an online psychosocial recovery program during COVID-19: A survey of young people attending a youth mental health service. <i>Microbial Biotechnology</i> , 2022, 16, 1259-1266.	0.9	1
114	Young migrants to Australia identified as being at ultra-high risk for psychosis: Pathways to care and clinical characteristics. <i>Schizophrenia Research</i> , 2022, 241, 156-160.	1.1	1
115	Coercion: an understudied issue in mental health. <i>Irish Journal of Psychological Medicine</i> , 2017, 34, 221-222.	0.7	0
116	A randomized study of a smartphone application compared with booklet to improve service user's knowledge of their legal rights. <i>Irish Journal of Psychological Medicine</i> , 2017, 34, 287-293.	0.7	0
117	Response to Lex Wunderink's query as to whether the development of supersensitivity could explain the greater risk of relapse in individuals with a longer duration of treatment with antipsychotic medication. <i>Schizophrenia Research</i> , 2018, 197, 599-600.	1.1	0
118	A double-edged sword – Metabolic complications of clozapine in a rural area. <i>Schizophrenia Research</i> , 2021, 228, 260-261.	1.1	0
119	Response to –Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis–. <i>Schizophrenia Research</i> , 2021, 231, 1-2.	1.1	0
120	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. <i>Biological Psychiatry</i> , 2021, 89, S174.	0.7	0
121	The association between social deprivation and the rate of identification of individuals at Ultra-High Risk for psychosis and transition to psychosis. <i>International Journal of Social Psychiatry</i> , 2023, 69, 294-303.	1.6	0