Karen A Hudson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5937816/publications.pdf

Version: 2024-02-01

623734 677142 23 855 14 22 citations g-index h-index papers 23 23 23 1394 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Reduced palmitic acid content in soybean as a result of mutation in FATB1a. PLoS ONE, 2022, 17, e0262327.	2.5	1
2	Combination of the Elevated Stearic Acid Trait with Other Fatty Acid Traits in Soybean. JAOCS, Journal of the American Oil Chemists' Society, 2021, 98, 221-226.	1.9	3
3	Genetic Variation for Seed Oil Biosynthesis in Soybean. Plant Molecular Biology Reporter, 2021, 39, 700-709.	1.8	5
4	Molecular-assisted breeding for improved carbohydrate profiles in soybean seed. Theoretical and Applied Genetics, 2020, 133, 1189-1200.	3.6	17
5	TILLING by Sequencing: A Successful Approach to Identify Rare Alleles in Soybean Populations. Genes, 2019, 10, 1003.	2.4	15
6	Combination of Novel Mutation in FAD3C and FAD3A for Low Linolenic Acid Soybean., 2019, 2, 1-4.		10
7	New Alleles of <i>FAD3A</i> Lower the Linolenic Acid Content of Soybean Seeds. Crop Science, 2018, 58, 713-718.	1.8	18
8	Characterization of New Allelic Combinations for Highâ€Oleic Soybeans. Crop Science, 2017, 57, 611-616.	1.8	14
9	Transcriptional profiling of mechanically and genetically sinkâ€limited soybeans. Plant, Cell and Environment, 2017, 40, 2307-2318.	5.7	16
10	Novel <i>FAD2–1A</i> Alleles Confer an Elevated Oleic Acid Phenotype in Soybean Seeds. Crop Science, 2016, 56, 226-231.	1.8	22
11	New Alleles of <i>FATB1A</i> to Reduce Palmitic Acid Levels in Soybean. Crop Science, 2016, 56, 1076-1080.	1.8	19
12	Evolutionary divergence of phytochrome protein function in <i>Zea mays</i> PIF3 signaling. Journal of Experimental Botany, 2016, 67, 4231-4240.	4.8	34
13	A Classification of Basic Helix-Loop-Helix Transcription Factors of Soybean. International Journal of Genomics, 2015, 2015, 1-10.	1.6	40
14	Developmental profiling of gene expression in soybean trifoliate leaves and cotyledons. BMC Plant Biology, 2015, 15, 169.	3.6	30
15	Mutations in SACPD-C Result in a Range of Elevated Stearic Acid Concentration in Soybean Seed. PLoS ONE, 2014, 9, e97891.	2.5	25
16	The Basic Helix-Loop-Helix Transcription Factor Family in the Sacred Lotus, Nelumbo Nucifera. Tropical Plant Biology, 2014, 7, 65-70.	1.9	11
17	Genome of the long-living sacred lotus (Nelumbo nucifera Gaertn.). Genome Biology, 2013, 14, R41.	9.6	329
18	Ionomic Screening of Fieldâ€Grown Soybean Identifies Mutants with Altered Seed Elemental Composition. Plant Genome, 2013, 6, plantgenome2012.07.0012.	2.8	71

#	ARTICLE	IF	CITATION
19	Soybean Oil-Quality Variants Identified by Large-Scale Mutagenesis. International Journal of Agronomy, 2012, 2012, 1-7.	1.2	23
20	Mutations in the soybean 3-ketoacyl-ACP synthase gene are correlated with high levels of seed palmitic acid. Molecular Breeding, 2012, 30, 1519-1523.	2.1	15
21	Changes in Global Gene Expression in Response to Chemical and Genetic Perturbation of Chromatin Structure. PLoS ONE, 2011, 6, e20587.	2.5	12
22	Fine mapping the soybean aphid resistance gene Rag1 in soybean. Theoretical and Applied Genetics, 2010, 120, 1063-1071.	3.6	87
23	The Circadian Clockâ€controlled Transcriptome of Developing Soybean Seeds. Plant Genome, 2010, 3, .	2.8	38