

Catherine S Bradley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5937965/catherine-s-bradley-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

2,896
citations

30
h-index

50
g-index

112
ext. papers

3,432
ext. citations

2.5
avg, IF

4.77
L-index

#	Paper	IF	Citations
102	Pelvic organ prolapse in older women: prevalence and risk factors. <i>Obstetrics and Gynecology</i> , 2004 , 104, 489-97	4.9	224
101	The sensitivity and specificity of a simple test to distinguish between urge and stress urinary incontinence. <i>Annals of Internal Medicine</i> , 2006 , 144, 715-23	8	116
100	Vaginal wall descensus and pelvic floor symptoms in older women. <i>Obstetrics and Gynecology</i> , 2005 , 106, 759-66	4.9	116
99	The "costs" of urinary incontinence for women. <i>Obstetrics and Gynecology</i> , 2006 , 107, 908-16	4.9	104
98	Continence pessary compared with behavioral therapy or combined therapy for stress incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2010 , 115, 609-617	4.9	98
97	Natural history of pelvic organ prolapse in postmenopausal women. <i>Obstetrics and Gynecology</i> , 2007 , 109, 848-54	4.9	98
96	A new questionnaire for urinary incontinence diagnosis in women: development and testing. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 66-73	6.4	96
95	The MAPP research network: design, patient characterization and operations. <i>BMC Urology</i> , 2014 , 14, 58	2.2	94
94	Constipation in pregnancy: prevalence, symptoms, and risk factors. <i>Obstetrics and Gynecology</i> , 2007 , 110, 1351-7	4.9	86
93	Racial differences in pelvic anatomy by magnetic resonance imaging. <i>Obstetrics and Gynecology</i> , 2008 , 111, 914-20	4.9	79
92	Sexual function 6 months after first delivery. <i>Obstetrics and Gynecology</i> , 2008 , 111, 1040-4	4.9	74
91	Conservative management for female urinary incontinence and pelvic organ prolapse review 2013: Summary of the 5th International Consultation on Incontinence. <i>Neurourology and Urodynamics</i> , 2016 , 35, 15-20	2.3	70
90	Impact of the 2011 FDA transvaginal mesh safety update on AUGS members' use of synthetic mesh and biologic grafts in pelvic reconstructive surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 191-8	1.9	63
89	The questionnaire for urinary incontinence diagnosis (QUID): validity and responsiveness to change in women undergoing non-surgical therapies for treatment of stress predominant urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 727-34	2.3	60
88	Gastrointestinal complications following abdominal sacrocolpopexy for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 78.e1-7	6.4	58
87	Endoanal ultrasound findings and fecal incontinence symptoms in women with and without recognized anal sphincter tears. <i>Obstetrics and Gynecology</i> , 2006 , 108, 1394-401	4.9	52
86	Inflammation and inflammatory control in interstitial cystitis/bladder pain syndrome: Associations with painful symptoms. <i>Pain</i> , 2014 , 155, 1755-1761	8	51

85	Bowel symptoms in women 1 year after sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 642.e1-8	6.4	50
84	Characterization of Whole Body Pain in Urological Chronic Pelvic Pain Syndrome at Baseline: A MAPP Research Network Study. <i>Journal of Urology</i> , 2017 , 198, 622-631	2.5	46
83	Adherence to behavioral interventions for stress incontinence: rates, barriers, and predictors. <i>Physical Therapy</i> , 2013 , 93, 757-73	3.3	43
82	Toll-like receptor 4 and comorbid pain in Interstitial Cystitis/Bladder Pain Syndrome: a multidisciplinary approach to the study of chronic pelvic pain research network study. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 66-74	16.6	42
81	Vaginal descent and pelvic floor symptoms in postmenopausal women: a longitudinal study. <i>Obstetrics and Gynecology</i> , 2008 , 111, 1148-53	4.9	40
80	Obesity and outcomes after sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 690.e1-8	6.4	39
79	Pain and Urinary Symptoms Should Not be Combined into a Single Score: Psychometric Findings from the MAPP Research Network. <i>Journal of Urology</i> , 2016 , 195, 949-54	2.5	38
78	Evidence of the Impact of Diet, Fluid Intake, Caffeine, Alcohol and Tobacco on Lower Urinary Tract Symptoms: A Systematic Review. <i>Journal of Urology</i> , 2017 , 198, 1010-1020	2.5	37
77	Pelvic floor symptoms and lifestyle factors in older women. <i>Journal of Women's Health</i> , 2005 , 14, 128-363		35
76	Pelvic organ prolapse, constipation, and dietary fiber intake in women: a case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 1687-91	6.4	34
75	Bowel symptoms in women planning surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1814-9	6.4	32
74	Overactive bladder and mental health symptoms in recently deployed female veterans. <i>Journal of Urology</i> , 2014 , 191, 1327-32	2.5	31
73	Baseline Lower Urinary Tract Symptoms in Patients Enrolled in LURN: A Prospective, Observational Cohort Study. <i>Journal of Urology</i> , 2018 , 199, 1023-1031	2.5	30
72	Endometrial adenocarcinoma with trophoblastic differentiation. <i>Gynecologic Oncology</i> , 1998 , 69, 74-7	4.9	30
71	Home-based versus office-based biofeedback therapy for constipation with dyssynergic defecation: a randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 768-777	18.8	30
70	Urinary incontinence self-report questions: reproducibility and agreement with bladder diary. <i>International Urogynecology Journal</i> , 2011 , 22, 1565-71	2	29
69	Magnetic resonance assessment of pelvic anatomy and pelvic floor disorders after childbirth. <i>International Urogynecology Journal</i> , 2009 , 20, 133-9	2	28
68	Non-surgical management of stress urinary incontinence: ambulatory treatments for leakage associated with stress (ATLAS) trial. <i>Clinical Trials</i> , 2007 , 4, 92-101	2.2	28

67	Urodynamically defined stress urinary incontinence and bladder outlet obstruction coexist in women. <i>Journal of Urology</i> , 2004 , 171, 757-60; discussion 760-1	2.5	28
66	Urological chronic pelvic pain syndrome flares and their impact: qualitative analysis in the MAPP network. <i>International Urogynecology Journal</i> , 2015 , 26, 1047-60	2	26
65	Predictors of success and satisfaction of nonsurgical therapy for stress urinary incontinence. <i>Obstetrics and Gynecology</i> , 2012 , 120, 91-7	4.9	26
64	Sexual function before and after non-surgical treatment for stress urinary incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2011 , 17, 30-35	1.9	25
63	Adverse Childhood Experiences and Symptoms of Urologic Chronic Pelvic Pain Syndrome: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network Study. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 865-877	4.5	24
62	Evidence for the Role of Mast Cells in Cystitis-Associated Lower Urinary Tract Dysfunction: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network Animal Model Study. <i>PLoS ONE</i> , 2016 , 11, e0168772	3.7	24
61	Urinary incontinence, depression and posttraumatic stress disorder in women veterans. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 502.e1-8	6.4	23
60	Sexual function in women after rectocele repair with acellular porcine dermis graft vs site-specific rectovaginal fascia repair. <i>International Urogynecology Journal</i> , 2007 , 18, 1163-9	2	23
59	Spanish translation and validation of four short pelvic floor disorders questionnaires. <i>International Urogynecology Journal</i> , 2013 , 24, 655-70	2	22
58	Longitudinal associations between mental health conditions and overactive bladder in women veterans. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 430.e1-430.e8	6.4	21
57	Risk factors for painful bladder syndrome in women seeking gynecologic care. <i>International Urogynecology Journal</i> , 2006 , 17, 73-8	2	21
56	Effects of colpocleisis on bowel symptoms among women with severe pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2010 , 21, 461-6	2	20
55	Anal sphincter laceration at vaginal delivery: is this event coded accurately?. <i>Obstetrics and Gynecology</i> , 2007 , 109, 1141-5	4.9	19
54	Mental Health, Sleep and Physical Function in Treatment Seeking Women with Urinary Incontinence. <i>Journal of Urology</i> , 2018 , 200, 848-855	2.5	18
53	Urodynamic evaluation of the bladder and pelvic floor. <i>Gastroenterology Clinics of North America</i> , 2008 , 37, 539-52, vii	4.4	18
52	American Urogynecologic Society Prolapse Consensus Conference Summary Report. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 260-263	1.9	17
51	Prevalence of vulvar and vaginal symptoms during pregnancy and the puerperium. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 105, 236-9	4	17
50	Inflammation and Symptom Change in Interstitial Cystitis or Bladder Pain Syndrome: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network Study. <i>Urology</i> , 2016 , 90, 56-61	1.6	16

49	A Case-Crossover Study of Urological Chronic Pelvic Pain Syndrome Flare Triggers in the MAPP Research Network. <i>Journal of Urology</i> , 2018 , 199, 1245-1251	2.5	15
48	Pelvic floor symptoms improve similarly after pessary and behavioral treatment for stress incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 118-21	1.9	15
47	Incontinence surgery in the older woman. <i>Current Opinion in Urology</i> , 2006 , 16, 224-8	2.8	15
46	Changes in symptoms during urologic chronic pelvic pain syndrome symptom flares: findings from one site of the MAPP Research Network. <i>Neurourology and Urodynamics</i> , 2015 , 34, 188-95	2.3	14
45	Vaginal Erosion After Pubovaginal Sling Procedures Using Dermal Allografts. <i>Journal of Urology</i> , 2003 , 169, 286-287	2.5	14
44	The Pelvic Floor Disorders Registry: Purpose and Development. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 77-82	1.9	13
43	Pharmacologic treatment for urgency-predominant urinary incontinence in women diagnosed using a simplified algorithm: a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 444.e1-11	6.4	13
42	Pelvic Floor Disorders Registry: Study Design and Outcome Measures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 70-6	1.9	13
41	Sub-noxious Intravesical Lipopolysaccharide Triggers Bladder Inflammation and Symptom Onset in A Transgenic Autoimmune Cystitis Model: A MAPP Network Animal Study. <i>Scientific Reports</i> , 2018 , 8, 6573	4.9	12
40	Systematic review of definitions for success in pelvic organ prolapse surgery. <i>International Urogynecology Journal</i> , 2018 , 29, 1697-1704	2	12
39	Transgenic Mice Expressing MCP-1 by the Urothelium Demonstrate Bladder Hypersensitivity, Pelvic Pain and Voiding Dysfunction: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network Animal Model Study. <i>PLoS ONE</i> , 2016 , 11, e0163829	3.7	11
38	Reasons for Seeking Clinical Care for Lower Urinary Tract Symptoms: A Mixed Methods Study. <i>Journal of Urology</i> , 2018 , 199, 528-535	2.5	11
37	Bowel function, sexual function, and symptoms of pelvic organ prolapse in women with and without urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2586-2596	2.3	10
36	Are three-day voiding diaries feasible and reliable? Results from the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN) cohort. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2185-2193	2.3	10
35	Successful conservative management of a large iatrogenic vesicovaginal fistula after loop electrosurgical excision procedure. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 207, e4-6	6.4	10
34	Sleep Quality and Daytime Sleepiness Among Women With Urgency Predominant Urinary Incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 76-81	1.9	9
33	Long-term efficacy and safety of questionnaire-based initiation of urgency urinary incontinence treatment. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 244.e1-9	6.4	9
32	The Comprehensive Assessment of Self-Reported Urinary Symptoms: A New Tool for Research on Subtypes of Patients with Lower Urinary Tract Symptoms. <i>Journal of Urology</i> , 2019 , 201, 1177-1183	2.5	9

31	Cystitis-induced bladder pain is Toll-like receptor 4 dependent in a transgenic autoimmune cystitis murine model: a MAPP Research Network animal study. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F90-F98	4.3	8
30	Risk factors for sonographic internal anal sphincter gaps 6-12 months after delivery complicated by anal sphincter tear. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 310.e1-5	6.4	8
29	Association of Pharmacologic Treatment of Urgency Urinary Incontinence With Sleep Quality and Daytime Sleepiness. <i>Obstetrics and Gynecology</i> , 2018 , 131, 204-211	4.9	7
28	Development of the Measure of Adaptations for Pelvic Symptoms (MAPS): the Importance of Incorporating the Female Patient's Voice. <i>Applied Research in Quality of Life</i> , 2007 , 1, 239-251	2.3	7
27	Can 7 or 30-Day Recall Questions Capture Self-Reported Lower Urinary Tract Symptoms Accurately?. <i>Journal of Urology</i> , 2019 , 202, 770-778	2.5	7
26	A longitudinal analysis of urological chronic pelvic pain syndrome flares in the Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network. <i>BJU International</i> , 2019 , 124, 522-531	5.6	6
25	A New Brief Clinical Assessment of Lower Urinary Tract Symptoms for Women and Men: LURN SI-10. <i>Journal of Urology</i> , 2020 , 203, 164-170	2.5	6
24	Symptom Duration in Patients With Urologic Chronic Pelvic Pain Syndrome is not Associated With Pain Severity, Nonurologic Syndromes and Mental Health Symptoms: A Multidisciplinary Approach to the Study of Chronic Pelvic Pain Network Study. <i>Urology</i> , 2019 , 124, 14-22	1.6	6
23	A new outcome measure for LUTS: Symptoms of Lower Urinary Tract Dysfunction Research Network Symptom Index-29 (LURN SI-29) questionnaire. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1751-1759	2.3	5
22	A randomized controlled trial of permanent vs absorbable suture for uterosacral ligament suspension. <i>International Urogynecology Journal</i> , 2021 , 32, 785-790	2	5
21	Vaginal erosion after pubovaginal sling procedures using dermal allografts. <i>Journal of Urology</i> , 2003 , 169, 286-7	2.5	5
20	Modifiers of Response to Treatment With Fesoterodine for Urgency-Predominant Urinary Incontinence in a Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 151-156	1.9	4
19	Longitudinal changes in symptom-based female and male LUTS clusters. <i>Neurourology and Urodynamics</i> , 2020 , 39, 393-402	2.3	4
18	Necrotizing postsurgical infection complicating midurethral sling procedure with unrecognized cystotomy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2012 , 18, 183-5	1.9	3
17	Identifying barriers to accessing information and treatment for obstetric fistula in Niamey, Niger. <i>Proceedings in Obstetrics and Gynecology</i> , 2016 , 6, 1-13	0	3
16	Urinary tract infection and drug-resistant urinary tract infection after intradetrusor onabotulinumtoxinA injection versus sacral neuromodulation. <i>International Urogynecology Journal</i> , 2020 , 31, 871-879	2	3
15	Prevalence of childhood trauma and its association with lower urinary tract symptoms in women and men in the LURN study. <i>Neurourology and Urodynamics</i> , 2021 , 40, 632-641	2.3	3
14	Association of Vulvar Symptoms With Pelvic Organ Prolapse and Urinary Incontinence. <i>Journal of Lower Genital Tract Disease</i> , 2017 , 21, 315-318	3.6	2

13	Do patient characteristics impact the relationship between anatomic prolapse and vaginal bulge symptoms?. <i>International Urogynecology Journal</i> , 2017 , 28, 391-396	2	2
12	Vaginal cancer in patient presenting with advanced pelvic organ prolapse: case report and literature review. <i>Proceedings in Obstetrics and Gynecology</i> , 2015 , 5, 1-8	0	2
11	Patient demographic and psychosocial characteristics associated with 30-day recall of self-reported lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1939-1948	2.3	1
10	Generic Health-Related Quality of Life in Patients Seeking Care for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021 , 27, 337-343	1.9	1
9	Changes in whole body pain intensity and widespreadness during urologic chronic pelvic pain syndrome flares-Findings from one site of the MAPP study. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2333-2350	2.3	0
8	Is Pelvic Floor Muscle Tenderness a Distinct Urologic Chronic Pelvic Pain Syndrome (UCPPS) Phenotype?: Findings From the Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network Symptoms Pattern Study (SPS).. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002679	2.5	0
7	Deciding Our Future: Consensus Conference Summary Report. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 159-161	1.9	
6	Overactive Bladder and Lifestyle Factors. <i>Journal of Women's Health</i> , 2018 , 27, 121-122	3	
5	Timing of Postoperative Voiding Trial After Anti-incontinence Procedures. <i>Journal of Pelvic Medicine & Surgery</i> , 2004 , 10, 37-38		
4	Pelvic Mass Presenting as an Irreducible Vaginal Vault Prolapse. <i>Journal of Pelvic Medicine & Surgery</i> , 2004 , 10, 271-272		
3	Behavioral Therapy and Lifestyle Modifications for the Management of Urinary Incontinence in Women 2022 , 107-125		
2	Daily symptom associations for urinary urgency and anxiety, depression and stress in women with overactive bladder. <i>International Urogynecology Journal</i> , 2021 , 1	2	
1	Prospective evaluation of genital hiatus in patients undergoing surgical prolapse repair.. <i>International Urogynecology Journal</i> , 2022 , 1	2	