

Karen Cerosaletti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5938487/publications.pdf>

Version: 2024-02-01

18
papers

1,109
citations

687363

13
h-index

888059

17
g-index

19
all docs

19
docs citations

19
times ranked

2066
citing authors

#	ARTICLE	IF	CITATIONS
1	Single Nucleotide Variant in FAS Associates With Organ Failure and Soluble Fas Cell Surface Death Receptor in Critical Illness. <i>Critical Care Medicine</i> , 2022, 50, e284-e293.	0.9	3
2	HLA alleles and sustained peanut consumption promote IgG4 responses in subjects protected from peanut allergy. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	15
3	Conserved IFN Signature between Adult and Pediatric Eosinophilic Esophagitis. <i>Journal of Immunology</i> , 2021, 206, 1361-1371.	0.8	17
4	Endomembrane targeting of human OAS1 p46 augments antiviral activity. <i>ELife</i> , 2021, 10, .	6.0	41
5	IL-6 receptor blockade does not slow β cell loss in new-onset type 1 diabetes. <i>JCI Insight</i> , 2021, 6, .	5.0	25
6	The Autoimmune Risk R262W Variant of the Adaptor SH2B3 Improves Survival in Sepsis. <i>Journal of Immunology</i> , 2021, 207, 2710-2719.	0.8	5
7	Autoreactive T cell receptors with shared germline-like α chains in type 1 diabetes. <i>JCI Insight</i> , 2021, 6, .	5.0	14
8	Standardizing T-Cell Biomarkers in Type 1 Diabetes: Challenges and Recent Advances. <i>Diabetes</i> , 2019, 68, 1366-1379.	0.6	49
9	The MALT1 locus and peanut avoidance in the risk for peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2326-2329.	2.9	36
10	Islet-reactive CD8 ⁺ T cell frequencies in the pancreas, but not in blood, distinguish type 1 diabetic patients from healthy donors. <i>Science Immunology</i> , 2018, 3, .	11.9	171
11	The A946T variant of the RNA sensor IFIH1 mediates an interferon program that limits viral infection but increases the risk for autoimmunity. <i>Nature Immunology</i> , 2017, 18, 744-752.	14.5	119
12	Single-Cell RNA Sequencing Reveals Expanded Clones of Islet Antigen-Reactive CD4 ⁺ T Cells in Peripheral Blood of Subjects with Type 1 Diabetes. <i>Journal of Immunology</i> , 2017, 199, 323-335.	0.8	62
13	Enhanced T cell responses to IL-6 in type 1 diabetes are associated with early clinical disease and increased IL-6 receptor expression. <i>Science Translational Medicine</i> , 2016, 8, 356ra119.	12.4	82
14	Renegade homeostatic cytokine responses in T1D: Drivers of regulatory/effector T cell imbalance. <i>Clinical Immunology</i> , 2014, 151, 146-154.	3.2	16
15	In Active Relapsing-Remitting Multiple Sclerosis, Effector T Cell Resistance to Adaptive T _H 1 Involves IL-6-Mediated Signaling. <i>Science Translational Medicine</i> , 2013, 5, 170ra15.	12.4	121
16	Multiple Autoimmune-Associated Variants Confer Decreased IL-2R Signaling in CD4 ⁺ CD25 ^{hi} T Cells of Type 1 Diabetic and Multiple Sclerosis Patients. <i>PLoS ONE</i> , 2013, 8, e83811.	2.5	91
17	Defects in IL-2R Signaling Contribute to Diminished Maintenance of FOXP3 Expression in CD4 ⁺ CD25 ⁺ Regulatory T-Cells of Type 1 Diabetic Subjects. <i>Diabetes</i> , 2010, 59, 407-415.	0.6	242
18	IL-6-Driven pSTAT1 Response Is Linked to T Cell Features Implicated in Early Immune Dysregulation. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	0