

Ye Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/593864/publications.pdf>

Version: 2024-02-01

19
papers

566
citations

1163117

8
h-index

839539

18
g-index

19
all docs

19
docs citations

19
times ranked

1123
citing authors

#	ARTICLE	IF	CITATIONS
1	5-FU and the resistance of patient-derived rectal cancer organoids to irinotecan via activating the Hedgehog pathway.. <i>Journal of Clinical Oncology</i> , 2022, 40, e15598-e15598.	1.6	0
2	Bach2 Deficiency Promotes Intestinal Epithelial Regeneration by Accelerating DNA Repair in Intestinal Stem Cells. <i>Stem Cell Reports</i> , 2021, 16, 120-133.	4.8	6
3	SIRT1 inhibitors mitigate radiation-induced GI syndrome by enhancing intestinal-stem-cell survival. <i>Cancer Letters</i> , 2021, 501, 20-30.	7.2	23
4	Patient-Derived Organoids Predict Chemoradiation Responses of Locally Advanced Rectal Cancer. <i>Cell Stem Cell</i> , 2020, 26, 17-26.e6.	11.1	404
5	Regulation of the regeneration of intestinal stem cells after irradiation. <i>Annals of Translational Medicine</i> , 2020, 8, 1063-1063.	1.7	8
6	Activated B Lymphocyte Inhibited the Osteoblastogenesis of Bone Mesenchymal Stem Cells by Notch Signaling. <i>Stem Cells International</i> , 2019, 2019, 1-14.	2.5	7
7	<p>A novel LARClassifier3 classification predicts outcomes in patients with locally advanced rectal cancer treated with neoadjuvant chemoradiotherapy: a retrospective training and validation analysis</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 4153-4170.	1.9	2
8	Poor prognostic and staging value of tumor deposit in locally advanced rectal cancer with neoadjuvant chemoradiotherapy. <i>Cancer Medicine</i> , 2019, 8, 1508-1520.	2.8	21
9	Inhibition of SIRT1 promotes taste bud stem cell survival and mitigates radiation-induced oral mucositis in mice. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 4789-4799.	0.0	8
10	T3 subclassification using the EMD/mesorectum ratio predicts neoadjuvant chemoradiation outcome in T3 rectal cancer patients. <i>British Journal of Radiology</i> , 2018, 91, 20170617.	2.2	6
11	Radiosensitization by irinotecan is attributed to G2/M phase arrest, followed by enhanced apoptosis, probably through the ATM/Chk2/Cdc25C/Cdc2 pathway in p53-mutant colorectal cancer cells. <i>International Journal of Oncology</i> , 2018, 53, 1667-1680.	3.3	12
12	Long term exposure to γ rays induces radioresistance and enhances the migration ability of bladder cancer cells. <i>Molecular Medicine Reports</i> , 2018, 18, 5834-5840.	2.4	4
13	α 7nAChR agonist GTS21 reduces radiation-induced lung injury. <i>Oncology Reports</i> , 2018, 40, 2287-2297.	2.6	18
14	Disparities in survival for right-sided vs. left-sided colon cancers in young patients: a study based on the Surveillance, Epidemiology, and End Results database (1990–2014). <i>Cancer Management and Research</i> , 2018, Volume 10, 1735-1747.	1.9	14
15	Prognostic value of lymph node yield in locally advanced rectal cancer with neoadjuvant chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15680-e15680.	1.6	2
16	A novel e8a2 BCR-ABL1 intronic fusion through insertion of a chromosome 22 BCR gene fragment into chromosome 9 in an atypical Philadelphia (Ph) chromosome chronic myeloid leukemia patient. <i>Leukemia and Lymphoma</i> , 2016, 57, 2930-2933.	1.3	4
17	The effect of the TLR9 ligand CpG-oligodeoxynucleotide on the protective immune response to radiation-induced lung fibrosis in mice. <i>Molecular Immunology</i> , 2016, 80, 33-40.	2.2	16
18	The Feasibility and Efficiency of Volumetric Modulated Arc Therapy-Based Breath Control Stereotactic Body Radiotherapy for Liver Tumors. <i>Technology in Cancer Research and Treatment</i> , 2016, 15, 674-682.	1.9	1

#	ARTICLE	IF	CITATIONS
19	Radiation-induced lung fibrosis in a tumor-bearing mouse model is associated with enhanced Type-2 immunity. <i>Journal of Radiation Research</i> , 2016, 57, 133-141.	1.6	10