

# Tomas Vaisar

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5939927/tomas-vaisar-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64  
papers

2,825  
citations

26  
h-index

53  
g-index

68  
ext. papers

3,498  
ext. citations

9.2  
avg, IF

4.87  
L-index

#	Paper	IF	Citations
64	Conformational Flexibility of Apolipoprotein A-I amino- and carboxy-Termini is necessary for Lipid Binding but not Cholesterol Efflux.. <i>Journal of Lipid Research</i> , <b>2022</b> , 100168	6.3	1
63	Short-Term Acyl-CoA:Cholesterol Acyltransferase Inhibition, Combined with Apoprotein A1 Overexpression, Promotes Atherosclerosis Inflammation Resolution in Mice. <i>Molecular Pharmacology</i> , <b>2021</b> , 99, 175-183	4.3	1
62	A lysosome-targeted DNA nanodevice selectively targets macrophages to attenuate tumours. <i>Nature Nanotechnology</i> , <b>2021</b> ,	28.7	8
61	Atherosclerosis Regression and Cholesterol Efflux in Hypertriglyceridemic Mice. <i>Circulation Research</i> , <b>2021</b> , 128, 690-705	15.7	10
60	Blocking endothelial lipase with monoclonal antibody MEDI5884 durably increases high density lipoprotein in nonhuman primates and in a phase 1 trial. <i>Science Translational Medicine</i> , <b>2021</b> , 13,	17.5	7
59	Sexually Dimorphic Relationships Among Saa3 (Serum Amyloid A3), Inflammation, and Cholesterol Metabolism Modulate Atherosclerosis in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2021</b> , 41, e299-e313	9.4	2
58	Niacin Increases Atherogenic Proteins in High-Density Lipoprotein of Statin-Treated Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2021</b> , 41, 2330-2341	9.4	1
57	Neutrophil elastase selectively kills cancer cells and attenuates tumorigenesis. <i>Cell</i> , <b>2021</b> , 184, 3163-3177	36.21	21
56	Perimenopausal transdermal estradiol replacement reduces serum HDL cholesterol efflux capacity but improves cardiovascular risk factors. <i>Journal of Clinical Lipidology</i> , <b>2021</b> , 15, 151-161.e0	4.9	1
55	Apolipoprotein A-I modulates HDL particle size in the absence of apolipoprotein A-II. <i>Journal of Lipid Research</i> , <b>2021</b> , 62, 100099	6.3	1
54	Development of an LC-MS/MS Proposed Candidate Reference Method for the Standardization of Analytical Methods to Measure Lipoprotein(a). <i>Clinical Chemistry</i> , <b>2021</b> , 67, 490-499	5.5	12
53	CREBH normalizes dyslipidemia and halts atherosclerosis in diabetes by decreasing circulating remnant lipoproteins. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	3
52	Remnants of the Triglyceride-Rich Lipoproteins, Diabetes, and Cardiovascular Disease. <i>Diabetes</i> , <b>2020</b> , 69, 508-516	0.9	38
51	Presence of serum amyloid A3 in mouse plasma is dependent on the nature and extent of the inflammatory stimulus. <i>Scientific Reports</i> , <b>2020</b> , 10, 10397	4.9	6
50	Hematopoietic Cell-Expressed Endothelial Nitric Oxide Protects the Liver From Insulin Resistance. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2020</b> , 40, 670-681	9.4	1
49	High-density lipoprotein cholesterol efflux capacity is not associated with atherosclerosis and prevalence of cardiovascular outcome: The CODAM study. <i>Journal of Clinical Lipidology</i> , <b>2020</b> , 14, 122-132.e4	4.9	11
48	High Concentration of Medium-Sized HDL Particles and Enrichment in HDL Paraoxonase 1 Associate With Protection From Vascular Complications in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , <b>2020</b> , 43, 178-186	14.6	19

47	Postprandial remodeling of high-density lipoprotein following high saturated fat and high carbohydrate meals. <i>Journal of Clinical Lipidology</i> , <b>2020</b> , 14, 66-76.e11	4.9	8
46	Parallel Murine and Human Plaque Proteomics Reveals Pathways of Plaque Rupture. <i>Circulation Research</i> , <b>2020</b> , 127, 997-1022	15.7	5
45	Effect of niacin monotherapy on high density lipoprotein composition and function. <i>Lipids in Health and Disease</i> , <b>2020</b> , 19, 190	4.4	3
44	Apolipoprotein AI Promotes Atherosclerosis Regression in Diabetic Mice by Suppressing Myelopoiesis and Plaque Inflammation. <i>Circulation</i> , <b>2019</b> , 140, 1170-1184	16.7	42
43	The NASA Twins Study: A multidimensional analysis of a year-long human spaceflight. <i>Science</i> , <b>2019</b> , 364,	33.3	300
42	Deepening our understanding of HDL proteome. <i>Expert Review of Proteomics</i> , <b>2019</b> , 16, 749-760	4.2	22
41	Increased apolipoprotein C3 drives cardiovascular risk in type 1 diabetes. <i>Journal of Clinical Investigation</i> , <b>2019</b> , 129, 4165-4179	15.9	41
40	Small HDL, diabetes, and proinflammatory effects in macrophages. <i>FASEB Journal</i> , <b>2019</b> , 33, 238.3	0.9	0
39	Statin dose reduction with complementary diet therapy: A pilot study of personalized medicine. <i>Molecular Metabolism</i> , <b>2018</b> , 11, 137-144	8.8	9
38	Interactome Screening Identifies the ER Luminal Chaperone Hsp47 as a Regulator of the Unfolded Protein Response Transducer IRE1. <i>Molecular Cell</i> , <b>2018</b> , 69, 238-252.e7	17.6	86
37	Alteration of HDL Protein Composition with Hemodialysis Initiation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2018</b> , 13, 1225-1233	6.9	13
36	Urine Complement Proteins and the Risk of Kidney Disease Progression and Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , <b>2018</b> , 41, 2361-2369	14.6	13
35	Sex steroids mediate discrete effects on HDL cholesterol efflux capacity and particle concentration in healthy men. <i>Journal of Clinical Lipidology</i> , <b>2018</b> , 12, 1072-1082	4.9	12
34	Type 2 diabetes is associated with loss of HDL endothelium protective functions. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192616	3.7	36
33	Obesity and Insulin Resistance Promote Atherosclerosis through an IFN $\beta$ -Regulated Macrophage Protein Network. <i>Cell Reports</i> , <b>2018</b> , 23, 3021-3030	10.6	41
32	Proteome analysis of mast cell releasates reveals a role for chymase in the regulation of coagulation factor XIIIa levels via proteolytic degradation. <i>Journal of Allergy and Clinical Immunology</i> , <b>2017</b> , 139, 323-334	11.5	20
31	Kidney function is associated with an altered protein composition of high-density lipoprotein. <i>Kidney International</i> , <b>2017</b> , 92, 1526-1535	9.9	26
30	The Authors Reply. <i>Kidney International</i> , <b>2017</b> , 92, 1556	9.9	1

29	Plasminogen promotes cholesterol efflux by the ABCA1 pathway. <i>JCI Insight</i> , <b>2017</b> , 2,	9.9	27
28	Isolating and Quantifying Plasma HDL Proteins by Sequential Density Gradient Ultracentrifugation and Targeted Proteomics. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1410, 105-20	1.4	10
27	Niacin Therapy Increases High-Density Lipoprotein Particles and Total Cholesterol Efflux Capacity But Not ABCA1-Specific Cholesterol Efflux in Statin-Treated Subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2016</b> , 36, 404-11	9.4	45
26	Proteomic analysis of HDL from inbred mouse strains implicates APOE associated with HDL in reduced cholesterol efflux capacity via the ABCA1 pathway. <i>Journal of Lipid Research</i> , <b>2016</b> , 57, 246-57	6.3	36
25	Serum amyloid A impairs the antiinflammatory properties of HDL. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 266-81	15.9	88
24	Concentration of Smaller High-Density Lipoprotein Particle (HDL-P) Is Inversely Correlated With Carotid Intima Media Thickening After Confounder Adjustment: The Multi Ethnic Study of Atherosclerosis (MESA). <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	21
23	Patients With Coronary Endothelial Dysfunction Have Impaired Cholesterol Efflux Capacity and Reduced HDL Particle Concentration. <i>Circulation Research</i> , <b>2016</b> , 119, 83-90	15.7	44
22	HDL-apolipoprotein A-I exchange is independently associated with cholesterol efflux capacity. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 2002-9	6.3	28
21	PLTP activity inversely correlates with CAAD: effects of PON1 enzyme activity and genetic variants on PLTP activity. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 1351-62	6.3	13
20	Parallel reaction monitoring (PRM) and selected reaction monitoring (SRM) exhibit comparable linearity, dynamic range and precision for targeted quantitative HDL proteomics. <i>Journal of Proteomics</i> , <b>2015</b> , 113, 388-99	3.9	132
19	Inflammatory remodeling of the HDL proteome impairs cholesterol efflux capacity. <i>Journal of Lipid Research</i> , <b>2015</b> , 56, 1519-30	6.3	115
18	Quantification of HDL particle concentration by calibrated ion mobility analysis. <i>Clinical Chemistry</i> , <b>2014</b> , 60, 1393-401	5.5	56
17	Naturally occurring variant of mouse apolipoprotein A-I alters the lipid and HDL association properties of the protein. <i>Journal of Lipid Research</i> , <b>2012</b> , 53, 951-963	6.3	13
16	Multiple-reaction monitoring-mass spectrometric assays can accurately measure the relative protein abundance in complex mixtures. <i>Clinical Chemistry</i> , <b>2012</b> , 58, 777-81	5.5	112
15	Testosterone replacement in hypogonadal men alters the HDL proteome but not HDL cholesterol efflux capacity. <i>Journal of Lipid Research</i> , <b>2012</b> , 53, 1376-83	6.3	25
14	Proteomics investigations of HDL: challenges and promise. <i>Current Vascular Pharmacology</i> , <b>2012</b> , 10, 410-21	3.3	48
13	Phospholipid transfer protein in human plasma associates with proteins linked to immunity and inflammation. <i>Biochemistry</i> , <b>2010</b> , 49, 7314-22	3.2	45
12	HDL in humans with cardiovascular disease exhibits a proteomic signature. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 972-9	6.2	60

11	A macrophage sterol-responsive network linked to atherogenesis. <i>Cell Metabolism</i> , <b>2010</b> , 11, 125-35	24.6	59
10	HDL lipids and insulin resistance. <i>Current Diabetes Reports</i> , <b>2010</b> , 10, 78-86	5.6	22
9	Serum amyloid A3 does not contribute to circulating SAA levels. <i>Journal of Lipid Research</i> , <b>2009</b> , 50, 1353-62	6.2	64
8	MMP-9 sheds the beta2 integrin subunit (CD18) from macrophages. <i>Molecular and Cellular Proteomics</i> , <b>2009</b> , 8, 1044-60	7.6	69
7	Thematic review series: proteomics. Proteomic analysis of lipid-protein complexes. <i>Journal of Lipid Research</i> , <b>2009</b> , 50, 781-6	6.3	18
6	Combined statin and niacin therapy remodels the high-density lipoprotein proteome. <i>Circulation</i> , <b>2008</b> , 118, 1259-67	16.7	109
5	Myeloperoxidase and inflammatory proteins: pathways for generating dysfunctional high-density lipoprotein in humans. <i>Current Atherosclerosis Reports</i> , <b>2007</b> , 9, 417-24	6	20
4	Shotgun proteomics implicates protease inhibition and complement activation in the antiinflammatory properties of HDL. <i>Journal of Clinical Investigation</i> , <b>2007</b> , 117, 746-56	15.9	713
3	Oxidation of Artery Wall Proteins by Myeloperoxidase: A Proteomics Approach <b>2006</b> , 787-811		
2	Copper-mediated intra-ligand oxygen transfer in gas-phase complexes with 3-nitrotyrosine. <i>Journal of Mass Spectrometry</i> , <b>2005</b> , 40, 608-14	2.2	7
1	Cellular Model of Severe Congenital Neutropenia Reveals the Molecular Mechanism of Mutant Elastase-Mediated Agranulocytosis.. <i>Blood</i> , <b>2004</b> , 104, 1453-1453	2.2	