

Markus Ganzera

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5940547/markus-ganzera-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

3,408
citations

34
h-index

52
g-index

141
ext. papers

3,813
ext. citations

3.7
avg, IF

5.63
L-index

#	Paper	IF	Citations
130	Analysis of natural products by SFC [Applications from 2015 to 2021. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 145, 116463	14.6	1
129	Low temporal dynamics of mycosporine-like amino acids in benthic cyanobacteria from an alpine lake. <i>Freshwater Biology</i> , 2021 , 66, 169-176	3.1	1
128	Analysis of boswellic acids in dietary supplements containing Indian frankincense (<i>Boswellia serrata</i>) by Supercritical Fluid Chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 201, 114106	3.5	3
127	Rapid analysis of nine lignans in <i>Schisandra chinensis</i> by supercritical fluid chromatography using diode array and mass spectrometric detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 185, 113254	3.5	8
126	Pharmacological Targets of Kaempferol Within Inflammatory Pathways-A Hint Towards the Central Role of Tryptophan Metabolism. <i>Antioxidants</i> , 2020 , 9,	7.1	9
125	New Steroidal Glycosides from Pericarps of <i>Digitalis ciliata</i> . <i>Chemistry of Natural Compounds</i> , 2020 , 56, 282-285	0.7	0
124	Chemotaxonomic Study of spp. (Ceramiales, Rhodophyta) Based on Their Mycosporine-Like Amino Acid Content. <i>Molecules</i> , 2020 , 25,	4.8	3
123	Mycosporine-like amino acids, brominated and sulphated phenols: Suitable chemotaxonomic markers for the reassessment of classification of <i>Bostrychia calliptera</i> (Ceramiales, Rhodophyta). <i>Phytochemistry</i> , 2020 , 174, 112344	4	6
122	Klebsormidin A and B, Two New UV-Sunscreen Compounds in Green Microalgal and Species (Streptophyta) From Terrestrial Habitats. <i>Frontiers in Microbiology</i> , 2020 , 11, 499	5.7	12
121	Bostrychines A-F, Six Novel Mycosporine-Like Amino-Acids and a Novel Betaine from the Red Alga. <i>Marine Drugs</i> , 2019 , 17,	6	14
120	Critical evaluation of a putative glucosamine excretion by <i>Aspergillus niger</i> CBS120.49 and <i>Penicillium ochrochloron</i> CBS123.824 under citric acid producing conditions. <i>Scientific Reports</i> , 2019 , 9, 7496	4.9	4
119	Phenolic compounds from the stems of <i>Fissistigma polyanthoides</i> and their anti-oxidant activities. <i>Phytotherapy Research</i> , 2019 , 137, 104252	3.2	8
118	Phytochemical study of <i>Rourea minor</i> stems and the analysis of therein contained Bergenin and Catechin derivatives by capillary electrophoresis. <i>Microchemical Journal</i> , 2019 , 149, 104063	4.8	5
117	Terpenoids from the Stems of and Their Anti-Inflammatory Activity. <i>Journal of Natural Products</i> , 2019 , 82, 2941-2952	4.9	10
116	Contradictory effects of chemical filters in UV/ROS-stressed human keratinocyte and fibroblast cells. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2019 , 36, 231-244	4.3	8
115	Absolute Configuration of Mycosporine-Like Amino Acids, Their Wound Healing Properties and In Vitro Anti-Aging Effects. <i>Marine Drugs</i> , 2019 , 18,	6	14
114	Development and Validation of an HPLC Method for the Quantitative Analysis of Bromophenolic Compounds in the Red Alga. <i>Marine Drugs</i> , 2019 , 17,	6	2

113	Chemical profiling of mycosporine-like amino acids in twenty-three red algal species. <i>Journal of Phycology</i> , 2019 , 55, 393-403	3	29
112	Mushroom Tyrosinase-Based Enzyme Inhibition Assays Are Not Suitable for Bioactivity-Guided Fractionation of Extracts. <i>Journal of Natural Products</i> , 2019 , 82, 136-147	4.9	10
111	Optimization of an innovative vinylimidazole-based monolithic stationary phase and its use for pressured capillary electrochromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 162, 117-123	3.5	7
110	New furostanol glycosides from <i>Polygonatum multiflorum</i> (L.) All. <i>Natural Product Research</i> , 2019 , 33, 9-16	2.3	1
109	Sesquiterpene Glycosides from Flowers of <i>Yucca gloriosa</i> . <i>Chemistry of Natural Compounds</i> , 2018 , 54, 73-76	0.7	3
108	Quantitative determination of major alkaloids in <i>Cinchona</i> bark by Supercritical Fluid Chromatography. <i>Journal of Chromatography A</i> , 2018 , 1554, 117-122	4.5	21
107	Megastigmane Glycosides from Leaves of <i>Tribulus terrestris</i> . <i>Chemistry of Natural Compounds</i> , 2018 , 54, 63-65	0.7	4
106	Simultaneous determination of iridoids, phenylpropanoids and flavonoids in <i>Lippia alba</i> extracts by micellar electrokinetic capillary chromatography. <i>Microchemical Journal</i> , 2018 , 138, 494-500	4.8	12
105	Polyols and UV-sunscreens in the Prasiola-clade (Trebouxiophyceae, Chlorophyta) as metabolites for stress response and chemotaxonomy. <i>Journal of Phycology</i> , 2018 , 54, 264-274	3	14
104	Capillary electrophoresis as a fast and efficient alternative for the analysis of <i>Urceola rosea</i> leaf extracts. <i>Phytotherapy Research</i> , 2018 , 125, 1-5	3.2	10
103	Phytochemical and analytical characterization of constituents in <i>Urceola rosea</i> (Hook. & Arn.) D.J. Middleton leaves. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 149, 66-69	3.5	7
102	Recent advances on HPLC/MS in medicinal plant analysis-An update covering 2011-2016. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 211-233	3.5	75
101	Phytochemical and Analytical Characterization of Novel Sulfated Coumarins in the Marine Green Macroalga (<i>Scopoli</i>) Krasser. <i>Molecules</i> , 2018 , 23,	4.8	11
100	Quantitative Determination of Lactones in <i>Piper methysticum</i> (Kava-Kava) by Supercritical Fluid Chromatography. <i>Planta Medica</i> , 2017 , 83, 1053-1057	3.1	15
99	An innovative monolithic zwitterionic stationary phase for the separation of phenolic acids in coffee bean extracts by capillary electrochromatography. <i>Analytica Chimica Acta</i> , 2017 , 963, 136-142	6.6	21
98	Quantitative analysis of mycosporine-like amino acids in marine algae by capillary electrophoresis with diode-array detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 153-157	3.5	29
97	Steroidal and Triterpenoid Glycosides from Roots of <i>Digitalis ciliata</i> . <i>Chemistry of Natural Compounds</i> , 2017 , 53, 492-496	0.7	4
96	In vitro studies to evaluate the wound healing properties of <i>Calendula officinalis</i> extracts. <i>Journal of Ethnopharmacology</i> , 2017 , 196, 94-103	5	63

95	Nucleosides from <i>Tribulus terrestris</i> . <i>Chemistry of Natural Compounds</i> , 2017 , 53, 1010-1011	0.7	3
94	Isolation of Three Triterpene Saponins, Including Two New Oleanane Derivatives, from <i>Soldanella alpina</i> and Hydrophilic Interaction Liquid Chromatography-Evaporative Light Scattering Detection of these Three Saponins in Four <i>Soldanella</i> Species. <i>Phytochemical Analysis</i> , 2017 , 28, 567-574	3.4	3
93	New Steroidal Glycosides from Pericarp of <i>Digitalis ferruginea</i> . <i>Chemistry of Natural Compounds</i> , 2017 , 53, 1083-1087	0.7	4
92	New Flavonoid Glycosides from the Leaves of <i>Tribulus terrestris</i> . <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200	0.9	2
91	The Dynamics of Plasma Membrane, Metabolism and Respiration (PM-M-R) in CBS 123824 in Response to Different Nutrient Limitations-A Multi-level Approach to Study Organic Acid Excretion in Filamentous Fungi. <i>Frontiers in Microbiology</i> , 2017 , 8, 2475	5.7	6
90	Fast and improved separation of major coumarins in <i>Ammi visnaga</i> (L.) Lam. by supercritical fluid chromatography. <i>Journal of Separation Science</i> , 2016 , 39, 4042-4048	3.4	14
89	Determination of coumarins in the roots of <i>Angelica dahurica</i> by supercritical fluid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 246-251	3.5	37
88	Immunomodulatory Effects of the Mycosporine-Like Amino Acids Shinorine and Porphyra-334. <i>Marine Drugs</i> , 2016 , 14,	6	31
87	Phenylethanoid Glycosides from the Roots of <i>Digitalis ciliata</i> Trautv.. <i>Helvetica Chimica Acta</i> , 2016 , 99, 241-245	2	7
86	Prasiolin, a new UV-sunscreen compound in the terrestrial green macroalga <i>Prasiola calophylla</i> (Carmichael ex Greville) Kützinger (Trebouxiophyceae, Chlorophyta). <i>Planta</i> , 2016 , 243, 161-9	4.7	29
85	Quantitative analysis of pungent and anti-inflammatory phenolic compounds in olive oil by capillary electrophoresis. <i>Food Chemistry</i> , 2015 , 169, 381-6	8.5	28
84	Steroid Composition of Fruit from <i>Yucca gloriosa</i> Introduced into Georgia. <i>Chemistry of Natural Compounds</i> , 2015 , 51, 283-288	0.7	4
83	Inhibition of Collagenase by Mycosporine-like Amino Acids from Marine Sources. <i>Planta Medica</i> , 2015 , 81, 813-20	3.1	39
82	Analysis of anthraquinones in rhubarb (<i>Rheum palmatum</i> and <i>Rheum officinale</i>) by supercritical fluid chromatography. <i>Talanta</i> , 2015 , 144, 1239-44	6.2	49
81	In Silico Predictions of Drug - Drug Interactions Caused by CYP1A2, 2C9 and 3A4 Inhibition - a Comparative Study of Virtual Screening Performance. <i>Molecular Informatics</i> , 2015 , 34, 431-57	3.8	13
80	Analysis of Mycosporine-Like Amino Acids in Selected Algae and Cyanobacteria by Hydrophilic Interaction Liquid Chromatography and a Novel MAA from the Red Alga <i>Catenella repens</i> . <i>Marine Drugs</i> , 2015 , 13, 6291-305	6	41
79	Human Ether-Go-go Related Gene (hERG) Channel Blocking Aporphine Alkaloids from Lotus Leaves and Their Quantitative Analysis in Dietary Weight Loss Supplements. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 5634-9	5.7	16
78	Effects of elevated ultraviolet radiation on primary metabolites in selected alpine algae and cyanobacteria. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2015 , 149, 149-55	6.7	16

77	Supercritical Fluid Chromatography--Theoretical Background and Applications on Natural Products. <i>Planta Medica</i> , 2015 , 81, 1570-81	3.1	34
76	New Furostanol Glycosides from the Roots of <i>Digitalis ciliata</i> Trautv.. <i>Helvetica Chimica Acta</i> , 2015 , 98, 224-231	2	6
75	Supercritical fluid chromatography for the separation of isoflavones. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 107, 364-9	3.5	45
74	Quantitative determination of alkannins and shikonins in endemic Mediterranean <i>Alkanna</i> species. <i>Biomedical Chromatography</i> , 2014 , 28, 923-33	1.7	12
73	Analysis of Natural Products by Capillary Electrophoresis and Related Techniques 2014 , 1-30		1
72	<i>Oroxylum indicum</i> Seeds--Analysis of Flavonoids by Micellar Electrokinetic Chromatography. <i>Chromatography (Basel)</i> , 2014 , 1, 1-8		4
71	Lavender oil suppresses indoleamine 2,3-dioxygenase activity in human PBMC. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 503	4.7	17
70	Analysis of alkaloids in Lotus (<i>Nelumbo nucifera</i> Gaertn.) leaves by non-aqueous capillary electrophoresis using ultraviolet and mass spectrometric detection. <i>Journal of Chromatography A</i> , 2013 , 1302, 174-80	4.5	44
69	Linear fusigen as the major hydroxamate siderophore of the ectomycorrhizal Basidiomycota <i>Laccaria laccata</i> and <i>Laccaria bicolor</i> . <i>BioMetals</i> , 2013 , 26, 969-79	3.4	26
68	Chemical profiling of Edelweiss (<i>Leontopodium alpinum</i> Cass.) extracts by micellar electrokinetic capillary chromatography. <i>Phytotherapy Research</i> , 2012 , 83, 1680-6	3.2	8
67	<i>Oroxylum indicum</i> seeds--analysis of flavonoids by HPLC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 553-6	3.5	15
66	Analysis of cytokinin nucleotides by capillary zone electrophoresis with diode array and mass spectrometric detection in a recombinant enzyme in vitro reaction. <i>Analytica Chimica Acta</i> , 2012 , 751, 176-81	6.6	7
65	Bioguided isolation of (9Z)-octadec-9-enoic acid from <i>Phellodendron amurense</i> Rupr. and identification of fatty acids as PTP1B inhibitors. <i>Planta Medica</i> , 2012 , 78, 219-24	3.1	20
64	Quantitative determination of phenolic compounds in lotus (<i>Nelumbo nucifera</i>) leaves by capillary zone electrophoresis. <i>Planta Medica</i> , 2012 , 78, 1796-9	3.1	8
63	Triterpene Glycosides 2012 , 885-904		
62	Induction of <i>Gentiana cruciata</i> hairy roots and their secondary metabolites. <i>Biologia (Poland)</i> , 2011 , 66, 618-625	1.5	20
61	Hydroxamate siderophores of the ectomycorrhizal fungi <i>Suillus granulatus</i> and <i>S. luteus</i> . <i>BioMetals</i> , 2011 , 24, 153-7	3.4	17
60	Shoot proliferation and HPLC-determination of iridoid glycosides in clones of <i>Gentiana cruciata</i> L. <i>Plant Cell, Tissue and Organ Culture</i> , 2011 , 107, 175-180	2.7	18

59	Quantitative analysis of cycloartane glycosides in black cohosh rhizomes and dietary supplements by RRLC-ELSD and RRLC-qTOF-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 2597-605	4.4	14
58	Separation of adrenergic amines in <i>Citrus aurantium</i> L. var. <i>amara</i> by capillary electrochromatography using a novel monolithic stationary phase. <i>Journal of Separation Science</i> , 2011 , 34, 2301-4	3.4	10
57	Recent advances on HPLC/MS in medicinal plant analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 744-57	3.5	150
56	Bioactivity-guided isolation of 1,2,3,4,6-Penta-O-galloyl-D-glucopyranose from <i>Paeonia lactiflora</i> roots as a PTP1B inhibitor. <i>Journal of Natural Products</i> , 2010 , 73, 1578-81	4.9	46
55	The Use of Capillary Electrochromatography for Natural Product Analysis – Theoretical Background and Recent Applications. <i>Current Organic Chemistry</i> , 2010 , 14, 1769-1780	1.7	9
54	Analysis of rare flavonoid C-glycosides in <i>Celtis australis</i> L. by micellar electrokinetic chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 1165-8	3.5	18
53	Determination of quinolizidine alkaloids in different <i>Lupinus</i> species by NACE using UV and MS detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 1231-5	3.5	27
52	Recent advancements and applications in the analysis of traditional Chinese medicines. <i>Planta Medica</i> , 2009 , 75, 776-83	3.1	24
51	Phenolic compounds from <i>Tragopogon porrifolius</i> L.. <i>Biochemical Systematics and Ecology</i> , 2009 , 37, 234-236	1.4	21
50	Application of MEKC and monolithic CEC for the analysis of bioactive naphthoquinones in <i>Eleutherine americana</i> . <i>Electrophoresis</i> , 2009 , 30, 3757-63	3.6	8
49	Determination of polyphenolic constituents and biological activities of bark extracts from different <i>Pinus</i> species. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 1339-1345	4.3	52
48	Determination of Naphthazarin Derivatives in 16 <i>Alkanna</i> Species by RP-LC Using UV and MS for Detection. <i>Chromatographia</i> , 2009 , 70, 963-967	2.1	8
47	Transport of sennosides and sennidines from <i>Cassia angustifolia</i> and <i>Cassia senna</i> across Caco-2 monolayers--an in vitro model for intestinal absorption. <i>Phytomedicine</i> , 2008 , 15, 373-7	6.5	18
46	A new phenylpropanoid glycoside from <i>Jasminum subtriplinerne</i> Blume. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 1035-8	1.5	8
45	Altitudinal variation of secondary metabolite profiles in flowering heads of <i>Matricaria chamomilla</i> cv. BONA. <i>Planta Medica</i> , 2008 , 74, 453-7	3.1	51
44	Determination of gentisin, isogentisin, and amarogentin in <i>Gentiana lutea</i> L. by capillary electrophoresis. <i>Journal of Separation Science</i> , 2008 , 31, 195-200	3.4	19
43	Quality control of herbal medicines by capillary electrophoresis: potential, requirements and applications. <i>Electrophoresis</i> , 2008 , 29, 3489-503	3.6	74
42	Simultaneous determination of monomeric and oligomeric alkannins and shikonins by high-performance liquid chromatography-diode array detection-mass spectrometry. <i>Biomedical Chromatography</i> , 2008 , 22, 173-90	1.7	26

41	Analysis of naphthoquinone derivatives in the Asian medicinal plant <i>Eleutheria americana</i> by RP-HPLC and LC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 47, 990-3	3.5	29
40	Quantitative analysis of flavonoids and phenolic acids in <i>Arnica montana</i> L. by micellar electrokinetic capillary chromatography. <i>Analytica Chimica Acta</i> , 2008 , 614, 196-200	6.6	59
39	Quantitative analysis of iridoids, secoiridoids, xanthenes and xanthone glycosides in <i>Gentiana lutea</i> L. roots by RP-HPLC and LC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 437-42	3.5	63
38	Determination of naphthazarin derivatives in endemic Turkish <i>Alkanna</i> species by reversed phase high performance liquid chromatography. <i>Planta Medica</i> , 2007 , 73, 267-72	3.1	19
37	Development and validation of an HPLC/UV/MS method for simultaneous determination of 18 preservatives in grapefruit seed extract. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 3768-72	5.7	57
36	Inhibitory effects of the essential oil of chamomile (<i>Matricaria recutita</i> L.) and its major constituents on human cytochrome P450 enzymes. <i>Life Sciences</i> , 2006 , 78, 856-61	6.8	99
35	Determination of adenine and pyridine nucleotides in glucose-limited chemostat cultures of <i>Penicillium simplicissimum</i> by one-step ethanol extraction and ion-pairing liquid chromatography. <i>Analytical Biochemistry</i> , 2006 , 359, 132-40	3.1	50
34	Analysis of phenolic glycosides and saponins in <i>Primula elatior</i> and <i>Primula veris</i> (primula root) by liquid chromatography, evaporative light scattering detection and mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1112, 218-23	4.5	39
33	Simultaneous determination of <i>Ephedra sinica</i> and <i>Citrus aurantium</i> var. <i>amara</i> alkaloids by ion-pair chromatography. <i>Talanta</i> , 2005 , 66, 889-94	6.2	47
32	Polyacetylenes from the Apiaceae vegetables carrot, celery, fennel, parsley, and parsnip and their cytotoxic activities. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 2518-23	5.7	193
31	Occurrence of grandifloroside-11-methyl ester in <i>Nyssa ogeche</i> (Nyssaceae). <i>Biochemical Systematics and Ecology</i> , 2005 , 33, 327-329	1.4	1
30	<i>Urtica dioica</i> agglutinin: separation, identification, and quantitation of individual isolectins by capillary electrophoresis and capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2005 , 26, 1724-31	3.6	10
29	Differentiation of <i>Cirsium japonicum</i> and <i>C. setosum</i> by TLC and HPLC-MS. <i>Phytochemical Analysis</i> , 2005 , 16, 205-9	3.4	37
28	Evaporative Light Scattering Detection (ELSD) for the Analysis of Natural Products. <i>Current Pharmaceutical Analysis</i> , 2005 , 1, 135-144	0.6	29
27	Separation of the major triterpenoid saponins in <i>Bacopa monnieri</i> by high-performance liquid chromatography. <i>Analytica Chimica Acta</i> , 2004 , 516, 149-154	6.6	29
26	High-performance liquid chromatographic determination of xanthohumol in rat plasma, urine, and fecal samples. <i>Journal of Chromatographic Science</i> , 2004 , 42, 378-82	1.4	52
25	Simultaneous determination of saponins and isoflavones in soybean (<i>Glycine max</i> L.) by reversed-phase liquid chromatography with evaporative light-scattering and ultraviolet detection. <i>Journal of AOAC INTERNATIONAL</i> , 2004 , 87, 1189-94	1.7	9
24	Quantitative HPLC analysis of withanolides in <i>Withania somnifera</i> . <i>Phytotherapy Research</i> , 2003 , 17, 68-76	3.2	106

23	Capillary electrochromatography of boswellic acids in <i>Boswellia serrata</i> Roxb.. <i>Journal of Separation Science</i> , 2003 , 26, 1383-1388	3.4	23
22	Anxiolytic properties of <i>Piper methysticum</i> extract samples and fractions in the chick social-separation-stress procedure. <i>Phytotherapy Research</i> , 2003 , 17, 210-6	6.7	56
21	HPLC fingerprinting and estimation of the bioactive components of <i>Clutia richardiana</i> L. as a potential hypoglycemic herbal tea. <i>Phytotherapy Research</i> , 2003 , 17, 657-60	6.7	12
20	Novel derivatives of 9,10-anthraquinone are selective algicides against the musty-odor cyanobacterium <i>Oscillatoria perornata</i> . <i>Applied and Environmental Microbiology</i> , 2003 , 69, 5319-27	4.8	88
19	<i>Hypericum perforatum</i> --chemical profiling and quantitative results of St. John's Wort products by an improved high-performance liquid chromatography method. <i>Journal of Pharmaceutical Sciences</i> , 2002 , 91, 623-30	3.9	61
18	In vitro plant regeneration from leaf-derived callus of <i>Cimicifuga racemosa</i> . <i>Planta Medica</i> , 2002 , 68, 912-5	3.1	20
17	Chemical profiling and standardization of <i>Lepidium meyenii</i> (Maca) by reversed phase high performance liquid chromatography. <i>Chemical and Pharmaceutical Bulletin</i> , 2002 , 50, 988-91	1.9	66
16	Analysis of sesquiterpene lactones in <i>Magnolia grandiflora</i> L. by Micellar electrokinetic capillary chromatography. <i>Chromatographia</i> , 2001 , 54, 665-668	2.1	5
15	Investigation of U β De Gato I. 7-Deoxyloganic acid and 15N NMR spectroscopic studies on pentacyclic oxindole alkaloids from <i>Uncaria tomentosa</i> . <i>Phytochemistry</i> , 2001 , 57, 781-5	4	48
14	Determination of steroidal saponins in <i>Tribulus terrestris</i> by reversed-phase high-performance liquid chromatography and evaporative light scattering detection. <i>Journal of Pharmaceutical Sciences</i> , 2001 , 90, 1752-8	3.9	76
13	High yield of podophyllotoxin from leaves of <i>Podophyllum peltatum</i> by in situ conversion of podophyllotoxin 4- O-beta-D-glucopyranoside. <i>Planta Medica</i> , 2001 , 67, 97-9	3.1	50
12	A reversed phase high performance liquid chromatography method for the analysis of boswellic acids in <i>Boswellia serrata</i> . <i>Planta Medica</i> , 2001 , 67, 778-80	3.1	33
11	Improved method for the determination of oxindole alkaloids in <i>Uncaria tomentosa</i> by high performance liquid chromatography. <i>Planta Medica</i> , 2001 , 67, 447-50	3.1	27
10	Analysis of terpenelactones in <i>Ginkgo biloba</i> by high performance liquid chromatography and evaporative light scattering detection. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 1170-3	1.9	21
9	Analysis of the marker compounds of <i>Rhodiola rosea</i> L. (golden root) by reversed phase high performance liquid chromatography. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 465-7	1.9	73
8	The American mayapple revisited-- <i>Podophyllum peltatum</i> --still a potential cash crop?. <i>Economic Botany</i> , 2000 , 54, 471-476	1.7	33
7	Determination of the Fatty Acid content of pumpkin seed, pygeum, and saw palmetto. <i>Journal of Medicinal Food</i> , 1999 , 2, 21-7	2.8	11
6	Separation of <i>Podophyllum</i> lignans by micellar electrokinetic capillary chromatography (MECC). <i>Chromatographia</i> , 1999 , 49, 552-556	2.1	9

5	Analytical techniques for the determination of lactones in <i>Piper methysticum</i> Forst. <i>Chromatographia</i> , 1999 , 50, 649-653	2.1	34
4	Determination of safrole in different <i>Asarum</i> species by headspace gas chromatography. <i>Chromatographia</i> , 1998 , 47, 685-688	2.1	7
3	Cycloartane triterpenes from <i>Combretum quadrangulare</i> . <i>Phytochemistry</i> , 1998 , 49, 835-838	4	12
2	HPLC-MS and MECC analysis of coumarins. <i>Chromatographia</i> , 1997 , 46, 197-203	2.1	23
1	Application of Cyclodextrin for the analysis of the main alkaloids from <i>Chelidonium majus</i> by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1995 , 717, 271-277	4.5	15