Bruno Stefanon

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5943737/bruno-stefanon-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,578 103 22 33 g-index h-index citations papers 2.6 1,810 4.68 107 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
103	Genetic Regulation of Biomarkers as Stress Proxies in Dairy Cows. <i>Genes</i> , 2021 , 12,	4.2	2
102	Characterization of Microbiome on Feces, Blood and Milk in Dairy Cows with Different Milk Leucocyte Pattern. <i>Animals</i> , 2021 , 11,	3.1	4
101	Genomic prediction for latent variables related to milk fatty acid composition in Holstein, Simmental and Brown Swiss dairy cattle breeds. <i>Journal of Animal Breeding and Genetics</i> , 2021 , 138, 389	-482	1
100	Investigating the Features of PDO Green Hams during Salting: Insights for New Markers and Genomic Regions in Commercial Hybrid Pigs. <i>Animals</i> , 2021 , 11,	3.1	1
99	An application of nuclear magnetic resonance spectroscopy to study faecal canine metabolome. <i>Italian Journal of Animal Science</i> , 2021 , 20, 887-895	2.2	
98	Blood Microbiome: A New Marker of Gut Microbial Population in Dogs?. <i>Veterinary Sciences</i> , 2020 , 7,	2.4	5
97	Use of multivariate factor analysis of detailed milk fatty acid profile to perform a genome-wide association study in Italian Simmental and Italian Holstein. <i>Journal of Applied Genetics</i> , 2020 , 61, 451-46.	3 ^{2.5}	1
96	Factors Affecting the Patterns of Total Amount and Proportions of Leukocytes in Bovine Milk. <i>Animals</i> , 2020 , 10,	3.1	7
95	MicroRNA Milk Exosomes: From Cellular Regulator to Genomic Marker. <i>Animals</i> , 2020 , 10,	3.1	14
94	Interplay between Neuroendocrine Biomarkers and Gut Microbiota in Dogs Supplemented with Grape Proanthocyanidins: Results of Dietary Intervention Study. <i>Animals</i> , 2020 , 10,	3.1	10
93	Gut Microbiome of Healthy and Arthritic Dogs. Veterinary Sciences, 2020, 7,	2.4	8
92	Exosome cargo in milk as a potential marker of cow health. <i>Journal of Dairy Research</i> , 2020 , 87, 79-83	1.6	5
91	Genome-Wide DNA Methylation and Gene Expression Profiles in Cows Subjected to Different Stress Level as Assessed by Cortisol in Milk. <i>Genes</i> , 2020 , 11,	4.2	6
90	Learning machine approach reveals microbial signatures of diet and sex in dog. <i>PLoS ONE</i> , 2020 , 15, e02	378 74	10
89	Effect of different starch sources in a raw meat-based diet on fecal microbiome in dogs housed in a shelter. <i>Animal Nutrition</i> , 2020 , 6, 353-361	4.8	7
88	Substitution of a commercial diet with raw meat complemented with vegetable foods containing chickpeas or peas affects faecal microbiome in healthy dogs. <i>Italian Journal of Animal Science</i> , 2019 , 18, 1205-1214	2.2	12
87	Oxidative Stress and Nutraceuticals in the Modulation of the Immune Function: Current Knowledge in Animals of Veterinary Interest. <i>Antioxidants</i> , 2019 , 8,	7.1	31

(2015-2019)

86	Concentration of elements in the hair of growing and adult dogs. <i>Italian Journal of Animal Science</i> , 2019 , 18, 1126-1134	2.2	3
85	Differential expression of miRNAs in milk exosomes of cows subjected to group relocation. <i>Research in Veterinary Science</i> , 2019 , 122, 148-155	2.5	15
84	Variations of salivary cortisol in dogs exposed to different cognitive and physical activities. <i>Italian Journal of Animal Science</i> , 2018 , 17, 1030-1037	2.2	13
83	Investigation of rumen metagenome in Italian Simmental and Italian Holstein cows using a whole-genome shotgun sequencing technique. <i>Italian Journal of Animal Science</i> , 2018 , 17, 890-898	2.2	3
82	Proliferation and apoptosis in subcutaneous adipose tissue of lactating cows with different genetic merit for milk yield. <i>Tissue and Cell</i> , 2017 , 49, 72-77	2.7	О
81	Milk cortisol response to group relocation in lactating cows. <i>Journal of Dairy Research</i> , 2017 , 84, 36-38	1.6	8
80	Sustainable ruminant production to help feed the planet. <i>Italian Journal of Animal Science</i> , 2017 , 16, 14	0 <u>₂</u> 1 <i>፯</i> 1	36
79	Raw meat based diet influences faecal microbiome and end products of fermentation in healthy dogs. <i>BMC Veterinary Research</i> , 2017 , 13, 65	2.7	70
78	Nutrigenomic activity of plant derived compounds in health and disease: Results of a dietary intervention study in dog. <i>Research in Veterinary Science</i> , 2016 , 109, 142-148	2.5	8
77	Different anti-adipogenic effects of bio-compounds on primary visceral pre-adipocytes and adipocytes. <i>EXCLI Journal</i> , 2016 , 15, 362-77	2.4	16
76	Original Research: Hydroxytyrosol, an ingredient of olive oil, reduces triglyceride accumulation and promotes lipolysis in human primary visceral adipocytes during differentiation. <i>Experimental Biology and Medicine</i> , 2016 , 241, 1796-802	3.7	19
75	Salivary cortisol concentration in healthy dogs is affected by size, sex, and housing context. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2015 , 10, 302-306	1.9	27
74	Transcriptome profiles of whole blood in Italian Holstein and Italian Simmental lactating cows diverging for genetic merit for milk protein. <i>Journal of Dairy Science</i> , 2015 , 98, 6119-27	4	9
73	Expression of NGF, BDNF and their receptors in subcutaneous adipose tissue of lactating cows. <i>Research in Veterinary Science</i> , 2015 , 102, 196-9	2.5	8
72	Factors affecting milk cortisol in mid lactating dairy cows. BMC Veterinary Research, 2015, 11, 259	2.7	22
71	Searching new signals for production traits through gene-based association analysis in three Italian cattle breeds. <i>Animal Genetics</i> , 2015 , 46, 361-70	2.5	17
70	Association of Index of Welfare and Metabolism with the Genetic Merit of Holstein and Simmental Cows After the Peak of Lactation. <i>Italian Journal of Animal Science</i> , 2015 , 14, 3841	2.2	7
69	Effects of Two Different Rhodiola rosea Extracts on Primary Human Visceral Adipocytes. <i>Molecules</i> , 2015 , 20, 8409-28	4.8	18

68	Exome Capture with Heterologous Enrichment in Pig (Sus scrofa). <i>PLoS ONE</i> , 2015 , 10, e0139328	3.7	1
67	Effects of Rosmarinus officinalis extract on human primary omental preadipocytes and adipocytes. <i>Experimental Biology and Medicine</i> , 2015 , 240, 884-95	3.7	15
66	Analysis of candidate SNPs affecting milk and functional traits in the dual-purpose Italian Simmental cattle. <i>Livestock Science</i> , 2015 , 173, 1-8	1.7	12
65	Effect of plant extracts on H2O2-induced inflammatory gene expression in macrophages. <i>Journal of Inflammation Research</i> , 2014 , 7, 103-12	4.8	17
64	Microbial biodiversity of the liquid fraction of rumen content from lactating cows. <i>Animal</i> , 2014 , 8, 572-	93.1	34
63	Effect of Arctium lappa (burdock) extract on canine dermal fibroblasts. <i>Veterinary Immunology and Immunopathology</i> , 2013 , 156, 159-66	2	15
62	Dynamics of mammary secretory cells in lactating dairy ewes. Small Ruminant Research, 2013, 113, 251-7	2 5.3	4
61	Growth, Carcass and Meat Quality of Casertana, Italian Large White and Duroc x (Landrace x Italian Large White) Pigs Reared Outdoors. <i>Italian Journal of Animal Science</i> , 2013 , 12, e69	2.2	10
60	Productive Response of Duroc x Large White and Commercial Hybrid x Large White Crosses Fed High and Low Protein Diets. <i>Italian Journal of Animal Science</i> , 2013 , 12, e82	2.2	7
59	Association Analysis between Single Nucleotide Polymorphisms in the Promoter Region of LEP, MYF6, MYOD1, OPN, SCD Genes and Carcass Traits in Heavy Pigs. <i>Italian Journal of Animal Science</i> , 2013 , 12, e13	2.2	3
58	Genetic aspects of enteric methane emission in ruminants livestock. <i>Italian Journal of Animal Science</i> , 2013 , 12,	2.2	10
57	Transcriptome modification of white blood cells after dietary administration of curcumin and non-steroidal anti-inflammatory drug in osteoarthritic affected dogs. <i>Veterinary Immunology and Immunopathology</i> , 2012 , 147, 136-46	2	32
56	A rapid method for detection of fumonisins B1 and B2 in corn meal using Fourier transform near infrared (FT-NIR) spectroscopy implemented with integrating sphere. <i>Food Chemistry</i> , 2012 , 135, 1608-1	8·5	46
55	Administration of botanicals with the diet regulates gene expression in peripheral blood cells of Sarda sheep during ACTH challenge. <i>Domestic Animal Endocrinology</i> , 2012 , 43, 213-26	2.3	22
54	Sfamare un mondo di nove miliardi di persone: le sfide per una zootecnia sostenibile. <i>Italian Journal of Agronomy</i> , 2011 , 6, 7	1.4	6
53	Muscle transcriptome profiling in divergent phenotype swine breeds during growth using microarray and RT-PCR tools. <i>Animal Genetics</i> , 2011 , 42, 501-9	2.5	9
52	Use of milk fatty acids composition to discriminate area of origin of bulk milk. <i>Journal of Dairy Science</i> , 2010 , 93, 3417-26	4	23
51	Modulation of ovine neutrophil function and apoptosis by standardized extracts of Echinacea angustifolia, Butea frondosa and Curcuma longa. <i>Veterinary Immunology and Immunopathology</i> , 2009 , 128, 366-73	2	15

50	Immune system response to stress factors. Italian Journal of Animal Science, 2009, 8, 287-299	2.2	12
49	Serial Analysis of Gene Expression (SAGE) in the Skeletal Muscle of Pig. <i>Italian Journal of Animal Science</i> , 2009 , 8, 417-429	2.2	
48	Action of larch bark in the regulation of cortisol induced stress in sheep. <i>Italian Journal of Animal Science</i> , 2009 , 8, 162-164	2.2	3
47	Determination of volatile fractions in raw milk and ripened cheese by means of GC-MS.Results of a survey performed in the marginal area between Italy and Slovenia. <i>Italian Journal of Animal Science</i> , 2009 , 8, 377-390	2.2	O
46	Dietary administration of Curcumin modifies transcriptional profile of genes involved in inflammatory cascade in horse leukocytes. <i>Italian Journal of Animal Science</i> , 2009 , 8, 84-86	2.2	7
45	Variation of starch and fat in the diet affects metabolic status and oxidative stress in ewes. <i>Small Ruminant Research</i> , 2008 , 74, 123-129	1.7	20
44	Determination of volatile compounds in San Daniele ham using headspace GC-MS. <i>Meat Science</i> , 2008 , 80, 204-9	6.4	41
43	Immunomodulatory activity of plant residues on ovine neutrophils. <i>Veterinary Immunology and Immunopathology</i> , 2008 , 126, 54-63	2	22
42	Evaluation of gene expression profiles of pig skeletal muscle in response to energy content of the diets using human microarrays. <i>Italian Journal of Animal Science</i> , 2007 , 6, 45-59	2.2	6
41	Grape polyphenols affect mRNA expression of PGHS-2, TIS11b and FOXO3 in endometrium of heifers under ACTH-induced stress. <i>Theriogenology</i> , 2007 , 68, 1022-30	2.8	13
40	A technique to screen plant extracts for anti-inflammatory activity on ovine neutrophils. <i>Italian Journal of Animal Science</i> , 2007 , 6, 548-550	2.2	2
39	Activity of plant wastes on acute phase proteins in cows. <i>Italian Journal of Animal Science</i> , 2007 , 6, 472	?-4 7.4	
38	Biochemical and molecular responses to antioxidant supplementation in sheep. <i>Small Ruminant Research</i> , 2006 , 64, 143-151	1.7	30
37	Effect of natural antioxidants on superoxide dismutase and glutathione peroxidase mRNA expression in leukocytes from periparturient dairy cows. <i>Veterinary Research Communications</i> , 2006 , 30, 19-27	2.9	15
36	Mammary cell turnover in lactating ewes is modulated by changes of energy fuels. <i>Research in Veterinary Science</i> , 2005 , 78, 53-9	2.5	12
35	Influence of dietary starch contents on milk composition of Friesian cows in early lactation. <i>Italian Journal of Animal Science</i> , 2005 , 4, 35-47	2.2	3
34	Usefulness of nutraceutics in controlling oxidative stress in dairy cows around parturition. <i>Veterinary Research Communications</i> , 2005 , 29 Suppl 2, 387-90	2.9	21
33	Dietary grape poliphenols modulate oxidative stress in ageing rabbits. <i>Italian Journal of Animal Science</i> , 2005 , 4, 541-543	2.2	9

32	Transcriptome of pig muscle assessed by erial analysis of gene expression (SAGE). <i>Italian Journal of Animal Science</i> , 2005 , 4, 88-90	2.2	1
31	A new approach in association study of single nucleotide polymorphism of genes for carcass and meat quality traits in commercial pigs. <i>Italian Journal of Animal Science</i> , 2004 , 3, 177-189	2.2	11
30	Detection of apoptosis-inducing factor in involuting mammary tissue by immunoelectron microscopy. <i>Micron</i> , 2004 , 35, 307-10	2.3	8
29	Effects of including silage in the diet on volatile compound profiles in Montasio cheese and their modification during ripening. <i>Journal of Dairy Research</i> , 2004 , 71, 58-65	1.6	23
28	Functional expression of bcl-2 protein family and AIF in bovine mammary tissue in early lactation. <i>Journal of Dairy Research</i> , 2004 , 71, 20-7	1.6	13
27	Mwol and Smal RFLPs polymorphisms of porcine obese gene and their association with carcass and meat characteristics of heavy pigs. <i>Italian Journal of Animal Science</i> , 2004 , 3, 211-218	2.2	2
26	Apoptosis and expression of related proteins in mammary gland of heifers during early lactation. <i>Veterinary Research Communications</i> , 2003 , 27 Suppl 1, 225-7	2.9	
25	Determination of volatile compounds in cowsUmilk using headspace GC-MS. <i>Journal of Dairy Research</i> , 2002 , 69, 569-77	1.6	106
24	Mammary apoptosis and lactation persistency in dairy animals. Journal of Dairy Research, 2002, 69, 37-	52 1.6	99
23	Genetic diversity of Streptococcus thermophilus strains isolated from Italian traditional cheeses. <i>International Dairy Journal</i> , 2002 , 12, 141-144	3.5	58
22	Using artificial neural networks to model the urinary excretion of total and purine derivative nitrogen fractions in cows. <i>Journal of Nutrition</i> , 2001 , 131, 3307-15	4.1	7
21	Administration of branched-chain amino acids to standardbred horses in training. <i>Journal of Equine Veterinary Science</i> , 2000 , 20, 115-119	1.2	17
20	Apoptotic cell death, bax and bcl-2 expression during sheep mammary gland involution. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 1999 , 28, 257-64	1.1	17
19	The estimation of the rumen rate of passage of dietary NDF from degradability and digestibility data in cows. <i>Livestock Science</i> , 1999 , 60, 71-79		2
18	Influence of grassland management in Alpine regions and concentrate level on N excretion and milk yield of dairy cows. <i>Livestock Science</i> , 1999 , 61, 155-170		24
17	Interpretation of rumen degradability of concentrate feeds with a Gompertz model. <i>Animal Feed Science and Technology</i> , 1999 , 79, 223-237	3	16
16	Ability of mathematical models to predict faecal output with a pulse dose of indigestible marker. <i>British Journal of Nutrition</i> , 1996 , 75, 521-32	3.6	9
15	Nitrogen balance and partitioning of some nitrogen catabolites in milk and urine of lactating cows. Livestock Science, 1995 , 44, 207-219		37

LIST OF PUBLICATIONS

14	Rumen fermentation characteristics and digestibility of cattle diets containing different whey:maize ratios. <i>Animal Feed Science and Technology</i> , 1995 , 53, 81-89	3	12
13	The effect of energy and protein intake on the excretion of purine derivatives. <i>Journal of Agricultural Science</i> , 1994 , 123, 257-265	1	32
12	Digestibility and allantoin excretion in cows fed diets differing in nitrogen content. <i>Livestock Science</i> , 1994 , 39, 97-99		17
11	Biological and chemical assessment of feed proteins before and after rumen exposure. <i>Animal Feed Science and Technology</i> , 1994 , 49, 119-132	3	4
10	In vitro solubility and degradability of nitrogen in concentrate ruminant feeds. <i>Animal Feed Science and Technology</i> , 1993 , 42, 1-13	3	16
9	N losses, purine N derivatives excretion and intestinal digestible protein requirements of cows at maintenance. <i>Livestock Science</i> , 1993 , 36, 213-222		13
8	Aspects of lignin degradation by rumen microorganisms. <i>Journal of Biotechnology</i> , 1993 , 30, 141-148	3.7	28
7	Determination of RNA and ATP in the rumen liquid of cows fed with diets differing in forage to concentrate ratio. <i>Journal of the Science of Food and Agriculture</i> , 1993 , 63, 39-45	4.3	5
6	Pattern of some internal and external markers along the gastrointestinal tract of cattle. <i>Animal Feed Science and Technology</i> , 1992 , 37, 143-159	3	2
5	Effect of NDF concentration and physical form of fescue hay on rumen degradability, intake and rumen turn-over of cows. <i>Animal Science</i> , 1991 , 53, 305-313		8
4	Performance of lactating simmental cows fed two diets differing in the content of digestible intestinal protein (PDI). <i>Livestock Science</i> , 1991 , 27, 157-175		9
3	Rumen degradability of organic matter, nitrogen and fibre fractions in forages. <i>Animal Science</i> , 1990 , 51, 515-526		27
2	Change in amino acid composition of different protein sources after rumen incubation. <i>Animal Science</i> , 1989 , 49, 375-383		22
1	Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation. <i>Animal Feed Science and Technology</i> , 1989 , 26, 231-249	3	11