

Rafael Marc

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5944625/rafael-marce-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

3,007
citations

29
h-index

51
g-index

125
ext. papers

3,793
ext. citations

6.1
avg, IF

5.15
L-index

#	Paper	IF	Citations
98	Cross-continental importance of CH emissions from dry inland-waters. <i>Science of the Total Environment</i> , 2021 , 814, 151925	10.2	0
97	Technical note: CO ₂ is not like CH ₄ ; limits of and corrections to the headspace method to analyse <i>p</i>CO ₂ in fresh water. <i>Biogeosciences</i> , 2021 , 18, 1619-1627	4.6	6
96	Phenological shifts in lake stratification under climate change. <i>Nature Communications</i> , 2021 , 12, 2318	17.4	27
95	Global carbon budget of reservoirs is overturned by the quantification of drawdown areas. <i>Nature Geoscience</i> , 2021 , 14, 402-408	18.3	12
94	The relevance of environment vs. composition on dissolved organic matter degradation in freshwaters. <i>Limnology and Oceanography</i> , 2021 , 66, 306-320	4.8	6
93	Eutrophication and Geochemistry Drive Pelagic Calcite Precipitation in Lakes. <i>Water (Switzerland)</i> , 2021 , 13, 597	3	0
92	Climate and Land Cover Trends Affecting Freshwater Inputs to a Fjord in Northwestern Patagonia. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	2
91	Dissolved organic matter spectroscopy reveals a hot spot of organic matter changes at the river-reservoir boundary. <i>Aquatic Sciences</i> , 2021 , 83, 1	2.5	0
90	Forecasting water temperature in lakes and reservoirs using seasonal climate prediction. <i>Water Research</i> , 2021 , 201, 117286	12.5	1
89	Global Heat Uptake by Inland Waters. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL087867	4.9	16
88	Major Effects of Alkalinity on the Relationship Between Metabolism and Dissolved Inorganic Carbon Dynamics in Lakes. <i>Ecosystems</i> , 2020 , 23, 1566-1580	3.9	10
87	Global CO emissions from dry inland waters share common drivers across ecosystems. <i>Nature Communications</i> , 2020 , 11, 2126	17.4	33
86	Delineating the Continuum of Dissolved Organic Matter in Temperate River Networks. <i>Global Biogeochemical Cycles</i> , 2020 , 34, e2019GB006495	5.9	12
85	Management actions to mitigate the occurrence of pharmaceuticals in river networks in a global change context. <i>Environment International</i> , 2020 , 143, 105993	12.9	7
84	Hidden treasures: Human-made aquatic ecosystems harbour unexplored opportunities. <i>Ambio</i> , 2020 , 49, 531-540	6.5	16
83	Reuniting biogeochemistry with ecology and evolution. <i>Science</i> , 2019 , 366, 805-806	33.3	
82	Sediment Respiration Pulses in Intermittent Rivers and Ephemeral Streams. <i>Global Biogeochemical Cycles</i> , 2019 , 33, 1251-1263	5.9	28

81	River pollution by priority chemical substances under the Water Framework Directive: A provisional pan-European assessment. <i>Science of the Total Environment</i> , 2019 , 662, 434-445	10.2	17
80	GLOBAL-FATE (version 1.0.0): A geographical information system (GIS)-based model for assessing contaminants fate in the global river network. <i>Geoscientific Model Development</i> , 2019 , 12, 5213-5228	6.3	9
79	Emissions from dry inland waters are a blind spot in the global carbon cycle. <i>Earth-Science Reviews</i> , 2019 , 188, 240-248	10.2	51
78	A conceptual framework for understanding the biogeochemistry of dry riverbeds through the lens of soil science. <i>Earth-Science Reviews</i> , 2019 , 188, 441-453	10.2	36
77	Contribution of Hydrologic Opportunity and Biogeochemical Reactivity to the Variability of Nutrient Retention in River Networks. <i>Global Biogeochemical Cycles</i> , 2018 , 32, 376-388	5.9	29
76	Dry habitats sustain high CO emissions from temporary ponds across seasons. <i>Scientific Reports</i> , 2018 , 8, 3015	4.9	22
75	Abundance of antibiotic resistance genes and bacterial community composition in wild freshwater fish species. <i>Chemosphere</i> , 2018 , 196, 115-119	8.4	39
74	Does the severity of non-flow periods influence ecosystem structure and function of temporary streams? A mesocosm study. <i>Freshwater Biology</i> , 2018 , 63, 613-625	3.1	8
73	Effects of human-driven water stress on river ecosystems: a meta-analysis. <i>Scientific Reports</i> , 2018 , 8, 11462	4.9	70
72	Temperature Effects Explain Continental Scale Distribution of Cyanobacterial Toxins. <i>Toxins</i> , 2018 , 10,	4.9	109
71	A universal bacterial inoculum for dissolved organic carbon biodegradation experiments in freshwaters. <i>Limnology and Oceanography: Methods</i> , 2018 , 16, 421-433	2.6	3
70	A European Multi Lake Survey dataset of environmental variables, phytoplankton pigments and cyanotoxins. <i>Scientific Data</i> , 2018 , 5, 180226	8.2	15
69	From End-of-Pipe to Nature Based Solutions: a Simple Statistical Tool for Maximizing the Ecosystem Services Provided by Reservoirs for Drinking Water Treatment. <i>Water Resources Management</i> , 2018 , 32, 1307-1323	3.7	4
68	Occurrence et devenir des polluants émergents (antibiotiques) dans un aquifère alluvial et leur influence sur les bactéries multi-résistantes (Bas-Fluvi-Catalogne). <i>Houille Blanche</i> , 2018 , 104, 47-52	0.3	
67	Effect of small water retention structures on diffusive CO ₂ and CH ₄ emissions along a highly impounded river. <i>Inland Waters</i> , 2018 , 8, 449-460	2.4	2
66	A tale of pipes and reactors: Controls on the in-stream dynamics of dissolved organic matter in rivers. <i>Limnology and Oceanography</i> , 2017 , 62, S85-S94	4.8	58
65	Abundance and Co-Distribution of Widespread Marine Archaeal Lineages in Surface Sediments of Freshwater Water Bodies across the Iberian Peninsula. <i>Microbial Ecology</i> , 2017 , 74, 776-787	4.4	11
64	Biodegradation kinetics of dissolved organic matter chromatographic fractions in an intermittent river. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 131-144	3.7	30

63	Assessing the impacts of 1.5 °C global warming simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). <i>Geoscientific Model Development</i> , 2017 , 10, 4321-4345	6.3	240
62	Incorporating model uncertainty into the evaluation of interventions to reduce microcontaminant loads in rivers. <i>Water Research</i> , 2017 , 124, 415-424	12.5	12
61	Influence of seasonal freshwater streamflow regimes on phytoplankton blooms in a Patagonian fjord. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2017 , 51, 304-315	1.3	26
60	Effects of subinhibitory ciprofloxacin concentrations on the abundance of qnrS and composition of bacterial communities from water supply reservoirs. <i>Chemosphere</i> , 2016 , 161, 470-474	8.4	8
59	Low contribution of internal metabolism to carbon dioxide emissions along lotic and lentic environments of a Mediterranean fluvial network. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016 , 121, 3030-3044	3.7	13
58	Using dynamic factor analysis to show how sampling resolution and data gaps affect the recognition of patterns in limnological time series. <i>Inland Waters</i> , 2016 , 6, 284-294	2.4	7
57	Microbial carbon processing along a river discontinuum. <i>Freshwater Science</i> , 2016 , 35, 1133-1147	2	10
56	El Niño southern oscillation and seasonal drought drive riparian input dynamics in a Mediterranean stream. <i>Limnology and Oceanography</i> , 2016 , 61, 214-226	4.8	9
55	When Water Vanishes: Magnitude and Regulation of Carbon Dioxide Emissions from Dry Temporary Streams. <i>Ecosystems</i> , 2016 , 19, 710-723	3.9	54
54	Drought-induced discontinuities in the source and degradation of dissolved organic matter in a Mediterranean river. <i>Biogeochemistry</i> , 2016 , 127, 125-139	3.8	27
53	Runoff Trends Driven by Climate and Afforestation in a Pyrenean Basin. <i>Land Degradation and Development</i> , 2016 , 27, 823-838	4.4	74
52	Organic carbon decomposition rates controlled by water retention time across inland waters. <i>Nature Geoscience</i> , 2016 , 9, 501-504	18.3	192
51	Automatic High Frequency Monitoring for Improved Lake and Reservoir Management. <i>Environmental Science & Technology</i> , 2016 , 50, 10780-10794	10.3	65
50	Flow regulation increases food-chain length through omnivory mechanisms in a Mediterranean river network. <i>Freshwater Biology</i> , 2016 , 61, 1536-1549	3.1	20
49	Emission factor estimation of ca. 160 emerging organic microcontaminants by inverse modeling in a Mediterranean river basin (Llobregat, NE Spain). <i>Science of the Total Environment</i> , 2015 , 520, 241-52	10.2	25
48	Hot spots for carbon emissions from Mediterranean fluvial networks during summer drought. <i>Biogeochemistry</i> , 2015 , 125, 409-426	3.8	42
47	Using equilibrium temperature to assess thermal disturbances in rivers. <i>Hydrological Processes</i> , 2015 , 29, 4350-4360	3.3	8
46	Assessing Ecological Integrity in Large Reservoirs According to the Water Framework Directive. <i>Handbook of Environmental Chemistry</i> , 2015 , 201-219	0.8	1

45	Detection and attribution of global change effects on river nutrient dynamics in a large Mediterranean basin. <i>Biogeosciences</i> , 2015 , 12, 4085-4098	4.6	15
44	Introduction on Emerging Contaminants in Rivers and Their Environmental Risk. <i>Handbook of Environmental Chemistry</i> , 2015 , 3-25	0.8	3
43	Fate and Degradation of Emerging Contaminants in Rivers: Review of Existing Models. <i>Handbook of Environmental Chemistry</i> , 2015 , 159-193	0.8	1
42	Carbonate weathering as a driver of CO2 supersaturation in lakes. <i>Nature Geoscience</i> , 2015 , 8, 107-111	18.3	103
41	Distribution of dissolved organic matter in freshwaters using excitation emission fluorescence and Multivariate Curve Resolution. <i>Chemosphere</i> , 2014 , 111, 120-8	8.4	7
40	Carbon dioxide emissions from dry watercourses. <i>Inland Waters</i> , 2014 , 4, 377-382	2.4	57
39	Assessment of the water supply:demand ratios in a Mediterranean basin under different global change scenarios and mitigation alternatives. <i>Science of the Total Environment</i> , 2014 , 470-471, 567-77	10.2	124
38	The combined impact of land use change and aquaculture on sediment and water quality in oligotrophic Lake Rupanco (North Patagonia, Chile, 40.8°S). <i>Journal of Environmental Management</i> , 2013 , 128, 283-91	7.9	24
37	Examining the Demand for Ecosystem Services: The Value of Stream Restoration for Drinking Water Treatment Managers in the Llobregat River, Spain. <i>Ecological Economics</i> , 2013 , 90, 196-205	5.6	36
36	Modelling the emerging pollutant diclofenac with the GREAT-ER model: application to the Llobregat River Basin. <i>Journal of Hazardous Materials</i> , 2013 , 263 Pt 1, 207-13	12.8	29
35	Exploring the links between antibiotic occurrence, antibiotic resistance, and bacterial communities in water supply reservoirs. <i>Science of the Total Environment</i> , 2013 , 456-457, 161-70	10.2	221
34	Influence of hydrological regime of an Andean river on salinity, temperature and oxygen in a Patagonia fjord, Chile. <i>New Zealand Journal of Marine and Freshwater Research</i> , 2013 , 47, 515-528	1.3	22
33	Modeling nutrient retention at the watershed scale: Does small stream research apply to the whole river network?. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013 , 118, 728-740	3.7	19
32	Characterization of residence time variability in a managed monomictic reservoir. <i>Water Resources Research</i> , 2012 , 48,	5.4	12
31	Linking in-stream nutrient flux to land use and inter-annual hydrological variability at the watershed scale. <i>Science of the Total Environment</i> , 2012 , 440, 72-81	10.2	28
30	Occurrence and modeling of pharmaceuticals on a sewage-impacted Mediterranean river and their dynamics under different hydrological conditions. <i>Science of the Total Environment</i> , 2012 , 440, 3-13	10.2	108
29	Localized algal blooms induced by river inflows in a canyon type reservoir. <i>Aquatic Sciences</i> , 2012 , 74, 315-327	2.5	14
28	The Llobregat River Basin: A Paradigm of Impaired Rivers Under Climate Change Threats. <i>Handbook of Environmental Chemistry</i> , 2012 , 1-26	0.8	14

27	In-Stream Nutrient Flux and Retention in Relation to Land Use in the Llobregat River Basin. <i>Handbook of Environmental Chemistry</i> , 2012 , 69-92	0.8	6
26	Net heterotrophy and CO ₂ evasion from a productive calcareous reservoir: Adding complexity to the metabolism-CO ₂ evasion issue. <i>Journal of Geophysical Research</i> , 2011 , 116,		17
25	Analysing the effect of global change on the historical trends of water resources in the headwaters of the Llobregat and Ter river basins (Catalonia, Spain). <i>Physics and Chemistry of the Earth</i> , 2011 , 36, 655-661	3.61	29
24	Combined scenarios of chemical and ecological quality under water scarcity in Mediterranean rivers. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 1269-1278	14.6	82
23	The Effect of River Water Circulation on the Distribution and Functioning of Reservoir Microbial Communities as Determined by a Relative Distance Approach. <i>Ecosystems</i> , 2011 , 14, 1-14	3.9	17
22	A calibration strategy for dynamic succession models including several phytoplankton groups. <i>Environmental Modelling and Software</i> , 2011 , 26, 697-710	5.2	29
21	El Niño Southern Oscillation and climate trends impact reservoir water quality. <i>Global Change Biology</i> , 2010 , 16, 2857-2865	11.4	49
20	Driving factors of the phytoplankton functional groups in a deep Mediterranean reservoir. <i>Water Research</i> , 2010 , 44, 3345-54	12.5	114
19	Dams and Reservoirs in the Lower Ebro River and Its Effects on the River Thermal Cycle. <i>Handbook of Environmental Chemistry</i> , 2010 , 77-95	0.8	10
18	On non-Eltonian methods of hunting Cladocera, or impacts of the introduction of planktivorous fish on zooplankton composition and clear-water phase occurrence in a Mediterranean reservoir. <i>Hydrobiologia</i> , 2010 , 653, 119-129	2.4	10
17	Tailoring dam structures to water quality predictions in new reservoir projects: assisting decision-making using numerical modeling. <i>Journal of Environmental Management</i> , 2010 , 91, 1255-67	7.9	29
16	On non-Eltonian methods of hunting Cladocera, or impacts of the introduction of planktivorous fish on zooplankton composition and clear-water phase occurrence in a Mediterranean reservoir 2010 , 119-129		
15	Modeling nutrient in-stream processes at the watershed scale using Nutrient Spiralling metrics. <i>Hydrology and Earth System Sciences</i> , 2009 , 13, 953-967	5.5	22
14	Ecological classification of a set of Mediterranean reservoirs applying the EU Water Framework Directive: A reasonable compromise between science and management. <i>Lake and Reservoir Management</i> , 2009 , 25, 364-376	1.3	22
13	Sedimentary phosphorus in a cascade of five reservoirs (Lozoya River, Central Spain). <i>Lake and Reservoir Management</i> , 2009 , 25, 39-48	1.3	13
12	Water Quality in Reservoirs Under a Changing Climate. <i>Handbook of Environmental Chemistry</i> , 2009 , 73-94	4.8	1
11	Modeling nutrient in-stream processes at the watershed scale using Nutrient Spiralling metrics 2009 ,		4
10	Using spatially distributed parameters and multi-response objective functions to solve parameterization of complex applications of semi-distributed hydrological models. <i>Water Resources Research</i> , 2008 , 44,	5.4	20

9	The role of river inputs on the hypolimnetic chemistry of a productive reservoir: implications for management of anoxia and total phosphorus internal loading. <i>Lake and Reservoir Management</i> , 2008 , 24, 87-98	1.3	12
8	The Role of Allochthonous Inputs of Dissolved Organic Carbon on the Hypolimnetic Oxygen Content of Reservoirs. <i>Ecosystems</i> , 2008 , 11, 1035-1053	3.9	23
7	Modelling river water temperature using deterministic, empirical, and hybrid formulations in a Mediterranean stream. <i>Hydrological Processes</i> , 2008 , 22, 3418-3430	3.3	19
6	Hydraulic Management Drives Heat Budgets and Temperature Trends in a Mediterranean Reservoir. <i>International Review of Hydrobiology</i> , 2008 , 93, 131-147	2.3	30
5	Interaction between wind-induced seiches and convective cooling governs algal distribution in a canyon-shaped reservoir. <i>Freshwater Biology</i> , 2007 , 52, 1336-1352	3.1	33
4	A neuro-fuzzy modeling tool to estimate fluvial nutrient loads in watersheds under time-varying human impact. <i>Limnology and Oceanography: Methods</i> , 2004 , 2, 342-355	2.6	35
3	Drivers of phytoplankton responses to summer wind events in a stratified lake: A modeling study. <i>Limnology and Oceanography</i> ,	4.8	2
2	Global heat uptake by inland waters		3
1	Attribution of global lake systems change to anthropogenic forcing. <i>Nature Geoscience</i> ,	18.3	8