

# Edoardo Rosato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5945266/publications.pdf>

Version: 2024-02-01

133  
papers

2,642  
citations

318942

23  
h-index

263392

45  
g-index

134  
all docs

134  
docs citations

134  
times ranked

3122  
citing authors

#	ARTICLE	IF	CITATIONS
1	In systemic sclerosis, the TAPSE/sPAP ratio can be used in addition to the DETECT algorithm for pulmonary arterial hypertension diagnosis. <i>Rheumatology</i> , 2022, 61, 2450-2456.	0.9	10
2	Sex-related Differences in Systemic Sclerosis: A Multicenter Cross-sectional Study From the National Registry of the Italian Society for Rheumatology. <i>Journal of Rheumatology</i> , 2022, 49, 176-185.	1.0	12
3	In systemic sclerosis TAPSE/sPAP ratio is correlated with ventilatory efficiency and exercise capacity assessed by CPET. <i>Clinical and Experimental Medicine</i> , 2022, , 1.	1.9	2
4	Symptoms related to gastrointestinal tract involvement and low muscularity in systemic sclerosis. <i>Clinical Rheumatology</i> , 2022, 41, 1687-1696.	1.0	4
5	Increased Complement Activation in Systemic Sclerosis Patients with Skin and Lung Fibrosis. <i>Journal of Personalized Medicine</i> , 2022, 12, 284.	1.1	4
6	Phenotype of limited cutaneous systemic sclerosis patients with positive anti-topoisomerase I antibodies: data from the EUSTAR cohort. <i>Rheumatology</i> , 2022, 61, 4786-4796.	0.9	20
7	Maresin1 is a predictive marker of new digital ulcers in systemic sclerosis patients. <i>Microvascular Research</i> , 2022, 142, 104366.	1.1	4
8	IL33 and sST2 serum level in systemic sclerosis microvascular involvement. <i>Microvascular Research</i> , 2022, 142, 104344.	1.1	10
9	Assessment of kidney involvement in systemic sclerosis: From scleroderma renal crisis to subclinical renal vasculopathy. <i>American Journal of the Medical Sciences</i> , 2022, 364, 529-537.	0.4	7
10	Assessment of renal microcirculation in biopsy-proven tubulointerstitial nephritis in patients with and without glomerular disease: the role of resistive index. <i>Microvascular Research</i> , 2022, 142, 104379.	1.1	1
11	Antibody response to BNT162b2 SARS-CoV-2 mRNA vaccine in adult patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2022, 41, 2755-2763.	1.0	6
12	Sonographic evaluation of hypertension: Role of atrophic index and renal resistive index. <i>Journal of Clinical Hypertension</i> , 2022, 24, 955-957.	1.0	5
13	Left Ventricular Mass Index as Potential Surrogate of Muscularity in Patients With Systemic Sclerosis Without Cardiovascular Disease. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 1302-1308.	1.3	1
14	The Renal Resistive Index: A New Biomarker for the Follow-up of Vascular Modifications in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2021, 48, 241-246.	1.0	7
15	Assessing Malnutrition in Systemic Sclerosis With Global Leadership Initiative on Malnutrition and European Society of Clinical Nutrition and Metabolism Criteria. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 618-624.	1.3	25
16	Laser speckle contrast analysis predicts major vascular complications and mortality of patients with systemic sclerosis. <i>Rheumatology</i> , 2021, 60, 1850-1857.	0.9	15
17	In systemic sclerosis patients the anxiety disorder and Raynaud's phenomenon are increased during lock down period for COVID-19 pandemic. <i>Internal and Emergency Medicine</i> , 2021, 16, 1095-1096.	1.0	5
18	Renal resistive index in IgA nephropathy and renal scleroderma vasculopathy. <i>Microvascular Research</i> , 2021, 133, 104095.	1.1	4

#	ARTICLE	IF	CITATIONS
19	A life-threatening small bowel obstruction as onset of an unknown sarcoidosis: A case report. <i>Respiratory Medicine Case Reports</i> , 2021, 33, 101379.	0.2	2
20	Innate Immune Modulation Induced by EBV Lytic Infection Promotes Endothelial Cell Inflammation and Vascular Injury in Scleroderma. <i>Frontiers in Immunology</i> , 2021, 12, 651013.	2.2	11
21	Circulating NT-proANP level is a predictor of mortality for systemic sclerosis: a retrospective study of an Italian cohort. <i>Expert Review of Clinical Immunology</i> , 2021, 17, 661-666.	1.3	5
22	Metabolic syndrome and adipokine levels in systemic lupus erythematosus and systemic sclerosis. <i>Clinical Rheumatology</i> , 2021, 40, 4253-4258.	1.0	12
23	Estimated glomerular filtration rate is a marker of mortality in the European Scleroderma Trials and Research Group (EUSTAR) database. <i>Rheumatology</i> , 2021, 61, 213-222.	0.9	4
24	Estimated glomerular filtration rate and renal resistive index as possible predictive markers of mortality in systemic sclerosis. <i>European Journal of Internal Medicine</i> , 2021, 87, 83-89.	1.0	6
25	Prediction and primary prevention of major vascular complications in systemic sclerosis. <i>European Journal of Internal Medicine</i> , 2021, 87, 51-58.	1.0	9
26	Serum and urine free light chains measurements in patients with systemic sclerosis: novel biomarkers for disease activity. <i>Clinical and Experimental Immunology</i> , 2021, 205, 135-141.	1.1	6
27	CD21low B cells are predictive markers of new digital ulcers in systemic sclerosis. <i>Clinical and Experimental Immunology</i> , 2021, 205, 128-134.	1.1	10
28	The burden of systemic sclerosis in Switzerland – the Swiss systemic sclerosis EUSTAR cohort. <i>Swiss Medical Weekly</i> , 2021, 151, w20528.	0.8	5
29	Serum resistin is predictive marker of development of new digital ulcers in systemic sclerosis. <i>Clinical and Experimental Medicine</i> , 2021, , 1.	1.9	2
30	Color Doppler Ultrasonography of digital arteries and digital ulcers development in systemic sclerosis. <i>Microvascular Research</i> , 2021, 138, 104210.	1.1	3
31	Evaluation of renal resistive index in different autoimmune diseases. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 229-230.	0.4	0
32	Reciprocal effects of scleroderma and temporomandibular dysfunction between patient cohorts. <i>Cranio - Journal of Craniomandibular Practice</i> , 2021, , 1-8.	0.6	1
33	The role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in rheumatoid arthritis patients tapering tumour necrosis factor inhibitor. <i>Rheumatology</i> , 2021, , .	0.9	0
34	Evaluation of renal resistive index in different autoimmune diseases. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 229-230.	0.4	1
35	Renal Parenchymal Thickness in Patients with Systemic Sclerosis Is Related to Intrarenal Hemodynamic Variables and Raynaud Renal Phenomenon. <i>Journal of Rheumatology</i> , 2020, 47, 567-571.	1.0	7
36	The predictive role of lung ultrasound in progression of scleroderma interstitial lung disease. <i>Clinical Rheumatology</i> , 2020, 39, 119-123.	1.0	28

#	ARTICLE	IF	CITATIONS
37	Role of Alarmins in the Pathogenesis of Systemic Sclerosis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4985.	1.8	9
38	Health Assessment Questionnaire-Disability Index (HAQ-DI) use in modelling disease progression in diffuse cutaneous systemic sclerosis: an analysis from the EUSTAR database. <i>Arthritis Research and Therapy</i> , 2020, 22, 257.	1.6	20
39	Mycophenolate Mofetil Improves Exercise Tolerance in Systemic Sclerosis Patients with Interstitial Lung Disease: A Pilot Study. <i>Rheumatology and Therapy</i> , 2020, 7, 1037-1044.	1.1	2
40	Reduction of fat free mass index and phase angle is a risk factor for development digital ulcers in systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2020, 39, 3693-3700.	1.0	6
41	Comparisons of skin microvascular changes in patients with primary aldosteronism and essential hypertension. <i>Hypertension Research</i> , 2020, 43, 1222-1230.	1.5	8
42	Phase angle in systemic sclerosis: a marker for pulmonary function and disease severity. <i>Clinical Rheumatology</i> , 2020, 39, 1699-1701.	1.0	2
43	Late Gadolinium Enhancement in Cardiac Magnetic Resonance Imaging Is Associated with High Renal Resistive Index in Patients with Systemic Sclerosis. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 350-356.	0.9	4
44	CD21low B cells in systemic sclerosis: A possible marker of vascular complications. <i>Clinical Immunology</i> , 2020, 213, 108364.	1.4	24
45	Assessment of interstitial lung disease in systemic sclerosis using the quantitative CT algorithm CALIPER. <i>Clinical Rheumatology</i> , 2020, 39, 1537-1542.	1.0	20
46	Phase angle could be a marker of microvascular damage in systemic sclerosis. <i>Nutrition</i> , 2020, 73, 110730.	1.1	11
47	Early myocardial damage and microvascular dysfunction in asymptomatic patients with systemic sclerosis: A cardiovascular magnetic resonance study with cold pressor test. <i>PLoS ONE</i> , 2020, 15, e0244282.	1.1	17
48	Renal parenchymal thickness is both related to vascular endothelial growth factor and intrarenal stiffness in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 125, 171.	0.4	0
49	Reduced ventilatory efficiency during exercise predicts major vascular complications and mortality for interstitial lung disease in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 125, 85-91.	0.4	2
50	Microbiome, Autoimmune Diseases and HIV Infection: Friends or Foes?. <i>Nutrients</i> , 2019, 11, 2629.	1.7	5
51	Reduction in Heart Rate Variability in Autosomal Dominant Polycystic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1142-1148.	0.9	4
52	The Renal Resistive Index in systemic sclerosis: Determinants, prognostic implication and proposal for specific age-adjusted cut-offs. <i>European Journal of Internal Medicine</i> , 2019, 70, 43-49.	1.0	7
53	Splenic Blood Flow Increases after Hypothermic Stimulus (Cold Pressor Test): A Perfusion Magnetic Resonance Study. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	2
54	Role of autonomic dysfunction in the regulation of myocardial blood flow in systemic sclerosis evaluated by cardiac magnetic resonance. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1029-1035.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1553-1570.	2.9	75
56	Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 979-987.	0.5	142
57	Atrial natriuretic peptide predicts disease progression and digital ulcers development in systemic sclerosis patients. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 771-779.	0.6	6
58	Revised European Scleroderma Trials and Research Group Activity Index is the best predictor of short-term severity accrual. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1681-1685.	0.5	13
59	Female sexual dysfunction in systemic sclerosis: The role of endothelial growth factor and endostatin. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 71-76.	1.0	7
60	Myocardial fibrosis in systemic sclerosis assessed by cardiac magnetic resonance is associated with vascular endothelial growth factor expression. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 158.	0.4	0
61	Skin perfusion of hands is associated with parasympathetic activity in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 159-160.	0.4	0
62	Autonomic dysfunction and cardiovascular risk in patients with atherosclerotic renal artery stenosis: A pilot study. <i>European Journal of Internal Medicine</i> , 2018, 52, e19-e21.	1.0	3
63	Serum level of endostatin and digital ulcers in systemic sclerosis patients. <i>International Wound Journal</i> , 2018, 15, 424-428.	1.3	4
64	Impact of revascularization procedures on Doppler parameters in patients with atherosclerotic renal artery stenosis. <i>European Journal of Internal Medicine</i> , 2018, 51, e28-e29.	1.0	2
65	Erectile dysfunction: Imbalance between pro-angiogenic and anti-angiogenic factors in systemic sclerosis. <i>European Journal of Internal Medicine</i> , 2018, 53, e17-e18.	1.0	3
66	In systemic sclerosis, microvascular and hands digital arteries damage correlates with serum levels of endostatin. <i>Microcirculation</i> , 2018, 25, e12449.	1.0	5
67	<scp>BMI</scp>, nephroangiosclerosis and glomerulonephritis: Is there any meeting point?. <i>Nephrology</i> , 2018, 23, 991-996.	0.7	10
68	Prognostic Factors of Renal Involvement in Systemic Sclerosis. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 682-689.	0.9	23
69	Heart rate variability in nephrotic syndrome: Role of sympathetic and parasympathetic system. <i>European Journal of Internal Medicine</i> , 2018, 54, e21-e22.	1.0	1
70	Brief Report: Smoking in Systemic Sclerosis: A Longitudinal European Scleroderma Trials and Research Group Study. <i>Arthritis and Rheumatology</i> , 2018, 70, 1829-1834.	2.9	15
71	Effects of autonomic dysfunction on exercise tolerance in systemic sclerosis patients without clinical and instrumental evidence of cardiac and pulmonary involvement. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 61-67.	0.4	1
72	Parasympathetic activity increases with digital microvascular damage and vascular endothelial growth factor in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 24-27.	0.4	3

#	ARTICLE	IF	CITATIONS
73	Epstein-Barr virus lytic infection promotes activation of Toll-like receptor 8 innate immune response in systemic sclerosis monocytes. <i>Arthritis Research and Therapy</i> , 2017, 19, 39.	1.6	63
74	Angiogenic and angiostatic factors in renal scleroderma-associated vasculopathy. <i>Microvascular Research</i> , 2017, 114, 41-45.	1.1	17
75	Intrarenal arterial stiffness is increased in systemic sclerosis patients with anti-ribonucleic acid polymerase III antibodies. <i>Rheumatology</i> , 2017, 56, 1039-1041.	0.9	2
76	Mapping and predicting mortality from systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1897-1905.	0.5	410
77	In systemic sclerosis skin perfusion of hands is reduced and may predict the occurrence of new digital ulcers. <i>Microvascular Research</i> , 2017, 110, 1-4.	1.1	14
78	Hypothyroidism and Nephrotic Syndrome: Why, When and How to Treat. <i>Current Vascular Pharmacology</i> , 2017, 15, 398-403.	0.8	24
79	Serum uric acid as a marker of microvascular damage in systemic sclerosis patients. <i>Microvascular Research</i> , 2016, 106, 39-43.	1.1	20
80	Renal parenchymal resistance in patients with biopsy proven glomerulonephritis: Correlation with histological findings. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 469-474.	1.0	21
81	Bosentan for digital ulcers prevention does not worsen cardiopulmonary exercise test parameters in SSc patients with interstitial lung disease. <i>International Journal of Cardiology</i> , 2016, 223, 113-115.	0.8	1
82	Early pre-occlusive bilateral renal artery stenosis after renal denervation. <i>International Journal of Cardiology</i> , 2016, 225, 96-98.	0.8	1
83	Left Ventricular Mass and Intrarenal Arterial Stiffness as Early Diagnostic Markers in Cardiorenal Syndrome Type 5 due to Systemic Sclerosis. <i>CardioRenal Medicine</i> , 2016, 6, 135-142.	0.7	4
84	Nickel-Related Intestinal Mucositis in IBS-Like Patients: Laser Doppler Perfusion Imaging and Oral Mucosa Patch Test in Use. <i>Biological Trace Element Research</i> , 2016, 173, 55-61.	1.9	17
85	In systemic sclerosis prolonged QTc interval is associated with reduced exercise tolerance. <i>International Journal of Cardiology</i> , 2016, 203, 570-572.	0.8	4
86	The cardiac magnetic resonance in the diagnosis of cardiac Raynaud phenomenon in a patient with systemic sclerosis: case report and review of literature. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 251-255.	1.3	10
87	Lung ultrasound in systemic sclerosis: correlation with high-resolution computed tomography, pulmonary function tests and clinical variables of disease. <i>Internal and Emergency Medicine</i> , 2016, 11, 213-217.	1.0	64
88	Diabetic Nephropathy: Focus on Current and Future Therapeutic Strategies. <i>Current Drug Metabolism</i> , 2016, 17, 497-502.	0.7	28
89	Pharmacological Effects of RAAS Blockade in Ischemic Nephropathy. <i>Current Drug Metabolism</i> , 2016, 17, 550-558.	0.7	4
90	Evaluation of estimated glomerular filtration rate and clinical variables in systemic sclerosis patients. <i>Clinical Nephrology</i> , 2016, 85 (2016), 326-331.	0.4	8

#	ARTICLE	IF	CITATIONS
91	Value of systolic pulmonary arterial pressure as a prognostic factor of death in the systemic sclerosis EUSTAR population. <i>Rheumatology</i> , 2015, 54, 1262-1269.	0.9	25
92	Correlation between intrarenal arterial stiffness and exercise tolerance in systemic sclerosis patients without renal and cardiopulmonary impairment: The role of the microvascular damage. <i>International Journal of Cardiology</i> , 2015, 185, 122-124.	0.8	5
93	Evaluation of early myocardial damage in systemic sclerosis (SSc): a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P264.	1.6	1
94	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. <i>Microvascular Research</i> , 2015, 102, 19-24.	1.1	13
95	Three-dimensional Echocardiography and 2D Speckle-tracking Imaging in Chronic Pulmonary Hypertension: Diagnostic Accuracy in Detecting Hemodynamic Signs of Right Ventricular (RV) Failure. <i>Journal of the American Heart Association</i> , 2015, 4, e001584.	1.6	128
96	An observational cohort study of patients with newly diagnosed digital ulcer disease secondary to systemic sclerosis registered in the EUSTAR database. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S47-54.	0.4	21
97	In systemic sclerosis patients, Bosentan is safe and effective for digital ulcer prevention and it seems to attenuate the development of pulmonary arterial hypertension. <i>Rheumatology</i> , 2014, 53, 570-571.	0.9	10
98	Increased Intrarenal Arterial Stiffness May Predict the Occurrence of New Digital Ulcers in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2014, 66, 1380-1385.	1.5	23
99	Prevalence, Correlates and Outcomes of Gastric Antral Vascular Ectasia in Systemic Sclerosis: A EUSTAR Case-control Study. <i>Journal of Rheumatology</i> , 2014, 41, 99-105.	1.0	73
100	Nailfold capillary abnormalities in erectile dysfunction of systemic sclerosis: a EUSTAR group analysis. <i>Rheumatology</i> , 2014, 53, 639-643.	0.9	8
101	Nutritional status measured by BMI is impaired and correlates with left ventricular mass in patients with systemic sclerosis. <i>Nutrition</i> , 2014, 30, 204-209.	1.1	20
102	Autonomic dysfunction in patients with systemic sclerosis: Correlation with intrarenal arterial stiffness. <i>International Journal of Cardiology</i> , 2014, 177, 578-580.	0.8	19
103	Intravenous immunoglobulin in systemic capillary leak syndrome: a case report and review of literature. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 349-352.	1.3	19
104	Prevalence and Clinical Features of Patients with the Cardiorenal Syndrome Admitted to an Internal Medicine Ward. <i>CardioRenal Medicine</i> , 2014, 4, 88-94.	0.7	20
105	Doppler indices of intrarenal arterial stiffness are useful in monitoring scleroderma renal crisis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 80-81.	0.6	11
106	Clitoral blood flow in systemic sclerosis women: correlation with disease clinical variables and female sexual dysfunction. <i>Rheumatology</i> , 2013, 52, 2238-2242.	0.9	22
107	Erectile Dysfunction, Endothelium Dysfunction, and Microvascular Damage in Patients with Systemic Sclerosis. <i>Journal of Sexual Medicine</i> , 2013, 10, 1380-1388.	0.3	22
108	Erythrocyte glutathione transferase: a non-antibody biomarker for systemic sclerosis, which correlates with severity and activity of the disease. <i>Cell Death and Disease</i> , 2013, 4, e736-e736.	2.7	10

#	ARTICLE	IF	CITATIONS
109	Skin Perfusion of Fingers Shows a Negative Correlation with Capillaroscopic Damage in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2013, 40, 98-99.	1.0	6
110	Autoantibodies to Estrogen Receptor $\alpha$ in Systemic Sclerosis (SSc) as Pathogenetic Determinants and Markers of Progression. <i>PLoS ONE</i> , 2013, 8, e74332.	1.1	19
111	Evaluation of Chronic Kidney Disease Epidemiology Collaboration equation to estimate glomerular filtration rate in scleroderma patients. <i>Rheumatology</i> , 2012, 51, 1426-1431.	0.9	27
112	Red Blood Cell Alterations in Systemic Sclerosis: a Pilot Study. <i>Cellular Physiology and Biochemistry</i> , 2012, 30, 418-427.	1.1	17
113	Erectile dysfunction is frequent in systemic sclerosis and associated with severe disease: a study of the EULAR Scleroderma Trial and Research group. <i>Arthritis Research and Therapy</i> , 2012, 14, R37.	1.6	41
114	Brief Report: Successful pregnancies but a higher risk of preterm births in patients with systemic sclerosis: An Italian multicenter study. <i>Arthritis and Rheumatism</i> , 2012, 64, 1970-1977.	6.7	134
115	Intrarenal Hemodynamic Parameters Correlate with Glomerular Filtration Rate and Digital Microvascular Damage in Patients with Systemic Sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 815-821.	1.6	35
116	In systemic sclerosis macrovascular damage of hands digital arteries correlates with microvascular damage. <i>Microvascular Research</i> , 2011, 82, 410-415.	1.1	56
117	Erectile dysfunction of sclerodermic patients correlates with digital vascular damage. <i>European Journal of Internal Medicine</i> , 2011, 22, 318-321.	1.0	12
118	Digital Ulcers as an Initial Manifestation of Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2011, 50, 767-769.	0.3	19
119	Effects of carbonaceous nanoparticles from low-emission and older diesel engines on human skin cells. <i>Carbon</i> , 2011, 49, 5038-5048.	5.4	30
120	Laser Doppler perfusion imaging in systemic sclerosis impaired response to cold stimulation involves digits and hand dorsum. <i>Rheumatology</i> , 2011, 50, 1654-1658.	0.9	45
121	Raynaud Phenomenon of the Tongue in a Patient With Scleroderma. <i>Journal of Clinical Rheumatology</i> , 2010, 16, 201.	0.5	3
122	The Different Photoplethysmographic Patterns Can Help to Distinguish Patients With Primary and Sclerodermic Raynaud Phenomenon. <i>American Journal of the Medical Sciences</i> , 2010, 340, 457-461.	0.4	13
123	Analyses of T cell phenotype and function reveal an altered T cell homeostasis in systemic sclerosis. <i>Clinical Immunology</i> , 2010, 137, 122-133.	1.4	52
124	Penile involvement in Systemic Sclerosis: New Diagnostic and Therapeutic Aspects. <i>International Journal of Rheumatology</i> , 2010, 2010, 1-5.	0.9	7
125	Bosentan Improves Skin Perfusion of Hands in Patients with Systemic Sclerosis with Pulmonary Arterial Hypertension. <i>Journal of Rheumatology</i> , 2010, 37, 2531-2539.	1.0	41
126	Laser Doppler Perfusion Imaging Is Useful in the Study of Raynaud's Phenomenon and Improves the Capillaroscopic Diagnosis. <i>Journal of Rheumatology</i> , 2009, 36, 2257-2263.	1.0	63



#	ARTICLE	IF	CITATIONS
127	High Incidence of Celiac Disease in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 965-969.	1.0	22
128	Dropped head syndrome and Systemic sclerosis. <i>Joint Bone Spine</i> , 2009, 76, 301-303.	0.8	16
129	An unusual manifestation in a patient with Churg-Strauss syndrome: Isolated cardiac septum involvement. <i>Joint Bone Spine</i> , 2009, 76, 723-724.	0.8	0
130	The treatment with N-acetylcysteine of Raynaud's phenomenon and ischemic ulcers therapy in sclerodermic patients: a prospective observational study of 50 patients. <i>Clinical Rheumatology</i> , 2009, 28, 1379-1384.	1.0	60
131	Regional diastolic function by tissue Doppler echocardiography in systemic sclerosis: correlation with clinical variables. <i>Rheumatology International</i> , 2009, 29, 913-919.	1.5	25
132	N-acetylcysteine infusion reduces the resistance index of renal artery in the early stage of systemic sclerosis. <i>Acta Pharmacologica Sinica</i> , 2009, 30, 1283-1288.	2.8	22
133	Syndrome de la tête tombante et sclérodémie systémique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009, 76, 468-470.	0.0	0