

# Edoardo Rosato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5945266/publications.pdf>

Version: 2024-02-01

133  
papers

2,642  
citations

279778

23  
h-index

233409

45  
g-index

134  
all docs

134  
docs citations

134  
times ranked

2957  
citing authors

#	ARTICLE	IF	CITATIONS
1	In systemic sclerosis, the TAPSE/sPAP ratio can be used in addition to the DETECT algorithm for pulmonary arterial hypertension diagnosis. <i>Rheumatology</i> , 2022, 61, 2450-2456.	1.9	10
2	Sex-related Differences in Systemic Sclerosis: A Multicenter Cross-sectional Study From the National Registry of the Italian Society for Rheumatology. <i>Journal of Rheumatology</i> , 2022, 49, 176-185.	2.0	12
3	In systemic sclerosis TAPSE/sPAP ratio is correlated with ventilatory efficiency and exercise capacity assessed by CPET. <i>Clinical and Experimental Medicine</i> , 2022, , 1.	3.6	2
4	Symptoms related to gastrointestinal tract involvement and low muscularity in systemic sclerosis. <i>Clinical Rheumatology</i> , 2022, 41, 1687-1696.	2.2	4
5	Increased Complement Activation in Systemic Sclerosis Patients with Skin and Lung Fibrosis. <i>Journal of Personalized Medicine</i> , 2022, 12, 284.	2.5	4
6	Phenotype of limited cutaneous systemic sclerosis patients with positive anti-topoisomerase I antibodies: data from the EUSTAR cohort. <i>Rheumatology</i> , 2022, 61, 4786-4796.	1.9	20
7	Maresin1 is a predictive marker of new digital ulcers in systemic sclerosis patients. <i>Microvascular Research</i> , 2022, 142, 104366.	2.5	4
8	IL33 and sST2 serum level in systemic sclerosis microvascular involvement. <i>Microvascular Research</i> , 2022, 142, 104344.	2.5	10
9	Assessment of kidney involvement in systemic sclerosis: From scleroderma renal crisis to subclinical renal vasculopathy. <i>American Journal of the Medical Sciences</i> , 2022, 364, 529-537.	1.1	7
10	Assessment of renal microcirculation in biopsy-proven tubulointerstitial nephritis in patients with and without glomerular disease: the role of resistive index. <i>Microvascular Research</i> , 2022, 142, 104379.	2.5	1
11	Antibody response to BNT162b2 SARS-CoV-2 mRNA vaccine in adult patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2022, 41, 2755-2763.	2.2	6
12	Sonographic evaluation of hypertension: Role of atrophic index and renal resistive index. <i>Journal of Clinical Hypertension</i> , 2022, 24, 955-957.	2.0	5
13	Left Ventricular Mass Index as Potential Surrogate of Muscularity in Patients With Systemic Sclerosis Without Cardiovascular Disease. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 1302-1308.	2.6	1
14	The Renal Resistive Index: A New Biomarker for the Follow-up of Vascular Modifications in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2021, 48, 241-246.	2.0	7
15	Assessing Malnutrition in Systemic Sclerosis With Global Leadership Initiative on Malnutrition and European Society of Clinical Nutrition and Metabolism Criteria. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 618-624.	2.6	25
16	Laser speckle contrast analysis predicts major vascular complications and mortality of patients with systemic sclerosis. <i>Rheumatology</i> , 2021, 60, 1850-1857.	1.9	15
17	In systemic sclerosis patients the anxiety disorder and Raynaud's phenomenon are increased during lock down period for COVID-19 pandemic. <i>Internal and Emergency Medicine</i> , 2021, 16, 1095-1096.	2.0	5
18	Renal resistive index in IgA nephropathy and renal scleroderma vasculopathy. <i>Microvascular Research</i> , 2021, 133, 104095.	2.5	4

#	ARTICLE	IF	CITATIONS
19	A life-threatening small bowel obstruction as onset of an unknown sarcoidosis: A case report. Respiratory Medicine Case Reports, 2021, 33, 101379.	0.4	2
20	Innate Immune Modulation Induced by EBV Lytic Infection Promotes Endothelial Cell Inflammation and Vascular Injury in Scleroderma. Frontiers in Immunology, 2021, 12, 651013.	4.8	11
21	Circulating NT-proANP level is a predictor of mortality for systemic sclerosis: a retrospective study of an Italian cohort. Expert Review of Clinical Immunology, 2021, 17, 661-666.	3.0	5
22	Metabolic syndrome and adipokine levels in systemic lupus erythematosus and systemic sclerosis. Clinical Rheumatology, 2021, 40, 4253-4258.	2.2	12
23	Estimated glomerular filtration rate is a marker of mortality in the European Scleroderma Trials and Research Group (EUSTAR) database. Rheumatology, 2021, 61, 213-222.	1.9	4
24	Estimated glomerular filtration rate and renal resistive index as possible predictive markers of mortality in systemic sclerosis. European Journal of Internal Medicine, 2021, 87, 83-89.	2.2	6
25	Prediction and primary prevention of major vascular complications in systemic sclerosis. European Journal of Internal Medicine, 2021, 87, 51-58.	2.2	9
26	Serum and urine free light chains measurements in patients with systemic sclerosis: novel biomarkers for disease activity. Clinical and Experimental Immunology, 2021, 205, 135-141.	2.6	6
27	CD21low B cells are predictive markers of new digital ulcers in systemic sclerosis. Clinical and Experimental Immunology, 2021, 205, 128-134.	2.6	10
28	The burden of systemic sclerosis in Switzerland – the Swiss systemic sclerosis EUSTAR cohort. Swiss Medical Weekly, 2021, 151, w20528.	1.6	5
29	Serum resistin is predictive marker of development of new digital ulcers in systemic sclerosis. Clinical and Experimental Medicine, 2021, , 1.	3.6	2
30	Color Doppler Ultrasonography of digital arteries and digital ulcers development in systemic sclerosis. Microvascular Research, 2021, 138, 104210.	2.5	3
31	Evaluation of renal resistive index in different autoimmune diseases. Clinical and Experimental Rheumatology, 2021, 39, 229-230.	0.8	0
32	Reciprocal effects of scleroderma and temporomandibular dysfunction between patient cohorts. Cranio - Journal of Craniomandibular Practice, 2021, , 1-8.	1.4	1
33	The role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in rheumatoid arthritis patients tapering tumour necrosis factor inhibitor. Rheumatology, 2021, , .	1.9	0
34	Evaluation of renal resistive index in different autoimmune diseases. Clinical and Experimental Rheumatology, 2021, 39, 229-230.	0.8	1
35	Renal Parenchymal Thickness in Patients with Systemic Sclerosis Is Related to Intrarenal Hemodynamic Variables and Raynaud Renal Phenomenon. Journal of Rheumatology, 2020, 47, 567-571.	2.0	7
36	The predictive role of lung ultrasound in progression of scleroderma interstitial lung disease. Clinical Rheumatology, 2020, 39, 119-123.	2.2	28

#	ARTICLE	IF	CITATIONS
37	Role of Alarmins in the Pathogenesis of Systemic Sclerosis. International Journal of Molecular Sciences, 2020, 21, 4985.	4.1	9
38	Health Assessment Questionnaire-Disability Index (HAQ-DI) use in modelling disease progression in diffuse cutaneous systemic sclerosis: an analysis from the EUSTAR database. Arthritis Research and Therapy, 2020, 22, 257.	3.5	20
39	Mycophenolate Mofetil Improves Exercise Tolerance in Systemic Sclerosis Patients with Interstitial Lung Disease: A Pilot Study. Rheumatology and Therapy, 2020, 7, 1037-1044.	2.3	2
40	Reduction of fat free mass index and phase angle is a risk factor for development digital ulcers in systemic sclerosis patients. Clinical Rheumatology, 2020, 39, 3693-3700.	2.2	6
41	Comparisons of skin microvascular changes in patients with primary aldosteronism and essential hypertension. Hypertension Research, 2020, 43, 1222-1230.	2.7	8
42	Phase angle in systemic sclerosis: a marker for pulmonary function and disease severity. Clinical Rheumatology, 2020, 39, 1699-1701.	2.2	2
43	Late Gadolinium Enhancement in Cardiac Magnetic Resonance Imaging Is Associated with High Renal Resistive Index in Patients with Systemic Sclerosis. Kidney and Blood Pressure Research, 2020, 45, 350-356.	2.0	4
44	CD21low B cells in systemic sclerosis: A possible marker of vascular complications. Clinical Immunology, 2020, 213, 108364.	3.2	24
45	Assessment of interstitial lung disease in systemic sclerosis using the quantitative CT algorithm CALIPER. Clinical Rheumatology, 2020, 39, 1537-1542.	2.2	20
46	Phase angle could be a marker of microvascular damage in systemic sclerosis. Nutrition, 2020, 73, 110730.	2.4	11
47	Early myocardial damage and microvascular dysfunction in asymptomatic patients with systemic sclerosis: A cardiovascular magnetic resonance study with cold pressor test. PLoS ONE, 2020, 15, e0244282.	2.5	17
48	Renal parenchymal thickness is both related to vascular endothelial growth factor and intrarenal stiffness in systemic sclerosis. Clinical and Experimental Rheumatology, 2020, 38 Suppl 125, 171.	0.8	0
49	Reduced ventilatory efficiency during exercise predicts major vascular complications and mortality for interstitial lung disease in systemic sclerosis. Clinical and Experimental Rheumatology, 2020, 38 Suppl 125, 85-91.	0.8	2
50	Microbiome, Autoimmune Diseases and HIV Infection: Friends or Foes?. Nutrients, 2019, 11, 2629.	4.1	5
51	Reduction in Heart Rate Variability in Autosomal Dominant Polycystic Kidney Disease. Kidney and Blood Pressure Research, 2019, 44, 1142-1148.	2.0	4
52	The Renal Resistive Index in systemic sclerosis: Determinants, prognostic implication and proposal for specific age-adjusted cut-offs. European Journal of Internal Medicine, 2019, 70, 43-49.	2.2	7
53	Splenic Blood Flow Increases after Hypothermic Stimulus (Cold Pressor Test): A Perfusion Magnetic Resonance Study. BioMed Research International, 2019, 2019, 1-7.	1.9	2
54	Role of autonomic dysfunction in the regulation of myocardial blood flow in systemic sclerosis evaluated by cardiac magnetic resonance. International Journal of Rheumatic Diseases, 2019, 22, 1029-1035.	1.9	5

#	ARTICLE	IF	CITATIONS
55	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1553-1570.	5.6	75
56	Outcomes of patients with systemic sclerosis treated with rituximab in contemporary practice: a prospective cohort study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 979-987.	0.9	142
57	Atrial natriuretic peptide predicts disease progression and digital ulcers development in systemic sclerosis patients. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 771-779.	1.5	6
58	Revised European Scleroderma Trials and Research Group Activity Index is the best predictor of short-term severity accrual. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1681-1685.	0.9	13
59	Female sexual dysfunction in systemic sclerosis: The role of endothelial growth factor and endostatin. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 71-76.	1.7	7
60	Myocardial fibrosis in systemic sclerosis assessed by cardiac magnetic resonance is associated with vascular endothelial growth factor expression. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 158.	0.8	0
61	Skin perfusion of hands is associated with parasympathetic activity in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37 Suppl 119, 159-160.	0.8	0
62	Autonomic dysfunction and cardiovascular risk in patients with atherosclerotic renal artery stenosis: A pilot study. <i>European Journal of Internal Medicine</i> , 2018, 52, e19-e21.	2.2	3
63	Serum level of endostatin and digital ulcers in systemic sclerosis patients. <i>International Wound Journal</i> , 2018, 15, 424-428.	2.9	4
64	Impact of revascularization procedures on Doppler parameters in patients with atherosclerotic renal artery stenosis. <i>European Journal of Internal Medicine</i> , 2018, 51, e28-e29.	2.2	2
65	Erectile dysfunction: Imbalance between pro-angiogenic and anti-angiogenic factors in systemic sclerosis. <i>European Journal of Internal Medicine</i> , 2018, 53, e17-e18.	2.2	3
66	In systemic sclerosis, microvascular and hands digital arteries damage correlates with serum levels of endostatin. <i>Microcirculation</i> , 2018, 25, e12449.	1.8	5
67	<scp>BMI</scp>, nephroangiosclerosis and glomerulonephritis: Is there any meeting point?. <i>Nephrology</i> , 2018, 23, 991-996.	1.6	10
68	Prognostic Factors of Renal Involvement in Systemic Sclerosis. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 682-689.	2.0	23
69	Heart rate variability in nephrotic syndrome: Role of sympathetic and parasympathetic system. <i>European Journal of Internal Medicine</i> , 2018, 54, e21-e22.	2.2	1
70	Brief Report: Smoking in Systemic Sclerosis: A Longitudinal European Scleroderma Trials and Research Group Study. <i>Arthritis and Rheumatology</i> , 2018, 70, 1829-1834.	5.6	15
71	Effects of autonomic dysfunction on exercise tolerance in systemic sclerosis patients without clinical and instrumental evidence of cardiac and pulmonary involvement. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 61-67.	0.8	1
72	Parasympathetic activity increases with digital microvascular damage and vascular endothelial growth factor in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 24-27.	0.8	3

#	ARTICLE	IF	CITATIONS
73	Epstein-Barr virus lytic infection promotes activation of Toll-like receptor 8 innate immune response in systemic sclerosis monocytes. <i>Arthritis Research and Therapy</i> , 2017, 19, 39.	3.5	63
74	Angiogenic and angiostatic factors in renal scleroderma-associated vasculopathy. <i>Microvascular Research</i> , 2017, 114, 41-45.	2.5	17
75	Intrarenal arterial stiffness is increased in systemic sclerosis patients with anti-ribonucleic acid polymerase III antibodies. <i>Rheumatology</i> , 2017, 56, 1039-1041.	1.9	2
76	Mapping and predicting mortality from systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1897-1905.	0.9	410
77	In systemic sclerosis skin perfusion of hands is reduced and may predict the occurrence of new digital ulcers. <i>Microvascular Research</i> , 2017, 110, 1-4.	2.5	14
78	Hypothyroidism and Nephrotic Syndrome: Why, When and How to Treat. <i>Current Vascular Pharmacology</i> , 2017, 15, 398-403.	1.7	24
79	Serum uric acid as a marker of microvascular damage in systemic sclerosis patients. <i>Microvascular Research</i> , 2016, 106, 39-43.	2.5	20
80	Renal parenchymal resistance in patients with biopsy proven glomerulonephritis: Correlation with histological findings. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 469-474.	2.1	21
81	Bosentan for digital ulcers prevention does not worsen cardiopulmonary exercise test parameters in SSc patients with interstitial lung disease. <i>International Journal of Cardiology</i> , 2016, 223, 113-115.	1.7	1
82	Early pre-occlusive bilateral renal artery stenosis after renal denervation. <i>International Journal of Cardiology</i> , 2016, 225, 96-98.	1.7	1
83	Left Ventricular Mass and Intrarenal Arterial Stiffness as Early Diagnostic Markers in Cardiorenal Syndrome Type 5 due to Systemic Sclerosis. <i>CardioRenal Medicine</i> , 2016, 6, 135-142.	1.9	4
84	Nickel-Related Intestinal Mucositis in IBS-Like Patients: Laser Doppler Perfusion Imaging and Oral Mucosa Patch Test in Use. <i>Biological Trace Element Research</i> , 2016, 173, 55-61.	3.5	17
85	In systemic sclerosis prolonged QTc interval is associated with reduced exercise tolerance. <i>International Journal of Cardiology</i> , 2016, 203, 570-572.	1.7	4
86	The cardiac magnetic resonance in the diagnosis of cardiac Raynaud phenomenon in a patient with systemic sclerosis: case report and review of literature. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 251-255.	3.0	10
87	Lung ultrasound in systemic sclerosis: correlation with high-resolution computed tomography, pulmonary function tests and clinical variables of disease. <i>Internal and Emergency Medicine</i> , 2016, 11, 213-217.	2.0	64
88	Diabetic Nephropathy: Focus on Current and Future Therapeutic Strategies. <i>Current Drug Metabolism</i> , 2016, 17, 497-502.	1.2	28
89	Pharmacological Effects of RAAS Blockade in Ischemic Nephropathy. <i>Current Drug Metabolism</i> , 2016, 17, 550-558.	1.2	4
90	Evaluation of estimated glomerular filtration rate and clinical variables in systemic sclerosis patients. <i>Clinical Nephrology</i> , 2016, 85 (2016), 326-331.	0.7	8

#	ARTICLE	IF	CITATIONS
91	Value of systolic pulmonary arterial pressure as a prognostic factor of death in the systemic sclerosis EUSTAR population. <i>Rheumatology</i> , 2015, 54, 1262-1269.	1.9	25
92	Correlation between intrarenal arterial stiffness and exercise tolerance in systemic sclerosis patients without renal and cardiopulmonary impairment: The role of the microvascular damage. <i>International Journal of Cardiology</i> , 2015, 185, 122-124.	1.7	5
93	Evaluation of early myocardial damage in systemic sclerosis (SSc): a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P264.	3.3	1
94	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. <i>Microvascular Research</i> , 2015, 102, 19-24.	2.5	13
95	Three-dimensional Echocardiography and 2D-3D Speckle-Tracking Imaging in Chronic Pulmonary Hypertension: Diagnostic Accuracy in Detecting Hemodynamic Signs of Right Ventricular (RV) Failure. <i>Journal of the American Heart Association</i> , 2015, 4, e001584.	3.7	128
96	An observational cohort study of patients with newly diagnosed digital ulcer disease secondary to systemic sclerosis registered in the EUSTAR database. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S47-54.	0.8	21
97	In systemic sclerosis patients, Bosentan is safe and effective for digital ulcer prevention and it seems to attenuate the development of pulmonary arterial hypertension. <i>Rheumatology</i> , 2014, 53, 570-571.	1.9	10
98	Increased Intrarenal Arterial Stiffness May Predict the Occurrence of New Digital Ulcers in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2014, 66, 1380-1385.	3.4	23
99	Prevalence, Correlates and Outcomes of Gastric Antral Vascular Ectasia in Systemic Sclerosis: A EUSTAR Case-control Study. <i>Journal of Rheumatology</i> , 2014, 41, 99-105.	2.0	73
100	Nailfold capillary abnormalities in erectile dysfunction of systemic sclerosis: a EUSTAR group analysis. <i>Rheumatology</i> , 2014, 53, 639-643.	1.9	8
101	Nutritional status measured by BMI is impaired and correlates with left ventricular mass in patients with systemic sclerosis. <i>Nutrition</i> , 2014, 30, 204-209.	2.4	20
102	Autonomic dysfunction in patients with systemic sclerosis: Correlation with intrarenal arterial stiffness. <i>International Journal of Cardiology</i> , 2014, 177, 578-580.	1.7	19
103	Intravenous immunoglobulin in systemic capillary leak syndrome: a case report and review of literature. <i>Expert Review of Clinical Immunology</i> , 2014, 10, 349-352.	3.0	19
104	Prevalence and Clinical Features of Patients with the Cardiorenal Syndrome Admitted to an Internal Medicine Ward. <i>CardioRenal Medicine</i> , 2014, 4, 88-94.	1.9	20
105	Doppler indices of intrarenal arterial stiffness are useful in monitoring scleroderma renal crisis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 80-81.	1.1	11
106	Clitoral blood flow in systemic sclerosis women: correlation with disease clinical variables and female sexual dysfunction. <i>Rheumatology</i> , 2013, 52, 2238-2242.	1.9	22
107	Erectile Dysfunction, Endothelium Dysfunction, and Microvascular Damage in Patients with Systemic Sclerosis. <i>Journal of Sexual Medicine</i> , 2013, 10, 1380-1388.	0.6	22
108	Erythrocyte glutathione transferase: a non-antibody biomarker for systemic sclerosis, which correlates with severity and activity of the disease. <i>Cell Death and Disease</i> , 2013, 4, e736-e736.	6.3	10



#	ARTICLE	IF	CITATIONS
109	Skin Perfusion of Fingers Shows a Negative Correlation with Capillaroscopic Damage in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2013, 40, 98-99.	2.0	6
110	Autoantibodies to Estrogen Receptor $\alpha$ in Systemic Sclerosis (SSc) as Pathogenetic Determinants and Markers of Progression. <i>PLoS ONE</i> , 2013, 8, e74332.	2.5	19
111	Evaluation of Chronic Kidney Disease Epidemiology Collaboration equation to estimate glomerular filtration rate in scleroderma patients. <i>Rheumatology</i> , 2012, 51, 1426-1431.	1.9	27
112	Red Blood Cell Alterations in Systemic Sclerosis: a Pilot Study. <i>Cellular Physiology and Biochemistry</i> , 2012, 30, 418-427.	1.6	17
113	Erectile dysfunction is frequent in systemic sclerosis and associated with severe disease: a study of the EULAR Scleroderma Trial and Research group. <i>Arthritis Research and Therapy</i> , 2012, 14, R37.	3.5	41
114	Brief Report: Successful pregnancies but a higher risk of preterm births in patients with systemic sclerosis: An Italian multicenter study. <i>Arthritis and Rheumatism</i> , 2012, 64, 1970-1977.	6.7	134
115	Intrarenal Hemodynamic Parameters Correlate with Glomerular Filtration Rate and Digital Microvascular Damage in Patients with Systemic Sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2012, 41, 815-821.	3.4	35
116	In systemic sclerosis macrovascular damage of hands digital arteries correlates with microvascular damage. <i>Microvascular Research</i> , 2011, 82, 410-415.	2.5	56
117	Erectile dysfunction of sclerodermic patients correlates with digital vascular damage. <i>European Journal of Internal Medicine</i> , 2011, 22, 318-321.	2.2	12
118	Digital Ulcers as an Initial Manifestation of Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2011, 50, 767-769.	0.7	19
119	Effects of carbonaceous nanoparticles from low-emission and older diesel engines on human skin cells. <i>Carbon</i> , 2011, 49, 5038-5048.	10.3	30
120	Laser Doppler perfusion imaging in systemic sclerosis impaired response to cold stimulation involves digits and hand dorsum. <i>Rheumatology</i> , 2011, 50, 1654-1658.	1.9	45
121	Raynaud Phenomenon of the Tongue in a Patient With Scleroderma. <i>Journal of Clinical Rheumatology</i> , 2010, 16, 201.	0.9	3
122	The Different Photoplethysmographic Patterns Can Help to Distinguish Patients With Primary and Sclerodermic Raynaud Phenomenon. <i>American Journal of the Medical Sciences</i> , 2010, 340, 457-461.	1.1	13
123	Analyses of T cell phenotype and function reveal an altered T cell homeostasis in systemic sclerosis. <i>Clinical Immunology</i> , 2010, 137, 122-133.	3.2	52
124	Penile involvement in Systemic Sclerosis: New Diagnostic and Therapeutic Aspects. <i>International Journal of Rheumatology</i> , 2010, 2010, 1-5.	1.6	7
125	Bosentan Improves Skin Perfusion of Hands in Patients with Systemic Sclerosis with Pulmonary Arterial Hypertension. <i>Journal of Rheumatology</i> , 2010, 37, 2531-2539.	2.0	41
126	Laser Doppler Perfusion Imaging Is Useful in the Study of Raynaud's Phenomenon and Improves the Capillaroscopic Diagnosis. <i>Journal of Rheumatology</i> , 2009, 36, 2257-2263.	2.0	63



#	ARTICLE	IF	CITATIONS
127	High Incidence of Celiac Disease in Patients with Systemic Sclerosis. Journal of Rheumatology, 2009, 36, 965-969.	2.0	22
128	Dropped head syndrome and Systemic sclerosis. Joint Bone Spine, 2009, 76, 301-303.	1.6	16
129	An unusual manifestation in a patient with Churg-Strauss syndrome: Isolated cardiac septum involvement. Joint Bone Spine, 2009, 76, 723-724.	1.6	0
130	The treatment with N-acetylcysteine of Raynaud's phenomenon and ischemic ulcers therapy in sclerodermic patients: a prospective observational study of 50 patients. Clinical Rheumatology, 2009, 28, 1379-1384.	2.2	60
131	Regional diastolic function by tissue Doppler echocardiography in systemic sclerosis: correlation with clinical variables. Rheumatology International, 2009, 29, 913-919.	3.0	25
132	N-acetylcysteine infusion reduces the resistance index of renal artery in the early stage of systemic sclerosis. Acta Pharmacologica Sinica, 2009, 30, 1283-1288.	6.1	22
133	Syndrome de la tête tombante et sclérodémie systémique. Revue Du Rhumatisme (Edition Francaise), 2009, 76, 468-470.	0.0	0