Akimitsu Okamoto

List of Publications by Citations

Source: https://exaly.com/author-pdf/5945658/akimitsu-okamoto-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177 papers

5,205 citations

35 h-index

67 g-index

200 ext. papers

5,695 ext. citations

6.7 avg, IF

5.77 L-index

#	Paper	IF	Citations
177	FTO-dependent demethylation of N6-methyladenosine regulates mRNA splicing and is required for adipogenesis. <i>Cell Research</i> , 2014 , 24, 1403-19	24.7	612
176	Rate enhancement of bacterial extracellular electron transport involves bound flavin semiquinones. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 7856-61	11.5	302
175	Pyrene-labeled base-discriminating fluorescent DNA probes for homogeneous SNP typing. <i>Journal of the American Chemical Society</i> , 2004 , 126, 4820-7	16.4	253
174	DNA logic gates. Journal of the American Chemical Society, 2004, 126, 9458-63	16.4	211
173	Design of base-discriminating fluorescent nucleosides. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2005 , 6, 108-122	16.4	175
172	Pyrene-labeled oligodeoxynucleotide probe for detecting base insertion by excimer fluorescence emission. <i>Journal of the American Chemical Society</i> , 2004 , 126, 8364-5	16.4	148
171	Degradation of DNA by bisulfite treatment. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 1912-5	52.9	140
170	ECHO probes: a concept of fluorescence control for practical nucleic acid sensing. <i>Chemical Society Reviews</i> , 2011 , 40, 5815-28	58.5	126
169	Clear distinction of purine bases on the complementary strand by a fluorescence change of a novel fluorescent nucleoside. <i>Journal of the American Chemical Society</i> , 2003 , 125, 4972-3	16.4	117
168	Design of base-discriminating fluorescent nucleoside and its application to t/c SNP typing. <i>Journal of the American Chemical Society</i> , 2003 , 125, 9296-7	16.4	116
167	PRODAN-conjugated DNA: synthesis and photochemical properties. <i>Journal of the American Chemical Society</i> , 2007 , 129, 4776-84	16.4	95
166	Exciton-controlled hybridization-sensitive fluorescent probes: multicolor detection of nucleic acids. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 6480-4	16.4	90
165	Direct labeling of 5-methylcytosine and its applications. <i>Journal of the American Chemical Society</i> , 2007 , 129, 5612-20	16.4	86
164	DNA hole transport on an electrode: application to effective photoelectrochemical SNP typing. Journal of the American Chemical Society, 2006 , 128, 658-62	16.4	81
163	Monitoring DNA structures by dual fluorescence of pyrene derivatives. <i>Journal of the American Chemical Society</i> , 2005 , 127, 13128-9	16.4	80
162	Hybridization-sensitive on-off DNA probe: application of the exciton coupling effect to effective fluorescence quenching. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 958-68	4.5	79
161	Public-key system using DNA as a one-way function for key distribution. <i>BioSystems</i> , 2005 , 81, 25-9	1.9	73

(2009-2007)

160	An osmium-DNA interstrand complex: application to facile DNA methylation analysis. <i>Journal of the American Chemical Society</i> , 2007 , 129, 14511-7	16.4	72	
159	Rational design of a DNA wire possessing an extremely high hole transport ability. <i>Journal of the American Chemical Society</i> , 2003 , 125, 5066-71	16.4	72	
158	Photostimulated hole transport through a DNA duplex immobilized on a gold electrode. <i>Journal of the American Chemical Society</i> , 2004 , 126, 14732-3	16.4	70	
157	Nile Red nucleoside: design of a solvatofluorochromic nucleoside as an indicator of micropolarity around DNA. <i>Journal of Organic Chemistry</i> , 2006 , 71, 3592-8	4.2	65	
156	Base-discriminating fluorescent (BDF) nucleoside: distinction of thymine by fluorescence quenching. <i>Chemical Communications</i> , 2004 , 1704-5	5.8	56	
155	Fluorometric sensing of the salt-induced B-Z DNA transition by combination of two pyrene-labeled nucleobases. <i>Chemical Communications</i> , 2005 , 1128-30	5.8	55	
154	Synthesis and properties of a novel fluorescent nucleobase, naphthopyridopyrimidine. <i>Tetrahedron Letters</i> , 2003 , 44, 6871-6874	2	55	
153	Sequence dependence of fluorescence emission and quenching of doubly thiazole orange labeled DNA: effective design of a hybridization-sensitive probe. <i>Bioconjugate Chemistry</i> , 2008 , 19, 1719-25	6.3	53	
152	Cytosine detection by a fluorescein-labeled probe containing base-discriminating fluorescent nucleobase. <i>ChemBioChem</i> , 2004 , 5, 958-63	3.8	52	
151	Sequence-selective osmium oxidation of DNA: efficient distinction between 5-methylcytosine and cytosine. <i>Organic and Biomolecular Chemistry</i> , 2006 , 4, 1638-40	3.9	49	
150	Simple SNP typing assay using a base-discriminating fluorescent probe. <i>Molecular BioSystems</i> , 2006 , 2, 122-7		49	
149	Phototriggered drug release from functionalized oligonucleotides by a molecular beacon strategy. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 2502-4	16.4	49	
148	Stable, specific, and reversible base pairing via Schiff base. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16681-4	16.4	46	
147	Site-specific discrimination of Cytosine and 5-methylcytosine in duplex DNA by Peptide nucleic acids. <i>Journal of the American Chemical Society</i> , 2002 , 124, 10262-3	16.4	42	
146	Chemical approach toward efficient DNA methylation analysis. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 21-6	3.9	41	
145	Nitroxide-labeled guanine as an ESR spin probe for structural study of DNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 3415-8	2.9	39	
144	Doubly Thiazole Orange-Labeled DNA for Live Cell RNA Imaging. <i>Bulletin of the Chemical Society of Japan</i> , 2009 , 82, 110-117	5.1	38	
143	Hybridization-sensitive fluorescent probe for long-term monitoring of intracellular RNA. Bioconjugate Chemistry, 2009 , 20, 1256-61	6.3	37	

142	A dielectric-sensitive fluorescent DNA probe for monitoring polarities on the interior of a DNA-binding protein. <i>Bioconjugate Chemistry</i> , 2005 , 16, 1105-11	6.3	35
141	Electrochemical evaluation of alternating duplex-triplex conversion effect on the anthraquinone-photoinjected hole transport through DNA duplex immobilized on a gold electrode. <i>Journal of the American Chemical Society</i> , 2006 , 128, 692-3	16.4	35
140	ECHO-liveFISH: in vivo RNA labeling reveals dynamic regulation of nuclear RNA foci in living tissues. <i>Nucleic Acids Research</i> , 2015 , 43, e126	20.1	34
139	A quick and simple FISH protocol with hybridization-sensitive fluorescent linear oligodeoxynucleotide probes. <i>Rna</i> , 2012 , 18, 166-75	5.8	33
138	Synthesis and fluorescence properties of dimethylaminonaphthalenedeoxyuridine conjugates as polarity-sensitive probes. <i>Tetrahedron</i> , 2007 , 63, 3465-3470	2.4	33
137	Synthesis and properties of novel base-discriminating fluorescent (BDF) nucleosides: a highly polarity-sensitive fluorophore for SNP typing. <i>Tetrahedron Letters</i> , 2004 , 45, 7827-7831	2	32
136	Highly Selective DNA Alkylation at the 5th ide G of a 5th G3th equence by an Aglycon Model of Pluramycin Antibiotics through Preferential Intercalation into the GG Step. <i>Journal of the American Chemical Society</i> , 1998 , 120, 11219-11225	16.4	32
135	6-Endo- and 5-exo-digonal cyclizations of o-hydroxyphenyl ethynyl ketones: A key step for highly selective benzopyranone formation. <i>Tetrahedron</i> , 1996 , 52, 9427-9446	2.4	32
134	Sets of RNA repeated tags and hybridization-sensitive fluorescent probes for distinct images of RNA in a living cell. <i>PLoS ONE</i> , 2010 , 5, e13003	3.7	32
133	Synthesis and properties of purine-type base-discriminating fluorescent (BDF) nucleosides: distinction of thymine by fluorescence-labeled deoxyadenosine derivatives. <i>Tetrahedron Letters</i> , 2005 , 46, 7605-7608	2	30
132	Synthesis and properties of peptide nucleic acids containing a psoralen unit. <i>Organic Letters</i> , 2001 , 3, 925-7	6.2	30
131	Synthesis and ESR studies of nitronyl nitroxide-tethered oligodeoxynucleotides. <i>Tetrahedron Letters</i> , 2005 , 46, 791-795	2	28
130	Practical formula for Mach number probe diagnostics in weakly magnetized plasmas. <i>Physics of Plasmas</i> , 2005 , 12, 044504	2.1	27
129	A facile incorporation of the aldehyde function into DNA: 3-formylindole nucleoside as an aldehyde-containing universal nucleoside. <i>Tetrahedron Letters</i> , 2002 , 43, 4581-4583	2	26
128	Specific Alkylation of Guanine Opposite to a Single Nucleotide Bulge: A Chemical Probe for the Bulged Structure of DNA. <i>Angewandte Chemie - International Edition</i> , 1999 , 38, 3378-3381	16.4	26
127	ECHO probes: Fluorescence emission control for nucleic acid imaging. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2012 , 13, 112-123	16.4	24
126	Exciton Primer-mediated SNP detection in SmartAmp2 reactions. <i>Human Mutation</i> , 2010 , 31, 208-17	4.7	24
125	Sequence-specific microscopic visualization of DNA methylation status at satellite repeats in individual cell nuclei and chromosomes. <i>Nucleic Acids Research</i> , 2013 , 41, e186	20.1	23

(2010-2008)

124	Synthesis and characterization of the 5-methyl-2Sdeoxycytidine glycol-dioxoosmium-bipyridine ternary complex in DNA. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 269-71	3.9	23
123	Highly Efficient Synthesis of 2-Substituted 4H-Chromen-4-ones by means of FInduced 6-Endo-Digonal Cyclization of o-(Silyloxy)phenyl Ethynyl Ketone Derivatives. <i>Journal of Organic Chemistry</i> , 1994 , 59, 4360-4361	4.2	23
122	Hydroxyapatite: catalyst for a one-pot pentose formation. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 8888-8893	3.9	20
121	Hybridization-sensitive fluorescence control in the near-infrared wavelength range. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 4199-204	3.9	20
120	Hybridization-sensitive fluorescent DNA probe with self-avoidance ability. <i>Organic and Biomolecular Chemistry</i> , 2010 , 8, 546-51	3.9	20
119	5-Hydroxymethylcytosine-selective oxidation with peroxotungstate. <i>Chemical Communications</i> , 2011 , 47, 11231-3	5.8	20
118	ECHO-LNA conjugates: hybridization-sensitive fluorescence and its application to fluorescent detection of various RNA strands. <i>Bioconjugate Chemistry</i> , 2010 , 21, 2276-81	6.3	19
117	Photoresponsive tandem zinc finger peptide. <i>Chemical Communications</i> , 2009 , 1906-8	5.8	19
116	Detection of A/G Single Nucleotide Alteration in RNA Using Base-discriminating Fluorescent Oligodeoxynucleotides. <i>Chemistry Letters</i> , 2003 , 32, 684-685	1.7	19
115	Triple Function of 4-Mercaptophenylacetic Acid Promotes One-Pot Multiple Peptide Ligation. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 16533-16537	16.4	19
114	Efficient peptide ligation between allyl-protected Asp and Cys followed by palladium-mediated deprotection. <i>Chemical Communications</i> , 2018 , 54, 4337-4340	5.8	18
113	Base-Resolution Analysis of 5-Hydroxymethylcytosine by One-Pot Bisulfite-Free Chemical Conversion with Peroxotungstate. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14178-14181	16.4	18
112	N5-CAIR mutase: role of a CO2 binding site and substrate movement in catalysis. <i>Biochemistry</i> , 2007 , 46, 2842-55	3.2	18
111	Methylcytosine-selective fluorescence quenching by osmium complexation. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 1615-21	3.4	18
110	Phototriggered Drug Release from Functionalized Oligonucleotides by a Molecular Beacon Strategy. <i>Angewandte Chemie</i> , 2003 , 115, 2606-2608	3.6	18
109	Chemically-activatable alkyne-tagged probe for imaging microdomains in lipid bilayer membranes. <i>Scientific Reports</i> , 2017 , 7, 41007	4.9	17
108	In vitro and in cell analysis of chemically synthesized histone H2A with multiple modifications. <i>Chemical Communications</i> , 2016 , 52, 4999-5002	5.8	17
107	Excitonic interaction: another photophysical process for fluorescence-controlled nucleic acid sensing. <i>Chemical Record</i> , 2010 , 10, 188-96	6.6	17

106	Synthesis of an ABC Ring Analogue of Kapurimycin A3 as an Effective DNA Alkylating Agent. <i>Angewandte Chemie International Edition in English</i> , 1997 , 36, 2794-2797		16
105	Regulation of the Stability of the Histone H2A-H2B Dimer by H2A Tyr57 Phosphorylation. <i>Biochemistry</i> , 2017 , 56, 4767-4772	3.2	15
104	Characterization of the triplet state of hybridization-sensitive DNA probe by using fluorescence correlation spectroscopy. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 27-33	2.8	15
103	Design and synthesis of caged fluorescent nucleotides and application to live-cell RNA imaging. <i>ChemBioChem</i> , 2011 , 12, 2871-80	3.8	15
102	Osmium complexation of mismatched DNA: effect of the bases adjacent to mismatched 5-methylcytosine. <i>Bioconjugate Chemistry</i> , 2009 , 20, 603-7	6.3	15
101	Synthesis of an artificial hole-transporting nucleoside triphosphate, dMDATP, and its enzymatic incorporation into DNA. <i>Bioorganic and Medicinal Chemistry</i> , 2004 , 12, 5875-80	3.4	15
100	A novel fluorescent guanine derivative distinguishable of three structures, single strand, duplex, and quadruplex. <i>Tetrahedron Letters</i> , 2004 , 45, 6059-6062	2	15
99	Diazirine photocrosslinking recruits activated FTO demethylase complexes for specific N(6)-methyladenosine recognition. <i>ACS Chemical Biology</i> , 2015 , 10, 1450-5	4.9	14
98	Facile synthesis of hydroxymethylcytosine-containing oligonucleotides and their reactivity upon osmium oxidation. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 4176-81	3.9	14
97	Doubly thiazole orange-labeled cytidine for functional expansion of a hybridization-sensitive probe. <i>Tetrahedron Letters</i> , 2009 , 50, 7191-7195	2	14
96	Oligonucleotides containing 7-vinyl-7-deazaguanine as a facile strategy for expanding the functional diversity of DNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 1895-6	2.9	14
95	15N NMR study on site-selective binding of metal ions to guanine runs in DNA: a good correlation with HOMO distribution. <i>Journal of the American Chemical Society</i> , 2003 , 125, 1172-3	16.4	14
94	Synthesis and duplex stability of oligonucleotides containing 7-vinyl-7-deazaguanine as a strong electron-donating nucleobase. <i>Tetrahedron Letters</i> , 2000 , 41, 10035-10039	2	13
93	A nucleic acid probe labeled with desmethyl thiazole orange: a new type of hybridization-sensitive fluorescent oligonucleotide for live-cell RNA imaging. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 362-71	3.9	12
92	Exciton-Controlled Hybridization-Sensitive Fluorescent Probes: Multicolor Detection of Nucleic Acids. <i>Angewandte Chemie</i> , 2009 , 121, 6602-6606	3.6	12
91	A nucleobase that releases reporter tags upon DNA oxidation. <i>Journal of the American Chemical Society</i> , 2004 , 126, 416-7	16.4	12
90	Hybridization-sensitive fluorescent oligonucleotide probe conjugated with a bulky module for compartment-specific mRNA monitoring in a living cell. <i>Bioconjugate Chemistry</i> , 2015 , 26, 412-7	6.3	11
89	Chemistry-Driven Epigenetic Investigation of Histone and DNA Modifications. <i>Chemical Record</i> , 2018 , 18, 1727-1744	6.6	11

88	Cy5-conjugated hybridization-sensitive fluorescent oligonucleotides for ratiometric analysis of nuclear poly(A)+ RNA. <i>Bioconjugate Chemistry</i> , 2011 , 22, 1625-30	6.3	11
87	pH-dependent fluorescence of uncharged benzothiazole-based dyes binding to DNA. <i>Photochemical and Photobiological Sciences</i> , 2007 , 6, 1197-201	4.2	11
86	Middle-Down and Chemical Proteomic Approaches to Reveal Histone H4 Modification Dynamics in Cell Cycle: Label-Free Semi-Quantification of Histone Tail Peptide Modifications Including Phosphorylation and Highly Sensitive Capture of Histone PTM Binding Proteins Using	1.7	10
85	Photo-Reactive Crosslinkers. <i>Mass Spectrometry</i> , 2015 , 4, A0039 Heterogeneity of osmium oxidation efficiency at consecutive thymines. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 3905-7	3.9	10
84	Design of a pyrene-containing fluorescence probe for labeling of RNA poly(A) tracts. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 400-4	3.4	10
83	2-Amino-7-deazaadenine forms stable base pairs with cytosine and thymine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 97-9	2.9	10
82	Modulation of remote DNA oxidation by hybridization with peptide nucleic acids (PNA). <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 713-8	3.4	10
81	Chemical synthesis of dual labeled proteins via differently protected alkynes enables intramolecular FRET analysis. <i>Chemical Communications</i> , 2017 , 53, 5918-5921	5.8	9
80	Chemical Synthesis of Cys-Containing Protein via Chemoselective Deprotection with Different Palladium Complexes. <i>Organic Letters</i> , 2019 , 21, 8378-8382	6.2	9
79	Cysteinylprolyl imide (CPI) peptide: a highly reactive and easily accessible crypto-thioester for chemical protein synthesis. <i>Chemical Science</i> , 2019 , 10, 5967-5975	9.4	9
78	Probe design for the effective fluorescence imaging of intracellular RNA. <i>Chemical Record</i> , 2013 , 13, 209-17	6.6	9
77	Discrimination between 5-hydroxymethylcytosine and 5-methylcytosine by a chemically designed peptide. <i>Chemical Communications</i> , 2011 , 47, 8277-9	5.8	9
76	A Concept of Negative Ion Flow Velocity Measurement Using a Laser Photodetachment Velocimetry (LPDV). <i>Contributions To Plasma Physics</i> , 2006 , 46, 367-372	1.4	9
75	Highly selective fluorescent nucleobases for designing base-discriminating fluorescent probes. <i>Pure and Applied Chemistry</i> , 2006 , 78, 2305-2312	2.1	9
74	Modulation of base selectivity for a base-discriminating fluorescent nucleobase by addition of mercury ion. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005 , 15, 4279-81	2.9	9
73	DNA-friendly Cu(ii)/TEMPO-catalyzed 5-hydroxymethylcytosine-specific oxidation. <i>Chemical Communications</i> , 2017 , 53, 5756-5759	5.8	8
72	Whole-mount MeFISH: a novel technique for simultaneous visualization of specific DNA methylation and protein/RNA expression. <i>PLoS ONE</i> , 2014 , 9, e95750	3.7	8
71	Fluorescent triplex-forming DNA oligonucleotides labeled with a thiazole orange dimer unit. <i>Artificial DNA, PNA & XNA</i> , 2013 , 4, 19-27		8

70	Synthesis of Highly Functional Nucleic Acids and Their Application to DNA Technology. <i>Bulletin of the Chemical Society of Japan</i> , 2005 , 78, 2083-2097	5.1	8
69	Site-selective DNA alkylation of GG steps by naphthaldiimide derivatives possessing enantiomeric epoxide. <i>Organic Letters</i> , 2000 , 2, 3249-51	6.2	8
68	DNA-osmium complexes: recent developments in the operative chemical analysis of DNA epigenetic modifications. <i>ChemMedChem</i> , 2014 , 9, 1958-65	3.7	7
67	Ligand-incorporation site in 5-methylcytosine-detection probe modulating the site of osmium complexation with the target DNA. <i>Chemistry and Biodiversity</i> , 2012 , 9, 2000-7	2.5	7
66	Reversible and Photoresponsive Immobilization of Nonadherent Cells by Spiropyran-Conjugated PEG-Lipids <i>ACS Applied Bio Materials</i> , 2019 , 2, 33-38	4.1	6
65	Emission control by binary energy transfer processes on oligouridine. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 6598-603	3.9	6
64	A Probe Containing Two Base-discriminating Fluorescent (BDF) Nucleosides for SNP Typing. <i>Chemistry Letters</i> , 2010 , 39, 116-117	1.7	6
63	Production of radical species and modification of DNA through one-electron reduction with indium metal. <i>Tetrahedron Letters</i> , 2007 , 48, 3167-3169	2	6
62	Triple Function of 4-Mercaptophenylacetic Acid Promotes One-Pot Multiple Peptide Ligation. <i>Angewandte Chemie</i> , 2018 , 130, 16771-16775	3.6	6
61	Osmium Tag for Post-transcriptionally Modified RNA. <i>ChemBioChem</i> , 2018 , 19, 1653-1656	3.8	6
60	Simultaneous and Traceless Ligation of Peptide Fragments on DNA Scaffold. <i>Biomacromolecules</i> , 2019 , 20, 1246-1253	6.9	5
59	Effects of roughness and temperature on low-energy hydrogen positive and negative ion reflection from silicon and carbon surfaces. <i>Review of Scientific Instruments</i> , 2014 , 85, 02C311	1.7	5
58	Radiationless deactivation of hybridization-sensitive DNA probe. <i>Journal of Luminescence</i> , 2012 , 132, 2566-2571	3.8	5
57	Unique hole-trapping property of the degenerate base,2-amino-7-deazaadenine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 3641-3	2.9	5
56	Spezifische Alkylierung von Guanin, das einer Ausbuchtung von einem Nucleotid gegen B erliegt: eine chemische Sonde fd DNA-Ausbuchtungen. <i>Angewandte Chemie</i> , 1999 , 111, 3581-3584	3.6	5
55	Next-generation fluorescent nucleic acids probes for microscopic analysis of intracellular nucleic acids. <i>Applied Microscopy</i> , 2019 , 49, 14	1.1	5
54	Toolbox for chemically synthesized histone proteins. Current Opinion in Chemical Biology, 2020 , 58, 10-	 19 _{9.7}	4
53	A Light-Inducible Hedgehog Signaling Activator Modulates Proliferation and Differentiation of Neural Cells. <i>ACS Chemical Biology</i> , 2020 , 15, 1595-1603	4.9	4

52	Microfluidic preparation of anchored cell membrane sheets for in vitro analyses and manipulation of the cytoplasmic face. <i>Scientific Reports</i> , 2017 , 7, 14962	4.9	4	
51	On-chip DNA methylation analysis using osmium complexation. <i>Journal of Nucleic Acids</i> , 2011 , 2011, 48	80 5 7 ₅ 0	4	
50	Ein ABC-Ringanalogon von Kapurimycin A3: Synthese und Wirksamkeit in der DNA-Alkylierung. <i>Angewandte Chemie</i> , 1997 , 109, 2881-2883	3.6	4	
49	5-methylcytosine-selective osmium oxidation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 160	1- <u>4</u> .4	4	
48	P-loop catalytically assisting the enzymatic cleavage of single-stranded DNA. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3747-51	3.4	4	
47	Monitoring intracellular metal ion complexation with an acetylene-tagged ligand by Raman spectroscopy <i>RSC Advances</i> , 2020 , 10, 36119-36123	3.7	4	
46	Single Cell Array Enclosed with a Photodegradable Hydrogel in Microwells for Image-Based Cell Classification and Selective Photorelease of Cells <i>ACS Applied Bio Materials</i> , 2020 , 3, 5887-5895	4.1	4	
45	Efficient Ketose Production by a Hydroxyapatite Catalyst in a Continuous Flow Module. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3372-3377	8.3	4	
44	Photophysical properties of fluorescent imaging biological probes of nucleic acids: SAC-CI and TD-DFT Study. <i>Journal of Computational Chemistry</i> , 2019 , 40, 127-134	3.5	3	
43	Synthesis of exciton-controlled fluorescent probes for RNA imaging. <i>Nucleic Acids Symposium Series</i> , 2009 , 155-6		3	
42	Synthesis and Use of Osmium-DNA Complexes. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2009 , 67, 680-687	0.2	3	
41	Floxuridine Oligomers Activated under Hypoxic Environment. <i>Journal of the American Chemical Society</i> , 2021 , 143, 3340-3347	16.4	3	
40	Thiazole Orange-Tethered Nucleic Acids and ECHO Probes for Fluorometric Detection of Nucleic Acids. <i>Nucleic Acids and Molecular Biology</i> , 2016 , 63-81		3	
39	Organoruthenium-catalyzed chemical protein synthesis to elucidate the functions of epigenetic modifications on heterochromatin factors <i>Chemical Science</i> , 2021 , 12, 5926-5937	9.4	3	
38	Hybridization-sensitive Fluorescent Oligonucleotide Probe Conjugated with Cell-penetrating Peptides for Enhanced Cellular Uptake. <i>Chemistry Letters</i> , 2017 , 46, 1803-1806	1.7	2	
37	Chemically Activatable Alkyne Tag for Low pH-Enhanced Molecular Labeling on Living Cells. <i>Bioconjugate Chemistry</i> , 2016 , 27, 1976-80	6.3	2	
36	Phosphopeptides designed for 5-methylcytosine recognition. <i>Biochemistry</i> , 2011 , 50, 3376-85	3.2	2	
35	Photo-responsive materials with strong cell trapping ability for light-guided manipulation of nonadherent cells. <i>Biomaterials Science</i> , 2019 , 7, 4514-4518	7.4	2	

34	A highly constrained nucleic acid analog based on \blacksquare -threosamine. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2020 , 39, 270-279	1.4	2
33	Unnatural Base Pair Enables Alphabet-Expanded DNA Self-Assembly. <i>Journal of the American Chemical Society</i> , 2021 , 143, 14207-14217	16.4	2
32	Fmoc-Compatible and C-terminal-Sequence-Independent Peptide Alkyl Thioester Formation Using Cysteinylprolyl Imide. <i>Organic Letters</i> , 2020 , 22, 4670-4674	6.2	1
31	Fluorescence-switching RNA for detection of bacterial ribosomes. <i>Chemical Communications</i> , 2017 , 53, 9406-9409	5.8	1
30	Exciton-controlled fluorescence: application to hybridization-sensitive fluorescent DNA probe. <i>Nucleic Acids Symposium Series</i> , 2009 , 49-50		1
29	ICON probes: synthesis and DNA methylation typing. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2011 , Chapter 8, Unit 8.7.1-17	0.5	1
28	Reactivity of thymine doublet in single strand DNA with osmium reagent. <i>Nucleic Acids Symposium Series</i> , 2008 , 433-4		1
27	Intracellular mRNA imaging with a hybridization sensitive fluorescent nucleotide. <i>Nucleic Acids Symposium Series</i> , 2008 , 355-6		1
26	Design of a fluorescent probe for DNA/RNA imaging. <i>Nucleic Acids Symposium Series</i> , 2008 , 231-2		1
25	Sequence-selective 5-methylcytosine oxidation for epigenotyping. <i>Nucleic Acids Symposium Series</i> , 2005 , 45-6		1
24	Artificial Nucleobases for Hole Transport. <i>Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry</i> , 2007 , 65, 204-215	0.2	1
23	Visualization of nucleic acids with synthetic exciton-controlled fluorescent oligonucleotide probes. <i>Methods in Molecular Biology</i> , 2015 , 1262, 69-87	1.4	1
22	Application of caged fluorescent nucleotides to live-cell RNA imaging. <i>Methods in Molecular Biology</i> , 2013 , 1039, 303-18	1.4	1
21	Live-Cell Sensing of Telomerase Activity by Using Hybridization-Sensitive Fluorescent Oligonucleotide Probes. <i>ChemBioChem</i> , 2020 , 21, 1022-1027	3.8	1
20	L-DNA-tagged fluorescence hybridization for highly sensitive imaging of RNAs in single cells. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 8084-8088	3.9	1
19	Light-inducible control of cellular proliferation and differentiation by a Hedgehog signaling inhibitor. <i>Bioorganic and Medicinal Chemistry</i> , 2021 , 38, 116144	3.4	1
18	Silyl-protected propargyl glycine for multiple labeling of peptides by chemoselective silyl-deprotection. <i>Tetrahedron Letters</i> , 2021 , 73, 153093	2	1
17	Sterically Bulky Caging of Transferrin for Photoactivatable Intracellular Delivery. <i>Bioconjugate Chemistry</i> , 2021 , 32, 1535-1540	6.3	1

16	Rapid nuclear import of short nucleic acids. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 4568-	45276)	1
15	Changes of C?C Triple Bond Vibration that Disclosed Non-Canonical Cytosine Protonation in i-Motif-Forming Oligodeoxynucleotides. <i>ACS Omega</i> , 2021 , 6, 31595-31604	3.9	O
14	Base-resolution analysis of 5-hydroxymethylcytidine by selective oxidation and reverse transcription arrest. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 6478-6486	3.9	O
13	Berichtigung: Triple Function of 4-Mercaptophenylacetic Acid Promotes One-Pot Multiple Peptide Ligation. <i>Angewandte Chemie</i> , 2019 , 131, 1554-1554	3.6	
12	2-Oxazoline formation for selective chemical labeling of 5-hydroxylysine. <i>Chemistry - an Asian Journal</i> , 2015 , 10, 1138-41	4.5	
11	Osmium complex binding to mismatched methylcytosine: effect of adjacent bases. <i>Nucleic Acids Symposium Series</i> , 2009 , 207-8		
10	???????????DNA??????. Kagaku To Seibutsu, 2010 , 48, 138-141	O	
9	Synthesis and fluorescence properties of oligonucleotides containing pyrene-dimethylaniline chromophore. <i>Nucleic Acids Symposium Series</i> , 2004 , 91-2		
8	Electrochemical behavior of gold electrodes modified with photosensitizer-tethered DNA. <i>Nucleic Acids Symposium Series</i> , 2004 , 71-2		
7	Genotyping with hole-transporting DNA self-assembled monolayer. <i>Nucleic Acids Symposium Series</i> , 2005 , 227-8		
6	SNPs typing by base-discriminating fluorescence DNA probe. <i>Nucleic Acids Symposium Series</i> , 2005 , 20 ²	1-2	
5	Development of electrochemically gene-analyzing method using DNA-modified electrodes. <i>Nucleic Acids Symposium Series</i> , 2002 , 171-2		
4	Nucleic Acid Reaction Chemistry to Clarify the Fluctuating Quality and Quantity of Nucleic Acids. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2016, 74, 474-481	0.2	
3	DNA / RNA Imaging with a Photo-Chemically Designed Fluorescent Nucleotide. <i>Seibutsu Butsuri</i> , 2009 , 49, 310-313	О	
2	DNA/RNA Fluorescence Imaging by Synthetic Nucleic Acids. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1310, 475-493	3.6	
1	Studies on the mechanism of DNA sequence selective alkylation by kapurimycin A3 analogs. <i>Nucleic Acids Symposium Series</i> , 1997 , 27-8		