John K Amory

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5946070/john-k-amory-publications-by-year.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160 papers	6,784 citations	44 h-index	78 g-index
252 ext. papers	7,595 ext. citations	5.8 avg, IF	5.6 L-index

#	Paper	IF	Citations
160	Investigation of an ALDH1A1-specific inhibitor for suppression of weight gain in a diet-induced mouse model of obesity. *International Journal of Obesity*, **2021**, 45, 1542-1552	5.5	1
159	Emerging approaches to male contraception. *Fertility and Sterility*, **2021**, 115, 1369-1376	4.8	5
158	Acceptability of the oral hormonal male contraceptive prototype, 11β-methyl-19-nortestosterone dodecylcarbonate (11β-MNTDC), in a 28-day placebo-controlled trial. *Contraception*, **2021**, 104, 531-537	2.5	1
157	In vivo mitochondrial ATP production is improved in older adult skeletal muscle after a single dose of elamipretide in a randomized trial. *PLoS ONE*, **2021**, 16, e0253849	3.7	3
156	Dimethandrolone Undecanoate, a Novel, Nonaromatizable Androgen, Increases P1NP in Healthy Men Over 28 Days. *Journal of Clinical Endocrinology and Metabolism*, **2021**, 106, e171-e181	5.6	5
155	Isotretinoin for the treatment of nonobstructive azoospermia: a pilot study. *Asian Journal of Andrology*, **2021**, 23, 537-540	2.8	0
154	Current Male Contraceptives and Experimental Nonhormonal Contraceptive Research. *Trends in Andrology and Sexual Medicine*, **2021**, 425-438	0.5	
153	Acceptability of oral dimethandrolone undecanoate in a 28-day placebo-controlled trial of a hormonal male contraceptive prototype. *Contraception*, **2020**, 102, 52-57	2.5	5
152	Longitudinal changes in plasma sex hormone concentrations correlate with changes in CT-measured regional adiposity among Japanese American men over 10 years. *Clinical Endocrinology*, **2020**, 93, 555-563	3.4	1
151	Nonsurgical Management of Oligozoospermia. *Journal of Clinical Endocrinology and Metabolism*, **2020**, 105,	5.6	4
150	Daily Oral Administration of the Novel Androgen 11β-MNTDC Markedly Suppresses Serum Gonadotropins in Healthy Men. *Journal of Clinical Endocrinology and Metabolism*, **2020**, 105,	5.6	11
149	Development of Novel Male Contraceptives. *Clinical and Translational Science*, **2020**, 13, 228-237	4.9	8
148	Injection molded open microfluidic well plate inserts for user-friendly coculture and microscopy. *Lab on A Chip*, **2020**, 20, 107-119	7.2	11
147	"Shared risk": Reframing risk analysis in the ethics of novel male contraceptives. *Contraception*, **2020**, 102, 67-69	2.5	2
146	Does In Vitro Cytochrome P450 Downregulation Translate to In Vivo Drug-Drug Interactions? Preclinical and Clinical Studies With 13-cis-Retinoic Acid. *Clinical and Translational Science*, **2019**, 12, 350-360	4.8	5
145	Combined nestorone-testosterone gel suppresses serum gonadotropins to concentrations associated with effective hormonal contraception in men. *Andrology*, **2019**, 7, 878-887	4.2	15
144	SUN-LB042 The Novel Androgen 11β-Methyl-19-Nortestosterone Dodecylcarbonate (11β-MNTDC) Effectively Suppresses Gonadotropins and Testosterone in Healthy Men: A Potential Oral Male Hormonal Contraceptive. *Journal of the Endocrine Society*, **2019**, 3,	0.4	78

143	Effects of 28 Days of Oral Dimethandrolone Undecanoate in Healthy Men: A Prototype Male Pill. *Journal of Clinical Endocrinology and Metabolism*, **2019**, 104, 423-432	5.6	26
142	Safety and Pharmacokinetics of Single-Dose Novel Oral Androgen 11Methyl-19-Nortestosterone-17Dodecylcarbonate in Men. *Journal of Clinical Endocrinology and Metabolism*, **2019**, 104, 629-638	5.6	24
141	Hepatic Abundance and Activity of Androgen- and Drug-Metabolizing Enzyme UGT2B17 Are Associated with Genotype, Age, and Sex. *Drug Metabolism and Disposition*, **2018**, 46, 888-896	4	27
140	Pharmacological inhibition of ALDH1A enzymes suppresses weight gain in a mouse model of diet-induced obesity. *Obesity Research and Clinical Practice*, **2018**, 12, 93-101	5.4	11
139	Effect of Dose and 5Reductase Inhibition on the Circulating Testosterone Metabolite Profile of Men Administered Oral Testosterone. *Clinical and Translational Science*, **2018**, 11, 513-522	4.9	7
138	Effect of Oral Testosterone on Steroid Metabolome and Discovery of a Potential Serum Biomarker of UGT2B17 Interindividual Variability. *FASEB Journal*, **2018**, 32, 834.8	0.9	
137	Structural Basis of ALDH1A2 Inhibition by Irreversible and Reversible Small Molecule Inhibitors. *ACS Chemical Biology*, **2018**, 13, 582-590	4.9	30
136	Hypothalamic Gliosis by MRI and Visceral Fat Mass Negatively Correlate with Plasma Testosterone Concentrations in Healthy Men. *Obesity*, **2018**, 26, 1898-1904	8	11
135	Male hormonal contraceptive - are we there yet?. *Nature Reviews Endocrinology*, **2018**, 14, 685-686	15.2	4
134	Physiologically Based Pharmacokinetic Model of All--Retinoic Acid with Application to Cancer Populations and Drug Interactions. *Journal of Pharmacology and Experimental Therapeutics*, **2017**, 361, 246-258	4.7	20
133	Klinefelter Syndrome and Other Forms of Primary Testicular Failure **2017**, 187-196		1
132	Dose-response effects of sex hormone concentrations on body composition and adipokines in medically castrated healthy men administered graded doses of testosterone gel. *Clinical Endocrinology*, **2017**, 87, 59-67	3.4	7
131	Comparison of the single dose pharmacokinetics, pharmacodynamics, and safety of two novel oral formulations of dimethandrolone undecanoate (DMAU): a potential oral, male contraceptive. *Andrology*, **2017**, 5, 278-285	4.2	26
130	Isotretinoin administration improves sperm production in men with infertility from oligoasthenozoospermia: a pilot study. *Andrology*, **2017**, 5, 1115-1123	4.2	23
129	Treatment of Hypogonadism: Current and Future Therapies. *F1000Research*, **2017**, 6, 68	3.6	17
128	Scholarly productivity and professional advancement of junior researchers receiving KL2, K23, or K08 awards at a large public research institution. *Journal of Clinical and Translational Science*, **2017**, 1, 140-143	0.4	3
127	Circulating sex steroids coregulate adipose tissue immune cell populations in healthy men. *American Journal of Physiology - Endocrinology and Metabolism*, **2017**, 313, E528-E539	6	5
126	Short-Term Estrogen Withdrawal Increases Adiposity in Healthy Men. *Journal of Clinical Endocrinology and Metabolism*, **2016**, 101, 3724-3731	5.6	20

125	Stable Intraprostatic Dihydrotestosterone in Healthy Medically Castrate Men Treated With Exogenous Testosterone. *Journal of Clinical Endocrinology and Metabolism*, **2016**, 101, 2937-44	5.6	16
124	Systemic Lupus Erythematosus in an Elderly Man Diagnosed by the Presence of Pericardial Fluid Lupus Erythematosus Cells. *American Journal of Medicine*, **2016**, 129, e17-8	2.4	4
123	Testicular fine-needle aspiration for the assessment of intratesticular hormone concentrations. *Asian Journal of Andrology*, **2016**, 18, 21-4	2.8	3
122	Beyond the Condom: Frontiers in Male Contraception. *Seminars in Reproductive Medicine*, **2016**, 34, 183-90	1.4	12
121	Pharmacologic Therapy in Men's Health: Hypogonadism, Erectile Dysfunction, and Benign Prostatic Hyperplasia. *Medical Clinics of North America*, **2016**, 100, 791-805	7	3
120	Male contraception. *Fertility and Sterility*, **2016**, 106, 1303-1309	4.8	31
119	Importance of ALDH1A enzymes in determining human testicular retinoic acid concentrations. *Journal of Lipid Research*, **2015**, 56, 342-57	6.3	41
118	Providers' beliefs about expressing condolences to the family of a deceased patient: a qualitative and quantitative analysis. *Journal of Palliative Medicine*, **2015**, 18, 217-24	2.2	5
117	Pharmacological inhibition of ALDH1A in mice decreases all-trans retinoic acid concentrations in a tissue specific manner. *Biochemical Pharmacology*, **2015**, 95, 177-92	6	35
116	The association of obesity with sex hormone-binding globulin is stronger than the association with ageing--implications for the interpretation of total testosterone measurements. *Clinical Endocrinology*, **2015**, 83, 828-33	3.4	51
115	Inhibition of retinoic acid biosynthesis by the bisdichloroacetyldiamine WIN 18,446 markedly suppresses spermatogenesis and alters retinoid metabolism in mice. *Journal of Biological Chemistry* , **2014**, 289, 15104-17	5.4	49
114	Melphalan, alone or conjugated to an FSH-β peptide, kills murine testicular cells in vitro and transiently suppresses murine spermatogenesis in vivo. *Theriogenology*, **2014**, 82, 152-9	2.8	4
113	Single, escalating dose pharmacokinetics, safety and food effects of a new oral androgen dimethandrolone undecanoate in man: a prototype oral male hormonal contraceptive. *Andrology*, **2014**, 2, 579-587	4.2	25
112	Acceptability of a transdermal gel-based male hormonal contraceptive in a randomized controlled trial. *Contraception*, **2014**, 90, 407-12	2.5	41
111	Levels of the retinoic acid synthesizing enzyme aldehyde dehydrogenase-1A2 are lower in testicular tissue from men with infertility. *Fertility and Sterility*, **2014**, 101, 960-6	4.8	19
110	The human testis as a model of retinoic acid formation (1064.10). *FASEB Journal*, **2014**, 28, 1064.10	0.9	
109	New approaches to male non-hormonal contraception. *Contraception*, **2013**, 87, 296-9	2.5	24
108	Characteristics associated with suppression of spermatogenesis in a male hormonal contraceptive trial using testosterone and Nestorone(®) gels. *Andrology*, **2013**, 1, 899-905	4.2	24

107	Serum insulin-like factor 3 is highly correlated with intratesticular testosterone in normal men with acute, experimental gonadotropin deficiency stimulated with low-dose human chorionic gonadotropin: a randomized, controlled trial. *Fertility and Sterility*, **2013**, 99, 132-139	4.8	29
106	Turning a spermatogenic wave into a tsunami: synchronizing murine spermatogenesis using WIN 18,446. *Biology of Reproduction*, **2013**, 88, 40	3.9	63
105	Intratesticular 13-cis retinoic acid is lower in men with abnormal semen analyses: a pilot study. *Andrology*, **2013**, 1, 325-31	4.2	13
104	Androgen synthesis in the gonadotropin-suppressed human testes can be markedly suppressed by ketoconazole. *Journal of Clinical Endocrinology and Metabolism*, **2013**, 98, 1198-206	5.6	13
103	Impact of mifepristone, a glucocorticoid/progesterone antagonist, on HDL cholesterol, HDL particle concentration, and HDL function. *Journal of Clinical Endocrinology and Metabolism*, **2012**, 97, 1598-605	5.6	18
102	Acute sex steroid withdrawal increases cholesterol efflux capacity and HDL-associated clusterin in men. *Steroids*, **2012**, 77, 454-60	2.8	18
101	Pharmacokinetics of modified slow-release oral testosterone over 9 days in normal men with experimental hypogonadism. *Journal of Andrology*, **2012**, 33, 420-6		7
100	Acute testosterone deprivation reduces insulin sensitivity in men. *Clinical Endocrinology*, **2012**, 76, 281-8	3.4	35
99	The enzymatic activity of human aldehyde dehydrogenases 1A2 and 2 (ALDH1A2 and ALDH2) is detected by Aldefluor, inhibited by diethylaminobenzaldehyde and has significant effects on cell proliferation and drug resistance. *Chemico-Biological Interactions*, **2012**, 195, 52-60	5	145
98	A new combination of testosterone and nestorone transdermal gels for male hormonal contraception. *Journal of Clinical Endocrinology and Metabolism*, **2012**, 97, 3476-86	5.6	64
97	A sensitive and specific method for measurement of multiple retinoids in human serum with UHPLC-MS/MS. *Journal of Lipid Research*, **2012**, 53, 587-598	6.3	70
96	Impact of male hormonal contraception on prostate androgens and androgen action in healthy men: a randomized, controlled trial. *Journal of Clinical Endocrinology and Metabolism*, **2012**, 97, 2809-17	5.6	15
95	Study clarifies associations between hypogonadism and health in aging men. *Asian Journal of Andrology*, **2012**, 14, 809-10	2.8	1
94	Androgens exert sexually dimorphic effects on angiogenesis: novel insight into the relationship between androgens and cardiovascular disease. *Asian Journal of Andrology*, **2011**, 13, 626-7	2.8	4
93	Suppression of spermatogenesis by bisdichloroacetyldiamines is mediated by inhibition of testicular retinoic acid biosynthesis. *Journal of Andrology*, **2011**, 32, 111-9		88
92	Inhibiting vitamin A metabolism as an approach to male contraception. *Trends in Endocrinology and Metabolism*, **2011**, 22, 136-44	8.8	29
91	Dutasteride reduces prostate size and prostate specific antigen in older hypogonadal men with benign prostatic hyperplasia undergoing testosterone replacement therapy. *Journal of Urology*, **2011**, 186, 191-7	2.5	31
90	Pharmacologic development of male hormonal contraceptive agents. *Clinical Pharmacology and Therapeutics*, **2011**, 89, 133-6	6.1	10

89	Steady-state pharmacokinetics of oral testosterone undecanoate with concomitant inhibition of 5-reductase by finasteride. *Journal of Developmental and Physical Disabilities*, **2011**, 34, 541-7		10
88	Hyperthyroidism from autoimmune thyroiditis in a man with type 1 diabetes mellitus: a case report. *Journal of Medical Case Reports*, **2011**, 5, 277	1.2	1
87	Oral testosterone with and without concomitant inhibition of 5-reductase by dutasteride in hypogonadal men for 28 days. *Journal of Urology*, **2011**, 185, 626-32	2.5	10
86	The effect of gonadotropin withdrawal and stimulation with human chorionic gonadotropin on intratesticular androstenedione and DHEA in normal men. *Journal of Clinical Endocrinology and Metabolism*, **2011**, 96, 1175-81	5.6	7
85	Dihydrotestosterone administration does not increase intraprostatic androgen concentrations or alter prostate androgen action in healthy men: a randomized-controlled trial. *Journal of Clinical Endocrinology and Metabolism*, **2011**, 96, 430-7	5.6	53
84	Suppression of Stra8 expression in the mouse gonad by WIN 18,446. *Biology of Reproduction*, **2011**, 84, 957-65	3.9	48
83	Dose-dependent increase in intratesticular testosterone by very low-dose human chorionic gonadotropin in normal men with experimental gonadotropin deficiency. *Journal of Clinical Endocrinology and Metabolism*, **2010**, 95, 3806-13	5.6	52
82	TAC3/TACR3 mutations reveal preferential activation of gonadotropin-releasing hormone release by neurokinin B in neonatal life followed by reversal in adulthood. *Journal of Clinical Endocrinology and Metabolism*, **2010**, 95, 2857-67	5.6	212
81	Serum LH correlates highly with intratesticular steroid levels in normal men. *Journal of Andrology*, **2010**, 31, 138-45		34
80	Pharmacokinetics of 2 novel formulations of modified-release oral testosterone alone and with finasteride in normal men with experimental hypogonadism. *Journal of Andrology*, **2010**, 31, 527-35		7
79	Klinefelter syndrome presenting as behavioral problems in a young adult. *Nature Reviews Endocrinology*, **2010**, 6, 707-12	15.2	4
78	Vasectomy by epithelial curettage without suture or cautery: a pilot study in humans. *Asian Journal of Andrology*, **2010**, 12, 315-21	2.8	2
77	GNRH1 mutations in patients with idiopathic hypogonadotropic hypogonadism. *Proceedings of the National Academy of Sciences of the United States of America*, **2009**, 106, 11703-8	11.5	145
76	Oral administration of the GnRH antagonist acyline, in a GIPET-enhanced tablet form, acutely suppresses serum testosterone in normal men: single-dose pharmacokinetics and pharmacodynamics. *Cancer Chemotherapy and Pharmacology*, **2009**, 64, 641-5	3.5	23
75	Racial differences in vasectomy utilization in the United States: data from the national survey of family growth. *Urology*, **2009**, 74, 1020-4	1.6	56
74	Testosterone for low libido in postmenopausal women?. *Expert Review of Endocrinology and Metabolism*, **2009**, 4, 131-133	4.1	2
73	Comparative cognitive and subjective side effects of immediate-release oxycodone in healthy middle-aged and older adults. *Journal of Pain*, **2009**, 10, 1038-50	5.2	44
72	Combined transdermal testosterone gel and the progestin nestorone suppresses serum gonadotropins in men. *Journal of Clinical Endocrinology and Metabolism*, **2009**, 94, 2313-20	5.6	49

71	Pharmacokinetics and pharmacodynamics of oral testosterone enanthate plus dutasteride for 4 weeks in normal men: implications for male hormonal contraception. *Journal of Andrology*, **2008**, 29, 260-71		8
70	The effect of 5alpha-reductase inhibition with dutasteride and finasteride on bone mineral density, serum lipoproteins, hemoglobin, prostate specific antigen and sexual function in healthy young men. *Journal of Urology*, **2008**, 179, 2333-8	2.5	60
69	Serum 17-hydroxyprogesterone strongly correlates with intratesticular testosterone in gonadotropin-suppressed normal men receiving various dosages of human chorionic gonadotropin. *Fertility and Sterility*, **2008**, 89, 380-6	4.8	20
68	Advances in male contraception. *Endocrine Reviews*, **2008**, 29, 465-93	27.2	568
67	Progress and prospects in male hormonal contraception. *Current Opinion in Endocrinology, Diabetes and Obesity*, **2008**, 15, 255-60	4	11
66	Treatment of male infertility secondary to morbid obesity. *Nature Clinical Practice Endocrinology and Metabolism*, **2008**, 4, 415-9		64
65	Does testosterone supplementation improve health and function in elderly men?. *Nature Clinical Practice Endocrinology and Metabolism*, **2008**, 4, 374-5		
64	Nanomilled oral testosterone plus dutasteride effectively normalizes serum testosterone in normal men with induced hypogonadism. *Journal of Andrology*, **2008**, 29, 222-7		11
63	Elevated end-of-treatment serum INSL3 is associated with failure to completely suppress spermatogenesis in men receiving male hormonal contraception. *Journal of Andrology*, **2007**, 28, 548-54		58
62	Intratesticular androgens and spermatogenesis during severe gonadotropin suppression induced by male hormonal contraceptive treatment. *Journal of Andrology*, **2007**, 28, 734-41		40
61	Characterization of verbal and spatial memory changes from moderate to supraphysiological increases in serum testosterone in healthy older men. *Psychoneuroendocrinology*, **2007**, 32, 72-9	5	97
60	Miglustat has no apparent effect on spermatogenesis in normal men. *Human Reproduction*, **2007**, 22, 702-7	5.7	38
59	The effect of 5alpha-reductase inhibition with dutasteride and finasteride on semen parameters and serum hormones in healthy men. *Journal of Clinical Endocrinology and Metabolism*, **2007**, 92, 1659-65	5.6	184
58	Dosing frequency of aspirin and prevention of heart attacks and strokes. *American Journal of Medicine*, **2007**, 120, e5; author reply e7	2.4	7
57	Acceptability of a combination testosterone gel and depomedroxyprogesterone acetate male contraceptive regimen. *Contraception*, **2007**, 75, 218-23	2.5	41
56	10th Summit Meeting consensus: recommendations for regulatory approval for hormonal male contraception. *Journal of Andrology*, **2007**, 28, 362-3		29
55	Inhibiting sperm motility for male contraception: will the sperm tail be its "Achilles heel"?. *Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics*, **2007**, 7, 68-70		4
54	Drug effects on spermatogenesis. *Drugs of Today*, **2007**, 43, 717-24	2.5	15

53	Contraceptive developments for men. *Drugs of Today*, **2007**, 43, 179-92	2.5	3
52	A multicentre study investigating subcutaneous etonogestrel implants with injectable testosterone decanoate as a potential long-acting male contraceptive. *Human Reproduction*, **2006**, 21, 285-94	5.7	38
51	Testosterone gel combined with depomedroxyprogesterone acetate is an effective male hormonal contraceptive regimen and is not enhanced by the addition of a GnRH antagonist. *Journal of Clinical Endocrinology and Metabolism*, **2006**, 91, 4374-80	5.6	68
50	Clinical problem-solving. A jaundiced eye. *New England Journal of Medicine*, **2006**, 354, 1516-20	59.2	3
49	Clinical problem-solving. Lost in transcription. *New England Journal of Medicine*, **2006**, 355, 1487-91	59.2	2
48	Effect of medical castration on CD4+ CD25+ T cells, CD8+ T cell IFN-gamma expression, and NK cells: a physiological role for testosterone and/or its metabolites. *American Journal of Physiology - Endocrinology and Metabolism*, **2006**, 290, E856-63	6	112
47	Persistent intraprostatic androgen concentrations after medical castration in healthy men. *Journal of Clinical Endocrinology and Metabolism*, **2006**, 91, 3850-6	5.6	181
46	Male hormonal contraception: the future of male contraception?. *Medicine*, **2006**, 34, 25-26	0.6	
45	Drug insight: Recent advances in male hormonal contraception. *Nature Clinical Practice Endocrinology and Metabolism*, **2006**, 2, 32-41		40
44	Oral testosterone in oil: pharmacokinetic effects of 5alpha reduction by finasteride or dutasteride and food intake in men. *Journal of Andrology*, **2006**, 27, 72-8		22
43	Male hormonal contraceptives. *Minerva Ginecologica*, **2006**, 58, 215-26	1.2	3
42	Intramuscular testosterone enanthate plus very low dosage oral levonorgestrel suppresses spermatogenesis without causing weight gain in normal young men: a randomized clinical trial. *Journal of Andrology*, **2005**, 26, 405-13		35
41	Male hormonal contraceptives: current status and future prospects. *Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders*, **2005**, 4, 333-41		4
40	Exogenous testosterone (T) alone or with finasteride increases physical performance, grip strength, and lean body mass in older men with low serum T. *Journal of Clinical Endocrinology and Metabolism*, **2005**, 90, 1502-10	5.6	450
39	The role of aromatization in testosterone supplementation: effects on cognition in older men. *Neurology*, **2005**, 64, 290-6	6.5	184
38	Low-dose human chorionic gonadotropin maintains intratesticular testosterone in normal men with testosterone-induced gonadotropin suppression. *Journal of Clinical Endocrinology and Metabolism*, **2005**, 90, 2595-602	5.6	103
37	Effects of testosterone and levonorgestrel combined with a 5alpha-reductase inhibitor or gonadotropin-releasing hormone antagonist on spermatogenesis and intratesticular steroid levels in normal men. *Journal of Clinical Endocrinology and Metabolism*, **2005**, 90, 5647-55	5.6	58
36	Novel male hormonal contraceptive combinations: the hormonal and spermatogenic effects of testosterone and levonorgestrel combined with a 5alpha-reductase inhibitor or gonadotropin-releasing hormone antagonist. *Journal of Clinical Endocrinology and Metabolism*, **2005**, 90, 91-7	5.6	31

35	Oral testosterone in oil plus dutasteride in men: a pharmacokinetic study. *Journal of Clinical Endocrinology and Metabolism*, **2005**, 90, 2610-7	5.6	30
34	Testosterone improves spatial memory in men with Alzheimer disease and mild cognitive impairment. *Neurology*, **2005**, 64, 2063-8	6.5	221
33	115 EXOGENOUS TESTOSTERONE ALONE OR WITH FINASTERIDE INCREASES PHYSICAL PERFORMANCE, GRIP STRENGTH, AND LEAN BODY MASS IN OLDER MEN WITH LOW SERUM TESTOSTERONE. *Journal of Investigative Medicine*, **2005**, 53, S97.4-S97	2.9	
32	Testosterone administration suppresses adiponectin levels in men. *Journal of Andrology*, **2005**, 26, 85-92		98
31	Case 15-2004: cancer therapy and sperm banking. *New England Journal of Medicine*, **2004**, 351, 510; author reply 510	59.2	5
30	Exogenous testosterone or testosterone with finasteride increases bone mineral density in older men with low serum testosterone. *Journal of Clinical Endocrinology and Metabolism*, **2004**, 89, 503-10	5.6	373
29	A single dose of the potent gonadotropin-releasing hormone antagonist acyline suppresses gonadotropins and testosterone for 2 weeks in healthy young men. *Journal of Clinical Endocrinology and Metabolism*, **2004**, 89, 5959-65	5.6	57
28	Male hormonal contraception: suppression of spermatogenesis by injectable testosterone undecanoate alone or with levonorgestrel implants in chinese men. *Journal of Andrology*, **2004**, 25, 720-7		48
27	Intratesticular testosterone concentrations comparable with serum levels are not sufficient to maintain normal sperm production in men receiving a hormonal contraceptive regimen. *Journal of Andrology*, **2004**, 25, 931-8		95
26	George Washington's infertility: why was the father of our country never a father?. *Fertility and Sterility*, **2004**, 81, 495-9	4.8	4
25	Klinefelter Syndrome **2004**, 159-169		
24	Testosterone/progestin regimens: a realistic option for male contraception?. *Current Opinion in Investigational Drugs*, **2004**, 5, 1025-30		1
23	The male contraceptive regimen of testosterone and levonorgestrel significantly increases lean mass in healthy young men in 4 weeks, but attenuates a decrease in fat mass induced by testosterone alone. *Journal of Clinical Endocrinology and Metabolism*, **2003**, 88, 1167-73	5.6	27
22	Testosterone administration to men increases hepatic lipase activity and decreases HDL and LDL size in 3 wk. *American Journal of Physiology - Endocrinology and Metabolism*, **2003**, 284, E1112-8	6	50
21	Computer-based order entry decreases duration of indwelling urinary catheterization in hospitalized patients. *American Journal of Medicine*, **2003**, 114, 404-7	2.4	105
20	Oral testosterone-triglyceride conjugate in rabbits: single-dose pharmacokinetics and comparison with oral testosterone undecanoate. *Journal of Andrology*, **2003**, 24, 716-20		13
19	Regulation of testicular function in men: implications for male hormonal contraceptive development. *Journal of Steroid Biochemistry and Molecular Biology*, **2003**, 85, 357-61	5.1	38
18	Androgens and Male Contraception **2003**, 405-417		

17	Preoperative supraphysiological testosterone in older men undergoing knee replacement surgery. *Journal of the American Geriatrics Society*, **2002**, 50, 1698-701	5.6	56
16	Acyline: the first study in humans of a potent, new gonadotropin-releasing hormone antagonist. *Journal of Clinical Endocrinology and Metabolism*, **2002**, 87, 3215-20	5.6	50
15	Cognitive effects of short-term manipulation of serum sex steroids in healthy young men. *Journal of Clinical Endocrinology and Metabolism*, **2002**, 87, 3090-6	5.6	48
14	Testosterone release from a subcutaneous, biodegradable microcapsule formulation (Viatrel) in hypogonadal men. *Journal of Andrology*, **2002**, 23, 84-91		24
13	Neuroprotection is associated with beta-adrenergic receptor antagonists during cardiac surgery: evidence from 2,575 patients. *Journal of Cardiothoracic and Vascular Anesthesia*, **2002**, 16, 270-7	2.1	55
12	Testosterone delivery using glutamide-based complex high axial ratio microstructures. *Bioorganic and Medicinal Chemistry*, **2001**, 9, 2819-25	3.4	22
11	Daily testosterone and gonadotropin levels are similar in azoospermic and nonazoospermic normal men administered weekly testosterone: implications for male contraceptive development. *Journal of Andrology*, **2001**, 22, 1053-60		28
10	Endocrine regulation of testicular function in men: implications for contraceptive development. *Molecular and Cellular Endocrinology*, **2001**, 182, 175-9	4.4	36
9	Advances in male hormonal contraception. *Annals of Medicine*, **2001**, 33, 587-95	1.5	17
8	Male hormonal contraceptives. *Expert Opinion on Pharmacotherapy*, **2001**, 2, 1389-98	4	3
7	Are physicians aware of which of their patients have indwelling urinary catheters?. *American Journal of Medicine*, **2000**, 109, 476-80	2.4	230
6	Newer agents for hormonal contraception in the male. *Trends in Endocrinology and Metabolism*, **2000**, 11, 61-6	8.8	18
5	The efficacy of medical abortion: a meta-analysis. *Contraception*, **2000**, 61, 29-40	2.5	91
4	Klinefelter's syndrome. *Lancet, The*, **2000**, 356, 333-5	40	36
3	The use of testosterone as a male contraceptive. *Baillierels Clinical Endocrinology and Metabolism*, **1998**, 12, 471-84		12
2	The therapeutic potential of testosterone patches. *Expert Opinion on Investigational Drugs*, **1998**, 7, 1977-85	5.9	18
1	Necrotizing lymphadenitis associated with systemic lupus erythematosus. *Seminars in Arthritis and Rheumatism*, **1996**, 26, 477-82	5.3	63