

# Irene Svenningsson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5947197/publications.pdf>

Version: 2024-02-01

24  
papers

228  
citations

1163117

8  
h-index

996975

15  
g-index

24  
all docs

24  
docs citations

24  
times ranked

269  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical effectiveness of care managers in collaborative care for patients with depression in Swedish primary health care: a pragmatic cluster randomized controlled trial. <i>BMC Family Practice</i> , 2018, 19, 28.	2.9	46
2	Anxiety and depression in obese and normal-weight individuals with diabetes type 2: A gender perspective. <i>Scandinavian Journal of Caring Sciences</i> , 2012, 26, 349-354.	2.1	31
3	Type 2 diabetes: perceptions of quality of life and attitudes towards diabetes from a gender perspective. <i>Scandinavian Journal of Caring Sciences</i> , 2011, 25, 688-695.	2.1	24
4	Cost-effectiveness of a care manager collaborative care programme for patients with depression in primary care: economic evaluation of a pragmatic randomised controlled study. <i>BMJ Open</i> , 2018, 8, e024741.	1.9	14
5	Experiences of staff members participating in primary care research activities: a qualitative study. <i>International Journal of General Medicine</i> , 2015, 8, 143.	1.8	13
6	Creating a safety net for patients with depression in primary care; a qualitative study of care managers's experiences. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 355-362.	1.5	13
7	Experiences of the encounter with the diabetes team "A comparison between obese and normal-weight type 2 diabetic patients. <i>Patient Education and Counseling</i> , 2011, 82, 58-62.	2.2	10
8	An interview study of the care manager function "Opening the door to continuity of care for patients with depression in primary care. <i>Nursing Open</i> , 2019, 6, 974-982.	2.4	10
9	Care managers can be useful for patients with depression but their role must be clear: a qualitative study of GPs's experiences. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 273-282.	1.5	9
10	Process evaluation of a cluster randomised intervention in Swedish primary care: using care managers in collaborative care to improve care quality for patients with depression. <i>BMC Family Practice</i> , 2019, 20, 108.	2.9	8
11	&lt;p&gt;Correspondence Between the Neuropsychiatric Interview M.I.N.I. and the BDI-II and MADRS-S Self-Rating Instruments as Diagnostic Tools in Primary Care Patients with Depression&lt;/p&gt;. <i>International Journal of General Medicine</i> , 2020, Volume 13, 177-183.	1.8	8
12	Influence of antidepressant therapy on sick leave in primary care: ADAS, a comparative observational study. <i>Heliyon</i> , 2019, 5, e01101.	3.2	7
13	The experiences of care managers and rehabilitation coordinators of a primary care intervention to promote return to work for patients with common mental disorders: a qualitative study. <i>BMC Family Practice</i> , 2020, 21, 272.	2.9	7
14	Prognostic factors for future mental, physical and urogenital health and work ability in women, 45-55 years: a six-year prospective longitudinal cohort study. <i>BMC Women's Health</i> , 2020, 20, 171.	2.0	6
15	Newly educated care managers's experiences of providing care for persons with stress-related mental disorders in the clinical primary care context. <i>PLoS ONE</i> , 2019, 14, e0224929.	2.5	5
16	Cost-effectiveness of a care manager collaborative care programme for patients with depression in primary care: 12-month economic evaluation of a pragmatic randomised controlled trial. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 52.	1.5	4
17	Health care professionals meeting with individuals with Type 2 diabetes and obesity: Balancing coaching and caution. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2011, 6, 7129.	1.6	3
18	Implementation of care managers for patients with depression: a cross-sectional study in Swedish primary care. <i>BMJ Open</i> , 2020, 10, e035629.	1.9	3

#	ARTICLE	IF	CITATIONS
19	The care manager meeting the patientsâ€™ unique needs using the care manager modelâ€”A qualitative study of experienced care managers. BMC Family Practice, 2021, 22, 175.	2.9	2
20	How can a care manager at the primary care centre support foreign-born female patients suffering from common mental disorders? â€” An interview study. Scandinavian Journal of Caring Sciences, 2022, 36, 456-467.	2.1	2
21	Long-term effect of a care manager on work ability for patients with depression â€” the PRIM-CARE RCT. Work, 2022, 72, 601-609.	1.1	1
22	Symptom patterns in patients newly sick listed for common mental disorders and associations with work-related and socioeconomic factors: a cross-sectional study in Swedish primary care. BMJ Open, 2022, 12, e054250.	1.9	1
23	Experiences of patients with common mental disorders concerning team-based primary care and a person-centered dialogue meeting: An intervention to promote return to work. PLoS ONE, 2022, 17, e0271180.	2.5	1
24	Associations between antidepressant therapy, work ability, and sick leave for patients with common mental disorders within a two-year perspective â€” A longitudinal observational cohort study in Swedish primary care. Heliyon, 2021, 7, e07116.	3.2	0