Andrea Bodor

List of Publications by Citations

Source: https://exaly.com/author-pdf/5947434/andrea-bodor-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,364 59 35 20 g-index h-index citations papers 68 1,518 4.06 5.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
59	Integration of Homogeneous and Heterogeneous Catalytic Processes for a Multi-step Conversion of Biomass: From Sucrose to Levulinic Acid, EValerolactone, 1,4-Pentanediol, 2-Methyl-tetrahydrofuran, and Alkanes. <i>Topics in Catalysis</i> , 2008 , 48, 49-54	2.3	386
58	Imidazolium ionic liquids as solvents for cerium(IV)-mediated oxidation reactions. <i>Journal of Organic Chemistry</i> , 2007 , 72, 517-24	4.2	79
57	Alternatively spliced exon B of myosin Va is essential for binding the tail-associated light chain shared by dynein. <i>Biochemistry</i> , 2006 , 45, 12582-95	3.2	50
56	19F NMR study of the equilibria and dynamics of the Al3+/F- system. <i>Inorganic Chemistry</i> , 2000 , 39, 253	0 5 7.1	48
55	The mechanism of the reverse recovery step, phosphate release, and actin activation of Dictyostelium myosin II. <i>Journal of Biological Chemistry</i> , 2008 , 283, 8153-63	5.4	41
54	Structural Basis of Ribosomal S6 Kinase 1 (RSK1) Inhibition by S100B Protein: MODULATION OF THE EXTRACELLULAR SIGNAL-REGULATED KINASE (ERK) SIGNALING CASCADE IN A CALCIUM-DEPENDENT WAY. <i>Journal of Biological Chemistry</i> , 2016 , 291, 11-27	5.4	40
53	Homogeneous gold-catalyzed hydrosilylation of aldehydes. <i>Journal of Organometallic Chemistry</i> , 2007 , 692, 1799-1805	2.3	37
52	New Antimicrobial Potential and Structural Properties of PAFB: A Cationic, Cysteine-Rich Protein from Penicillium chrysogenum Q176. <i>Scientific Reports</i> , 2018 , 8, 1751	4.9	35
51	Novel generation ponytails in fluorous chemistry: Syntheses of primary, secondary, and tertiary (nonafluoro-tert-butyloxy)ethyl amines. <i>Journal of Fluorine Chemistry</i> , 2006 , 127, 1496-1504	2.1	32
50	1H- and 13C-NMR as tools to study aluminium coordination chemistry Iqueous Al(III) Titrate complexes. <i>Coordination Chemistry Reviews</i> , 2002 , 228, 175-186	23.2	32
49	Azidoblebbistatin, a photoreactive myosin inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 9402-7	11.5	31
48	In situ NMR spectroscopic observation of a catalytic intermediate in phosphine-catalyzed cyclo-oligomerization of isocyanates. <i>Angewandte Chemie - International Edition</i> , 2005 , 45, 107-10	16.4	30
47	Slow dynamics of aluminium-citrate complexes studied by 1H- and 13C-NMR spectroscopy. <i>Coordination Chemistry Reviews</i> , 2002 , 228, 163-173	23.2	30
46	Biophysical studies of the membrane location of the voltage-gated sensors in the HsapBK and KvAP K(+) channels. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 1976-86	3.8	25
45	Epsilon-caprolactamium hydrogen sulfate: an ionic liquid used for decades in the large-scale production of epsilon-caprolactam. <i>ChemSusChem</i> , 2008 , 1, 189-92	8.3	25
44	Siderophore analogues: a new macrocyclic tetraamine tris(hydroxamate) ligand; synthesis and solution chemistry of the iron(III), aluminium(III) and copper(II) complexes\(\textsq\) Journal of the Chemical Society Dalton Transactions, 1999 , 799-806		25
43	Disordered TPPP/p25 binds GTP and displays Mg2+-dependent GTPase activity. <i>FEBS Letters</i> , 2011 , 585, 803-8	3.8	24

(2010-2007)

42	Structure, enzymatic stability and antitumor activity of sea lamprey GnRH-III and its dimer derivatives. <i>Peptides</i> , 2007 , 28, 806-20	3.8	23
41	Mechanism of the Pyridine-Modified Cobalt-Catalyzed Hydromethoxycarbonylation of 1,3-Butadiene. <i>Organometallics</i> , 2003 , 22, 1582-1584	3.8	22
40	Structural assembly of the signaling competent ERK2-RSK1 heterodimeric protein kinase complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2711-6	11.5	21
39	Zn\delta+-induced rearrangement of the disordered TPPP/p25 affects its microtubule assembly and GTPase activity. <i>Biochemistry</i> , 2011 , 50, 9568-78	3.2	20
38	A New Synthetic Method for the Preparation of Star-Shaped Polyisobutylene with Hyperbranched Polystyrene Core. <i>Macromolecular Chemistry and Physics</i> , 2007 , 208, 1388-1393	2.6	20
37	Mitsunobu synthesis of symmetrical alkyl and polyfluoroalkyl secondary amines. <i>Journal of Fluorine Chemistry</i> , 2005 , 126, 1524-1530	2.1	17
36	Intrinsic structural disorder of DF31, a Drosophila protein of chromatin decondensation and remodeling activities. <i>Journal of Proteome Research</i> , 2008 , 7, 2291-9	5.6	16
35	Ezrin interacts with S100A4 via both its N- and C-terminal domains. <i>PLoS ONE</i> , 2017 , 12, e0177489	3.7	15
34	DYNLL2 dynein light chain binds to an extended linear motif of myosin 5a tail that has structural plasticity. <i>Biochemistry</i> , 2014 , 53, 7107-22	3.2	14
33	Equilibria and dynamics of some aqueous peroxomolybdate catalysts: a 170 NMR spectroscopic study. <i>Dalton Transactions RSC</i> , 2002 , 4451-4456		14
32	Dynamic control of RSK complexes by phosphoswitch-based regulation. FEBS Journal, 2018, 285, 46-71	5.7	14
31	An engineered scorpion toxin analogue with improved Kv1.3 selectivity displays reduced conformational flexibility. <i>Scientific Reports</i> , 2015 , 5, 18397	4.9	13
30	Catalytic mechanism of phosphate attack in dUTPase is revealed by X-ray crystallographic snapshots of distinct intermediates, 31P-NMR spectroscopy and reaction path modelling. <i>Nucleic Acids Research</i> , 2013 , 41, 10542-55	20.1	12
29	In Situ NMR Spectroscopic Observation of a Catalytic Intermediate in Phosphine-Catalyzed Cyclo-Oligomerization of Isocyanates. <i>Angewandte Chemie</i> , 2006 , 118, 113-116	3.6	12
28	Tumor-Suppressor p53TAD Forms a Fuzzy Complex with Metastasis-Associated S100A4: Structural Insights and Dynamics by an NMR/MD Approach. <i>ChemBioChem</i> , 2020 , 21, 3087-3095	3.8	11
27	Star and Hyperbranched Polyisobutylenes via Terminally Reactive Polyisobutylene-Polystyrene Block Copolymers. <i>Macromolecular Symposia</i> , 2013 , 323, 37-41	0.8	11
26	Quantitative, Diffusion NMR Based Analytical Tool To Distinguish Folded, Disordered, and Denatured Biomolecules. <i>Analytical Chemistry</i> , 2019 , 91, 4929-4933	7.8	10
25	Greener fluorous chemistry: Convenient preparation of new types of ©F3-rich decondary alkyl mesylates and their use for the synthesis of azides, amines, imidazoles and imidazolium salts. Journal of Fluorine Chemistry, 2010, 131, 1368-1376	2.1	10

24	In situ IR and NMR spectroscopic investigation of the formation and structure of protonated diacetylketene tetrachloroaluminate. <i>Journal of the Chemical Society, Perkin Transactions</i> 1, 2002 , 2861-	2865	10
23	Real-time pure shift measurements for uniformly isotope-labeled molecules using X-selective BIRD homonuclear decoupling. <i>Journal of Magnetic Resonance</i> , 2019 , 302, 64-71	3	9
22	Anionic food color tartrazine enhances antibacterial efficacy of histatin-derived peptide DHVAR4 by fine-tuning its membrane activity. <i>Quarterly Reviews of Biophysics</i> , 2020 , 53, e5	7	9
21	Novel nontoxic heat shock protein 90 inhibitors having selective antiproliferative effect. <i>International Journal of Biochemistry and Cell Biology</i> , 2006 , 38, 1352-62	5.6	9
20	Multilevel Changes in Protein Dynamics upon Complex Formation of the Calcium-Loaded S100A4 with a Nonmuscle Myosin IIA Tail Fragment. <i>ChemBioChem</i> , 2016 , 17, 1829-1838	3.8	8
19	The C-terminal random coil region tunes the Ca\(\mathbf{H}\)-binding affinity of S100A4 through conformational activation. <i>PLoS ONE</i> , 2014 , 9, e97654	3.7	8
18	Novel bis(diethylenetriamine)thallium(III) complex. Synthesis and characterization in pyridine solution and in solid. <i>Inorganica Chimica Acta</i> , 2002 , 331, 224-231	2.7	8
17	Studies of equilibrium, structure, and dynamics in the aqueous Al(iii)-oxalate-fluoride system by potentiometry, 13C and 19F NMR spectroscopy. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 2793-2803	5.5	7
16	Multiple S100 protein isoforms and C-terminal phosphorylation contribute to the paralog-selective regulation of nonmuscle myosin 2 filaments. <i>Journal of Biological Chemistry</i> , 2018 , 293, 14850-14867	5.4	6
15	Hiyama coupling reaction of fluorous alkenyl-fluorosilanes: Scope and mechanistic considerations. <i>Journal of Fluorine Chemistry</i> , 2012 , 137, 85-92	2.1	5
14	Thallium(III) coordination compounds: chemical information from 205Tl NMR longitudinal relaxation times. <i>Magnetic Resonance in Chemistry</i> , 2002 , 40, 716-722	2.1	5
13	Equilibria and dynamics of some aqueous peroxomolybdophosphate catalysts: a potentiometric and 31P NMR spectroscopic study. <i>Dalton Transactions</i> , 2003 , 2512-2518	4.3	5
12	Directed Evolution of Canonical Loops and Their Swapping between Unrelated Serine Proteinase Inhibitors Disprove the Interscaffolding Additivity Model. <i>Journal of Molecular Biology</i> , 2019 , 431, 557-5	75 ⁵	5
11	Membrane interactions in small fast-tumbling bicelles as studied by 31P NMR. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015 , 1848, 760-6	3.8	4
10	Synthesis, IR-, NMR-, DFT- and X-ray analysis of novel C2-chiral diferrocenylgalen complexes. <i>Journal of Organometallic Chemistry</i> , 2012 , 706-707, 46-51	2.3	4
9	Antibody recognition and conformational flexibility of a plaque-specific beta-amyloid epitope modulated by non-native peptide flanking regions. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 1150-61	8.3	4
8	Does [AlF6]3- Exist in Aqueous Solution?. Australian Journal of Chemistry, 2000, 53, 625	1.2	4
7	Power of Pure Shift HŒCorrelations: A Way to Characterize Biomolecules under Physiological Conditions. <i>Analytical Chemistry</i> , 2020 , 92, 12423-12428	7.8	4

LIST OF PUBLICATIONS

6	Selective H NMR Methods Reveal Functionally Relevant Proline cis/trans Isomers in Intrinsically Disordered Proteins: Characterization of Minor Forms, Effects of Phosphorylation, and Occurrence in Proteome. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	3
5	Peptide-bicelle interaction: Following variations in size and morphology by a combined NMR-SAXS approach. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183095	3.8	1
4	In Situ Terminal Functionalization of Polystyrene Obtained by Quasiliving ATRP and Subsequent Derivatizations. <i>ACS Symposium Series</i> , 2018 , 281-295	0.4	O
3	Novel Lysine-Rich Delivery Peptides of Plant Origin ERD and Human S100: The Effect of Carboxyfluorescein Conjugation, Influence of Aromatic and Proline Residues, Cellular Internalization, and Penetration Ability <i>ACS Omega</i> , 2021 , 6, 34470-34484	3.9	O
2	The Disordered EZH2 Loop: Atomic Level Characterization by 1HN- and 1HDetected NMR Approaches, Interaction with the Long Noncoding HOTAIR RNA. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6150	6.3	0
1	Sulfur Trioxide Containing Caprolactamium Hydrogen Sulfate: An Expanded Ionic Liquid for Large-Scale Production of ElCaprolactam. <i>ACS Symposium Series</i> , 2009 , 235-239	0.4	
<i>)</i>	Internalization, and Penetration Ability ACS Omega, 2021, 6, 34470-34484		J•9