

Edison Barbieri

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5947958/edison-barbieri-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

1,034
citations

19
h-index

26
g-index

140
ext. papers

1,234
ext. citations

1.9
avg, IF

4.88
L-index

#	Paper	IF	Citations
93	Live bait or artificial bait? Efficiency in recreational fishing for sea bass (<i>Centropomus parallelus</i>). <i>Ocean and Coastal Management</i> , 2022 , 216, 105976	3.9	0
92	Co-exposure of carbon nanotubes with carbofuran pesticide affects metabolic rate in <i>Palaemon pandaliformis</i> (shrimp). <i>Chemosphere</i> , 2022 , 288, 132359	8.4	0
91	Is the small-scale aquaculture of lambari <i>Deuterodon iguape</i> (Eigenmann 1907) for live bait in recirculating systems economically profitable?. <i>Aquaculture</i> , 2022 , 546, 737335	4.4	1
90	Copper II oxide nanoparticles (CuONPs) alter metabolic markers and swimming activity in zebra-fish (<i>Danio rerio</i>).. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2022 , 109343	3.2	0
89	Stranding of Marine Animals: Effects of Environmental Variables. <i>Encyclopedia of the UN Sustainable Development Goals</i> , 2022 , 945-954	0.1	
88	Norovirus GII and astrovirus in shellfish from a mangrove region in Cananã, Brazil: molecular detection and characterization. <i>Brazilian Journal of Microbiology</i> , 2021 , 1	2.2	1
87	Carbofuran affects behavior and metabolism of the Atlantic Forest lambari <i>Deuterodon iguape</i> , a native species from Brazil. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 61128-61136	5.1	0
86	Sublethal effects of propiconazole on the metabolism of lambari <i>Deuterodon iguape</i> (Eigenmann 1907), a native species from Brazil. <i>Fish Physiology and Biochemistry</i> , 2021 , 47, 1165-1177	2.7	3
85	Effects of environmental variables on Magellanic penguin (<i>Spheniscus magellanicus</i>) strandings in southeastern Brazil. <i>Ocean and Coastal Management</i> , 2021 , 210, 105704	3.9	0
84	GIS Models for Vulnerability of Coastal Erosion Assessment in a Tropical Protected Area. <i>ISPRS International Journal of Geo-Information</i> , 2021 , 10, 598	2.9	1
83	Microbiological quality of shellfish and evaluation of compact dry EC for detecting total coliforms and <i>Escherichia coli</i> . <i>Acta Alimentaria</i> , 2020 , 49, 32-39	1	4
82	Salinity effects in metabolic rate and behavior in lambari <i>Astyanax bimaculatus</i> . <i>Brazilian Journal of Animal and Environmental Research</i> , 2020 , 3, 2165-2179	0	
81	New records of the non-indigenous oyster <i>Saccostrea cucullata</i> (Bivalvia: Ostreidae) from the southeast and south Brazilian coast. <i>Regional Studies in Marine Science</i> , 2020 , 33, 100924	1.5	2
80	Metabolic effects in the freshwater fish <i>Geophagus iporangensis</i> in response to single and combined exposure to graphene oxide and trace elements. <i>Chemosphere</i> , 2020 , 243, 125316	8.4	17
79	Evaluation of trace elements in feathers of young kelp gull <i>Larus dominicanus</i> along the coast of Santa Catarina, Brazil. <i>Marine Pollution Bulletin</i> , 2020 , 160, 111676	6.7	2
78	Environmental impact of biogenic silver nanoparticles in soil and aquatic organisms. <i>Chemosphere</i> , 2020 , 239, 124698	8.4	39
77	<i>Escherichia coli</i> detection and identification in shellfish from southeastern Brazil. <i>Aquaculture</i> , 2019 , 504, 158-163	4.4	8

76	Co-exposure of graphene oxide with trace elements: Effects on acute ecotoxicity and routine metabolism in <i>Palaemon pandaliformis</i> (shrimp). <i>Chemosphere</i> , 2019 , 223, 157-164	8.4	24
75	Economic feasibility for the production of live baits of lambari (<i>Deuterodon iguape</i>) in recirculation system. <i>Boletim Do Instituto De Pesca</i> , 2019 , 45, e516	1.5	8
74	Effects of multiwalled carbon nanotubes and carbofuran on metabolism in <i>Astyanax ribeirae</i> , a native species. <i>Fish Physiology and Biochemistry</i> , 2019 , 45, 417-426	2.7	19
73	Titanium dioxide nanoparticles alters routine metabolism and causes histopathological alterations in <i>Oreochromis niloticus</i> . <i>Boletim Do Instituto De Pesca</i> , 2018 , 44, 343-343	1.5	11
72	Al, Cd, Cr, Cu, Fe, Mn, Ni, Pb, and Zn in mussels collected in Santos bay, S Paulo, Brazil: limits required by local legislation. <i>Boletim Do Instituto De Pesca</i> , 2018 , 44, 374	1.5	3
71	Use of Biomarkers for Studying the Effects of Pesticides on Freshwater Organisms 2018 , 107-119		
70	Lambari fish <i>Deuterodon iguape</i> as an alternative to live bait for estuarine recreational fishing. <i>Fisheries Management and Ecology</i> , 2018 , 25, 400-407	1.8	8
69	Metal trace elements in mussels in Urubuqueba Island, Santos Bay, Brazil. <i>Pesquisa Agropecuaria Brasileira</i> , 2017 , 52, 1131-1139	1.8	10
68	Coating carbon nanotubes with humic acid using an eco-friendly mechanochemical method: Application for Cu(II) ions removal from water and aquatic ecotoxicity. <i>Science of the Total Environment</i> , 2017 , 607-608, 1479-1486	10.2	19
67	Assessment of acute toxicity of carbofuran in <i>Macrobrachium olfersii</i> (Wiegmann, 1836) at different temperature levels. <i>Toxicology and Industrial Health</i> , 2016 , 32, 7-14	1.8	9
66	Histopathological alterations in the gills of Nile tilapia exposed to carbofuran and multiwalled carbon nanotubes. <i>Ecotoxicology and Environmental Safety</i> , 2016 , 133, 481-8	7	26
65	Oxygen consumption and ammonia excretion of juvenile pink shrimp (<i>Farfantepenaeus paulensis</i>) in culture: temperature effects. <i>Marine and Freshwater Behaviour and Physiology</i> , 2016 , 49, 19-25	1.1	4
64	Ecotoxicological analysis during the removal of carbofuran in fungal bioaugmented matrices. <i>Chemosphere</i> , 2016 , 144, 864-71	8.4	22
63	The exotic species <i>Litopenaeus vannamei</i> (Boone, 1931) occurrence in Cananeia, Iguape and Ilha Comprida lagoon estuary complex. <i>Boletim Do Instituto De Pesca</i> , 2016 , 42, 479-485	1.5	2
62	Biologia populacional de <i>Callinectes ornatus</i> associada  pesca do camar-sete-barbas, rio S Francisco (Alagoas e Sergipe, Brasil). <i>Boletim Do Instituto De Pesca</i> , 2016 , 42, 449-456	1.5	3
61	Caracteriza da pesca e dos pescadores artesanais de camars Penaeidae em salina no municpio de Macau - Rio Grande do Norte. <i>Boletim Do Instituto De Pesca</i> , 2016 , 42, 465-478	1.5	2
60	Ciclos sazonais da carcinofauna capturada na pesca do camar-sete-barbas, <i>Xiphopenaeus kroyeri</i> no litoral de Santa Catarina. <i>Boletim Do Instituto De Pesca</i> , 2016 , 42, 648-661	1.5	9
59	QUALIDADE MICROBIOLGICA DE OSTRAS (<i>Crassostrea</i>) E DE GUAS COLETADAS EM CULTIVOS E EM BANCOS NATURAIS DE CANANA (SP). <i>Boletim Do Instituto De Pesca</i> , 2016 , 42, 134-144	1.5	2

58	Nitrite toxicity to <i>Litopenaeus schmitti</i> (Burkenroad, 1936, Crustacea) at different salinity levels. <i>Aquaculture Research</i> , 2016 , 47, 1260-1268	1.9	10
57	Histopathological Effects on Gills of Nile Tilapia (<i>Oreochromis niloticus</i> , Linnaeus, 1758) Exposed to Pb and Carbon Nanotubes. <i>Microscopy and Microanalysis</i> , 2016 , 22, 1162-1169	0.5	23
56	Ecotoxicological effects of carbofuran and oxidised multiwalled carbon nanotubes on the freshwater fish Nile tilapia: nanotubes enhance pesticide ecotoxicity. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 111, 131-7	7	48
55	Acute toxicity of ammonia in Pacu fish (<i>Piaractus mesopotamicus</i> , Holmberg, 1887) at different temperatures levels. <i>Aquaculture Research</i> , 2015 , 46, 565-571	1.9	38
54	Interlab study on nanotoxicology of representative graphene oxide. <i>Journal of Physics: Conference Series</i> , 2015 , 617, 012019	0.3	5
53	Trace elements concentrations in Buff-breasted Sandpiper sampled in Lagoa do Peixe National Park, Southern Brazil. <i>Brazilian Journal of Biology</i> , 2015 , 75, 932-5	1.5	6
52	Determinao de coliformes na gua e no tecido mole das ostras extradas em Canana, So Paulo, Brasil. <i>Engenharia Sanitaria E Ambiental</i> , 2015 , 20, 111-118	0.4	5
51	Effects of low salinity on juvenile pink shrimp <i>Farfantepenaeus paulensis</i> (Perez-Farfante 1967, Crustacea). <i>Marine and Freshwater Behaviour and Physiology</i> , 2014 , 47, 273-283	1.1	3
50	Effects of Lead in white shrimp (<i>Litopenaeus schmitti</i>) metabolism regarding salinity. <i>Mundo Da Saude</i> , 2014 , 38, 16-23	1.8	17
49	Presena de organoclorados em amostras de gua e ostras <i>Crassostrea</i> sp. do municpio de Cananeia-SP. <i>Mundo Da Saude</i> , 2014 , 38, 66-74	1.8	2
48	Concentraes do nitrognio amoniacal, nitrito e nitrato em guas de engorda de ostras no municpio de Cananeia-SP. <i>Mundo Da Saude</i> , 2014 , 38, 105-115	1.8	2
47	Densidade colimtrica das guas de extrativismo de ostras em relao aos fatores ambientais em Cananeia (SP). <i>Engenharia Sanitaria E Ambiental</i> , 2014 , 19, 165-171	0.4	3
46	Avaliao dos Impactos ambientais e socioeconmicos da aqicultura na regio estuarina-lagunar de Canana, So Paulo, Brasil. <i>Journal of Integrated Coastal Zone Management</i> , 2014 , 14, 385-398	1	4
45	Carbon nanotubes enhanced the lead toxicity on the freshwater fish. <i>Journal of Physics: Conference Series</i> , 2013 , 429, 012043	0.3	16
44	Flutuaes mensais na abundncia dos Charadriidae e Scolopacidae da praia da Ilha Comprida, So Paulo, Brasil. <i>Biota Neotropica</i> , 2013 , 13, 268-277		5
43	Coliform density in oyster culture waters and its relationship with environmental factors. <i>Pesquisa Agropecuaria Brasileira</i> , 2013 , 48, 833-840	1.8	7
42	Occurrence of <i>Stercorarius pomarinus</i> (Temminck, 1815, Charadriiformes: Stercorariidae) in the Canana estuary, southern coast of So Paulo State. <i>Biota Neotropica</i> , 2013 , 13, 353-355		2
41	Ictiofauna acompanhante na pesca artesanal do camaro sete-barbas (<i>Xiphopenaeus kroyeri</i>) no litoral sul do Brasil. <i>Biota Neotropica</i> , 2013 , 13, 165-175		12

40	Biologia e pesca do camarão sete-barbas nos estados nordestinos brasileiros onde não há regulamentação do período de defeso. <i>Boletim Do Instituto De Pesca</i> , 2013 , 39, 217-235	1.5	7
39	Distribuição espaço-temporal das capturas do camarão sete-barbas na Armação do Itapocoroy, Penha, SC. <i>Boletim Do Instituto De Pesca</i> , 2013 , 39, 237-250	1.5	2
38	Effects of cadmium and zinc on oxygen consumption and ammonia excretion of the sea-bob shrimp, according to the temperature. <i>Boletim Do Instituto De Pesca</i> , 2013 , 39, 299-309	1.5	9
37	Acute toxicity of ammonia on juvenile cobia (<i>Rachycentron canadum</i> , Linnaeus, 1766) according to the salinity. <i>Aquaculture International</i> , 2012 , 20, 373-382	2.6	14
36	Microbiological quality of cultivation water used for oysters marketed in Cananeia-SP, Brazil. <i>Mundo Da Saude</i> , 2012 , 36, 541-547	1.8	3
35	Estudo da toxicidade aguda e alterações metabólicas provocadas pela exposição do Cádmio sobre o peixe <i>Hyphessobrycon callistus</i> utilizado como indicador de saúde ambiental. <i>Mundo Da Saude</i> , 2012 , 36, 574-580	1.8	8
34	Efeito do chumbo em nível de oxigênio e amônia no camarão rosa (<i>Farfantepenaeus paulensis</i>) em relação à salinidade. <i>Mundo Da Saude</i> , 2012 , 36, 594-601	1.8	8
33	Análise da ocorrência de metais: Ni, Zn, Cu, Pb e Cd em ostras (<i>Crassostrea brasiliana</i>) e sedimentos coletados no Estuário de Cananeia-SP (Brasil). <i>Mundo Da Saude</i> , 2012 , 36, 635-652	1.8	7
32	A comparison of foraging between the South American and Cabot's Tern in southern Brazil. <i>Biota Neotropica</i> , 2011 , 11, 189-196		4
31	Effects of the organophosphate pesticide Folidol 600 on the freshwater fish, Nile Tilapia (<i>Oreochromis niloticus</i>). <i>Pesticide Biochemistry and Physiology</i> , 2011 , 99, 209-214	4.9	31
30	The use of oxygen consumption and ammonium excretion to evaluate the toxicity of cadmium on <i>Farfantepenaeus paulensis</i> with respect to salinity. <i>Chemosphere</i> , 2011 , 84, 9-16	8.4	31
29	The effects of different temperature and salinity levels on the acute toxicity of zinc in the Pink Shrimp (<i>Farfantepenaeus paulensis</i>). <i>Marine and Freshwater Behaviour and Physiology</i> , 2011 , 44, 251-263 ^{1.1}	1.1	21
28	Flutuações sazonal e diária das aves aquáticas no Saco da Fazenda, Itajaí-SC. <i>Mundo Da Saude</i> , 2011 , 35, 47-54	1.8	3
27	Variação sazonal de aves marinhas no baio do Arrozal, município de Cananeia-SP. <i>Mundo Da Saude</i> , 2011 , 35, 71-83	1.8	4
26	Determinação da toxicidade aguda de cloreto de amônia para uma espécie de peixe (<i>Hyphessobrycon callistus</i>) indicadora regional. <i>Mundo Da Saude</i> , 2011 , 35, 401-407	1.8	4
25	Reproductive biology of Cabot's Terns on Cardoso Island, Santa Catarina, Brazil. <i>Biota Neotropica</i> , 2011 , 11, 75-81		1
24	Bioecology of the crab, <i>Ucides cordatus</i> (Linnaeus, 1763), in Vitória Bay, Espírito Santo State, Brazil. <i>Brazilian Journal of Oceanography</i> , 2010 , 58, 153-163	1.8	22
23	Acute toxicity of ammonia in white shrimp (<i>Litopenaeus schmitti</i>) (Burkenroad, 1936, Crustacea) at different salinity levels. <i>Aquaculture</i> , 2010 , 306, 329-333	4.4	41

22	Assessment of trace metal levels in catfish (<i>Cathorops spixii</i>) from Sal River estuary, Aracaju, state of Sergipe, northeastern Brazil. <i>Water Environment Research</i> , 2010 , 82, 2301-5	2.8	7
21	Assessment of trace metal concentration in feathers of seabird (<i>Larus dominicanus</i>) sampled in the Florianópolis, SC, Brazilian coast. <i>Environmental Monitoring and Assessment</i> , 2010 , 169, 631-8	3.1	35
20	Concentration of heavy metals in tissues of green turtles (<i>Chelonia mydas</i>) sampled in the Cananã estuary, Brazil. <i>Brazilian Journal of Oceanography</i> , 2009 , 57, 243-248	1.8	27
19	Effect of 2,4-D herbicide (2,4-dichlorophenoxyacetic acid) on oxygen consumption and ammonium excretion of juveniles of <i>Geophagus brasiliensis</i> (Quoy & Gaimard, 1824) (Osteichthyes, Cichlidae). <i>Ecotoxicology</i> , 2009 , 18, 55-60	2.9	19
18	Effects of zinc and cadmium on oxygen consumption and ammonium excretion in pink shrimp (<i>Farfantepenaeus paulensis</i> , Pêz-Farfante, 1967, Crustacea). <i>Ecotoxicology</i> , 2009 , 18, 312-8	2.9	35
17	Occurrence of plastic particles in procellariiforms, south of São Paulo state (Brazil). <i>Brazilian Archives of Biology and Technology</i> , 2009 , 52, 341-348	1.8	18
16	Reprodução da ave piru-piru (<i>Haematopus palliatus</i> , Temminck 1820, Haematopodidae) no litoral sul do Estado de São Paulo, Brasil. <i>Biota Neotropica</i> , 2009 , 9, 285-288		5
15	Seasonal Abundance and Distribution of Larids at Ilha Comprida (São Paulo State, Brazil). <i>Journal of Coastal Research</i> , 2008 , 1, 70-78	0.6	3
14	Geospatial Analysis of Barrier Island Width of Two Segments of the Outer Banks, North Carolina, USA: Anthropogenic Curtailment of Natural Self-Sustaining Processes. <i>Journal of Coastal Research</i> , 2008 , 241, 70-83	0.6	18
13	Variação sazonal do gaivotão (<i>Larus dominicanus</i>) durante o ano de 2005 no estuário de Cananã-Iguape-Ilha Comprida, São Paulo, Brasil. <i>Biota Neotropica</i> , 2008 , 8, 97-102		4
12	The birds at Ilha Comprida beach (São Paulo State, Brazil): a multivariate approach. <i>Biota Neotropica</i> , 2008 , 8, 41-50		10
11	Biodiversidade das aves do manguezal da 13 de julho em Aracaju, Sergipe. <i>Mundo Da Saude</i> , 2008 , 32, 317-328	1.8	3
10	Diversidade da dieta e do comportamento do Gaivotão Antártico (<i>Larus dominicanus</i>) na Península Keller, Ilha Rei George, Shetland do Sul. <i>Mundo Da Saude</i> , 2008 , 32, 302-307	1.8	2
9	Use of metabolism and swimming activity to evaluate the sublethal toxicity of surfactant (LAS-C12) on <i>Mugil platanus</i> . <i>Brazilian Archives of Biology and Technology</i> , 2007 , 50, 101-112	1.8	18
8	Variação sazonal e abundância de <i>Rynchops niger</i> no estuário de Cananã-Iguape-Ilha Comprida, São Paulo. <i>Biota Neotropica</i> , 2007 , 7, 21-26		6
7	The use of active metabolism and swimming activity to evaluate the toxicity of dodecyl benzene sodium sulfonate (LAS-C12) on the <i>Mugil platanus</i> (Mullet) according to temperature and salinity. <i>Water Environment Research</i> , 2007 , 79, 707-19	2.8	12
6	Use of oxygen consumption and ammonium excretion to evaluate the sublethal toxicity of cadmium and zinc on <i>Litopenaeus schmitti</i> (Burkenroad, 1936, Crustacea). <i>Water Environment Research</i> , 2007 , 79, 641-6	2.8	31
5	Biodiversidade: ocorrência da espécie exótica <i>Litopenaeus Vannamei</i> (Boone, 1931) no complexo estuarino-lagunar de Cananã-Iguape-Ilha Comprida. <i>Mundo Da Saude</i> , 2006 , 30, 654-659	1.8	7

4	Distribution and Abundance of Charadriidae at Ilha Comprida, S Paulo State, Brazil. <i>Journal of Coastal Research</i> , 2005 , 212, e1-e10	0.6	11
3	USE OF METABOLISM TO EVALUATE THE SUBLETHAL TOXICITY OF MERCURY ON FARFANTEPANEUS BRASILIENSIS LARVAE (LATREILLE 1817, CRUSTACEAN). <i>Journal of Shellfish Research</i> , 2005 , 24, 1229-1233	1	24
2	The use of metabolism to evaluate the toxicity of dodecil benzen sodium sulfonate (LAS-C12) on the Mugil platanus (mullet) according to the temperature and salinity. <i>Journal of Experimental Marine Biology and Ecology</i> , 2002 , 277, 109-127	2.1	27
1	Effect of Fluoxetine Hydrochloride on Routine Metabolism of Lambari (Deuterodon iguape, Eigenmann, 1907) and Phantom Shrimp (Palaemon pandaliformis, Stimpson, 1871). <i>Brazilian Archives of Biology and Technology</i> , 64,	1.8	1