

Tianhong Cui

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5949788/tianhong-cui-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

194
papers

3,724
citations

33
h-index

54
g-index

239
ext. papers

4,261
ext. citations

4.7
avg, IF

5.68
L-index

#	Paper	IF	Citations
194	Micromachining of SrTiO ₃ steps for high-T _c step edge junction dc SQUIDs. <i>Journal of Micromechanics and Microengineering</i> , 2004 , 14, 1-5	2	292
193	Electrons dynamics control by shaping femtosecond laser pulses in micro/nanofabrication: modeling, method, measurement and application. <i>Light: Science and Applications</i> , 2018 , 7, 17134	16.7	180
192	All-polymer capacitor fabricated with inkjet printing technique. <i>Solid-State Electronics</i> , 2003 , 47, 1543-1548	4.8	124
191	An ultrasensitive and low-cost graphene sensor based on layer-by-layer nano self-assembly. <i>Applied Physics Letters</i> , 2011 , 98, 073116	3.4	121
190	Patterning of Layer-by-Layer Self-Assembled Multiple Types of Nanoparticle Thin Films by Lithographic Technique. <i>Nano Letters</i> , 2002 , 2, 1219-1222	11.5	115
189	Humidity sensitivity of multi-walled carbon nanotube networks deposited by dielectrophoresis. <i>Sensors</i> , 2009 , 9, 1714-21	3.8	104
188	Ultrathin Cantilevers Based on Polymer/Ceramic Nanocomposite Assembled through Layer-by-Layer Adsorption. <i>Nano Letters</i> , 2004 , 4, 823-825	11.5	99
187	Carbon nanotube-based transparent thin film acoustic actuators and sensors. <i>Sensors and Actuators A: Physical</i> , 2006 , 132, 626-631	3.9	92
186	All-polymer RC filter circuits fabricated with inkjet printing technology. <i>Solid-State Electronics</i> , 2003 , 47, 841-847	1.7	92
185	Low-cost, transparent, and flexible single-walled carbon nanotube nanocomposite based ion-sensitive field-effect transistors for pH/glucose sensing. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 2259-2264	11.8	80
184	Lithographic Approach to Pattern Self-Assembled Nanoparticle Multilayers. <i>Langmuir</i> , 2002 , 18, 6712-6715	4.5	67
183	Carbon nanotube electric immunoassay for the detection of swine influenza virus H1N1. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3482-7	11.8	65
182	Wireless LTCC-based capacitive pressure sensor for harsh environment. <i>Sensors and Actuators A: Physical</i> , 2013 , 197, 30-37	3.9	60
181	Fabrication of high-aspect-ratio polymer-based electrostatic comb drives using the hot embossing technique. <i>Journal of Micromechanics and Microengineering</i> , 2003 , 13, 430-435	2	59
180	Low-Voltage All-Polymer Field-Effect Transistor Fabricated Using an Inkjet Printing Technique. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1955-1959	4.8	58
179	Enhanced heat transfer of heat sink channels with micro pin fin roughened walls. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 92, 617-627	4.9	57
178	Towards intrinsic graphene biosensor: A label-free, suspended single crystalline graphene sensor for multiplex lung cancer tumor markers detection. <i>Biosensors and Bioelectronics</i> , 2015 , 72, 168-74	11.8	54

177	Fabrication and electrical characteristics of polymer-based Schottky diode. <i>Solid-State Electronics</i> , 2003 , 47, 691-694	1.7	54
176	Fabrication of carbon nanotube based transparent conductive thin films using layer-by-layer technology. <i>Surface and Coatings Technology</i> , 2008 , 202, 2002-2007	4.4	51
175	Ultra-sensitive suspended graphene nanocomposite cancer sensors with strong suppression of electrical noise. <i>Biosensors and Bioelectronics</i> , 2012 , 31, 105-9	11.8	50
174	Wettability conversion from superoleophobic to superhydrophilic on titania/single-walled carbon nanotube composite coatings. <i>Langmuir</i> , 2011 , 27, 9295-301	4	49
173	Bone formation on carbon nanotube composite. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 75-82	5.4	49
172	High frequency, large displacement, and low power consumption piezoelectric translational actuator based on an oval loop shell. <i>Sensors and Actuators A: Physical</i> , 2012 , 176, 99-109	3.9	47
171	A thin-film transistor based acetylcholine sensor using self-assembled carbon nanotubes and SiO ₂ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 981-987	8.5	47
170	A hybrid physical-chemical deposition process at ultra-low temperatures for high-performance perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 12436-12442	13	45
169	Characterization of layer-by-layer self-assembled carbon nanotube multilayer thin films. <i>Nanotechnology</i> , 2007 , 18, 145709	3.4	42
168	Graphene fixed-end beam arrays based on mechanical exfoliation. <i>Applied Physics Letters</i> , 2011 , 98, 253105	3.4	41
167	Graphene cantilever beams for nano switches. <i>Applied Physics Letters</i> , 2012 , 101, 093111	3.4	39
166	High-mobility transistors based on nanoassembled carbon nanotube semiconducting layer and SiO ₂ nanoparticle dielectric layer. <i>Applied Physics Letters</i> , 2006 , 89, 163512	3.4	39
165	Carbon nanotube based transparent conductive thin films. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 1939-44	1.3	37
164	Superhydrophilic surface modification of copper surfaces by Layer-by-Layer self-assembly and Liquid Phase Deposition of TiO ₂ thin film. <i>Journal of Colloid and Interface Science</i> , 2011 , 354, 1-6	9.3	36
163	Ion-sensitive field-effect transistor based pH sensors using nano self-assembled polyelectrolyte/nanoparticle multilayer films. <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 148-152	8.5	34
162	Laser photonic-reduction stamping for graphene-based micro-supercapacitors ultrafast fabrication. <i>Nature Communications</i> , 2020 , 11, 6185	17.4	34
161	pH-dependent conductance behaviors of layer-by-layer self-assembled carboxylated carbon nanotube multilayer thin-film sensors. <i>Journal of Vacuum Science & Technology B</i> , 2009 , 27, 842		33
160	Layer-by-Layer Self-Assembled Single-Walled Carbon Nanotubes Based Ion-Sensitive Conductometric Glucose Biosensors. <i>IEEE Sensors Journal</i> , 2009 , 9, 449-456	4	33

159	. <i>IEEE Sensors Journal</i> , 2009 , 9, 1308-1314	4	33
158	Carbon nanotube based sensors for the detection of viruses. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 67-74	8.5	32
157	Ultrafast optical response and ablation mechanisms of molybdenum disulfide under intense femtosecond laser irradiation. <i>Light: Science and Applications</i> , 2020 , 9, 80	16.7	31
156	Thermal stress analyses of multilayered films on substrates and cantilever beams for micro sensors and actuators. <i>Journal of Micromechanics and Microengineering</i> , 2006 , 16, 2509-2515	2	29
155	Fabrication and characterization of metal oxide semiconductor capacitor based on layer-by-layer self-assembled thin films. <i>Nanotechnology</i> , 2003 , 14, 453-457	3.4	27
154	Comparison of selective attachment and growth of smooth muscle cells on gelatin- and fibronectin-coated micropatterns. <i>Journal of Nanoscience and Nanotechnology</i> , 2005 , 5, 1809-15	1.3	25
153	Polymer-Based Rectifying Diodes on a Glass Substrate Fabricated by Ink-Jet Printing. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 289-292	4.8	25
152	Layer-by-layer self-assembly of single-walled carbon nanotubes with amine-functionalized weak polyelectrolytes for electrochemically tunable pH sensitivity. <i>Langmuir</i> , 2011 , 27, 3348-54	4	24
151	Well-aligned and suspended single-walled carbon nanotube film: Directed self-assembly, patterning, and characterization. <i>Applied Physics Letters</i> , 2009 , 94, 261903	3.4	24
150	Flexible and disposable immunosensors based on layer-by-layer self-assembled carbon nanotubes and biomolecules. <i>Sensors and Actuators A: Physical</i> , 2009 , 150, 280-285	3.9	24
149	FET fabricated by layer-by-layer nanoassembly. <i>IEEE Transactions on Electron Devices</i> , 2004 , 51, 503-506	2.9	23
148	Fabrication of highly homogeneous and controllable nanogratings on silicon via chemical etching-assisted femtosecond laser modification. <i>Nanophotonics</i> , 2019 , 8, 869-878	6.3	22
147	Enhancing heat transfer in air-cooled heat sinks using piezoelectrically-driven agitators and synthetic jets. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 68, 184-193	4.9	22
146	Sensitivity enhancement of a resonant mass sensor based on internal resonance. <i>Applied Physics Letters</i> , 2018 , 113, 223505	3.4	21
145	A self-pumping and self-breathing micro direct methanol fuel cell with polymer bipolar plates. <i>Journal of Power Sources</i> , 2011 , 196, 7533-7540	8.9	20
144	High-performance and low-cost ion sensitive sensor array based on self-assembled graphene. <i>Sensors and Actuators A: Physical</i> , 2012 , 177, 110-114	3.9	19
143	Acetylcholine biosensors based on layer-by-layer self-assembled polymer/nanoparticle ion-sensitive field-effect transistors. <i>Sensors and Actuators A: Physical</i> , 2007 , 136, 540-545	3.9	19
142	Flexible micro-sensors with self-assembled graphene on a polyolefin substrate for dopamine detection. <i>Biosensors and Bioelectronics</i> , 2020 , 167, 112473	11.8	19

141	Heat transfer enhancement of air-cooled heat sink channel using a piezoelectric synthetic jet array. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 143, 118484	4.9	18
140	Carbon nanotube thin film pH electrode for potentiometric enzymatic acetylcholine biosensing. <i>Microelectronic Engineering</i> , 2012 , 93, 39-42	2.5	18
139	TiO ₂ and shrink induced tunable nano self-assembled graphene composites for label free biosensors. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 337-342	8.5	17
138	Adhesion energy of few layer graphene characterized by atomic force microscope. <i>Sensors and Actuators A: Physical</i> , 2014 , 217, 56-61	3.9	17
137	Hot embossing at viscous state to enhance filling process for complex polymer structures. <i>Microsystem Technologies</i> , 2012 , 18, 257-265	1.7	17
136	Piezoelectric translational agitation for enhancing forced-convection channel-flow heat transfer. <i>International Journal of Heat and Mass Transfer</i> , 2012 , 55, 7398-7409	4.9	17
135	A High-Resolution Amperometric Acetylcholine Sensor Based on Nano-Assembled Carbon Nanotube and Acetylcholinesterase Thin Films. <i>Journal of Nano Research</i> , 2008 , 1, 1-9	1	17
134	Carbon nanotube micropatterns and cantilever arrays fabricated with layer-by-layer nano self-assembly. <i>Sensors and Actuators A: Physical</i> , 2007 , 136, 510-517	3.9	17
133	Field-effect transistors with layer-by-layer self-assembled nanoparticle thin films as channel and gate dielectric. <i>Applied Physics Letters</i> , 2005 , 87, 183105	3.4	17
132	Mixed-potential-type NO ₂ sensors based on stabilized zirconia and CeO ₂ -B ₂ O ₃ (B = Fe, Cr) binary nanocomposites sensing electrodes. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 793-804	8.5	16
131	A parametric study of heat transfer in an air-cooled heat sink enhanced by actuated plates. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 64, 792-801	4.9	16
130	Tunable mechanical properties of layer-by-layer self-assembled carbon nanotube/polymer nanocomposite membranes for M/NEMS. <i>Sensors and Actuators A: Physical</i> , 2012 , 185, 101-108	3.9	16
129	Hybrid superhydrophilic-superhydrophobic micro/nanostructures fabricated by femtosecond laser-induced forward transfer for sub-femtomolar Raman detection. <i>Microsystems and Nanoengineering</i> , 2019 , 5, 48	7.7	15
128	High-performance perovskite solar cells fabricated by vapor deposition with optimized PbI ₂ precursor films. <i>RSC Advances</i> , 2015 , 5, 95847-95853	3.7	15
127	Micro catalytic methane sensors based on 3D quartz structures with cone-shaped cavities etched by high-resolution abrasive sand blasting. <i>Sensors and Actuators A: Physical</i> , 2016 , 242, 9-17	3.9	15
126	A conductometric indium oxide semiconducting nanoparticle enzymatic biosensor array. <i>Sensors</i> , 2011 , 11, 9300-12	3.8	15
125	High performance mixed-potential-type Zirconia-based NO ₂ sensor with self-organizing surface structures fabricated by low energy ion beam etching. <i>Sensors and Actuators B: Chemical</i> , 2018 , 263, 445-451	8.5	14
124	Single-crystalline monolayer and multilayer graphene nano switches. <i>Applied Physics Letters</i> , 2014 , 104, 113110	3.4	14

123	Suspended Graphene Nanoribbon Ion-Sensitive Field-Effect Transistors Formed by Shrink Lithography for pH/Cancer Biomarker Sensing. <i>Journal of Microelectromechanical Systems</i> , 2013 , 22, 1140-1146 ²⁻⁵ 146 ¹⁴		
122	Theoretical analysis of the sensing and actuating effects of piezoelectric multimorph cantilevers. <i>Microsystem Technologies</i> , 2006 , 12, 335-342	1.7	14
121	Multifunctional 3D Micro-Nanostructures Fabricated through Temporally Shaped Femtosecond Laser Processing for Preventing Thrombosis and Bacterial Infection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17155-17166	9.5	13
120	Planar structured perovskite solar cells by hybrid physical chemical vapor deposition with optimized perovskite film thickness. <i>Japanese Journal of Applied Physics</i> , 2018 , 57, 052301	1.4	12
119	A polymer-based bidirectional micropump driven by a PZT bimorph. <i>Microsystem Technologies</i> , 2011 , 17, 403-409	1.7	12
118	Electrical and electromechanical characteristics of self-assembled carbon nanotube thin films on flexible substrates. <i>Sensors and Actuators A: Physical</i> , 2008 , 145-146, 330-335	3.9	12
117	Heat transfer augmentation of a channel flow by active agitation and surface mounted cylindrical pin fins. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 87, 557-567	4.9	11
116	Self-assembled graphene and copper nanoparticles composite sensor for nitrate determination. <i>Microsystem Technologies</i> , 2018 , 24, 3623-3630	1.7	11
115	High-frequency translational agitation with micro pin-fin surfaces for enhancing heat transfer of forced convection. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 94, 354-365	4.9	11
114	Polymer shrinkage of hot embossed microstructures for higher aspect ratio and smaller size. <i>Sensors and Actuators A: Physical</i> , 2013 , 195, 21-26	3.9	11
113	Molybdenum disulfide dc contact MEMS shunt switch. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 045026	2	11
112	Suspended carbon nanotube nanocomposite beams with a high mechanical strength via layer-by-layer nano-self-assembly. <i>Nanotechnology</i> , 2011 , 22, 165601	3.4	11
111	Active Control of Sound Transmission Through Windows With Carbon Nanotube-Based Transparent Actuators. <i>IEEE Transactions on Control Systems Technology</i> , 2007 , 15, 704-714	4.8	11
110	Piezoelectric thin films formed by MOD on cantilever beams for micro sensors and actuators. <i>Microsystem Technologies</i> , 2004 , 10, 137-141	1.7	11
109	Ultrasensitive micro ion selective sensor arrays for multiplex heavy metal ions detection. <i>Microsystem Technologies</i> , 2019 , 25, 845-849	1.7	11
108	Shrink induced nanostructures for energy conversion efficiency enhancement in photovoltaic devices. <i>Applied Physics Letters</i> , 2013 , 103, 023104	3.4	9
107	Fabrication of polymer via holes by a combination of hot embossing and indentation processes. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 045032	2	9
106	Fabrication of 3-D gelatin-patterned glass substrates with layer-by-layer and lift-off (LbL-LO) technology. <i>IEEE Nanotechnology Magazine</i> , 2004 , 3, 115-123	2.6	9

105	Recent Progress of Biomarker Detection Sensors. <i>Research</i> , 2020 , 2020, 7949037	7.8	9
104	Active heat sink with piezoelectric translational agitators, piezoelectric synthetic jets, and micro pin fin arrays. <i>Experimental Thermal and Fluid Science</i> , 2018 , 99, 190-199	3	8
103	Thin-film transistors with controllable mobilities based on layer-by-layer self-assembled carbon nanotube composites. <i>Solid-State Electronics</i> , 2009 , 53, 1050-1055	1.7	8
102	Raman spectrum method for characterization of pull-in voltages of graphene capacitive shunt switches. <i>Applied Physics Letters</i> , 2012 , 101, 263103	3.4	8
101	Polymer-based wide-bandwidth and high-sensitivity micromachined electron tunneling accelerometers using hot embossing. <i>Journal of Microelectromechanical Systems</i> , 2005 , 14, 895-902	2.5	8
100	Suspended and highly aligned carbon nanotube thin-film structures using open microfluidic channel template. <i>Sensors and Actuators A: Physical</i> , 2012 , 188, 434-441	3.9	7
99	A role of silica nanoparticles in layer-by-layer self-assembled carbon nanotube and In ₂ O ₃ nanoparticle thin-film pH sensors: Tunable sensitivity and linearity. <i>Sensors and Actuators A: Physical</i> , 2012 , 188, 203-211	3.9	7
98	Low-cost shrink lithography with sub-22 nm resolution. <i>Applied Physics Letters</i> , 2012 , 100, 133113	3.4	7
97	A pure single-walled carbon nanotube thin film based three-terminal microelectromechanical switch. <i>Applied Physics Letters</i> , 2011 , 98, 073502	3.4	7
96	Femtosecond Laser Induced Phase Transformation of TiO with Exposed Reactive Facets for Improved Photoelectrochemistry Performance. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 41250-41258	9.5	7
95	Nafion coated flexible bismuth sensor for trace lead and cadmium determination. <i>Microsystem Technologies</i> , 2018 , 24, 3697-3704	1.7	6
94	Convective Heat Transfer Enhancement on a Channel Wall With a High Frequency, Oscillating Agitator 2011 ,		6
93	Modeling and design of polymer-based tunneling accelerometers by ANSYS/MATLAB. <i>IEEE/ASME Transactions on Mechatronics</i> , 2005 , 10, 468-472	5.5	6
92	Numerical simulation and analysis of hybrid physical-chemical vapor deposition to grow uniform perovskite MAPbI ₃ . <i>Journal of Applied Physics</i> , 2017 , 121, 144903	2.5	5
91	The effects of hydride chemistry, particle size, and void fraction on micro fuel cell performance. <i>Journal of Power Sources</i> , 2013 , 243, 562-568	8.9	5
90	Micro fuel cell utilizing fuel cell water recovery and pneumatic valve. <i>Journal of Power Sources</i> , 2013 , 240, 1-7	8.9	5
89	Thermally enhanced single-walled carbon nanotube microfluidic alignment. <i>Microelectronic Engineering</i> , 2011 , 88, 2919-2923	2.5	5
88	Tunable wetting properties of patterned silicon microchannels with varied surface free energy based on layer-by-layer nano self-assembly. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 045015	2	5

87	An Active Heat Sink System With Piezoelectric Translational Agitators and Micro Pin Fin Arrays 2012,		5
86	Design, simulation, fabrication, and characterization of a PMMA tunneling sensor based on hot embossing technique. <i>Microsystem Technologies</i> , 2005 , 11, 452-455	1.7	5
85	Glucose Biosensors Based on Layer-by-Layer Nano Self-Assembled Ion-Sensitive Field-Effect Transistors. <i>Sensor Letters</i> , 2006 , 4, 241-245	0.9	5
84	Micro Tactile Sensors with a Suspended and Oriented Single Walled Carbon Nanotube Beam Embedded in Polydimethylsiloxane Elastomer. <i>Sensor Letters</i> , 2010 , 8, 639-644	0.9	5
83	A highly sensitive photoelectrochemical sensor with polarity-switchable photocurrent for detection of trace hexavalent chromium. <i>Sensors and Actuators B: Chemical</i> , 2020 , 317, 128181	8.5	5
82	Interdiffusion Stomatal Movement in Efficient Multiple-Cation-Based Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35105-35112	9.5	5
81	Shrink-Induced Microelectrode Arrays for Trace Mercury Ions Detection. <i>IEEE Sensors Journal</i> , 2019 , 19, 2435-2441	4	4
80	Flexible Mixed-Potential-Type (MPT) NO ₂ Sensor Based on An Ultra-Thin Ceramic Film. <i>Sensors</i> , 2017 , 17,	3.8	4
79	2017,		4
78	Enhancing Heat Transfer of Air-Cooled Heat Sinks Using Piezoelectrically-Driven Agitators and Synthetic Jets 2011,		4
77	An electric detection of immunoglobulin G in the enzyme-linked immunosorbent assay using an indium oxide nanoparticle ion-sensitive field-effect transistor. <i>Journal of Micromechanics and Microengineering</i> , 2012 , 22, 015009	2	4
76	Convective Heat Transfer Enhancement With Micro Pin-Fin Surfaces Cooled by a Piezoelectrically-Driven Translational Agitator 2012,		4
75	Deposition and characterization of Pb(Zr,Ti)O ₃ /gel thin films for piezoelectric cantilever beams. <i>Smart Materials and Structures</i> , 2007 , 16, 93-99	3.4	4
74	Silica nanowires fabricated with layer-by-layer self-assembled nanoparticles. <i>Journal of Nanoscience and Nanotechnology</i> , 2006 , 6, 1019-23	1.3	4
73	Power consumption analysis of surface acoustic wave sensor systems using ANSYS and PSPICE. <i>Microsystem Technologies</i> , 2006 , 13, 97-101	1.7	4
72	A quartz-based micro catalytic methane sensor by high resolution screen printing. <i>Journal of Micromechanics and Microengineering</i> , 2016 , 26, 025021	2	4
71	Ion sensitive field effect transistor based on graphene and ionophore hybrid membrane for phosphate detection. <i>Microsystem Technologies</i> , 2019 , 25, 3357-3364	1.7	4
70	Shrink-induced ultrasensitive mercury sensor with graphene and gold nanoparticles self-assembly. <i>Microsystem Technologies</i> , 2019 , 25, 11-17	1.7	4

69	An experimental study on the effects of agitation on convective heat transfer. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 90, 302-313	4.9	3
68	A vibrating membrane working electrode for highly sensitive anodic stripping voltammetry. <i>Sensors and Actuators B: Chemical</i> , 2020 , 311, 127948	8.5	3
67	Control of PbI ₂ nucleation and crystallization: towards efficient perovskite solar cells based on vapor-assisted solution process. <i>Materials Research Express</i> , 2018 , 5, 045507	1.7	3
66	Terahertz wave manipulation through coupling of spoof plasmonics and Fabry-Pérot resonance. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 405101	3	3
65	Wafer-size free-standing single-crystalline graphene device arrays. <i>Applied Physics Letters</i> , 2014 , 105, 083118	3.4	3
64	A low-cost and label-free alpha-fetoprotein sensor based on self-assembled graphene on shrink polymer 2015 ,		3
63	Microfabrication of short pin fins on heat sink surfaces to augment heat transfer performance 2012 ,		3
62	Tunable shrink induced graphene composites for chemical sensors and microfluidics 2012 ,		3
61	A Polymeric Piezoelectric Synthetic Jet for Electronic Cooling 2011 ,		3
60	Aligned dense single-walled carbon nanotube beams and cantilevers for nanoelectromechanical systems applications. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010 , 28, 522-526	1.3	3
59	Characterization of carbon nanotube nanoswitches with gigahertz resonance frequency and low pull-in voltages using electrostatic force microscopy. <i>Journal of Micromechanics and Microengineering</i> , 2010 , 20, 105016	2	3
58	A flexible tri-axis contact force sensor for tubular medical device applications. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 035004	2	3
57	Polymer magnetic microactuators fabricated with hot embossing and layer-by-layer nano self-assembly. <i>Journal of Nanoscience and Nanotechnology</i> , 2007 , 7, 2647-53	1.3	3
56	Fabrication and characterization of polymeric p-channel junction FETs. <i>IEEE Transactions on Electron Devices</i> , 2004 , 51, 389-393	2.9	3
55	Self-Assembled Carbon Nanotube Multilayer Resistors and Nanotube/Nanoparticle Thin-Film Transistors as pH Sensors. <i>Sensor Letters</i> , 2008 , 6, 675-681	0.9	3
54	Progress of shrink polymer micro- and nanomanufacturing. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 88	7.7	3
53	An experimental and numerical study on heat transfer enhancement of a heat sink fin by synthetic jet impingement. <i>Heat and Mass Transfer</i> , 2021 , 57, 583-593	2.2	3
52	Single-crystalline graphene radio-frequency nanoswitches. <i>Journal of Micromechanics and Microengineering</i> , 2015 , 25, 075022	2	2

51	RF nano switch based on single crystalline graphene 2015 ,		2
50	Trace Determination of Arsenite With an Ionophore-Coated Selective Micro Sensor. <i>IEEE Sensors Journal</i> , 2018 , 18, 4364-4371	4	2
49	Simulation study of extraordinary optical transmission induced by sub-wavelength nanopore arrays towards label-free biochemical analysis 2013 ,		2
48	Application of shrink induced three-dimensional structures to biosensor systems integrated with flexible solar cells 2013 ,		2
47	Shrink-induced graphene sensor for alpha-fetoprotein detection with low-cost self-assembly and label-free assay. <i>Frontiers of Mechanical Engineering</i> , 2017 , 12, 574-580	3-3	2
46	High Crystalline Quality Perovskite Thin Films Prepared by a Novel Hybrid Evaporation/CVD Technique. <i>Materials Research Society Symposia Proceedings</i> , 2015 , 1771, 187-192		2
45	An Experimental Study on the Effects of Agitation in Generating Flow Unsteadiness and Enhancing Convective Heat Transfer 2012 ,		2
44	Heat Transfer Enhancement of a Heat Sink by Inclined Synthetic Jets for Electronics Cooling 2013 ,		2
43	Comparison of Heat Transfer Enhancement by Actuated Plates in Heat-Sink Channels 2012 ,		2
42	Piezoelectric Microcantilevers with Two PZT Thin-Film Elements for Microsensors and Microactuators 2006 ,		2
41	Stress and Deformation of Pzt Thin Film on Silicon Wafer Due to Thermal Expansion. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 574, 107		2
40	Numerical Simulation of Vapor Deposition Process of Perovskite Solar Cells: The Influence of Methylammonium Iodide Vapor Flow to Perovskite Growth. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2021 , 143,	2.3	2
39	Flexible Electrochemical Sensor With Graphene and Gold Nanoparticles to Detect Dopamine and Uric Acid. <i>IEEE Sensors Journal</i> , 2021 , 1-1	4	2
38	Solution-gated nitrate sensitive field effect transistor with hybrid film: CVD graphene/polymer selective membrane. <i>Organic Electronics</i> , 2020 , 78, 105551	3.5	2
37	Graphene-Based Ion Sensitive-FET Sensor With Porous Anodic Aluminum Oxide Substrate for Nitrate Detection. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 966-971	2.5	2
36	Shrink-Induced Highly Sensitive Dopamine Sensor Based On Self-Assembly Graphene on Microelectrode 2019 ,		1
35	Highly selective sensor for trace arsenite determination using anodic stripping voltammetry 2016 ,		1
34	Controllable fabrication and electromechanical characterization of electrophoresis assembled single-walled carbon nanotube-polymer film transducers. <i>Microsystem Technologies</i> , 2013 , 19, 1041-1047 ^{1.7}		1

33	Micro catalytic methane sensor on bulk quartz substrate 2015,	1
32	Development of Synthetic Jet Arrays for Heat Transfer Enhancement in Air-Cooled Heat Sinks for Electronics Cooling 2012,	1
31	Noise Measurements and Reduction for High-Frequency Vibrating Devices in the Application of Cooling Electronics 2012,	1
30	Effects of Channel Aspect Ratio on Convective Heat Transfer in an Electronics Cooling Heat Sink Having Agitation and Fan-Induced Throughflow 2013,	1
29	Low-Cost Chemical Sensors Based on Shrink Polymer Microfluidics 2013,	1
28	Tunable mechanical properties of self-assembled SWNT/polymer nanocomposite films for MEMS 2011,	1
27	High-performance and low-cost ion sensitive sensor array based on self-assembled graphene 2011,	1
26	An Experimental Study on the Effects of Agitation on Forced-Convection Heat Transfer 2011,	1
25	High-performance surface-tension-driven capillary pumping based on layer-by-layer self assembly of TiO ₂ nanoparticles 2011,	1
24	A Computational Study of Active Heat Transfer Enhancement of Air-Cooled Heat Sinks by Actuated Plates 2011,	1
23	Fluid Damping and Power Consumption of Active Devices Used in Cooling Electronics 2012,	1
22	A 1.6 GHz NEMS actuator built from carbon nanotube layer by layer composite films 2009,	1
21	Functional 1.6 GHz MEMS switch using aligned composite CNT membrane by dielectrophoretic self-assembly 2009,	1
20	. <i>IEEE Sensors Journal</i> , 2006 , 6, 97-105	4 1
19	A high-resolution amperometric acetylcholine biosensor based on nano self-assembly of carbon nanotubes 2007,	1
18	Electrical and Electromechanical Characteristics of Nanoassembled Carbon Nanotube Thin Film Resistors on Flexible Substrates 2007,	1
17	Fabrication of Integrated Pressure-Flow-Temperature Sensor for Hydraulic Systems 2006,	1
16	Integrated Pressure-Flow-Temperature Sensor for Hydraulic Systems 2005,	1

15	Implantable Microelectrode Arrays for Epileptiform Electrical Signals Detection in the Awake Epileptic Mice 2019 ,		1
14	A Circular Vibrating Electrode with Enhanced Mass Transfer for High-Performance Electrochemical Sensors 2021 ,		1
13	A Fluidic Diode and Its Application to a Valveless Micropump 2021 ,		1
12	Simulation on biomarker sensor miniaturization based on metamaterial. <i>Modern Physics Letters B</i> , 2019 , 33, 1950135	1.6	0
11	Layer-by-Layer Nano Self-Assembly of pH Sensors Based on Polyelectrolytes and Carboxylated Carbon Nanotubes. <i>ECS Transactions</i> , 2009 , 16, 3-9	1	0
10	Simulation and Experiments on a Valveless Micropump With Fluidic Diodes Based on Topology Optimization. <i>Journal of Microelectromechanical Systems</i> , 2021 , 1-6	2.5	0
9	Vibrating an air bubble to enhance mass transfer for an ultra-sensitive electrochemical sensor. <i>Sensors and Actuators B: Chemical</i> , 2022 , 354, 131218	8.5	0
8	Graphene-based temperature sensors suspended by anodic aluminum oxide. <i>Journal of Chemical Physics</i> , 2020 , 153, 084701	3.9	0
7	A Non-Enzymatic Electrochemical Sensor Using a Wrinkled Gold Film on Shrink Polymer. <i>IEEE Sensors Journal</i> , 2021 , 21, 5711-5719	4	0
6	Enhanced photocatalytic efficiency by layer-by-layer self-assembly of graphene and titanium dioxide on shrink thermoplastic film. <i>Microsystem Technologies</i> , 2020 , 26, 3793-3798	1.7	
5	Photocurrent amplification of graphene intercalation with titanium dioxide in photoelectrochemical devices. <i>Sensors and Actuators A: Physical</i> , 2020 , 305, 111906	3.9	
4	Enhanced wetting properties of silicon mesh microchannels coated with SiO ₂ /SnO ₂ nanoparticles through layer-by-layer self assembly. <i>Sensors and Actuators B: Chemical</i> , 2011 , 157, 697-702	8.5	
3	Nano self-assembly for MEMS and microelectronics applications 2006 , 6032, 9		
2	Organic field-effect transistors containing a SiO ₂ nanoparticle thin film as the gate dielectric. <i>Journal of Nanoscience and Nanotechnology</i> , 2003 , 3, 526-8	1.3	
1	Broadband plasmonic-enhanced forward and backward multiplex coherent anti-Stokes Raman scattering microscopy. <i>Optical Engineering</i> , 2018 , 57, 1	1.1	