

Mahdi Tavakoli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5950022/mahdi-tavakoli-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

234
papers

3,026
citations

27
h-index

43
g-index

263
ext. papers

3,850
ext. citations

3.4
avg, IF

6.03
L-index

#	Paper	IF	Citations
234	Nonlinear disturbance observer design for robotic manipulators. <i>Control Engineering Practice</i> , 2013 , 21, 253-267	3.9	241
233	Robotics, Smart Wearable Technologies, and Autonomous Intelligent Systems for Healthcare During the COVID-19 Pandemic: An Analysis of the State of the Art and Future Vision. <i>Advanced Intelligent Systems</i> , 2020 , 2, 2000071	6	113
232	High-fidelity bilateral teleoperation systems and the effect of multimodal haptics. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2007 , 37, 1512-28		97
231	Disturbance observer-based control of non-linear haptic teleoperation systems. <i>IET Control Theory and Applications</i> , 2011 , 5, 2063-2074	2.5	78
230	Transparent Time-Delayed Bilateral Teleoperation Using Wave Variables. <i>IEEE Transactions on Control Systems Technology</i> , 2008 , 16, 548-555	4.8	75
229	Issues in closed-loop needle steering. <i>Control Engineering Practice</i> , 2017 , 62, 55-69	3.9	59
228	Teleoperation in the presence of varying time delays and sandwich linearity in actuators. <i>Automatica</i> , 2013 , 49, 2813-2821	5.7	55
227	Methods and mechanisms for contact feedback in a robot-assisted minimally invasive environment. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006 , 20, 1570-9	5.2	51
226	Adaptive control of uncertain nonlinear teleoperation systems. <i>Mechatronics</i> , 2014 , 24, 66-78	3	47
225	Sliding-mode bilateral teleoperation control design for master-slave pneumatic servo systems. <i>Control Engineering Practice</i> , 2012 , 20, 584-597	3.9	42
224	Haptic Effects of Surgical Teleoperator Flexibility. <i>International Journal of Robotics Research</i> , 2009 , 28, 1289-1302	5.7	42
223	Improved tracking and switching performance of an electro-pneumatic positioning system. <i>Mechatronics</i> , 2012 , 22, 1-12	3	41
222	Smith predictor-based robot control for ultrasound-guided teleoperated beating-heart surgery. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014 , 18, 157-66	7.2	41
221	A haptic interface for computer-integrated endoscopic surgery and training. <i>Virtual Reality</i> , 2006 , 9, 160-176	4.76	40
220	. <i>IEEE Control Systems</i> , 2017 , 37, 50-72	2.9	36
219	A Passivity-Based Approach for Stable Patient-Robot Interaction in Haptics-Enabled Rehabilitation Systems: Modulated Time-Domain Passivity Control. <i>IEEE Transactions on Control Systems Technology</i> , 2017 , 25, 991-1006	4.8	36
218	Position and force tracking in nonlinear teleoperation systems under varying delays. <i>Robotica</i> , 2015 , 33, 1003-1016	2.1	35

217	A Two-Body Rigid/Flexible Model of Needle Steering Dynamics in Soft Tissue. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 2352-2364	5.5	35
216	Stability and performance in delayed bilateral teleoperation: Theory and experiments. <i>Control Engineering Practice</i> , 2008 , 16, 1329-1343	3.9	34
215	Robotics-Assisted Mirror Rehabilitation Therapy: A Therapist-in-the-Loop Assist-as-Needed Architecture. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 1954-1965	5.5	34
214	Nonlinear Discontinuous Dynamics Averaging and PWM-Based Sliding Control of Solenoid-Valve Pneumatic Actuators. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015 , 20, 876-888	5.5	33
213	Mechanics of Tissue Cutting During Needle Insertion in Biological Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 800-807	4.2	32
212	A Descriptor Approach to Robust Leader-Following Output Consensus of Uncertain Multi-Agent Systems With Delay. <i>IEEE Transactions on Automatic Control</i> , 2017 , 62, 5310-5317	5.9	31
211	A mechanics-based model for simulation and control of flexible needle insertion in soft tissue 2015 ,		29
210	Kinematic Bilateral Teledriving of Wheeled Mobile Robots Coupled With Slippage. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 2147-2157	8.9	29
209	Absolute stability analysis of sampled-data scaled bilateral teleoperation systems. <i>Control Engineering Practice</i> , 2013 , 21, 1053-1064	3.9	28
208	Is the human operator in a teleoperation system passive? 2013 ,		28
207	Cooperative modalities in robotic tele-rehabilitation using nonlinear bilateral impedance control. <i>Control Engineering Practice</i> , 2017 , 67, 52-63	3.9	27
206	Ultrasound-Guided Model Predictive Control of Needle Steering in Biological Tissue. <i>Journal of Medical Robotics Research</i> , 2016 , 01, 1640007	1.1	26
205	Introduction to haptics for neurosurgeons. <i>Neurosurgery</i> , 2013 , 72 Suppl 1, 139-53	3.2	25
204	Discrete-time bilateral teleoperation: modelling and stability analysis. <i>IET Control Theory and Applications</i> , 2008 , 2, 496-512	2.5	25
203	Nonlinear trilateral teleoperation stability analysis subjected to time-varying delays. <i>Control Engineering Practice</i> , 2016 , 56, 123-135	3.9	24
202	Haptic Tele-Driving of Wheeled Mobile Robots Under Nonideal Wheel Rolling, Kinematic Control and Communication Time Delay. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2020 , 50, 336-347	7.3	24
201	A Hand-Held Assistant for Semiautomated Percutaneous Needle Steering. <i>IEEE Transactions on Biomedical Engineering</i> , 2017 , 64, 637-648	5	22
200	Robotic assistance for children with cerebral palsy based on learning from tele-cooperative demonstration. <i>International Journal of Intelligent Robotics and Applications</i> , 2017 , 1, 43-54	1.7	22

199	Multiactuator Haptic Feedback on the Wrist for Needle Steering Guidance in Brachytherapy. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 852-859	4.2	22
198	Performance Analysis of a Haptic Telemanipulation Task under Time Delay. <i>Advanced Robotics</i> , 2011 , 25, 651-673	1.7	22
197	. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2016 , 10, 888-903	7.5	22
196	Position-Force Domain Passivity of the Human Arm in Telerobotic Systems. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018 , 23, 552-562	5.5	21
195	Generalized Predictive Control of a Surgical Robot for Beating-Heart Surgery Under Delayed and Slowly-Sampled Ultrasound Image Data. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 892-899	4.2	21
194	Adaptive Inverse Dynamics Four-Channel Control of Uncertain Nonlinear Teleoperation Systems. <i>Advanced Robotics</i> , 2011 , 25, 1729-1750	1.7	21
193	A grasp-based passivity signature for haptics-enabled human-robot interaction: Application to design of a new safety mechanism for robotic rehabilitation. <i>International Journal of Robotics Research</i> , 2017 , 36, 778-799	5.7	20
192	Application of a Redundant Haptic Interface in Enhancing Soft-Tissue Stiffness Discrimination. <i>IEEE Robotics and Automation Letters</i> , 2019 , 4, 1037-1044	4.2	19
191	. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018 , 23, 563-574	5.5	19
190	Adaptive Quasi-Static Modelling of Needle Deflection During Steering in Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 916-923	4.2	19
189	Bilateral Control of Nonlinear Pneumatic Teleoperation System With Solenoid Valves. <i>IEEE Transactions on Control Systems Technology</i> , 2013 , 21, 1463-1470	4.8	19
188	Measuring the dynamic impedance of the human arm without a force sensor. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2013 , 2013, 6650349	1.3	19
187	Adaptive Control for State Synchronization of Nonlinear Haptic Telerobotic Systems with Asymmetric Varying Time Delays. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2012 , 68, 245-259	2.9	18
186	Force-Sensor-Based Estimation of Needle Tip Deflection in Brachytherapy. <i>Journal of Sensors</i> , 2013 , 2013, 1-10	2	18
185	Robotics and AI for Teleoperation, Tele-Assessment, and Tele-Training for Surgery in the Era of COVID-19: Existing Challenges, and Future Vision. <i>Frontiers in Robotics and AI</i> , 2021 , 8, 610677	2.8	18
184	Impedance control of non-linear multi-DOF teleoperation systems with time delay: absolute stability. <i>IET Control Theory and Applications</i> , 2018 , 12, 1722-1729	2.5	17
183	Multi-sensory force/deformation cues for stiffness characterization in soft-tissue palpation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 837-40		17
182	Three-Dimensional Needle Shape Estimation in TRUS-Guided Prostate Brachytherapy Using 2-D Ultrasound Images. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2016 , 20, 1621-1631	7.2	16

181	Beating-heart robotic surgery using bilateral impedance control: Theory and experiments. <i>Biomedical Signal Processing and Control</i> , 2018 , 45, 256-266	4.9	16
180	. <i>IEEE Transactions on Control Systems Technology</i> , 2014 , 22, 2319-2328	4.8	16
179	A passivity criterion for N-port multilateral haptic systems 2010 ,		16
178	A Therapist-Taught Robotic System for Assistance During Gait Therapy Targeting Foot Drop. <i>IEEE Robotics and Automation Letters</i> , 2019 , 4, 407-413	4.2	16
177	Sliding-based image-guided 3D needle steering in soft tissue. <i>Control Engineering Practice</i> , 2017 , 63, 34-43	4.3	15
176	A data-driven soft sensor for needle deflection in heterogeneous tissue using just-in-time modelling. <i>Medical and Biological Engineering and Computing</i> , 2017 , 55, 1401-1414	3.1	15
175	Haptics to improve task performance in people with disabilities: A review of previous studies and a guide to future research with children with disabilities. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2016 , 3, 2055668316668147	1.7	15
174	Sliding-Based Switching Control for Image-Guided Needle Steering in Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 860-867	4.2	15
173	3D shape visualization of curved needles in tissue from 2D ultrasound images using RANSAC 2015 ,		15
172	Nonlinear adaptive bilateral control of teleoperation systems with uncertain dynamics and kinematics 2010 ,		15
171	Enhanced Transparency in Haptics-Based Master-Slave Systems. <i>Proceedings of the American Control Conference</i> , 2007 ,	1.2	15
170	Needle Tracking and Deflection Prediction for Robot-Assisted Needle Insertion Using 2D Ultrasound Images. <i>Journal of Medical Robotics Research</i> , 2016 , 01, 1640001	1.1	14
169	Stable kinematic teleoperation of wheeled mobile robots with slippage using time-domain passivity control. <i>Mechatronics</i> , 2016 , 39, 196-203	3	14
168	Physiological Organ Motion Prediction and Compensation Based on Multirate, Delayed, and Unregistered Measurements in Robot-Assisted Surgery and Therapy. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 900-911	5.5	13
167	Tele-echography of moving organs using an Impedance-controlled telerobotic system. <i>Mechatronics</i> , 2017 , 45, 60-70	3	13
166	Passivity and Absolute Stability Analyses of Trilateral Haptic Collaborative Systems. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2015 , 78, 3-20	2.9	13
165	A Real-Time Estimator for Needle Deflection During Insertion Into Soft Tissue Based on Adaptive Modeling of Needle-tissue Interactions. <i>IEEE/ASME Transactions on Mechatronics</i> , 2016 , 21, 2601-2612	5.5	13
164	A Gaussian Mixture Framework for Co-Operative Rehabilitation Therapy in Assistive Impedance-Based Tasks. <i>IEEE Journal on Selected Topics in Signal Processing</i> , 2016 , 10, 904-913	7.5	13

163	Bilateral control of a teleoperator for soft tissue palpation: design and experiments		13
162	Ultrasound image guidance and robot impedance control for beating-heart surgery. <i>Control Engineering Practice</i> , 2018 , 81, 9-17	3.9	13
161	Bilateral teleoperation system stability with non-passive and strictly passive operator or environment. <i>Control Engineering Practice</i> , 2015 , 40, 45-60	3.9	12
160	Intelligent Robotics Incorporating Machine Learning Algorithms for Improving Functional Capacity Evaluation and Occupational Rehabilitation. <i>Journal of Occupational Rehabilitation</i> , 2020 , 30, 362-370	3.6	12
159	Robotic-Assisted Needle Steering Around Anatomical Obstacles Using Notched Steerable Needles. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2018 , 22, 1917-1928	7.2	12
158	Estimating needle tip deflection in biological tissue from a single transverse ultrasound image: application to brachytherapy. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2016 , 11, 1347-59	3.9	12
157	Kinematic bilateral teleoperation of wheeled mobile robots subject to longitudinal slippage. <i>IET Control Theory and Applications</i> , 2016 , 10, 111-118	2.5	12
156	A passivity criterion for sampled-data bilateral teleoperation systems. <i>IEEE Transactions on Haptics</i> , 2013 , 6, 363-9	2.7	12
155	Impedance Variation and Learning Strategies in Human-Robot Interaction. <i>IEEE Transactions on Cybernetics</i> , 2021 , PP,	10.2	12
154	Effects of latency on telesurgery: an experimental study. <i>Lecture Notes in Computer Science</i> , 2005 , 8, 57-64	0.9	12
153	Switched-Impedance Control of Surgical Robots in Teleoperated Beating-Heart Surgery. <i>Journal of Medical Robotics Research</i> , 2018 , 03, 1841003	1.1	11
152	Towards robot-assisted anchor deployment in beating-heart mitral valve surgery. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2018 , 14, e1900	2.9	11
151	Kinesthetic teaching of a therapist's behavior to a rehabilitation robot 2018 ,		11
150	Trilateral Predictor-Mediated Teleoperation of a Wheeled Mobile Robot With Slippage. <i>IEEE Robotics and Automation Letters</i> , 2016 , 1, 738-745	4.2	11
149	Robotic learning from demonstration of therapist's time-varying assistance to a patient in trajectory-following tasks. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2017 , 2017, 888-894 ^{1.3}		11
148	Stability analysis of teleoperation systems under strictly passive and non-passive operator 2013 ,		11
147	Robotic Ultrasound Scanning With Real-Time Image-Based Force Adjustment: Quick Response for Enabling Physical Distancing During the COVID-19 Pandemic. <i>Frontiers in Robotics and AI</i> , 2021 , 8, 645424 ^{2.8}		11
146	Review: How Can Intelligent Robots and Smart Mechatronic Modules Facilitate Remote Assessment, Assistance, and Rehabilitation for Isolated Adults With Neuro-Musculoskeletal Conditions?. <i>Frontiers in Robotics and AI</i> , 2021 , 8, 610529	2.8	11

145	A novel adaptive order/parameter identification method for variable order systems application in viscoelastic soft tissue modeling. <i>Chaos, Solitons and Fractals</i> , 2017 , 102, 447-455	9.3	10
144	Adaptive Control of Teleoperation Systems With Linearly and Nonlinearly Parameterized Dynamic Uncertainties. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2012 , 134,	1.6	10
143	Haptic feedback and sensory substitution during telemanipulated suturing		10
142	Modeling and Emulating a Physiotherapist's Role in Robot-Assisted Rehabilitation. <i>Advanced Intelligent Systems</i> , 2020 , 2, 1900181	6	9
141	Manipulability of teleoperated surgical robots with application in design of master/slave manipulators 2018 ,		9
140	Stability of cooperative teleoperation using haptic devices with complementary degrees of freedom. <i>IET Control Theory and Applications</i> , 2014 , 8, 1062-1070	2.5	9
139	A virtual sensor for needle deflection estimation during soft-tissue needle insertion 2015 ,		9
138	Sliding mode control of a pneumatic haptic teleoperation system with on/off solenoid valves 2011 ,		9
137	2012 ,		9
136	An admittance-controlled wheeled mobile manipulator for mobility assistance: HumanRobot interaction estimation and redundancy resolution for enhanced force exertion ability. <i>Mechatronics</i> , 2021 , 74, 102497	3	9
135	Real-time needle shape prediction in soft-tissue based on image segmentation and particle filtering 2016 ,		9
134	Improving User Performance in Haptics-Based Rehabilitation Exercises by Colocation of User's Visual and Motor Axes via a Three-Dimensional Augmented-Reality Display. <i>IEEE Robotics and Automation Letters</i> , 2019 , 4, 438-444	4.2	9
133	Task-space synchronisation of nonlinear teleoperation with time-varying delays and actuator saturation. <i>International Journal of Control</i> , 2020 , 93, 1328-1344	1.5	9
132	An Admittance-Controlled Robotic Assistant for Semi-Autonomous Breast Ultrasound Scanning 2019 ,		8
131	Controlled Synchronization of Nonlinear Teleoperation in Task-space with Time-varying Delays. <i>International Journal of Control, Automation and Systems</i> , 2019 , 17, 1875-1883	2.9	8
130	Digital versus analog control of bilateral teleoperation systems: A task performance comparison. <i>Control Engineering Practice</i> , 2015 , 38, 46-56	3.9	8
129	Assist-as-needed policy for movement therapy using telerobotics-mediated therapist supervision. <i>Control Engineering Practice</i> , 2020 , 101, 104481	3.9	8
128	Telerobotics-Assisted Platform for Enhancing Interaction with Physical Environments for People Living with Cerebral Palsy. <i>Journal of Medical Robotics Research</i> , 2017 , 02, 1740001	1.1	8

127	Stable Nonlinear Trilateral Impedance Control for Dual-User Haptic Teleoperation Systems With Communication Delays. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2017 , 139,	1.6	8
126	An adaptive order/state estimator for linear systems with non-integer time-varying order. <i>Automatica</i> , 2017 , 84, 1-9	5.7	8
125	A new passivity-based control technique for safe patient-robot interaction in haptics-enabled rehabilitation systems 2015 ,		8
124	Development of a Robotic System to Enable Beating-heart Surgery. <i>Journal of the Robotics Society of Japan</i> , 2014 , 32, 339-346	0.1	8
123	A passivity criterion for sampled-data bilateral teleoperation systems 2011 ,		8
122	Enhancement of Force Exertion Capability of a Mobile Manipulator by Kinematic Reconfiguration. <i>IEEE Robotics and Automation Letters</i> , 2020 , 5, 5842-5849	4.2	8
121	Partial estimation of needle tip orientation in generalized coordinates in ultrasound image-guided needle insertion 2016 ,		8
120	Application of DenTeach in Remote Dentistry Teaching and Learning During the COVID-19 Pandemic: A Case Study. <i>Frontiers in Robotics and AI</i> , 2020 , 7, 611424	2.8	8
119	Intraoperative Tissue Young's Modulus Identification During Needle Insertion Using a Laterally Actuated Needle. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2018 , 67, 371-381	5.2	7
118	Preliminary testing by adults of a haptics-assisted robot platform designed for children with physical impairments to access play. <i>Assistive Technology</i> , 2018 , 30, 242-250	1.5	7
117	Model-Based Needle Steering in Soft Tissue via Lateral Needle Actuation. <i>IEEE Robotics and Automation Letters</i> , 2018 , 3, 3930-3936	4.2	7
116	Absolute stability of a class of trilateral haptic systems. <i>IEEE Transactions on Haptics</i> , 2014 , 7, 301-10	2.7	7
115	Deflection modeling for a needle actuated by lateral force and axial rotation during insertion in soft phantom tissue. <i>Mechatronics</i> , 2017 , 48, 42-53	3	7
114	Learning and robotic imitation of therapist's motion and force for post-disability rehabilitation 2017 ,		7
113	Extended bicycle model for needle steering in soft tissue 2015 ,		7
112	Sliding-mode control of nonlinear discrete-input pneumatic actuators 2011 ,		7
111	Wave-Based Time Delay Compensation in Bilateral Teleoperation: Two-Channel versus Four-Channel Architectures. <i>Proceedings of the American Control Conference</i> , 2007 ,	1.2	7
110	A multilateral impedance-controlled system for haptics-enabled surgical training and cooperation in beating-heart surgery. <i>International Journal of Intelligent Robotics and Applications</i> , 2019 , 3, 314-325	1.7	6

109	A cooperative paradigm for task-space control of multilateral nonlinear teleoperation with bounded inputs and time-varying delays. <i>Mechatronics</i> , 2019 , 62, 102255	3	6
108	Stability of sampled-data, delayed haptic interaction under passive or active operator. <i>IET Control Theory and Applications</i> , 2014 , 8, 1769-1780	2.5	6
107	Control of nonlinear teleoperation systems subject to disturbances and variable time delays 2012 ,		6
106	Development of a hybrid control for a pneumatic teleoperation system using on/off solenoid valves 2010 ,		6
105	Tool/tissue interaction feedback modalities in robot-assisted lump localization. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 3854-7		6
104	Ultrasound-Based Image Guidance and Motion Compensating Control for Robot-Assisted Beating-Heart Surgery. <i>Journal of Medical Robotics Research</i> , 2016 , 01, 1640002	1.1	6
103	Geometric control of 3D needle steering in soft-tissue. <i>Automatica</i> , 2019 , 101, 36-43	5.7	6
102	Case Report: Utilizing AI and NLP to Assist with Healthcare and Rehabilitation During the COVID-19 Pandemic. <i>Frontiers in Artificial Intelligence</i> , 2021 , 4, 613637	3	6
101	Quantifying I placement accuracy in prostate brachytherapy using postimplant transrectal ultrasound images. <i>Brachytherapy</i> , 2017 , 16, 306-312	2.4	5
100	Intraoperative factors associated with stranded source placement accuracy in low-dose-rate prostate brachytherapy. <i>Brachytherapy</i> , 2017 , 16, 497-502	2.4	5
99	Using Potential Field Function With a Velocity Field Controller to Learn and Reproduce the Therapist's Assistance in Robot-Assisted Rehabilitation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020 , 25, 1622-1633	5.5	5
98	Dynamic Reconfiguration of Redundant Haptic Interfaces for Rendering Soft and Hard Contacts. <i>IEEE Transactions on Haptics</i> , 2020 , 13, 668-678	2.7	5
97	Patient-Robot-Therapist Collaboration Using Resistive Impedance Controlled Tele-Robotic Systems Subjected to Time Delays. <i>Journal of Mechanisms and Robotics</i> , 2018 , 10,	2.2	5
96	High-fidelity sliding mode control of a pneumatic haptic teleoperation system. <i>Advanced Robotics</i> , 2014 , 28, 659-671	1.7	5
95	A method for passivity analysis of multilateral haptic systems. <i>Advanced Robotics</i> , 2014 , 28, 1205-1219	1.7	5
94	Semi-Automated Needle Steering in Biological Tissue Using an Ultrasound-Based Deflection Predictor. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 924-938	4.7	5
93	Introducing notched flexible needles with increased deflection curvature in soft tissue 2016 ,		5
92	Intelligent Locomotion Planning With Enhanced Postural Stability for Lower-Limb Exoskeletons. <i>IEEE Robotics and Automation Letters</i> , 2021 , 6, 7588-7595	4.2	5

91	Ways to Learn a Therapist's Patient-specific Intervention: Robotics-vs Telerobotics-mediated Hands-on Teaching 2019 ,		4
90	Human-Machine Collaboration Modalities for Semi-Automated Needle Insertion Into Soft Tissue. <i>IEEE Robotics and Automation Letters</i> , 2018 , 3, 477-483	4.2	4
89	Usability testing of a developed assistive robotic system with virtual assistance for individuals with cerebral palsy: a case study. <i>Disability and Rehabilitation: Assistive Technology</i> , 2018 , 13, 517-522	1.8	4
88	Feedback-linearization-based 3D needle steering in a Frenet-Serret frame using a reduced order bicycle model 2017 ,		4
87	Nonlinear workspace mapping for telerobotic assistance of upper limb in patients with severe movement disorders 2017 ,		4
86	Needle shape estimation in soft tissue based on partial ultrasound image observation 2015 ,		4
85	Performance analysis of a manipulation task in time-delayed teleoperation 2010 ,		4
84	A New Method for Bilateral Teleoperation Passivity under Varying Time Delays. <i>Mathematical Problems in Engineering</i> , 2012 , 2012, 1-19	1.1	4
83	Using a Redundant User Interface in Teleoperated Surgical Systems for Task Performance Enhancement. <i>Robotica</i> , 2020 , 38, 1880-1894	2.1	4
82	Constrained optimal control of needle deflection for semi-manual steering 2016 ,		4
81	A finite-time adaptive order estimation approach for non-integer order nonlinear systems. <i>ISA Transactions</i> , 2021 ,	5.5	4
80	Visual-Haptic Colocation in Robotic Rehabilitation Exercises Using a 2D Augmented-Reality Display 2019 ,		3
79	Therapist-in-the-Loop robotics-assisted mirror rehabilitation therapy: An Assist-as-Needed framework 2015 ,		3
78	Augmented Reality Guided Needle Biopsy of Soft Tissue: A Pilot Study. <i>Frontiers in Robotics and AI</i> , 2020 , 7, 72	2.8	3
77	Surgeon-in-the-Loop 3-D Needle Steering Through Ultrasound-Guided Feedback Control. <i>IEEE Robotics and Automation Letters</i> , 2018 , 3, 469-476	4.2	3
76	A Robot with an Augmented-Reality Display for Functional Capacity Evaluation and Rehabilitation of Injured Workers. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2019 , 2019, 181-186	1.3	3
75	A comparison of US- versus MR-based 3-D Prostate Shapes Using Radial Basis Function Interpolation and Statistical Shape Models. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2015 , 19, 623-34	7.2	3
74	GPC-based teleoperation for delay compensation and disturbance rejection in image-guided beating-heart surgery 2014 ,		3

73	Smith predictor based control in teleoperated image-guided beating-heart surgery 2013 ,		3
72	Stability analysis of sampled-data teleoperation systems 2010 ,		3
71	Inverse dynamics-based adaptive control of nonlinear bilateral teleoperation systems 2011 ,		3
70	Brachytherapy Needle Steering Guidance Using Image Overlay. <i>Advances in Computational Intelligence and Robotics Book Series</i> , 2018 , 191-204	0.4	3
69	Applications of Haptics in Medicine 2020 , 183-214		3
68	Hand Haptic Perception. <i>Springer Tracts in Advanced Robotics</i> , 2014 , 189-200	0.5	3
67	Haptics in Telerobotic Systems for Minimally Invasive Surgery 2008 , 113-124		3
66	COVID-19 Pandemic Spurs Medical Telerobotic Systems: A Survey of Applications Requiring Physiological Organ Motion Compensation. <i>Frontiers in Robotics and AI</i> , 2020 , 7, 594673	2.8	3
65	An efficient metaheuristic optimization approach to the problem of PID tuning for automatic voltage regulator systems 2016 ,		3
64	An integrator-backstepping control approach for out-of-plane needle deflection minimization 2016 ,		3
63	Semi-Autonomous Surgical Robot Control for Beating-Heart Surgery 2019 ,		3
62	Event-Triggered 3D Needle Control Using a Reduced-Order Computationally Efficient Bicycle Model in a Constrained Optimization Framework. <i>Journal of Medical Robotics Research</i> , 2019 , 04, 1842004 ¹¹		3
61	Learning and Reproduction of Therapist's Semi-Periodic Motions during Robotic Rehabilitation. <i>Robotica</i> , 2020 , 38, 337-349	2.1	3
60	Impedance Learning-Based Adaptive Control for Human-Robot Interaction. <i>IEEE Transactions on Control Systems Technology</i> , 2021 , 1-14	4.8	3
59	Adaptive CPG-Based Gait Planning With Learning-Based Torque Estimation and Control for Exoskeletons. <i>IEEE Robotics and Automation Letters</i> , 2021 , 6, 8261-8268	4.2	3
58	Bilateral Adaptive Control of Nonlinear Teleoperation Systems With Uncertain Dynamics and Dead-Zone. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2018 , 140,	1.6	2
57	An Integrator-Backstepping Control Approach for Three-Dimensional Needle Steering. <i>IEEE/ASME Transactions on Mechatronics</i> , 2019 , 24, 2204-2214	5.5	2
56	Stability of sampled-data, delayed haptic interaction and teleoperation 2014 ,		2

55	2017,		2
54	Non-integer variable order dynamic modeling and identification of soft tissue deformation 2017,		2
53	Dynamical modeling and controllability analysis of a flexible needle in soft tissue. <i>International Journal of Modeling, Simulation, and Scientific Computing</i> , 2014 , 05, 1350031	0.8	2
52	Adaptive control of nonlinear teleoperation systems with varying asymmetric time delays 2012,		2
51	Absolute Stability of 3-DOF Bilateral Haptic Systems. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2013 , 46, 437-442		2
50	Dual-User Haptic Teleoperation of Complementary Motions of a Redundant Wheeled Mobile Manipulator Considering Task Priority. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2022 , 1-13	7.3	2
49	An Admittance-controlled Force-scaling Dexterous Assistive Robotic System. <i>Journal of Medical Robotics Research</i> , 2020 , 05, 2041002	1.1	2
48	Delay-Robust Nonlinear Control of Bounded-Input Telerobotic Systems With Synchronization Enhancement. <i>IEEE Robotics and Automation Letters</i> , 2021 , 6, 2493-2500	4.2	2
47	Quantifying Iodine-125 Placement Accuracy in Prostate Brachytherapy Using Post-Implant Transrectal Ultrasound Images. <i>Brachytherapy</i> , 2016 , 15, S180	2.4	2
46	Needle path control during insertion in soft tissue using a force-sensor-based deflection estimator 2016,		2
45	Robotic Rehabilitation and Assistance for Individuals With Movement Disorders Based on a Kinematic Model of the Upper Limb. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2021 , 3, 190-203	3.1	2
44	Development of an Assistive Robotic System with Virtual Assistance to Enhance Play for Children with Disabilities: A Preliminary Study. <i>Journal of Medical and Biological Engineering</i> , 2018 , 38, 33-45	2.2	2
43	Section focused on new horizons in telerobotics for real-life applications. <i>Advanced Robotics</i> , 2018 , 32, 681-682	1.7	2
42	2017,		1
41	2016,		1
40	Applications of observers in medical robotics. <i>Automatisierungstechnik</i> , 2018 , 66, 268-279	0.8	1
39	FPAAs-Based Control of Bilateral Teleoperation Systems for Enhanced User Task Performance. <i>Presence: Teleoperators and Virtual Environments</i> , 2017 , 26, 210-227	2.9	1
38	Position and velocity synchronization in bilateral teleoperation in presence of stochastic disturbances in control inputs 2017,		1

37	Dynamical model averaging and PWM based control for pneumatic actuators 2014 ,		1
36	Adaptive control for linearly and nonlinearly parameterized dynamic uncertainties in bilateral teleoperation systems 2011 ,		1
35	Stability of discrete-time bilateral teleoperation control 2007 ,		1
34	Bilateral Delayed Teleoperation: The Effects of a Passivated Channel Model and Force Sensing. <i>Proceedings - IEEE International Conference on Robotics and Automation</i> , 2007 ,		1
33	Deep Neural Skill Assessment and Transfer: Application to Robotic Surgery Training 2021 ,		1
32	Human-Robot Collaboration for Heavy Object Manipulation: Kinesthetic Teaching of the Role of Wheeled Mobile Manipulator 2021 ,		1
31	Optimal Design of a Novel Spherical Scissor Linkage Remote Center of Motion Mechanism for Medical Robotics 2020 ,		1
30	Large-scale metal additive manufacturing: a holistic review of the state of the art and challenges. <i>International Materials Reviews</i> ,1-50	16.1	1
29	Intelligent Robotics and Immersive Displays for Enhancing Haptic Interaction in Physical Rehabilitation Environments 2020 , 265-297		1
28	Image-Guided Observer-Based Control for Needle Steering. <i>IEEE Transactions on Control Systems Technology</i> , 2020 , 28, 2673-2680	4.8	1
27	Neural network-based physiological organ motion prediction and robot impedance control for teleoperated beating-heart surgery. <i>Biomedical Signal Processing and Control</i> , 2021 , 66, 102423	4.9	1
26	Evaluating Community-Facing Virtual Modalities to Support Complex Neurological Populations During the COVID-19 Pandemic: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2021 , 10, e28267	2	1
25	Semi-autonomous Robot-assisted Cooperative Therapy Exercises for a Therapist's Interaction with a Patient 2019 ,		1
24	Admittance-Controlled Robotic Assistant for Fibula Osteotomies in Mandible Reconstruction Surgery. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000158	6	1
23	Intraoperative optimization of seed implantation plan in breast brachytherapy. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2021 , 16, 1027-1035	3.9	1
22	Model Averaging and Input Transformation for 3D Needle Steering. <i>Journal of Medical Robotics Research</i> , 2018 , 03, 1841004	1.1	1
21	Preliminary Testing of a Telerobotic Haptic System and Analysis of Visual Attention During a Playful Activity 2018 ,		1
20	Enhancing kinematic accuracy of redundant wheeled mobile manipulators via adaptive motion planning. <i>Mechatronics</i> , 2021 , 79, 102639	3	1

19	Surgical Skill Evaluation From Robot-Assisted Surgery Recordings 2021 ,		1
18	Evaluating the impact of a novel telerehabilitation service to address neurological, musculoskeletal, or coronavirus disease 2019 rehabilitation concerns during the coronavirus disease 2019 pandemic. <i>Digital Health</i> , 2022 , 8, 205520762211016	4	1
17	Intelligent assistance for older adults via an admittance-controlled wheeled mobile manipulator with task-dependent end-effectors. <i>Mechatronics</i> , 2022 , 85, 102821	3	1
16	Accurate Tissue Deformation Modeling Using a Kalman Filter and ADMM-Based Projective Dynamics. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022 , 1-10	5.5	1
15	State observation and feedback control in robotic systems for therapy and surgery 2020 , 33-73		0
14	Kinematic design of linkage-based haptic interfaces for medical applications: a review. <i>Progress in Biomedical Engineering</i> , 2021 , 3, 022005	7.2	0
13	Autonomous Locomotion Trajectory Shaping and Nonlinear Control for Lower Limb Exoskeletons. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022 , 645-655	5.5	0
12	Surgical Procedure Understanding, Evaluation, and Interpretation: A Dictionary Factorization Approach. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2022 , 1-1	3.1	0
11	VDC-based admittance control of multi-DOF manipulators considering joint flexibility via hierarchical control framework. <i>Control Engineering Practice</i> , 2022 , 124, 105186	3.9	0
10	Dual Mode pHRI-teleHRI Control System with a Hybrid Admittance-Force Controller for Ultrasound Imaging. <i>Sensors</i> , 2022 , 22, 4025	3.8	0
9	Effect of feedback and target size on eye gaze accuracy in an off-screen task. <i>Disability and Rehabilitation: Assistive Technology</i> , 2021 , 16, 769-779	1.8	
8	A feasibility study of eye gaze with biofeedback in a human-robot interface. <i>Assistive Technology</i> , 2020 , 1-9	1.5	
7	3-DOF Trilateral Teleoperation Using A Pair of 1-DOF and 2-DOF Haptic Devices: Stability Analysis. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2013 , 46, 443-448		
6	Multi-Lateral Teleoperation Based on Multi-Agent Framework: Application to Simultaneous Training and Therapy in Telerehabilitation. <i>Frontiers in Robotics and AI</i> , 2020 , 7, 538347	2.8	
5	Comparison of Attentive and Explicit Eye Gaze Interfaces for Controlling Haptic Guidance of a Robotic Controller. <i>Journal of Medical Robotics Research</i> , 2019 , 04, 1950005	1.1	
4	Enhancing Situational Awareness and Kinesthetic Assistance for Clinicians via Augmented-Reality and Haptic Shared-Control Technologies 2021 , 291-307		
3	Supporting Play by Applying Haptic Guidance Along a Surface Learnt from Single Motion Trajectories. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2019 , 2019, 175-180	1.3	
2	Preliminary testing of eye gaze interfaces for controlling a haptic system intended to support play in children with physical impairments: Attentive versus explicit interfaces.. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2022 , 9, 20556683221079694	1.7	

- 1 Autonomous Prostate Segmentation in 2D B-Mode Ultrasound Images. *Applied Sciences (Switzerland)*, **2022**, 12, 2994 2.6